

Page: 1 of 129

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT

0F

Applicant: Comtrend Corporation

3F-1, 10 Lane 609, Chung Hsin Road, Section 5, San Chung Dist. New

Taipei City, 24159, Taiwan

AC 1200 WiFi Extender, AC1200 Wireless Mesh Point, **Product Name:**

AC1200 Wireless Extender

Brand Name: COMTREND

Model No.: WAP-5922, WAP-5922MP, WAP-5922R

Model Difference: For market segmentation

FCC ID: L9VWAP5922 **Report Number:** ER/2018/60127 **FCC Rule Part:** §15.407, Cat: NII Issue Date: Sep. 25, 2018

Date of Test: Jun. 26, 2018 ~ Sep. 14, 2018

Date of EUT Received: Jun. 26, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

CHUN-CHIEH, CHEN CHUN-CHIEH, CHEN / Engineer

Approved By:

Blue Yang / Supervisor





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and www.sgs.com/terms e-document.htm. jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 2 of 129

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/60127	Rev.00	Initial creation of docu- ment	All	Sep. 25, 2018	Yuri Tsai

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 3 of 129

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULT	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	.12
6	CONDUCTED EMISSION TEST	.13
7	DUTY CYCLE TEST SIGNAL	. 17
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	.21
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	.31
10	POWER SPECTRAL DENSITY	. 35
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	41
12	TRANSMISSION IN THE ABSENCE OF DATA	114
13	FREQUENCY STABILITY	115
14	ANTENNA REQUIREMENT	129

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRo



Page: 4 of 129

GENERAL INFORMATION

1.1 Product Description

General:

· · · · · · · · · · · · · · · · · · ·			
Product Name:	AC 1200 WiFi Extender, AC1200 Wireless Mesh Point, AC1200 Wireless Extender		
Brand Name:	COMTREND		
Model No.:	WAP-5922, WAP-5922MP, WAP-5922R		
Model Difference:	For market segmentation		
Product SW/HW version:	N/A / N/A		
Power Supply:	120Vac		

WLAN 5GHz:

Wi-Fi 802.11	Frequency Range	Channels	Rated Power (Avg.) (dBm)	Modulation Technology	
а	5180~5240	4	17.94	OFDM	
a	5745-5825	5	22.73		
n_HT	5180~5240	4	HT: 17.18 (Worst case)	OEDM	
ac_VHT 20M	5745-5825	5	HT: 23.21 (Worst case)	OFDM	
n_HT	5190~5230	2	HT: 15.51 (Worst case)	OFDM	
ac_VHT 40M	5755~5795	2	HT: 22.56 (Worst case)	OFDM	
ac_VHT	5210	1	14.92	OFDM	
80M	5775	1	18.17	OFDIVI	
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only			
Antenna ⁻	Туре:	PIFA Antenna, Peak Gain: Antenna 1: 3.29dBi (5150~5250MHz) 3.86dBi (5725~5850MHz)			
		Antenna 2: 4.94dBi (5150~5250MHz) 3.24dBi (5725~5850MHz)			
Transition	ı Rate:s	802.11 n_20 802.11 n_40 802.11 ac_2 802.11 ac_4	9/12/18/24/36/48/54 Mbps MHz: 6.5 – 144.4Mbps MHz: 13.5 – 300.0Mbps 0MHz: 6.5 –173.3Mbps 0MHz: 13.5 –400.0Mbps 0MHz: 29.3 – 866.7Mbps		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria



Page: 5 of 129

Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules V02r01

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

際非方角就明・近報官局不復再列級へ係の具具・門町近株の理体階別など。今報告不成今公司省幽町コ・不可可印度表 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 6 of 129

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated with earlies at legal and state of the sample (s) leave and stated and state of so days only. Next State Stat Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 7 of 129

2.5 Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port) Emission Configuration




Fig. 2-2 Radiated Emission & Conduction (AC Power Line) Radiated Emission




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



Page: 8 of 129

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria



Page: 9 of 129

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

Operated band in 3130 Mil				
802.11a / n HT20 Mode,				
802.11ac VHT20 Mode				
Channel	Frequency			
36	5180			
40	5200			
44	5220			
48	5240			

802.11 n HT40 Mode, 802.11ac VHT40 Mode			
channel	Frequency		
38	5190		
46	5230		

802.11ac VHT80 Mode		
channel	Frequency	
42	5210	

Operated band in 5745 MHz ~5850 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
Channel	Frequency	
149	5745	
153	5765	
157	5785	
161	5805	

802.11 n HT40 Mode, 802.11ac VHT40 Mode			
channel	Frequency		
151	5755		
159	5795		

802.11ac VHT80 Mode		
channel	Frequency	
155	5775	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria

SGS Taiwan Ltd.



Page: 10 of 129

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

IVADIALED FINI	001011 1 2 01.							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
RADIATED EMISSION TEST (BELOW 1 GHz)								
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	2TX		
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO		
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	Aux		
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO		
	RADIATED EMISSION TEST (ABOVE 1 GHz)							
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	2TX		
802.11n_HT20	3100~3240	00 10 40 00,44,40	OFDM	MCS8	MIMO			
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO		
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO		
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	2TX		
802.11n_HT20	3743~3023	143 10 103	143 (0 103	143 (0 103	143,137,103	OFDM	MCS8	MIMO
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO		
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO		

Note: The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lessed and such sample(s) are retained for 50 days only.
For \$1.5 are testing to the sample(s) are Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 11 of 129

ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST							
				T	1		
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA	
MODE	BAND (MHz)	CHANNEL	CHANNEL	WIODULATION	(Mbps)	PORT	
802.11a				OFDM	6	2TX	
802.11n_HT20	5180~5240	36 to 48	36,44,48	OEDM	MCC0 / MCC0	NAINAO	
802.11ac_VHT20				OFDM	MCS8 / MCS0	MIMO	
802.11n_HT40	5190~5230	38 to 46	20.46	OFDM	MCS8 / MCS0	MIMO	
802.11ac_VHT40	5190~5230	30 10 40	38,46	OFDIVI	IVICSO / IVICSU	IVIIIVIO	
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO	
802.11a				OFDM	6	2TX	
802.11n_HT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8 / MCS0	MIMO	
802.11ac_VHT20				OFDIVI	101030 / 101030	IVIIIVIO	
802.11n_HT40	5755 . 570F	151 to 150	151 150	OFDM	MCCO / MCCO	MIMO	
802.11ac_VHT40	5755~5795	151 to 159	151,159	OFDM	MCS8 / MCS0	MIMO	
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRo

t (886-2) 2299-3279



Page: 12 of 129

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

Measurement uncertainty	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB

Measurement uncertainty (Polarization : Horizontal)	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukunRoad New TaipeiIndustrialPark WukunDistrict New TaipeiCity Taiwan 24803/新 北市 五 股區新 北 產業園區 五 工 路 134 號



Page: 13 of 129

CONDUCTED EMISSION TEST

6.1. Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below

equality range within 100 Kinz t	queriey range within 100 km iz to 00 km iz onan net exceed the zimit table de below.							
	Limits							
Frequency range	dB(uV)							
MHz	Quasi-peak	Average						
0.15 to 0.50	66 to 56	56 to 46						
0.50 to 5	56	46						
5 to 30	60	50						

Note

6.2. Measurement Equipment Used

Conducted Emission Test Site							
EQUIPMENT MFR MODEL SERIAL LAST CAL D							
TYPE		NUMBER	NUMBER	CAL.			
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2019/02/01		
LISN	SCHWARZ- BECK	NSLK 8127	8127-649	2018/05/18	2019/05/17		

6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the table top.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> f (886-2) 2298-0488 www.tw.sqs.com


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 14 of 129

6.4. Test SET-UP



6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

際非方角就明・近報官路本理可測試入株の具具「門町近株の理味噌如木・李林官本成本公司音幽町コ・不可可印度表 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 15 of 129

AC POWER LINE CONDUCTED EMISSION TEST DATA

Site Conduction Room Temperature: 25 ℃ AC 120V/60Hz Humidity: 85 % Power:

Limit: FCC Class B Conduction(QP) Mode: Operation

Note: Adapter: WAP-5922MP

Conducted Emission File :Data Date: 2018/8/24 Time: 下午 11:04:08 80.0 dBuV FCC Class B Conduction(QP) 0.0 0.150 0.5 (MHz) 5 30.000

dBuV	dB	40.47	#0499190V UT			
10.10		dBuV	dBuV	dB	Detector	Comment
42.10	0.04	42.14	65.36	-23.22	peak	
39.83	0.04	39.87	62.45	-22.58	peak	
42.41	0.04	42.45	56.80	-14.35	peak	
40.57	0.04	40.61	56.00	-15.39	peak	
39.29	0.04	39.33	56.00	-16.67	peak	
38.65	0.05	38.70	56.00	-17.30	peak	
3	9.29	9.29 0.04	9.29 0.04 39.33	9.29 0.04 39.33 56.00	9.29 0.04 39.33 56.00 -16.67	9.29 0.04 39.33 56.00 -16.67 peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 16 of 129

Temperature: Site Conduction Room Phase: N AC 120V/60Hz Humidity: 85 % Power:

Limit: FCC Class B Conduction(QP)

Note: Adapter: WAP-5922MP

Mode: Operation

Conducted Emission File : Data Data :#1 Date: 2018/8/24 Time: 下午 11:03:04 80.0 dBuV FCC Class B Conduction(QP) FCC Class B Conduction(AVG) 0.150 30.000 (MHz) Reading Correct Measure-Limit Over Freq. Mk No. Level Factor ment MHz dBuV dB dBuV dBuV dB Detector Comment 0.04 1 0.2220 45.26 45.30 62.74 -17.44 peak 2 0.4460 38.77 0.04 38.81 56.95 -18.14 peak 3 0.5100 37.83 0.04 37.87 56.00 -18.134 41.70 0.04 41.74 56.00 QP 0.6180 -14.265 0.6180 34.60 0.04 34.64 46.00 -11.36 AVG 6 0.6700 39.91 0.04 39.95 56.00 -16.05 peak

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

7

1.1140

38.15

0.05

38.20

56.00

-17.80

peak



Page: 17 of 129

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

yolo.				
Mode	Duty Cycle (%)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a	92.56	0.34	0.69	1.00
802.11n_20	90.34	0.44	0.74	1.00
802.11ac_20	89.83	0.47	0.73	1.00
802.11n_40	94.86	0.23	2.82	3.00
802.11ac_40	82.23	0.85	1.48	2.00
802.11ac_80	95.02	0.22	2.98	3.00

Duty Cycle Factor: $10 * \log(1/0.9256) = 0.34$ Duty Cycle Factor: $10 * \log(1/0.9034) = 0.44$ Duty Cycle Factor: $10 * \log(1/0.8983) = 0.47$ Duty Cycle Factor: $10 * \log(1/0.9486) = 0.23$ Duty Cycle Factor: $10 * \log(1/0.8223) = 0.85$ Duty Cycle Factor: $10 * \log(1/0.9502) = 0.22$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wine stated with earlies at legal and state of the sample (s) leave and stated and state of so days only. Next State Stat Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 18 of 129

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com





802.11ac VHT20



802.11n HT 40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sqs.com



Page: 20 of 129

802.11ac VHT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 21 of 129

26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak.
 - Sweep=auto
 - b. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 22 of 129

Measurement Equipment Used

SGS Conducted Room								
Name of Equip- ment	Manufacturer	lanufacturer Model		Calibration Date	Calibration Due			
EXA Spectrum An- alyzer	Agilent	N9010A	MY57120290	2018/02/14	2019/02/13			
Temperature Chamber	TERCHY	MHG-120LF	911009	2018/05/18	2019/05/17			
Attenuator	Mini-Circuit	BW-S10W2+	4	2018/01/02	2019/01/01			
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01			
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01			
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A			

8.4 Test Set-up



Measurement Result

26dB Bandwidth

802.11a_Ch0

og (B) Fre

802.11a_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	18.39	12.646	5180	18.31	12.627
5220	19.46	12.890	5220	19.44	12.886
5240	19.24	12.841	5240	18.86	12.754

802.11n_HT20_Ch0

26dB Frequency 10 Log (B) BW (MHz) (dB) (MHz) 5180 19.18 12.828 5220 19.31 12.858 5240 19.27 12.849

802.11n_HT20_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.39	12.875
5220	19.26	12.847
5240	19.27	12.849

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 23 of 129

802.11n HT40 Ch0

802.11n _HT40_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	39.27	15.941
5230	38.60	15.866

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	38.78	15.886
5230	38.62	15.868

802.11ac _VHT80_Ch0

802.11ac _VHT80_Ch1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	77.64	18.901

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	77.65	18.901

6dB Bandwidth (5725 MHz~ 5850 MHz) measure with Peak detector for FCC

802.11a Ch0

802	.11a	Ch1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.07	12.061
5785	15.48	11.898
5825	16.34	12.133

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.33	12.130
5785	16.34	12.131
5825	15.72	11.965

802.11n_HT20_Ch0

802.11n_HT20_Ch1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	15.72	11.965
5785	17.56	12.445
5825	17.08	12.325

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.55	12.187
5785	16.41	12.150
5825	16.56	12.191

802.11n_HT40_Ch0

802.11n_HT40_Ch1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	34.09	15.326
5795	35.21	15.467

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	34.47	15.374
5795	35.12	15.456

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispursation issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unauthal and effenders may be prosequed to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 24 of 129

802.11ac	VHT80	Ch0
----------	-------	-----

002.11ac _V11100_0110							
Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)					
5775	73.93	18.688					

802.11ac _VHT80_Ch1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.10	18.756

99% BW Verification of DFS Function

802.11a_Ch0

802.11a_Ch1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.25	< 5250	5240	5248.16	< 5250
5745	5733.09	> 5725	5745	5733.42	> 5725

802.11n HT20 Ch0

202	11n	HT20	Ch1
OUZ		11 LU	CILL

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.76	< 5250	5240	5248.76	< 5250
5745	5733.36	> 5725	5745	5733.18	> 5725

802.11n _HT40_Ch0

802.11n _HT40_Ch1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	
5230	5247.95	< 5250	5230	5247.95	< 5250	
5755	5735.15	> 5725	5755	5735.00	> 5725	

802.11ac _VHT80_Ch0

802.11n _HT80_Ch1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5210	5247.40	< 5250	5210	5247.40	< 5250
5775	5737.20	> 5725	5775	5737.10	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukunRoad New TaipeiIndustrialPark WukunDistrict New TaipeiCity Taiwan 24803/新 北市 五 股區新 北 產業園區 五 工 路 134 號


SGS Taiwan Ltd.




Page: 25 of 129

802.11a (Main) 5180MHz


802.11a (Aux1) 5180MHz



5220MHz 5220MHz



5240MHz 5240MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488


SGS Taiwan Ltd.




Page: 26 of 129

802.11n HT20 (Main) 5180 MHz


802.11n HT20 (Aux1) 5180 MHz



5220 MHz 5220 MHz



5240 MHz 5240 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.



Page: 27 of 129


802.11n HT40 (Main) 5190 MHz

5230 MHz




5230 MHz

802.11ac VHT80 (Main) 5210 MHz



802.11n HT40 (Aux1) 5190 MHz

802.11ac VHT80 (Aux1) 5210 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形分列が明り近根音場不達対例表で体の異異で同時に依めます。日本報告を基本なり音曲計画である。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible of the company's sole responsible of the company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible of the company is a company in the company of the company is the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the company in the company is a company in the company in the company in the company is a company in the c sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.




Page: 28 of 129

6dB Band Width measure with Peak detector for FCC 802.11a,(Main) 6dB BW (5745 MHz)


802.11a,(Aux1) 6dB BW (5745 MHz)



6dB BW (5785 MHz)



6dB BW (5785 MHz)



6dB BW (5825 MHz)

6dB BW (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible of the company is sole responsible on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible of the company's sole responsible of the company is a company in the company in the company is a company in the company in the company is a company in the company in the company in the company in the company is a company in the company in the company in the company in the company is a company in the compa sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.



Page: 29 of 129


802.11n_HT20,(Main) 6dB BW (5745 MHz)

802.11n_HT20,(Aux1) 6dB BW (5745 MHz)




6dB BW (5785 MHz)

6dB BW (5785 MHz)



6dB BW (5825 MHz)

6dB BW (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at <a href="h sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.



Page: 30 of 129

802.11n_HT40,(Main) 6dB BW (5755 MHz)

6dB BW (5795 MHz)




6dB BW (5795 MHz)

802.11ac VHT80,(Main) 6dB BW (5775 MHz)



802.11n_HT40,(Aux1) 6dB BW (5755 MHz)

802.11ac VHT80,(Aux1) 6dB BW (5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 31 of 129

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

Standard Applicable 9.1

OPERZTION Band	EUT CATEGORY		LIMIT
		Access Point (Master device)	1 Watt(30dBm)
U-NII-1		Fixed point-to-point Access Ponit	1 Watt(30dBm)
		Mobile and portable client device	250mW(23.98dBm)
U-NII-2A			250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C			250mW(23.98dBm) or 11dBm+10 log B
U-NII-3			1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6

Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ...,

(i) If transmit signals are correlated, then Directional gain

= $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

The antenna gain is grater than 6 dBi in MIMO mode, therefore the limit needs to be reduced as below:

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
UNII-1	7.16	28.84
U-NII-3	6.57	29.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated with earlies at legal and state of the sample (s) leave and stated and state of so days only. Next State Stat Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 32 of 129


9.2 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 4.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete. 6.

9.3 **Measurement Equipment Used**

SGS Conducted Room							
Name of Equip- ment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due		
Power Meter	Anritsu	ML2496A	1804001	2018/02/01	2019/01/31		
Power Sensor	Anritsu	MA2411B	1726104	2018/02/01	2019/01/31		
Power Sensor	Anritsu	MA2411B	1726107	2018/02/01	2019/01/31		
Attenuator	Mini-Circuit	BW-S10W2+	4	2018/01/02	2019/01/01		
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01		
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01		
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A		

9.4 **Test Set-up**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com

SGS Taiwan Ltd.



Page: 33 of 129

Measurement Result Conducted output power (FCC)

802.11a 2Tx

002.11a_21X	02.11a_21x								
СН	Frequency (MHz)	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT	
			CH 0	CH 1] ` ′	,	,		
36	5180	6	14.74	14.23	17.84	56.270	28.83557889	PASS	
44	5220	6	14.43	13.67	17.41	51.014	28.83557889	PASS	
48	5240	6	14.83	14.34	17.94	57.573	28.83557889	PASS	
149	5745	6	18.19	18.87	21.89	143.008	29.43416926	PASS	
157	5785	6	18.67	19.14	22.26	155.656	29.43416926	PASS	
165	5825	6	19.19	19.57	22.73	173.558	29.43416926	PASS	

802.11n HT20 MIMO

сн	Frequency (MHz)	Data Rate	Avg. POW	/ER (dBm)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 0	CH 1		, ,	, ,	
36	5180	MCS8	14.15	13.27	17.18	47.234	28.83557889	PASS
44	5220	MCS8	13.86	13.44	17.11	46.402	28.83557889	PASS
48	5240	MCS8	12.75	12.51	16.08	36.660	28.83557889	PASS
149	5745	MCS8	18.35	19.08	22.18	149.301	29.43416926	PASS
157	5785	MCS8	19.09	19.73	22.87	175.068	29.43416926	PASS
165	5825	MCS8	19.37	20.11	23.21	189.062	29.43416926	PASS

802 11n HT40 MIMO

002:1111_111+0_ININIO												
СН	Frequency (MHz)	Data Rate			Avg. POWER (dBm)		Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 0	CH 1	, ,	, ,						
38	5190	MCS8	12.21	11.98	15.34	32.410	28.83557889	PASS				
46	5230	MCS8	12.35	12.18	15.51	33.699	28.83557889	PASS				
151	5755	MCS8	18.36	19.27	22.08	153.077	29.43416926	PASS				
159	5795	MCS8	18.68	19.87	22.56	170.841	29.43416926	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com



Page: 34 of 129

802.11ac VHT20 MIMO

сн	Frequency (MHz)	Data Rate			TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 0	CH 1				
36	5180	MCS0	14.07	13.21	17.14	46.468	28.83557889	PASS
44	5220	MCS0	13.78	13.34	17.04	45.456	28.83557889	PASS
48	5240	MCS0	12.66	12.49	16.05	36.192	28.83557889	PASS
149	5745	MCS0	18.06	18.66	21.85	137.425	29.43416926	PASS
157	5785	MCS0	19.02	19.46	22.72	168.107	29.43416926	PASS
165	5825	MCS0	19.29	19.95	23.11	183.773	29.43416926	PASS

802 11ac VHT40 MIMO

802.11aC_VH140_MIMO								
СН	Frequency (MHz)	Data Rate	Avg. POV	VER (dBm)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 0	CH 1	(42)	()	(42)	
38	5190	MCS0	12.14	11.87	15.30	31.750	28.83557889	PASS
46	5230	MCS0	12.24	12.14	15.48	33.118	28.83557889	PASS
151	5755	MCS0	18.24	19.22	22.05	150.241	29.43416926	PASS
159	5795	MCS0	18.80	19.48	22.44	164.573	29.43416926	PASS

802.11ac VHT80 MIMO

СН	Frequency (MHz)	Data Rate	Avg. POW	/ER (dBm)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 0	CH 1	(aBiii)	(11144)	(dBiii)	
42	5210	MCS0	11.89	11.48	14.92	29.513	28.83557889	PASS
155	5775	MCS0	14.25	15.53	18.17	62.335	29.43416926	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria



Page: 35 of 129

10 POWER SPECTRAL DENSITY

10.1 Standard Applicable

OPERZTION Band	EUT CATEGORY	LIMIT		
	 Access Point (Master device)	17dBm/ MHz		
U-NII-1	Fixed point-to-point Access Ponit	TAGETTI/ IVITIZ		
	Mobile and portable client device	11dBm/ MHz		
U-NII-2A		11dBm/ MHz		
U-NII-2C		11dBm/ MHz		
U-NII-3		30dBm/ 500kHz		

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

= $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

The antenna gain is grater than 6 dBi in MIMO mode, therefore the limit needs to be reduced as below:

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)		
UNII-1	7.16	15.84		
U-NII-3	6.57	29.43		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lessed and such sample(s) are retained for 50 days only.
For \$1.5 are testing to the sample(s) are Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 36 of 129

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:


Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

10.3 Measurement Equipment Used

SGS Conducted Room									
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
EXA Spectrum Analyzer	Agilent	N9010A	MY57120290	2018/02/14	2019/02/13				
Temperature Chamber	TERCHY	MHG-120LF	911009	2018/05/18	2019/05/17				
Attenuator	Mini-Circuit	BW-S10W2+	4	2018/01/02	2019/01/01				
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01				
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01				
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A				

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 37 of 129

10.5 Measurement Result

POWER DENSITY 802.11a MODE										
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)				
5180	5.11	12.70	0.34	5.45	15.836	-10.39				
5220	3.90	12.70	0.34	4.24	15.836	-11.60				
5240	4.70	12.70	0.34	5.04	15.836	-10.80				
5745	14.19	12.70	-	14.19	29.434	-15.24				
5785	13.98	12.70	-	13.98	29.434	-15.45				
5825	13.18	12.70	-	13.18	29.434	-16.25				

POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)	
5180	2.93	12.70	0.44	3.37	15.836	-12.46	
5220	3.32	12.70	0.44	3.76	15.836	-12.07	
5240	2.78	12.70	0.44	3.22	15.836	-12.61	
5745	14.05	12.70	-	14.05	29.434	-15.38	
5785	14.37	12.70	-	14.37	29.434	-15.06	
5825	14.07	12.70	-	14.07	29.434	-15.36	
	POWER D	ENSITY 8	302.11n H	T40 MODE			
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)	
5190	-3.2	12.70	0.23	-2.97	15.836	-18.81	
5230	-4.04	12.70	0.23	-3.81	15.836	-19.65	
5755	12.26	12.70	-	12.26	29.434	-17.17	
5795	12.52	12.70	-	12.52	29.434	-16.91	
	POWER DE	NSITY 80	2.11ac V	HT80 MODE			
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)	
5210	-6.50	12.70	0.22	-6.28	15.836	-22.11	
5775	4.84	12.70	_	4.84	29.434	-24.59	

Note: MIMO offset=12.7

t (886-2) 2299-3279



Page: 38 of 129

802.11a 5150~5250 MHz

Power Spectral Density Data Plot (CH Low 5180 MHz)



Power Spectral Density Data Plot (CH Mid 5220 MHz)



Peak Power Spectral Density Data Plot (CH High 5240 MHz)




802.11a 5725~5850 MHz

Power Spectral Density Data Plot (CH Low 5745 MHz)



Power Spectral Density Data Plot (CH Mid 5785 MHz)



Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下手分分成型 に載る場合性質列級人体の意見 プロザロ体の性質を関わる。本報告人を全なの質量によっている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 39 of 129

802.11n HT20, 5150~5250 MHz

Power Spectral Density Data Plot (CH Low 5180 MHz)



Power Spectral Density Data Plot (CH Mid 5220 MHz)




Power Spectral Density Data Plot (CH High 5240 MHz)



802.11n HT20, 5725~5850 MHz

Power Spectral Density Data Plot (CH Low 5745 MHz)



Power Spectral Density Data Plot (CH Mid 5785 MHz)



Power Spectral Density Data Plot (CH High 5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下手分分成型 に載る場合性質列級人体の意見 プロザロ体の性質を関わる。本報告人を全なの質量によっている。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 40 of 129

802.11n HT40, 5150~5250 MHz

Power Spectral Density Data Plot (CH Low 5190 MHz)



Power Spectral Density Data Plot (CH High 5795 MHz)



Power Spectral Density Data Plot (CH High 5230 MHz)



802.11ac VHT80, 5150~5250 MHz

Power Spectral Density Data Plot (CH Mid 5210 MHz)




802.11n HT40, 5725~5850 MHz

Power Spectral Density Data Plot (CH Low 5755 MHz)



802.11ac VHT80, 5725~5850 MHz

Power Spectral Density Data Plot (CH Mid 5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下手分分就可能被告诉证其例或之体的证明,可能以前的工作。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsible at the time of its intervention only and within the limits of Client's instructions, if any. sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.

| No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 41 of 129

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LI	MIT
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRE	ENGTH AT 3m
	PK: 74 (dBμV/m)	AV 54 (dBμV/m)
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m
15.407(b)(1)		
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)
15.407(b)(3)		
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = ((E*d)^2) / 30, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated with earlies at legal and state of the sample (s) leave and stated and state of so days only. Next State Stat Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 42 of 129

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the contained hereon reflects the contained hereon ref Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 43 of 129

Measurement Equipment Used

- Wedsaremen	L Lquipinient Oseu				
		SGS SAC-III			
Name of Equip- ment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2018/08/16	2019/08/15
Horn Antenna	Schwarzbeck	BBHA9170	184	2017/12/12	2018/12/11
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/09/25
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01
Spectrum Ana- lyzer	Agilent	E4446A	MY51100003	2018/05/15	2019/05/14
EMI Test Receiv- er	R&S	ESCI7	100335	2018/02/02	2019/02/01
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/01/01
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/01/01
Pre-Amplifier	EMC Instruments	EMC184045B	980135	2017/10/27	2018/10/26
Attenuator	Mini-Circuit	BW-S10W2+	4	2018/01/02	2019/01/01
Filter 5150-5350 MHz	Micro-Tronics	BRM50703	1	2018/01/02	2019/01/01
Filter 5725-5875 MHz	Micro-Tronics	BRM50705	1	2018/01/02	2019/01/01
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/01/01
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 44 of 129


11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,比報告結果僅對測試之樣品負責,问時此樣品僅保留則天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page: 45 of 129

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules. 2.
- 3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission 4.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequen-7. cy above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT com-9. pliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS:	= RA	+ A	F + 6	CI.	- AG

	10 101 711 102 710	
Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

নি সন্স্প কলে একিটেন্ড মেন্ত্ৰের মূল্ শিল্পিক বিদ্যালয় বিশ্বনি কলে স্থানি আল্লি শ্বনি কলে কলে বিদ্যালয় Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 46 of 129

11.7 Measurement Result


Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:

802.11a

:2018-08-10 :802.11aB1 **Test Date Operation Band**

:5220 MHz Fundamental Frequency Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
47.46	Peak	36.44	-7.64	28.80	40.00	-11.20
241.46	Peak	40.89	-7.72	33.17	46.00	-12.83
482.99	Peak	36.67	-2.54	34.13	46.00	-11.87
500.45	Peak	34.87	-2.36	32.51	46.00	-13.49
579.99	Peak	31.12	0.01	31.13	46.00	-14.87
676.99	Peak	33.22	1.40	34.62	46.00	-11.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 47 of 129


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB1 :5220 MHz :Tx CH MID :H Plane

Test Date :2018-08-10 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
196.84	Peak	38.49	-9.19	29.30	43.50	-14.20
236.61	Peak	37.85	-8.01	29.84	46.00	-16.16
500.45	Peak	33.84	-2.36	31.48	46.00	-14.52
579.99	Peak	30.24	0.01	30.25	46.00	-15.75
628.49	Peak	35.89	0.84	36.73	46.00	-9.27
676.99	Peak	32.91	1.40	34.31	46.00	-11.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279




Page: 48 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-10

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg C / 62 RH **Operation Mode** :Tx CH MID Engineer :Kane

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB	
188.11	Peak	31.85	-8.84	23.01	43.50	-20.49	
241.46	Peak	37.84	-7.72	30.12	46.00	-15.88	
482.99	Peak	36.13	-2.54	33.59	46.00	-12.41	
500.45	Peak	34.21	-2.36	31.85	46.00	-14.15	
579.99	Peak	32.79	0.01	32.80	46.00	-13.20	
676.99	Peak	30.65	1.40	32.05	46.00	-13.95	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 49 of 129


Operation Band :802.11aB4 Fundamental Frequency **Operation Mode** EUT Pol.

:5785 MHz :Tx CH MID :H Plane

Test Date :2018-08-10 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
192.96	Peak	38.77	-9.06	29.71	43.50	-13.79
248.25	Peak	37.76	-7.43	30.33	46.00	-15.67
293.84	Peak	33.63	-5.69	27.94	46.00	-18.06
479.11	Peak	31.40	-2.10	29.30	46.00	-16.70
500.45	Peak	33.72	-2.36	31.36	46.00	-14.64
628.49	Peak	31.77	0.84	32.61	46.00	-13.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 50 of 129

802.11ac VHT80,

Operation Band :802.11ac80B1 **Fundamental Frequency** :5210 MHz Operation Mode

EUT Pol.


:Tx CH LOW :H Plane

Test Date :2018-08-10

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBμV/m	dB
51.34	Peak	40.30	-7.51	32.79	40.00	-7.21
190.05	Peak	32.48	-8.96	23.52	43.50	-19.98
241.46	Peak	40.45	-7.72	32.73	46.00	-13.27
500.45	Peak	33.40	-2.36	31.04	46.00	-14.96
531.49	Peak	33.96	-1.41	32.55	46.00	-13.45
579.99	Peak	32.78	0.01	32.79	46.00	-13.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price within approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of the indexented to the full set extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 51 of 129

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :H Plane

Test Date :2018-08-10 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
196.84	Peak	37.77	-9.19	28.58	43.50	-14.92
241.46	Peak	37.78	-7.72	30.06	46.00	-15.94
289.96	Peak	33.31	-5.82	27.49	46.00	-18.51
482.99	Peak	33.55	-2.54	31.01	46.00	-14.99
628.49	Peak	35.55	0.84	36.39	46.00	-9.61
725.49	Peak	31.26	2.63	33.89	46.00	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 52 of 129

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :H Plane

Test Date :2018-08-10

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
47.46	Peak	36.01	-7.64	28.37	40.00	-11.63
192.96	Peak	32.63	-9.06	23.57	43.50	-19.93
240.49	Peak	38.53	-7.79	30.74	46.00	-15.26
500.45	Peak	34.64	-2.36	32.28	46.00	-13.72
579.99	Peak	32.01	0.01	32.02	46.00	-13.98
676.99	Peak	32.28	1.40	33.68	46.00	-12.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 53 of 129

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :H Plane

Test Date :2018-08-10 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
194.90	Peak	38.06	-9.13	28.93	43.50	-14.57
241.46	Peak	38.66	-7.72	30.94	46.00	-15.06
500.45	Peak	33.33	-2.36	30.97	46.00	-15.03
579.99	Peak	29.94	0.01	29.95	46.00	-16.05
628.49	Peak	30.05	0.84	30.89	46.00	-15.11
676.99	Peak	31.55	1.40	32.95	46.00	-13.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 54 of 129


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Band :802.11aB1 **Test Date** :2018-08-23

Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10360.00	Peak	38.74	19.71	58.45	68.20	-9.75
15540.00	Average	29.60	23.37	52.97	54.00	-1.03
15540.00	Peak	36.02	23.37	59.39	74.00	-14.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279




Page: 55 of 129

Operation Band :802.11aB1 **Test Date** :2018-08-23 Fundamental Frequency :5180 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@ 3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
10360.00	Peak	34.16	19.71	53.87	68.20	-14.33	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 56 of 129

Operation Band :802.11aB1 **Test Date** :2018-08-23

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10440.00	Peak	38.90	20.05	58.95	68.20	-9.25
15660.00	Average	29.70	23.22	52.92	54.00	-1.08
15660.00	Peak	39.83	23.22	63.05	74.00	-10.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Page: 57 of 129

Operation Band :802.11aB1 **Test Date** :2018-08-23 Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Peak	33.24	20.05	53.29	68.20	-14.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 58 of 129

Operation Band :802.11aB1 **Test Date** :2018-08-23

Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH

Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10480.00	Peak	38.36	20.07	58.43	68.20	-9.77
15720.00	Average	29.78	23.10	52.88	54.00	-1.12
15720.00	Peak	37.23	23.10	60.33	74.00	-13.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Page: 59 of 129

Operation Band :802.11aB1 **Test Date** :2018-08-23 Fundamental Frequency :5240 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10480.00	Peak	35.41	20.07	55.48	68.20	-12.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 60 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-24

Fundamental Frequency Temp./Humi. :5745 MHz :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11490.00	Average	29.68	21.61	51.29	54.00	-2.71
11490.00	Peak	39.18	21.61	60.79	74.00	-13.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 61 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-24 Fundamental Frequency :5745 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11490.00	Average	27.99	21.61	49.60	54.00	-4.40
11490.00	Peak	36.88	21.61	58.49	74.00	-15.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 62 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-24

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11570.00	Average	30.57	21.66	52.23	54.00	-1.77
11570.00	Peak	39.53	21.66	61.19	74.00	-12.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 63 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-24 Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11570.00	Average	28.61	21.66	50.27	54.00	-3.73
11570.00	Peak	37.63	21.66	59.29	74.00	-14.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 64 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-24

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode**

:Tx CH HIGH Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	30.04	21.60	51.64	54.00	-2.36
11650.00	Peak	39.44	21.60	61.04	74.00	-12.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 65 of 129

Operation Band :802.11aB4 **Test Date** :2018-08-24 Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11650.00	Average	28.17	21.60	49.77	54.00	-4.23
11650.00	Peak	36.51	21.60	58.11	74.00	-15.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 66 of 129

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Band :802.11n20B1 **Test Date** :2018-08-24

Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10360.00	Peak	36.50	19.71	56.21	68.20	-11.99
15540.00	Average	29.50	23.37	52.87	54.00	-1.13
15540.00	Peak	36.50	23.37	59.87	74.00	-14.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 67 of 129

Operation Band :802.11n20B1 Fundamental Frequency :5180 MHz **Operation Mode**

EUT Pol.


:Tx CH LOW :H Plane

Test Date :2018-08-24

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	33.80	19.71	53.51	68.20	-14.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 68 of 129

Operation Band :802.11n20B1 **Test Date** :2018-08-24

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID

Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10440.00	Peak	34.28	20.05	54.33	68.20	-13.87
15660.00	Average	29.67	23.22	52.89	54.00	-1.11
15660.00	Peak	36.48	23.22	59.70	74.00	-14.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 69 of 129

Operation Band :802.11n20B1 **Test Date** :2018-08-24 Fundamental Frequency :5220 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10440 00	Peak	34 37	20.05	54 42	68 20	-13.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 70 of 129

Operation Band :802.11n20B1 **Test Date** :2018-08-24

Fundamental Frequency :5240 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10480.00	Peak	34.55	20.07	54.62	68.20	-13.58
15720.00	Average	29.78	23.10	52.88	54.00	-1.12
15720.00	Peak	36.72	23.10	59.82	74.00	-14.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 71 of 129

Operation Band :802.11n20B1 **Test Date** :2018-08-24 Fundamental Frequency :5240 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@ 3m	_
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	10480.00	Peak	33.06	20.07	53.13	68.20	-15.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 72 of 129

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Band :802.11n20B4 **Test Date** :2018-08-24

Fundamental Frequency :5745 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11490.00	Average	29.43	21.61	51.04	54.00	-2.96
11490.00	Peak	39.01	21.61	60.62	74.00	-13.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 73 of 129

Operation Band :802.11n20B4 Fundamental Frequency :5745 MHz


Operation Mode :Tx CH LOW

EUT Pol. :H Plane **Test Date** :2018-08-24

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11490.00	Average	28.16	21.61	49.77	54.00	-4.23
11490.00	Peak	38.29	21.61	59.90	74.00	-14.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 74 of 129

Operation Band :802.11n20B4 **Test Date** :2018-08-24

Fundamental Frequency :5785 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID

Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11570.00	Average	28.84	21.66	50.50	54.00	-3.50
11570.00	Peak	38.58	21.66	60.24	74.00	-13.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 75 of 129

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n20B4 :5785 MHz :Tx CH MID :H Plane

Test Date :2018-08-24

Temp./Humi. :23 deg_C / 62 RH Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11570.00	Average	28.02	21.66	49.68	54.00	-4.32
11570.00	Peak	37.04	21.66	58.70	74.00	-15.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 76 of 129

Operation Band :802.11n20B4 **Test Date** :2018-08-24

Fundamental Frequency :5825 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Kane

EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11650.00	Average	28.87	21.60	50.47	54.00	-3.53
11650.00	Peak	38.66	21.60	60.26	74.00	-13.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 77 of 129


Operation Band :802.11n20B4 **Test Date** Fundamental Frequency :5825 MHz Temp./Humi.

Operation Mode :Tx CH HIGH EUT Pol. :H Plane

:2018-08-24 :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11650.00	Average	28.22	21.60	49.82	54.00	-4.18
11650.00	Peak	35.91	21.60	57.51	74.00	-16.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 78 of 129

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Band :802.11n40B1 **Test Date** :2018-08-24

Fundamental Frequency :5190 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10380 00	Peak	34 10	19 78	53.88	68 20	-14 32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 79 of 129

Operation Band :802.11n40B1 **Test Date** :2018-08-24 Fundamental Frequency :5190 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Peak	34.16	19.78	53.94	68.20	-14.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 80 of 129

Operation Band :802.11n40B1 **Test Date** :2018-08-24

Fundamental Frequency :5230 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer

:Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	-
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10460 00	Peak	33 49	20.07	53 56	68 20	-14 64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279




Page: 81 of 129

Operation Band :802.11n40B1 **Test Date** :2018-08-24 Fundamental Frequency :5230 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10460 00	Peak	33 50	20.07	53 57	68 20	-14 63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page: 82 of 129

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Band :802.11n40B4 **Test Date** :2018-08-24

Fundamental Frequency :5755 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
11510.00	Average	28.19	21.66	49.85	54.00	-4.15	_
11510.00	Peak	36.67	21.66	58.33	74.00	-15.67	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 83 of 129

Operation Band :802.11n40B4 **Fundamental Frequency** :5755 MHz


Operation Mode :Tx CH LOW

EUT Pol. :H Plane **Test Date** :2018-08-24

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11510.00	Average	27.85	21.66	49.51	54.00	-4.49
11510.00	Peak	35.47	21.66	57.13	74.00	-16.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 84 of 129

Operation Band :802.11n40B4 **Test Date** :2018-08-24

Fundamental Frequency :5795 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH HIGH

Engineer :Kane EUT Pol. :H Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11590.00	Average	28.66	21.66	50.32	54.00	-3.68
11590.00	Peak	37.93	21.66	59.59	74.00	-14.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 85 of 129

Operation Band :802.11n40B4 **Test Date** :2018-08-24 **Fundamental Frequency** :5795 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11590.00	Average	28.16	21.66	49.82	54.00	-4.18
11590.00	Peak	36.32	21.66	57.98	74.00	-16.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 86 of 129

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date** :2018-08-27

Fundamental Frequency :5210 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.00	Peak	34 67	19 99	54 66	68 20	-13 54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.




Page: 87 of 129

Operation Band :802.11ac80B1 **Test Date** :2018-08-27 Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@ 3m	-
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
•	10420.00	Peak	33.74	19.99	53.73	68.20	-14.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134. WukfunRoad.NewTaineiIndustrialPark.WukinDistrict NewTaineiCity Taiwan 24803/新非市工即区新中本中间,在14 基本中间的14 基本中间的15 基本中间15 基本中间16 基本中间15 基本中间16 基本中间16 基本中间16 基本中间16 基本中间16

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 88 of 129

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Band :802.11ac80B4 **Test Date** :2018-08-27

Fundamental Frequency :5775 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11550.00	Average	27.28	21.66	48.94	54.00	-5.06
11550.00	Peak	35.26	21.66	56.92	74.00	-17.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 89 of 129

Operation Band Test Date :802.11ac80B4 :2018-08-27 **Fundamental Frequency** :5775 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :H Plane :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11550.00	Average	27.81	21.66	49.47	54.00	-4.53
11550.00	Peak	33.56	21.66	55.22	74.00	-18.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 90 of 129


Band edge falling to restricted band 802.11a mode


Operation Band :802.11aB1 **Fundamental Frequency** :5180 MHz

Operation Mode :Bandedge CH LOW EUT Pol. :H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg_C / 62 RH





Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	43.77	8.32	52.09	54.00	-1.91
5150.00	Peak	60.95	8.32	69.27	74.00	-4.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 91 of 129

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB1 :5180 MHz

:Bandedge CH LOW

EUT Pol.


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Average	42.87	8.32	51.19	54.00	-2.81
5150.00	Peak	60.20	8.32	68.52	74.00	-5.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 92 of 129

Operation Band Fundamental Frequency **Operation Mode**


:802.11aB4 :5745 MHz

:Bandedge CH LOW

EUT Pol. :H Plane **Test Date** :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	50.82	9.20	60.02	68.23	-8.21
5700.00	Peak	60.36	9.35	69.71	105.23	-35.52
5720.00	Peak	77.50	9.43	86.93	110.83	-23.90
5725.00	Peak	85.00	9.44	94.44	122.23	-27.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 93 of 129

Operation Band Fundamental Frequency

Operation Mode

EUT Pol.

:802.11aB4 :5745 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	49.77	9.20	58.97	68.23	-9.26
5700.00	Peak	59.13	9.35	68.48	105.23	-36.75
5720.00	Peak	75.83	9.43	85.26	110.83	-25.57
5725.00	Peak	83.60	9.44	93.04	122.23	-29.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 94 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB4 :5825 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	79.71	9.77	89.48	122.23	-32.75
5855.00	Peak	74.88	9.78	84.66	110.83	-26.17
5875.00	Peak	59.91	9.82	69.73	105.23	-35.50
5925.00	Peak	51.06	9.98	61.04	68.23	-7.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 95 of 129

Operation Band Fundamental Frequency **Operation Mode**

:802.11aB4 :5825 MHz


:Bandedge CH HIGH

EUT Pol. :H Plane **Test Date** :2018-07-20

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	78.18	9.77	87.95	122.23	-34.28
5855.00	Peak	73.83	9.78	83.61	110.83	-27.22
5875.00	Peak	60.23	9.82	70.05	105.23	-35.18
5925.00	Peak	50.39	9.98	60.37	68.23	-7.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 96 of 129

802.11n20 HT mode

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11n20B1 :5180 MHz

:Bandedge CH LOW


:H Plane

:2018-07-20 **Test Date**

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5150.00	Average	43.71	8.32	52.03	54.00	-1.97
5150.00	Peak	60.23	8.32	68.55	74.00	-5.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 97 of 129

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11n20B1 :5180 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Average	40.69	8.32	49.01	54.00	-4.99
5150.00	Peak	52.62	8.32	60.94	74.00	-13.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 98 of 129

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11n20B4 :5745 MHz


:Bandedge CH LOW

:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	50.33	9.20	59.53	68.23	-8.70
5700.00	Peak	67.91	9.35	77.26	105.23	-27.97
5720.00	Peak	78.89	9.43	88.32	110.83	-22.51
5725.00	Peak	85.79	9.44	95.23	122.23	-27.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 99 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n20B4 :5745 MHz


:Bandedge CH LOW

:H Plane

Test Date :2018-07-20 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	49.11	9.20	58.31	68.23	-9.92
5700.00	Peak	67.02	9.35	76.37	105.23	-28.86
5720.00	Peak	76.52	9.43	85.95	110.83	-24.88
5725.00	Peak	84.59	9.44	94.03	122.23	-28.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 100 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n20B4 :5825 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	76.81	9.77	86.58	122.23	-35.65
5855.00	Peak	73.65	9.78	83.43	110.83	-27.40
5875.00	Peak	55.61	9.82	65.43	105.23	-39.80
5925.00	Peak	50.84	9.98	60.82	68.23	-7.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 101 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n20B4 :5825 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	76.06	9.77	85.83	122.23	-36.40
5855.00	Peak	71.77	9.78	81.55	110.83	-29.28
5875.00	Peak	55.01	9.82	64.83	105.23	-40.40
5925.00	Peak	50.65	9.98	60.63	68.23	-7.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 102 of 129

802.11n40 HT mode

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:H Plane

:2018-07-20 **Test Date**

Temp./Humi. :23 deg_C / 62 RH Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5145.76	Average	42.55	8.30	50.85	54.00	-3.15
5145.76	Peak	59.92	8.30	68.22	74.00	-5.78
5150.00	Average	44.23	8.32	52.55	54.00	-1.45
5150.00	Peak	58.21	8.32	66.53	74.00	-7.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 103 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:H Plane

Test Date :2018-07-20 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5143.48	Average	40.21	8.30	48.51	54.00	-5.49
5143.48	Peak	56.97	8.30	65.27	74.00	-8.73
5150.00	Average	41.72	8.32	50.04	54.00	-3.96
5150.00	Peak	57.35	8.32	65.67	74.00	-8.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 104 of 129

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11n40B4 :5755 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5648.48	Peak	57.62	9.19	66.81	68.23	-1.42
5650.00	Peak	56.38	9.20	65.58	68.23	-2.65
5700.00	Peak	76.65	9.35	86.00	105.23	-19.23
5720.00	Peak	86.44	9.43	95.87	110.83	-14.96
5725.00	Peak	84.72	9.44	94.16	122.23	-28.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 105 of 129

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5755 MHz


:Bandedge CH LOW

:H Plane

Test Date :2018-07-20 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	54.97	9.20	64.17	68.23	-4.06
5700.00	Peak	71.45	9.35	80.80	105.23	-24.43
5720.00	Peak	83.86	9.43	93.29	110.83	-17.54
5725.00	Peak	84.70	9.44	94.14	122.23	-28.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 106 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n40B4 :5795 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	71.39	9.77	81.16	122.23	-41.07
5855.00	Peak	69.16	9.78	78.94	110.83	-31.89
5875.00	Peak	61.75	9.82	71.57	105.23	-33.66
5925.00	Peak	51.30	9.98	61.28	68.23	-6.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 107 of 129

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n40B4 :5795 MHz


:Bandedge CH HIGH

:H Plane

Test Date :2018-07-20 Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	70.22	9.77	79.99	122.23	-42.24
5855.00	Peak	67.54	9.78	77.32	110.83	-33.51
5875.00	Peak	61.53	9.82	71.35	105.23	-33.88
5925.00	Peak	51.43	9.98	61.41	68.23	-6.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 108 of 129

802.11ac80 VHT mode

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11ac80B1 :5210 MHz

:Bandedge CH LOW


:H Plane

:2018-07-20 **Test Date**

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5148.60	Average	44.29	8.30	52.59	54.00	-1.41
5148.60	Peak	59.26	8.30	67.56	74.00	-6.44
5150.00	Average	44.33	8.32	52.65	54.00	-1.35
5150.00	Peak	57.19	8.32	65.51	74.00	-8.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 109 of 129

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11ac80B1 :5210 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
Ī	5150.00	Average	42.96	8.32	51.28	54.00	-2.72
	5150.00	Peak	55.15	8.32	63.47	74.00	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 110 of 129

Operation Band Fundamental Frequency Operation Mode

EUT Pol.

:802.11ac80B4 :5775 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@ 3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5649.48	Peak	56.89	9.20	66.09	68.23	-2.14
5650.00	Peak	54.57	9.20	63.77	68.23	-4.46
5700.00	Peak	70.90	9.35	80.25	105.23	-24.98
5720.00	Peak	75.78	9.43	85.21	110.83	-25.62
5725.00	Peak	77.95	9.44	87.39	122.23	-34.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 111 of 129

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11ac80B4 :5775 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	54.13	9.20	63.33	68.23	-4.90
5700.00	Peak	66.53	9.35	75.88	105.23	-29.35
5720.00	Peak	70.51	9.43	79.94	110.83	-30.89
5725.00	Peak	71.25	9.44	80.69	122.23	-41.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 112 of 129

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	68.24	9.77	78.01	122.23	-44.22
5855.00	Peak	68.17	9.78	77.95	110.83	-32.88
5875.00	Peak	60.03	9.82	69.85	105.23	-35.38
5925.00	Peak	50.00	9.98	59.98	68.23	-8.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 113 of 129

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz


:Bandedge CH HIGH

:H Plane

Test Date :2018-07-20

Temp./Humi. :23 deg C / 62 RH Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	66.16	9.77	75.93	122.23	-46.30
5855.00	Peak	66.99	9.78	76.77	110.83	-34.06
5875.00	Peak	58.82	9.82	68.64	105.23	-36.59
5925.00	Peak	49.67	9.98	59.65	68.23	-8.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the full extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 114 of 129

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices other wine stated with earlies at legal and state of the sample (s) leave and stated and state of so days only. Next State Stat Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 115 of 129

13 FREQUENCY STABILITY

13.1 Standard Applicable


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP

Temperature Chamber



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, New Taipeilne

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 116 of 129

Measurement Equipment Used:

	SGS Conducted Room								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
EXA Spectrum Analyzer	Agilent	N9010A	MY57120290	2018/02/14	2019/02/13				
Temperature Chamber	TERCHY	MHG-120LF	911009	2018/05/18	2019/05/17				
Attenuator	Mini-Circuit	BW-S10W2+	4	2018/01/02	2019/01/01				
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01				
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01				
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A				

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No 134 WukfungRada New TaipeilindustrialPark WukupIstrict New Taipeilindustrict New TaipeilindustrialPark WukupIstrict New Taipeilindustria

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 117 of 129

13.5 Measurement Result

Startup

Operation Mode	802.11 a	Test Date	2018.09.4
Temperature	:23 °C	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.98767	0.00000238
		44	5220	5,220.00155	-0.00000030
		48	5240	5,239.96873	0.00000597
	138V	149	5745	5,744.97724	0.00000396
		157	5785	5,784.98372	0.00000281
		165	5825	5,824.99700	0.00000051
-10 °C		36	5180	5,179.99677	0.00000062
		44	5220	5,219.98773	0.00000235
	102V	48	5240	5,239.98265	0.00000331
		149	5745	5,744.98655	0.00000234
		157	5785	5,784.97805	0.00000379
		165	5825	5,824.98496	0.00000258
		36	5180	5,179.99965	0.00000007
		44	5220	5,219.99206	0.00000152
25 ℃	120V	48	5240	5,239.97368	0.00000502
		149	5745	5,744.98766	0.00000215
		157	5785	5,784.99332	0.00000115
		165	5825	5,824.99213	0.00000135
		36	5180	5,179.98442	0.00000301
	ľ	44	5220	5,220.00380	-0.00000073
		48	5240	5,239.97543	0.00000469
	138V	149	5745	5,744.98560	0.00000251
		157	5785	5,784.98274	0.00000298
		165	5825	5,824.98194	0.00000310
55 ℃		36	5180	5,179.98591	0.00000272
	[44	5220	5,220.00185	-0.00000035
	102V	48	5240	5,239.98147	0.00000354
	[149	5745	5,744.98170	0.00000319
	[157	5785	5,784.98677	0.00000229
		165	5825	5,824.98099	0.00000326

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln



Page: 118 of 129

Operation Mode	802.11 n_HT40	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.98481	0.00000293
	138V	46	5230	5,230.00717	-0.00000137
		151	5755	5,754.97963	0.00000354
-10 °C		159	5795	5,794.98390	0.00000278
		38	5190	5,189.99903	0.00000019
	102V	46	5230	5,229.99788	0.00000040
		151	5755	5,754.97361	0.00000459
		159	5795	5,794.99017	0.00000170
		38	5190	5,190.00033	-0.00000006
25 ℃	120V	46	5230	5,230.00093	-0.0000018
		151	5755	5,754.98298	0.00000296
		159	5795	5,794.97384	0.00000451
		38	5190	5,189.99540	0.00000089
		46	5230	5,230.01320	-0.00000252
	138V	151	5755	5,754.97324	0.00000465
		159	5795	5,794.98183	0.00000313
55 °C		38	5190	5,189.98286	0.00000330
	102V	46	5230	5,230.01159	-0.00000222
		151	5755	5,754.98884	0.00000194
		159	5795	5,794.97562	0.00000421



Page: 119 of 129

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	138V	42	5210	5,209.99977	0.00000005
-10 °C	130 V	155	5775	5,774.99924	0.00000013
-10 C	102V	42	5210	5,210.00877	-0.00000168
		155	5775	5,774.99182	0.00000142
25 ℃	120V	42	5210	5,210.00294	-0.0000056
25 (155	5775	5,774.99361	0.00000111
	138V	42	5210	5,210.00019	-0.00000004
55 °C	1307	155	5775	5,775.00739	-0.00000128
35 C	102\/	42	5210	5,209.99878	0.00000023
	102V	155	5775	5,774.99198	0.00000139

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279



Page: 120 of 129

2 Minutes:

Operation Mode	802.11 a	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.98998	0.00000193
		44	5220	5,219.99849	0.00000029
	138V	48	5240	5,239.96865	0.00000598
		149	5745	5,744.98108	0.00000329
		157	5785	5,784.99381	0.00000107
		165	5825	5,824.98069	0.00000332
-10 °C		36	5180	5,179.99467	0.00000103
		44	5220	5,219.98677	0.00000254
	102V	48	5240	5,239.97136	0.00000547
		149	5745	5,744.99210	0.00000138
		157	5785	5,784.99307	0.00000120
		165	5825	5,824.98960	0.00000179
		36	5180	5,179.99190	0.00000156
		44	5220	5,219.99909	0.00000017
	120V	48	5240	5,239.97258	0.00000523
25 ℃		149	5745	5,744.98714	0.00000224
		157	5785	5,784.99147	0.00000148
		165	5825	5,824.98320	0.00000288
		36	5180	5,179.99325	0.00000130
		44	5220	5,220.00021	-0.00000004
	138V	48	5240	5,239.96895	0.00000593
		149	5745	5,744.97690	0.00000402
		157	5785	5,784.97674	0.00000402
		165	5825	5,824.98157	0.00000316
55 °C		36	5180	5,179.98626	0.00000265
		44	5220	5,219.99236	0.00000146
	102V	48	5240	5,239.97131	0.00000548
		149	5745	5,744.99140	0.00000150
		157	5785	5,784.99395	0.00000105
		165	5825	5,824.98811	0.00000204



Page: 121 of 129

Operation Mode	802.11 n_HT40	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.98267	0.00000334
	138V	46	5230	5,230.01178	-0.00000225
		151	5755	5,754.98836	0.00000202
-10 °C		159	5795	5,794.97349	0.00000457
		38	5190	5,190.00127	-0.00000024
	102V	46	5230	5,230.01457	-0.00000279
		151	5755	5,754.97420	0.00000448
		159	5795	5,794.98669	0.00000230
		38	5190	5,189.99790	0.00000041
25 ℃	120V	46	5230	5,230.00927	-0.00000177
		151	5755	5,754.98000	0.00000348
		159	5795	5,794.98030	0.00000340
		38	5190	5,189.99999	0.00000000
	138V	46	5230	5,230.00680	-0.00000130
		151	5755	5,754.98710	0.00000224
		159	5795	5,794.98669	0.00000230
55 °C		38	5190	5,189.98516	0.00000286
	102V	46	5230	5,230.01192	-0.00000228
		151	5755	5,754.97457	0.00000442
		159	5795	5,794.98893	0.00000191



Page: 122 of 129

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	138V	42	5210	5,210.00448	-0.00000086
-10 °C	102V	155	5775	5,775.00002	0.00000000
-10 C		42	5210	5,210.00942	-0.00000181
		155	5775	5,775.00843	-0.00000146
25 ℃	120V	42	5210	5,209.99396	0.00000116
25 (1200	155	5775	5,775.00555	-0.00000096
	138V	42	5210	5,210.00519	-0.00000100
55 °C	130 V	155	5775	5,774.99656	0.00000060
	102V	42	5210	5,210.00736	-0.00000141
	1027	155	5775	5,775.00102	-0.0000018



Page: 123 of 129

5 Minutes:

Operation Mode	802.11 a	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %	-	-

Test Temp.	Test Voltage	Channel	Measured Frequency	Spectrum Frequency	ΔFrequency
	Took Voltage		(MHz)	(MHz)	(MHz)
		36	5180	5,179.99245	0.00000146
		44	5220	5,219.99918	0.00000016
	138V	48	5240	5,239.98072	0.00000368
		149	5745	5,744.98865	0.00000198
		157	5785	5,784.99142	0.00000148
		165	5825	5,824.98743	0.00000216
-10 °C		36	5180	5,179.99498	0.00000097
		44	5220	5,220.00386	-0.00000074
	102V	48	5240	5,239.96664	0.00000637
		149	5745	5,744.97926	0.00000361
		157	5785	5,784.98054	0.00000336
		165	5825	5,824.99292	0.00000122
	120V	36	5180	5,179.99588	0.00000080
		44	5220	5,219.98860	0.00000218
25 ℃		48	5240	5,239.98148	0.00000353
		149	5745	5,744.98493	0.00000262
		157	5785	5,784.98483	0.00000262
		165	5825	5,824.98246	0.00000301
		36	5180	5,179.98311	0.00000326
		44	5220	5,219.98753	0.00000239
	138V	48	5240	5,239.97940	0.00000393
		149	5745	5,744.98103	0.00000330
		157	5785	5,784.97717	0.00000395
		165	5825	5,824.98092	0.00000328
55 °C		36	5180	5,179.98268	0.00000334
	[44	5220	5,219.98746	0.00000240
	102V	48	5240	5,239.97743	0.00000431
	[149	5745	5,744.97679	0.00000404
	[157	5785	5,784.97906	0.00000362
		165	5825	5,824.97991	0.00000345

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279



Page: 124 of 129

Operation Mode	802.11 n_HT40	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00029	-0.00000006
		46	5230	5,230.01009	-0.00000193
	138V	151	5755	5,754.98652	0.00000234
-10 °C		159	5795	5,794.98772	0.00000212
		38	5190	5,189.98672	0.00000256
	102V	46	5230	5,229.99686	0.00000060
		151	5755	5,754.98723	0.00000222
		159	5795	5,794.99004	0.00000172
		38	5190	5,189.98864	0.00000219
25 ℃	120V	46	5230	5,230.00906	-0.00000173
		151	5755	5,754.97571	0.00000422
		159	5795	5,794.98331	0.00000288
		38	5190	5,189.99354	0.00000125
	138V	46	5230	5,230.00560	-0.00000107
		151	5755	5,754.98044	0.00000340
		159	5795	5,794.98157	0.00000318
55 °C		38	5190	5,189.99616	0.00000074
	102V	46	5230	5,230.00685	-0.00000131
	[151	5755	5,754.98361	0.00000285
		159	5795	5,794.98704	0.00000224

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279



Page: 125 of 129

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	138V	42	5210	5,210.00987	-0.00000189
-10 °C	1307	155	5775	5,775.00759	-0.00000131
-10 C	102V	42	5210	5,210.00146	-0.00000028
	1027	155	5775	5,775.00364	-0.00000063
25 ℃	120V	42	5210	5,209.99612	0.00000075
25 (1200	155	5775	5,774.99495	0.00000088
	138V	42	5210	5,209.99964	0.00000007
55 °C	1307	155	5775	5,774.99212	0.00000136
	102V	42	5210	5,210.00059	-0.0000011
	1027	155	5775	5,775.00066	-0.00000011

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279

www.tw.sqs.com



Page: 126 of 129

10 Minutes:

Operation Mode	802.11 a	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.98177	0.00000352
		44	5220	5,219.99453	0.00000105
	138V	48	5240	5,239.98346	0.00000316
		149	5745	5,744.98885	0.00000194
		157	5785	5,784.98568	0.00000247
		165	5825	5,824.98270	0.00000297
-10 °C		36	5180	5,179.98721	0.00000247
		44	5220	5,219.98695	0.00000250
	102V	48	5240	5,239.98537	0.00000279
		149	5745	5,744.98765	0.00000215
		157	5785	5,784.98828	0.00000203
		165	5825	5,824.99081	0.00000158
		36	5180	5,179.98694	0.00000252
		44	5220	5,220.00047	-0.00000009
25 ℃	120V	48	5240	5,239.98047	0.00000373
		149	5745	5,744.98351	0.00000287
		157	5785	5,784.99658	0.00000059
		165	5825	5,824.99605	0.00000068
		36	5180	5,179.99705	0.00000057
		44	5220	5,219.98618	0.00000265
		48	5240	5,239.97261	0.00000523
	138V	149	5745	5,744.99338	0.00000115
		157	5785	5,784.98620	0.00000239
		165	5825	5,824.98733	0.00000217
55 ℃		36	5180	5,179.98475	0.00000294
		44	5220	5,220.00555	-0.00000106
	102V	48	5240	5,239.98235	0.00000337
		149	5745	5,744.97710	0.00000399
		157	5785	5,784.99188	0.00000140
	[165	5825	5,824.99376	0.00000107

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279



Page: 127 of 129

Operation Mode	802.11 n_HT40	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.98564	0.00000277
	138V	46	5230	5,230.00360	-0.00000069
		151	5755	5,754.97211	0.00000485
-10 °C		159	5795	5,794.97471	0.00000436
		38	5190	5,189.98963	0.00000200
	102V	46	5230	5,230.00618	-0.00000118
		151	5755	5,754.97498	0.00000435
		159	5795	5,794.97911	0.00000360
		38	5190	5,189.99327	0.00000130
25 ℃	120V	46	5230	5,229.99835	0.00000032
		151	5755	5,754.97160	0.00000493
		159	5795	5,794.99230	0.00000133
		38	5190	5,189.98830	0.00000225
	138V	46	5230	5,230.00828	-0.00000158
		151	5755	5,754.97541	0.00000427
		159	5795	5,794.98868	0.00000195
55 °C		38	5190	5,189.98997	0.00000193
	102V	46	5230	5,230.01264	-0.00000242
	[151	5755	5,754.98268	0.00000301
		159	5795	5,794.98790	0.00000209

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279



Page: 128 of 129

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.4
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 °C	138V	42	5210	5,209.99747	0.00000049
		155	5775	5,774.99278	0.00000125
	102V	42	5210	5,209.99330	0.00000129
		155	5775	5,774.99348	0.00000113
25 ℃	120V	42	5210	5,210.00049	-0.00000009
		155	5775	5,775.00632	-0.00000109
55 °C	138V	42	5210	5,210.00355	-0.00000068
		155	5775	5,774.99174	0.00000143
	102V	42	5210	5,209.99160	0.00000161
		155	5775	5,774.99245	0.00000131

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeilndustrialPark,WukungRoad,NewTaipeiln

t (886-2) 2299-3279



Page: 129 of 129

14 ANTENNA REQUIREMENT

Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lessed and such sample(s) are retained for 50 days only.
For \$1.5 are testing to the sample(s) are Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.