

Continental Conair Limited

Application
For
Certification
(Change in identification)

43/49MHz 25 Channel Cordless Telephone
(FCC ID: LBBFF802)

WO# 9809011
CKL/at
December 15, 1998

- The test results reported in this report shall refer only to the sample actually tested and shall not refer or be deemed to refer to bulk from which such a sample may be said to have been obtained.
- This report shall not be reproduced except in full without prior authorization from Intertek Testing Services Limited

FCC ID: LBBFF802

LIST OF EXHIBITS

INTRODUCTION

- | | |
|-------------------|---------------------------|
| <i>EXHIBIT 1:</i> | General Description |
| <i>EXHIBIT 2:</i> | Original Certificate Copy |
| <i>EXHIBIT 3:</i> | Equipment Photographs |
| <i>EXHIBIT 4:</i> | Product Labelling |

INTERTEK TESTING SERVICES

Table of Contents

1.0 <u>General Description</u>	1
1.1 Product Description	2
1.2 Original Identification Information.....	3
1.3 Reason of Change in Identification.....	3
1.4 Representative of Previous Field Data.....	3
2.0 <u>Original Certification Copy</u>	4
3.0 <u>Equipment Photographs</u>	5
4.0 <u>Product Labelling</u>	7

INTERTEK TESTING SERVICES

List of attached file

Exhibit type	Filename
Test Report	report. doc
Cover letter	letter.pdf
Circuit Description	descri.pdf
Test Report	certificate.pdf
External Photo	ophoto1.jpg, ophoto2.jpg
Internal Photo	iphoto1.jpg to iphoto16.jpg
ID Label	label.pdf
ID Location	location.pdf

EXHIBIT 1

GENERAL DESCRIPTION

INTERTEK TESTING SERVICES

1.0 **General Description**

1.1 Product Description

The equipment is a 43/49MHz 25 Channel Cordless Phone with model: FF802 for change in identification. The unit is capable of either tone or pulse dialing. The internal power supply's isolation is accomplished through a power transformer having an adequate dielectric rating. The circuit wiring is consistent under the requirement of part 68.

The handset unit consists of a keypad with twelve standard keys (0,...9,*,#), three function keys (Memo, Redial and Flash). A talk key is provided to control pick/release telephone line in a toggle base.

The base unit has a page key, which is used to page the handset unit.

For electronic filing, the circuit description is saved with filename: descri.pdf

Connection between the device and the telephone network is accomplished through the use of USOC RJ11C in the 2-wire loop calling central office line.

INTERTEK TESTING SERVICES

1.2 Original Identification Information

The original identification (FCC ID) of the equipment is LBBFF714 and granted on September 4, 1996. The name of grantee is Continental Conair Limited. The copy of certificate is attached in Exhibit 2.

1.3 Reason of Change in Identification

The original grantee, Continental Conair Limited would like to add a new model number FF802 and a new identification LBBFF802 for cosmetic changes and marketing purposes. The equipment of this new application is electrically and functionally identical to the old application.

1.4 Representative of Previous Field Data

The data of the equipment previous filed with FCC ID: LBBFF714 by commission continues to be representative and applicable to the equipment bearing the changed identification.

All the items listed under this filing are confirmed by:

C. K. Lam
Assistant Manager
Intertek Testing Services
Agent for Continental Conair Limited



Signature

December 16, 1998 Date

INTERTEK TESTING SERVICES

EXHIBIT 2

ORIGINAL CERTIFICATE COPY

For electronic filing, the original certificate copy is saved with filename: certificate.pdf

EXHIBIT 3

EQUIPMENT PHOTOGRAPHS

3.0 **Equipment Photographs**

Photographs of the tested EUT are attached.

For electronic filing, the photographs are saved with filename: ophoto1.jpg to ophoto2.jpg and
ipphoto1.jpg to ipphoto16.jpg

EXHIBIT 4

PRODUCT LABELLING

4.0 **Product Labelling**

For electronic filing, the FCC ID label and label location are saved with filename: label.pdf and location. pdf