




Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |       |        |       |
|-------------|------|------|-------|-------------------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k   | PK                | 20ms   | AUTO  | LN OFF | 60dB  |

| Transducer No. | Start | Stop | Name  |
|----------------|-------|------|-------|
| 3              | 9k    | 30M  | EI078 |

Final Measurement: x QP  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB





Report No.:9907790  
Mode: Charging

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 450k  | 30M  | 5k   | 10k   | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:




Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |       |        |       |
|-------------|------|------|-------|-------------------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k   | PK                | 20ms   | AUTO  | LN OFF | 60dB  |

| Transducer No. | Start | Stop | Name  |
|----------------|-------|------|-------|
| 3              | 9k    | 30M  | EI078 |

Final Measurement: x QP  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB





Report No.:9907790  
Mode: Standby

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 450k  | 30M  | 5k   | 10k   | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:



Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |       |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k               | PK       | 20ms   | AUTO  | LN OFF | 60dB  |


| Transducer No. | Start | Stop | Name  |
|----------------|-------|------|-------|
| 3              | 9k    | 30M  | EI078 |

Final Measurement: x QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB





Report No.:9907790

Mode: Transmission

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 450k  | 30M  | 5k   | 10k   | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results: