


EUT_1: Encapsulated, PVDF, 40mm/1-1/2"

Vertical polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_1: Encapsulated, PVDF, 40mm/1-1/2"

Horizontal polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_3: Integrated PEEK, 40mm/1-1/2"

Vertical polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_3: Integrated PEEK, 40mm/1-1/2"

Horizontal polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_4: Cladded flush mount, PTFE, 50mm/2"

Vertical polarization (with respect to the plane of rotation)


Signalstärketeilung 0, -3, -10, -20, -30, -38, -40, -50dB
Winkelteilung 10 Grad



EUT_4: Cladded flush mount, PTFE, 50mm/2"

Horizontal polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_5: Cladded flush mount, PTFE, 80mm/3"

Vertical polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_5: Cladded flush mount, PTFE, 80mm/3"

Horizontal polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_6: Horn, 316L, 65mm/2.6"

Vertical polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_6: Horn, 316L, 65mm/2.6"

Horizontal polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_7: Drip-off, 50mm/2"

Vertical polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_7: Drip-off, 50mm/2"

Horizontal polarization (with respect to the plane of rotation)


Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_8: Flush mount, PTFE, 80mm/3"

Vertical polarization (with respect to the plane of rotation)

Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked



EUT_8: Flush mount, PTFE, 80mm/3"

Horizontal polarization (with respect to the plane of rotation)

Scale division for signal strength 0, -3, -10, -20, -30, -38, -40, -50dB
Scale division for angles 10 degrees, -60° and 60° color marked

