


802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

7095MHz

21/04/2022




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.917G	-41.56	-7.00	-34.56	5.30	0.00	-46.86	-46.86
5.885G	7.165G	1M	PK	7.13236G	-43.20	-7.00	-36.20	5.30	0.00	-48.50	-48.50

802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

7095MHz

21/04/2022



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.9042G	-52.54	-27.00	-25.54	5.30	0.00	-57.84	-57.84
5.885G	7.165G	1M	AV	7.12596G	-53.74	-27.00	-26.74	5.30	0.00	-59.04	-59.04




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.71	68.20	-0.49	3	Horizontal	53	2.33	-

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUT\_Z\_1TX  
 Setting 12.5  
 04-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10875G	91.97	Inf	-Inf	82.67	3	Vertical	192	2.16	-	36.77	5.95	33.42
RMS	7.10733G	81.27	Inf	-Inf	71.98	3	Vertical	192	2.16	-	36.76	5.95	33.42
PK	7.1255G	74.74	88.20	-13.46	65.32	3	Vertical	192	2.16	-	36.90	5.96	33.44
RMS	7.1255G	64.05	68.20	-4.15	54.63	3	Vertical	192	2.16	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 12.5  
04-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11G	95.45	Inf	-Inf	86.13	3	Horizontal	53	2.33	-	36.78	5.96	33.42
RMS	7.1073G	85.06	Inf	-Inf	75.77	3	Horizontal	53	2.33	-	36.76	5.95	33.42
PK	7.1255G	78.48	88.20	-9.72	69.06	3	Horizontal	53	2.33	-	36.90	5.96	33.44
RMS	7.1255G	67.71	68.20	-0.49	58.29	3	Horizontal	53	2.33	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUT\_Z\_1TX  
 Setting 12.5  
 04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21728G	57.59	88.20	-30.61	43.06	3	Vertical	117	1.26	-	40.77	8.65	34.89
RMS	14.2162G	44.86	68.20	-23.34	30.33	3	Vertical	117	1.26	-	40.77	8.65	34.89

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 12.5  
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22142G	57.38	88.20	-30.82	42.85	3	Horizontal	21	1.67	-	40.76	8.66	34.89
RMS	14.2219G	45.71	68.20	-22.49	31.18	3	Horizontal	21	1.67	-	40.76	8.66	34.89

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUT\_Z\_1TX  
 Setting 12.5  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3445G	47.67	83.54	-35.87	43.48	1	Vertical	232	1.57	-	37.71	16.11	49.63
AV	21.3453G	34.48	63.54	-29.06	30.29	1	Vertical	232	1.57	-	37.71	16.11	49.63

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom



EUT\_Z\_1TX  
 Setting 12.5  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34476G	48.12	83.54	-35.42	43.93	1	Horizontal	318	1.54	-	37.71	16.11	49.63
AV	21.34554G	34.56	63.54	-28.98	30.37	1	Horizontal	318	1.54	-	37.71	16.11	49.63






<Non-Beamforming Mode>

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	68.06	68.20	-0.14	3	Horizontal	49	2.32	-

802.11ax HEW20\_Nss1,(MCS0)\_2TX  
7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12G	93.31	Inf	-Inf	83.92	3	Vertical	88	2.05	-	36.86	5.96	33.43
RMS	7.10625G	83.08	Inf	-Inf	73.80	3	Vertical	88	2.05	-	36.75	5.95	33.42
PK	7.1255G	75.60	88.20	-12.60	66.18	3	Vertical	88	2.05	-	36.90	5.96	33.44
RMS	7.1255G	65.25	68.20	-2.95	55.83	3	Vertical	88	2.05	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 8.5  
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11G	95.56	Inf	-Inf	86.24	3	Horizontal	49	2.32	-	36.78	5.96	33.42
RMS	7.12413G	85.37	Inf	-Inf	75.96	3	Horizontal	49	2.32	-	36.89	5.96	33.44
PK	7.1255G	79.22	88.20	-8.98	69.80	3	Horizontal	49	2.32	-	36.90	5.96	33.44
RMS	7.1255G	68.06	68.20	-0.14	58.64	3	Horizontal	49	2.32	-	36.90	5.96	33.44

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 8.5  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2288G	57.72	88.20	-30.48	43.21	3	Vertical	109	1.20	-	40.74	8.66	34.89
RMS	14.22622G	45.63	68.20	-22.57	31.11	3	Vertical	109	1.20	-	40.75	8.66	34.89

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 8.5  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22638G	57.58	88.20	-30.62	43.06	3	Horizontal	205	2.82	-	40.75	8.66	34.89
RMS	14.23012G	45.63	68.20	-22.57	31.12	3	Horizontal	205	2.82	-	40.74	8.66	34.89

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom




EUT\_Z\_2TX  
 Setting 8.5  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34806G	48.24	83.54	-35.30	44.04	1	Vertical	73	1.50	-	37.72	16.11	49.63
AV	21.34742G	34.79	63.54	-28.75	30.59	1	Vertical	73	1.50	-	37.72	16.11	49.63

802.11ax HEW20\_Nss1,(MCS0)\_2TX

7115MHz\_TnomVnom



EUT\_Z\_2TX  
 Setting 8.5  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34704G	48.64	83.54	-34.90	44.44	1	Horizontal	153	1.54	-	37.72	16.11	49.63
AV	21.34732G	34.73	63.54	-28.81	30.53	1	Horizontal	153	1.54	-	37.72	16.11	49.63



<Non-Beamforming Mode>


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.14	68.20	-0.06	3	Horizontal	277	1.60	-



802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUTY\_4TX  
Setting 8  
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1075G	97.23	Inf	-Inf	87.94	3	Vertical	286	1.44	-	36.76	5.95	33.42
RMS	7.10725G	86.50	Inf	-Inf	77.21	3	Vertical	286	1.44	-	36.76	5.95	33.42
PK	7.1255G	75.85	88.20	-12.35	66.43	3	Vertical	286	1.44	-	36.90	5.96	33.44
RMS	7.1255G	64.98	68.20	-3.22	55.56	3	Vertical	286	1.44	-	36.90	5.96	33.44

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TnomVnom




EUTY\_4TX  
Setting 8  
04-L-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10755G	97.88	Inf	-Inf	88.59	3	Horizontal	277	1.60	-	36.76	5.95	33.42
RMS	7.10758G	87.51	Inf	-Inf	78.22	3	Horizontal	277	1.60	-	36.76	5.95	33.42
PK	7.1255G	78.92	88.20	-9.28	69.50	3	Horizontal	277	1.60	-	36.90	5.96	33.44
RMS	7.1255G	68.14	68.20	-0.06	58.72	3	Horizontal	277	1.60	-	36.90	5.96	33.44

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TnomVnom




EUTY\_4TX  
Setting 8  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23456G	58.75	88.20	-29.45	44.25	3	Vertical	280	1.80	-	40.73	8.66	34.89
RMS	14.2292G	45.77	68.20	-22.43	31.26	3	Vertical	280	1.80	-	40.74	8.66	34.89

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUTY\_4TX  
Setting 8  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22714G	58.45	88.20	-29.75	43.93	3	Horizontal	220	2.74	-	40.75	8.66	34.89
RMS	14.23008G	45.70	68.20	-22.50	31.19	3	Horizontal	220	2.74	-	40.74	8.66	34.89

802.11ax HEW20\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUTY\_4TX  
Setting 8  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34976G	49.23	83.54	-34.31	45.03	1	Vertical	7	1.54	-	37.72	16.11	49.63
AV	21.3477G	35.71	63.54	-27.83	31.51	1	Vertical	7	1.54	-	37.72	16.11	49.63

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TnomVnom



EUTY\_4TX  
Setting 8  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34138G	49.25	83.54	-34.29	45.07	1	Horizontal	49	1.50	-	37.71	16.10	49.63
AV	21.34162G	35.60	63.54	-27.94	31.42	1	Horizontal	49	1.50	-	37.71	16.10	49.63




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	67.87	68.20	-0.33	3	Horizontal	280	1.80	-

802.11ax HEW20\_Nss1,(MCS0)\_1TX

7115MHz\_TnomVnom




EUT X\_1TX  
Setting 10  
01-I-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1088G	91.68	Inf	-Inf	81.01	3	Vertical	318	1.85	-	36.57	7.25	33.15
RMS	7.10663G	82.63	Inf	-Inf	71.98	3	Vertical	318	1.85	-	36.55	7.25	33.15
PK	7.1255G	75.72	88.20	-12.48	64.92	3	Vertical	318	1.85	-	36.70	7.24	33.14
RMS	7.1255G	64.18	68.20	-4.02	53.38	3	Vertical	318	1.85	-	36.70	7.24	33.14



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT X\_1TX  
Setting 10  
01-I-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10873G	95.72	Inf	-Inf	85.05	3	Horizontal	280	1.80	-	36.57	7.25	33.15
RMS	7.10605G	85.80	Inf	-Inf	75.15	3	Horizontal	280	1.80	-	36.55	7.25	33.15
PK	7.1255G	78.83	88.20	-9.37	68.03	3	Horizontal	280	1.80	-	36.70	7.24	33.14
RMS	7.1255G	67.87	68.20	-0.33	57.07	3	Horizontal	280	1.80	-	36.70	7.24	33.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT X\_1TX  
Setting 10  
01-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22994G	60.06	88.20	-28.14	40.91	3	Vertical	61	2.77	-	40.74	9.97	31.56
RMS	14.22524G	47.68	68.20	-20.52	28.51	3	Vertical	61	2.77	-	40.75	9.97	31.55

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT X\_1TX  
Setting 10  
01-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22818G	60.20	88.20	-28.00	41.04	3	Horizontal	307	1.54	-	40.74	9.97	31.55
RMS	14.22558G	47.67	68.20	-20.53	28.50	3	Horizontal	307	1.54	-	40.75	9.97	31.55

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT X\_1TX  
Setting 10  
01-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34655G	47.09	83.54	-36.45	43.99	1	Vertical	174	1.41	-	37.72	15.01	49.63
AV	21.3428G	34.64	63.54	-28.90	31.55	1	Vertical	174	1.41	-	37.71	15.01	49.63

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom



EUT X\_1TX  
Setting 10  
01-I-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34518G	48.51	83.54	-35.03	45.42	1	Horizontal	102	1.22	-	37.71	15.01	49.63
AV	21.34281G	34.58	63.54	-28.96	31.49	1	Horizontal	102	1.22	-	37.71	15.01	49.63

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

5955MHz\_TnomVnom

15/02/2022




802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6175MHz\_TnomVnom

15/02/2022



802.11ax HEW20\_Nss1,(MCS0)\_1TX  
6415MHz\_TnomVnom

MASK

15/02/2022

CF Freq  
6.415GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42329G	-2.52	6.448G	-57.02	-42.52	-14.50	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX  
6435MHz\_TnomVnom

MASK

15/02/2022

CF Freq  
6.435GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42721G	-2.30	6.4685G	-56.67	-42.30	-14.37	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6475MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.475GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48349G	-1.23	6.4417G	-56.38	-41.23	-15.15	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6515MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.515GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50631G	-1.59	6.482G	-56.42	-41.59	-14.83	1



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6535MHz\_TnomVnom**

**MASK**


15/02/2022



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6695MHz\_TnomVnom**

**MASK**

15/02/2022



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6855MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.855GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84761G	-0.56	6.8221G	-54.76	-40.56	-14.20	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.875GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86591G	-0.66	6.8422G	-54.90	-40.65	-14.25	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6895MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88591G	-0.89	6.9278G	-54.96	-40.89	-14.07	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6995MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98621G	-0.36	6.9621G	-54.11	-40.36	-13.75	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

7095MHz\_TnomVnom

15/02/2022




802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

7115MHz\_TnomVnom

28/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

5965MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

6165MHz\_TnomVnom

15/02/2022



**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6405MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.405GHz


Span  
200MHz


RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4038G	-1.48	6.4664G	-53.49	-41.48	-12.01	1

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6445MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.445GHz


Span  
200MHz


RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.444G	-1.05	6.506G	-53.18	-41.05	-12.13	1

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6485MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.485GHz


Span  
200MHz


RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.486G	-1.24	6.424G	-53.18	-41.24	-11.94	1

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**

**MASK**

**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**

15/02/2022

CF Freq  
6.525GHz


Span  
200MHz


RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.524G	-1.45	6.4626G	-53.83	-41.45	-12.38	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

6565MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

6685MHz\_TnomVnom

15/02/2022





**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6845MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.845GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8426G	-1.08	6.9056G	-52.32	-40.99	-11.33	1

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.885GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8818G	-1.57	6.824G	-52.91	-41.57	-11.34	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
6925MHz\_TnomVnom

MASK

15/02/2022

CF Freq  
6.925GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9238G	-1.66	6.9864G	-52.99	-41.66	-11.33	1

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
7005MHz\_TnomVnom

MASK

15/02/2022

CF Freq  
7.005GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0066G	-1.04	6.9426G	-51.79	-41.04	-10.75	1

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

MASK

#### 7085MHz\_TnomVnom

15/02/2022

CF Freq  
7.085GHz


Span  
200MHz

RBW  
500kHz

VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0802G	-1.26	7.0238G	-52.53	-41.26	-11.27	1

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

MASK

#### 5985MHz\_TnomVnom

15/02/2022

CF Freq  
5.985GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99019G	-0.36	6.125G	-47.25	-40.35	-6.90	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6145MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.145GHz


Span  
400MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15859G	-1.52	6.021G	-50.57	-41.51	-9.06	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6385MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.385GHz


Span  
400MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.389G	-1.71	6.5074G	-50.81	-41.60	-9.21	1

802.11ax HEW80\_Nss1,(MCS0)\_1TX

MASK

6465MHz\_TnomVnom

15/02/2022




802.11ax HEW80\_Nss1,(MCS0)\_1TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

15/02/2022



**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6625MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.625GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63299G	-1.72	6.749G	-50.67	-41.72	-8.95	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6705MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.705GHz


Span  
400MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69861G	-1.68	6.8278G	-50.27	-41.48	-8.79	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6785MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.785GHz


Span  
400MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7818G	-1.43	6.6614G	-50.28	-41.43	-8.85	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8626G	-1.58	6.7422G	-50.02	-41.58	-8.44	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6945MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93301G	-1.77	6.8194G	-50.52	-41.77	-8.75	1

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**7025MHz\_TnomVnom**

**MASK**

15/02/2022

CF Freq  
7.025GHz


Span  
400MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03219G	-1.61	6.9006G	-49.76	-41.61	-8.15	1



**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**6025MHz\_TnomVnom**

**MASK**


15/02/2022



**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**6185MHz\_TnomVnom**

**MASK**

15/02/2022



802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6345MHz\_TnomVnom

15/02/2022

CF Freq  
6.345GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.38096G	-1.47	6.097G	-48.88	-41.46	-7.42	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

15/02/2022

CF Freq  
6.505GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48902G	-1.01	6.7538G	-48.58	-41.01	-7.57	1

802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6665MHz\_TnomVnom

15/02/2022




802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

15/02/2022




802.11ax HEW160\_Nss1,(MCS0)\_1TX

MASK

6985MHz\_TnomVnom

15/02/2022



802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TnomVnom

14/02/2022

CF Freq  
5.955GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96379G	-5.49	5.967G	-41.30	-24.99	-16.31	1
5.96429G	-5.90	5.9669G	-40.99	-25.92	-15.07	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6175MHz\_TnomVnom

14/02/2022

CF Freq  
6.175GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18409G	-5.82	6.1871G	-41.81	-25.88	-15.93	1
6.16631G	-6.04	6.1629G	-42.33	-26.04	-16.29	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TnomVnom

14/02/2022

CF Freq  
6.415GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42389G	-6.05	6.403G	-41.44	-25.85	-15.59	1
6.42329G	-6.15	6.4271G	-42.39	-25.85	-16.54	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6435MHz\_TnomVnom

14/02/2022

CF Freq  
6.435GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42611G	-4.68	6.423G	-40.36	-24.77	-15.59	1
6.42601G	-4.86	6.423G	-40.70	-24.90	-15.80	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6475MHz\_TnomVnom

14/02/2022

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48389G	-4.34	6.4871G	-40.17	-24.40	-15.77	1
6.46651G	-4.87	6.463G	-40.83	-24.37	-16.46	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6515MHz\_TnomVnom

14/02/2022

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50671G	-5.01	6.5029G	-40.93	-25.06	-15.87	1
6.50621G	-5.22	6.503G	-41.22	-25.24	-15.98	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TnomVnom

14/02/2022

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52581G	-4.77	6.5231G	-39.72	-24.79	-14.93	1
6.52691G	-5.15	6.5229G	-41.46	-25.21	-16.25	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TnomVnom

14/02/2022

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70389G	-4.90	6.6828G	-41.86	-24.91	-16.95	1
6.70379G	-5.14	6.683G	-40.89	-24.64	-16.25	2



802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TnomVnom

14/02/2022

CF Freq  
6.855GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84611G	-4.76	6.843G	-40.39	-24.80	-15.59	1
6.84661G	-4.73	6.843G	-40.13	-24.53	-15.60	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

14/02/2022

CF Freq  
6.875GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86701G	-5.13	6.8629G	-41.27	-25.18	-16.09	1
6.88429G	-4.97	6.8871G	-40.90	-25.04	-15.86	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6895MHz\_TnomVnom

14/02/2022

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90349G	-2.71	6.883G	-39.03	-22.51	-16.52	1
6.90399G	-3.19	6.883G	-39.19	-23.19	-16.00	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6995MHz\_TnomVnom

14/02/2022

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98591G	-2.36	6.9831G	-38.01	-21.96	-16.05	1
6.98651G	-3.18	6.9831G	-38.85	-23.08	-15.77	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

7095MHz\_TnomVnom

15/02/2022

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08581G	-2.99	7.0829G	-38.88	-23.05	-15.83	1
7.08621G	-2.92	7.083G	-37.78	-23.01	-14.77	2

802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

7115MHz\_TnomVnom

28/02/2022

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10661G	-8.39	7.0777G	-61.35	-48.39	-12.96	1
7.10611G	-8.42	7.079G	-61.45	-48.42	-13.03	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6165MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6445MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6485MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TnomVnom

15/02/2022



802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TnomVnom

15/02/2022

CF Freq  
6.845GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8426G	-2.91	6.9066G	-59.93	-42.91	-17.02	1
6.841G	-3.07	6.9066G	-60.07	-43.07	-17.00	2

802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

15/02/2022

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8872G	-3.14	6.9454G	-59.65	-43.09	-16.56	1
6.882G	-3.36	6.9462G	-59.95	-43.36	-16.59	2




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6925MHz\_TnomVnom

15/02/2022




802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

7005MHz\_TnomVnom

15/02/2022



802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

7085MHz\_TnomVnom

15/02/2022

CF Freq  
7.085GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07741G	-1.45	7.0242G	-54.17	-41.45	-12.72	1
7.0876G	-1.20	7.0248G	-52.26	-40.77	-11.49	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TnomVnom

15/02/2022

CF Freq  
5.985GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9874G	-1.85	6.1086G	-50.14	-41.85	-8.29	1
5.9894G	-1.76	6.1078G	-50.13	-41.61	-8.52	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6145MHz\_TnomVnom

15/02/2022




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TnomVnom

15/02/2022



802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6465MHz\_TnomVnom

15/02/2022

CF Freq  
6.465GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4674G	-1.21	6.5882G	-52.84	-41.21	-11.63	1
6.45581G	-1.37	6.5874G	-52.23	-41.16	-11.07	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

15/02/2022

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53981G	-1.41	6.6702G	-53.74	-41.41	-12.33	1
6.5474G	-1.64	6.4226G	-53.20	-41.48	-11.72	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TnomVnom

15/02/2022

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.621G	-1.51	6.7482G	-53.72	-41.51	-12.21	1
6.6222G	-1.30	6.5014G	-52.88	-41.30	-11.58	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TnomVnom

15/02/2022

CF Freq  
6.705GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71019G	-1.18	6.579G	-53.01	-41.18	-11.83	1
6.69341G	-1.49	6.5814G	-53.07	-41.47	-11.60	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TnomVnom

15/02/2022




802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

15/02/2022



802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6945MHz\_TnomVnom

15/02/2022

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9402G	-1.58	6.8206G	-53.26	-41.58	-11.68	1
6.9414G	-1.71	6.8226G	-52.92	-41.60	-11.32	2

802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

7025MHz\_TnomVnom

15/02/2022

CF Freq  
7.025GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03139G	-1.48	6.9018G	-51.31	-41.48	-9.83	1
7.01981G	-1.54	6.9018G	-51.03	-41.46	-9.57	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TnomVnom

15/02/2022

CF Freq  
6.025GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03139G	-1.34	6.273G	-49.97	-41.34	-8.63	1
6.05217G	-1.16	6.2714G	-48.43	-41.16	-7.27	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TnomVnom

15/02/2022

CF Freq  
6.185GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20898G	-1.23	6.4314G	-50.94	-41.20	-9.74	1
6.21697G	-0.97	6.4346G	-50.94	-40.97	-9.97	2



802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TnomVnom

15/02/2022

CF Freq  
6.345GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.38016G	-1.27	6.5914G	-51.53	-41.24	-10.29	1
6.37537G	-1.45	6.5922G	-51.55	-41.45	-10.10	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

15/02/2022

CF Freq  
6.505GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48022G	-0.91	6.7514G	-51.52	-40.83	-10.69	1
6.48582G	-1.08	6.7514G	-51.82	-41.05	-10.77	2

802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TnomVnom

15/02/2022




802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

15/02/2022




802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6985MHz\_TnomVnom

15/02/2022



802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TnomVnom

14/02/2022

CF Freq  
5.955GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96399G	-10.42	5.9672G	-46.37	-30.46	-15.91	1
5.96409G	-10.54	5.967G	-45.28	-30.63	-14.65	2
5.96239G	-10.68	5.9671G	-46.26	-30.08	-16.18	3
5.96389G	-9.97	5.967G	-45.69	-29.99	-15.70	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6175MHz\_TnomVnom

14/02/2022

CF Freq  
6.175GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16701G	-11.08	6.1869G	-45.64	-30.68	-14.96	1
6.18349G	-10.78	6.187G	-45.89	-30.81	-15.08	2
6.16591G	-10.97	6.187G	-45.87	-30.97	-14.90	3
6.18409G	-10.80	6.1871G	-46.62	-30.81	-15.81	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TnomVnom

14/02/2022

CF Freq  
6.415GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40631G	-10.02	6.4029G	-45.71	-30.08	-15.63	1
6.42199G	-10.59	6.4269G	-45.26	-30.49	-14.77	2
6.40641G	-10.20	6.4271G	-45.97	-30.28	-15.69	3
6.42379G	-10.53	6.4029G	-46.27	-30.54	-15.73	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6435MHz\_TnomVnom

14/02/2022

CF Freq  
6.435GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42601G	-9.68	6.4229G	-45.12	-29.68	-15.44	1
6.44339G	-10.06	6.4228G	-46.45	-30.10	-16.35	2
6.42711G	-9.82	6.423G	-45.41	-29.84	-15.57	3
6.42681G	-10.09	6.447G	-45.84	-30.12	-15.72	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TnomVnom

14/02/2022

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48419G	-9.43	6.487G	-44.69	-29.45	-15.24	1
6.46741G	-10.14	6.4869G	-44.70	-29.74	-14.96	2
6.48419G	-9.42	6.4628G	-45.80	-29.43	-16.37	3
6.48359G	-9.76	6.487G	-45.34	-29.76	-15.58	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TnomVnom

14/02/2022

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50751G	-9.38	6.527G	-44.33	-29.38	-14.95	1
6.52249G	-9.76	6.503G	-44.77	-29.81	-14.96	2
6.50611G	-9.09	6.5031G	-43.93	-28.99	-14.94	3
6.50641G	-9.49	6.503G	-45.00	-29.52	-15.48	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TnomVnom

14/02/2022

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54319G	-8.99	6.547G	-43.92	-29.03	-14.89	1
6.52581G	-9.53	6.5468G	-43.73	-29.53	-14.20	2
6.54389G	-8.96	6.5472G	-45.06	-29.04	-16.02	3
6.52631G	-9.27	6.547G	-44.53	-29.35	-15.18	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TnomVnom

14/02/2022

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70399G	-9.51	6.7071G	-44.96	-28.91	-16.05	1
6.70389G	-9.57	6.6831G	-44.92	-29.59	-15.33	2
6.70399G	-9.63	6.6829G	-44.60	-29.74	-14.86	3
6.70309G	-9.77	6.6829G	-45.25	-29.83	-15.42	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TnomVnom

14/02/2022

CF Freq  
6.855GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84761G	-8.87	6.8671G	-44.97	-28.89	-16.08	1
6.84581G	-9.31	6.8429G	-44.69	-29.36	-15.33	2
6.84771G	-9.44	6.8432G	-43.16	-29.45	-13.71	3
6.84661G	-9.40	6.8428G	-45.50	-29.44	-16.06	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

14/02/2022

CF Freq  
6.875GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86621G	-9.90	6.863G	-44.82	-29.70	-15.12	1
6.88299G	-9.48	6.8631G	-44.31	-29.38	-14.93	2
6.86591G	-9.93	6.8631G	-44.43	-29.53	-14.90	3
6.88389G	-9.86	6.9121G	-64.37	-49.86	-14.51	4



802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TnomVnom

14/02/2022

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88721G	-8.46	6.907G	-43.38	-28.50	-14.88	1
6.90319G	-8.74	6.9069G	-43.58	-28.34	-15.24	2
6.90319G	-8.84	6.907G	-43.61	-28.89	-14.72	3
6.90259G	-9.02	6.8831G	-43.89	-28.92	-14.97	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TnomVnom

14/02/2022

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98611G	-9.11	6.9831G	-43.73	-29.13	-14.60	1
7.00269G	-9.68	6.9829G	-44.47	-29.78	-14.69	2
6.98591G	-9.78	6.983G	-44.41	-29.80	-14.61	3
6.98581G	-9.30	6.9832G	-43.29	-28.40	-14.89	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TnomVnom

14/02/2022

CF Freq  
7.095GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08591G	-9.96	7.083G	-44.91	-30.01	-14.90	1
7.08581G	-9.99	7.083G	-44.24	-30.04	-14.20	2
7.08591G	-9.91	7.083G	-45.23	-29.95	-15.28	3
7.08601G	-9.83	7.0831G	-44.56	-29.84	-14.72	4

802.11ax HEW20\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TnomVnom

28/02/2022

CF Freq  
7.115GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10591G	-8.66	7.081G	-61.54	-48.66	-12.88	1
7.10651G	-9.20	7.0779G	-61.60	-49.20	-12.40	2
7.10601G	-9.05	7.0819G	-61.37	-49.05	-12.32	3
7.10611G	-8.53	7.0801G	-61.59	-48.53	-13.06	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

#### 5965MHz\_TnomVnom

14/02/2022

CF Freq  
5.965GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9676G	-8.95	5.9862G	-46.85	-28.99	-17.86	1
5.9664G	-8.76	5.9862G	-47.57	-28.79	-18.78	2
5.9622G	-8.62	6.0262G	-66.64	-48.62	-18.02	3
5.97159G	-8.02	6.0256G	-66.04	-48.02	-18.02	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

#### 6165MHz\_TnomVnom

14/02/2022

CF Freq  
6.165GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1676G	-8.83	6.1862G	-47.39	-28.43	-18.96	1
6.17019G	-8.62	6.1438G	-47.62	-28.65	-18.97	2
6.168G	-8.69	6.1862G	-47.88	-28.72	-19.16	3
6.17G	-8.57	6.2402G	-65.97	-48.57	-17.40	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TnomVnom

14/02/2022

CF Freq  
6.405GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4044G	-9.03	6.4262G	-47.99	-28.63	-19.36	1
6.402G	-8.86	6.466G	-68.64	-48.86	-19.78	2
6.4036G	-8.94	6.4262G	-47.95	-28.94	-19.01	3
6.4076G	-8.97	6.336G	-68.36	-48.97	-19.39	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TnomVnom

14/02/2022

CF Freq  
6.445GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4468G	-7.99	6.5064G	-66.30	-47.99	-18.31	1
6.443G	-7.31	6.3846G	-66.22	-47.16	-19.06	2
6.4438G	-7.30	6.5066G	-66.77	-47.30	-19.47	3
6.4426G	-7.71	6.5282G	-65.45	-47.71	-17.74	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TnomVnom

14/02/2022

CF Freq  
6.485GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4818G	-7.26	6.5062G	-46.24	-26.86	-19.38	1
6.4826G	-7.21	6.5062G	-46.41	-27.21	-19.20	2
6.484G	-7.51	6.5062G	-46.40	-27.51	-18.89	3
6.487G	-7.49	6.4242G	-66.79	-47.49	-19.30	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6525MHz Straddle 6.425-6.525GHz\_TnomVnom

14/02/2022

CF Freq  
6.525GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.523G	-7.96	6.5038G	-47.11	-27.96	-19.15	1
6.5234G	-8.07	6.4638G	-67.63	-48.07	-19.56	2
6.526G	-8.02	6.5462G	-46.63	-27.62	-19.01	3
6.5274G	-7.83	6.6242G	-64.08	-47.83	-16.25	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TnomVnom

14/02/2022

CF Freq  
6.565GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5636G	-6.65	6.5438G	-45.71	-26.68	-19.03	1
6.5692G	-6.94	6.5438G	-45.82	-26.94	-18.88	2
6.5676G	-6.90	6.6258G	-66.10	-46.90	-19.20	3
6.55941G	-6.75	6.624G	-62.73	-45.51	-17.22	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TnomVnom

14/02/2022

CF Freq  
6.685GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6836G	-6.79	6.6246G	-65.48	-46.79	-18.69	1
6.6868G	-6.90	6.7454G	-66.10	-46.75	-19.35	2
6.69199G	-7.08	6.624G	-65.45	-47.08	-18.37	3
6.6812G	-6.70	6.624G	-63.07	-46.70	-16.37	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TnomVnom

14/02/2022

CF Freq  
6.845GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8498G	-6.94	6.9054G	-65.10	-46.84	-18.26	1
6.8476G	-6.60	6.906G	-65.36	-46.60	-18.76	2
6.85099G	-6.84	6.8238G	-44.83	-26.44	-18.39	3
6.8416G	-6.20	6.912G	-62.63	-46.20	-16.43	4

802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

6885MHz Straddle 6.525-6.875GHz\_TnomVnom

14/02/2022

CF Freq  
6.885GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8824G	-6.82	6.9462G	-64.80	-46.82	-17.98	1
6.8874G	-6.92	6.8246G	-65.11	-46.92	-18.19	2
6.8864G	-7.17	6.8234G	-65.08	-47.17	-17.91	3
6.89119G	-7.11	6.816G	-63.68	-47.11	-16.57	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

#### 6925MHz\_TnomVnom

14/02/2022

CF Freq  
6.925GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.924G	-6.95	6.9854G	-64.66	-46.95	-17.71	1
6.9284G	-6.92	6.9858G	-65.67	-46.92	-18.75	2
6.9214G	-7.34	6.8634G	-65.31	-47.34	-17.97	3
6.9216G	-7.42	6.9876G	-65.20	-47.42	-17.78	4

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

MASK

#### 7005MHz\_TnomVnom

14/02/2022

CF Freq  
7.005GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99681G	-6.48	6.9438G	-64.42	-46.48	-17.94	1
7.0096G	-6.97	6.944G	-64.53	-46.97	-17.56	2
6.99981G	-6.85	6.944G	-64.52	-46.79	-17.73	3
6.99981G	-6.88	6.912G	-63.45	-46.88	-16.57	4



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

**MASK**

#### 7085MHz\_TnomVnom

14/02/2022

CF Freq  
7.085GHz


Span  
200MHz


RBW  
500kHz


VBW  
2MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0818G	-7.31	7.0638G	-45.20	-27.38	-17.82	1
7.084G	-6.97	7.0242G	-65.93	-46.97	-18.96	2
7.088G	-7.15	7.0236G	-66.27	-47.15	-19.12	3
7.081G	-7.10	7.0638G	-45.03	-27.14	-17.89	4

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

**MASK**

#### 5985MHz\_TnomVnom

14/02/2022

CF Freq  
5.985GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.987G	-6.04	6.1142G	-57.72	-46.04	-11.68	1
5.97901G	-5.72	6.1142G	-57.54	-45.72	-11.82	2
6.00058G	-5.23	6.109G	-57.30	-45.23	-12.07	3
5.99139G	-4.78	6.1194G	-57.26	-44.78	-12.48	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6145MHz\_TnomVnom

14/02/2022

CF Freq  
6.145GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1434G	-5.57	6.0026G	-57.47	-45.57	-11.90	1
6.1498G	-5.53	6.0102G	-57.43	-45.53	-11.90	2
6.1474G	-5.81	6.021G	-57.36	-45.81	-11.55	3
6.15059G	-5.82	6.021G	-57.41	-45.82	-11.59	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TnomVnom

14/02/2022

CF Freq  
6.385GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39579G	-6.04	6.5086G	-57.55	-46.04	-11.51	1
6.3826G	-5.87	6.5094G	-57.36	-45.87	-11.49	2
6.3866G	-6.02	6.5134G	-57.44	-46.02	-11.42	3
6.3886G	-6.01	6.5094G	-57.59	-46.01	-11.58	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TnomVnom

14/02/2022

CF Freq  
6.465GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4666G	-4.49	6.5902G	-57.22	-44.49	-12.73	1
6.4602G	-4.62	6.3378G	-57.07	-44.62	-12.45	2
6.4666G	-4.61	6.3414G	-57.11	-44.61	-12.50	3
6.4602G	-4.44	6.589G	-57.12	-44.44	-12.68	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6545MHz Straddle 6.425-6.525GHz\_TnomVnom

14/02/2022

CF Freq  
6.545GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5434G	-4.20	6.4198G	-56.62	-44.20	-12.42	1
6.5414G	-3.92	6.4206G	-56.41	-43.92	-12.49	2
6.5474G	-4.14	6.4214G	-56.64	-44.14	-12.50	3
6.5414G	-3.82	6.6778G	-56.66	-43.82	-12.84	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TnomVnom

14/02/2022

CF Freq  
6.625GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63139G	-4.19	6.4986G	-56.26	-44.19	-12.07	1
6.6218G	-3.90	6.755G	-55.99	-43.90	-12.09	2
6.63339G	-3.90	6.749G	-56.39	-43.90	-12.49	3
6.6206G	-3.85	6.751G	-56.23	-43.85	-12.38	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TnomVnom

14/02/2022

CF Freq  
6.705GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7026G	-3.82	6.8286G	-55.95	-43.82	-12.13	1
6.71179G	-4.17	6.831G	-55.88	-44.17	-11.71	2
6.69501G	-3.77	6.8278G	-56.25	-43.77	-12.48	3
6.69941G	-3.76	6.8294G	-55.99	-43.76	-12.23	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TnomVnom

14/02/2022

CF Freq  
6.785GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7826G	-4.19	6.9078G	-55.93	-44.19	-11.74	1
6.7894G	-3.95	6.9094G	-55.83	-43.95	-11.88	2
6.77301G	-3.95	6.6614G	-56.15	-43.95	-12.20	3
6.79139G	-3.75	6.9122G	-55.65	-43.75	-11.90	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6865MHz Straddle 6.525-6.875GHz\_TnomVnom

14/02/2022

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85901G	-4.00	6.9898G	-55.39	-44.00	-11.39	1
6.87099G	-3.85	6.989G	-55.48	-43.85	-11.63	2
6.85861G	-3.92	6.9882G	-55.87	-43.92	-11.95	3
6.84902G	-3.90	6.993G	-55.57	-43.90	-11.67	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TnomVnom

14/02/2022

CF Freq  
6.945GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95699G	-4.54	6.8214G	-56.06	-44.54	-11.52	1
6.95019G	-4.08	6.8194G	-55.86	-44.08	-11.78	2
6.9414G	-4.31	6.8218G	-55.68	-44.23	-11.45	3
6.95179G	-4.15	6.8154G	-56.12	-44.15	-11.97	4

802.11ax HEW80\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TnomVnom

14/02/2022

CF Freq  
7.025GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.023G	-4.10	6.9014G	-55.88	-44.10	-11.78	1
7.0294G	-3.88	6.9014G	-55.69	-43.88	-11.81	2
7.023G	-4.14	6.901G	-55.83	-44.14	-11.69	3
7.021G	-4.06	6.899G	-56.09	-44.06	-12.03	4

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

#### 6025MHz\_TnomVnom

14/02/2022

CF Freq  
6.025GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00502G	-3.39	6.2706G	-53.44	-43.24	-10.20	1
6.04818G	-3.13	6.273G	-53.25	-43.13	-10.12	2
6.01941G	-2.97	6.2698G	-52.75	-42.76	-9.99	3
6.04658G	-2.63	6.2722G	-52.91	-42.51	-10.40	4

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

#### 6185MHz\_TnomVnom

14/02/2022

CF Freq  
6.185GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21697G	-3.02	6.4322G	-53.80	-43.02	-10.78	1
6.16102G	-2.51	6.433G	-53.51	-42.51	-11.00	2
6.20658G	-2.78	6.4346G	-53.44	-42.78	-10.66	3
6.21137G	-2.65	6.4322G	-53.64	-42.65	-10.99	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TnomVnom

14/02/2022

CF Freq  
6.345GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37217G	-3.32	6.5938G	-54.15	-43.32	-10.83	1
6.36098G	-2.82	6.0922G	-53.91	-42.82	-11.09	2
6.32502G	-2.81	6.593G	-53.97	-42.81	-11.16	3
6.33381G	-2.95	6.097G	-54.13	-42.95	-11.18	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6505MHz Straddle 6.425-6.525GHz\_TnomVnom

14/02/2022

CF Freq  
6.505GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48262G	-1.31	6.7514G	-51.65	-41.31	-10.34	1
6.52098G	-1.28	6.2578G	-50.45	-41.28	-9.17	2
6.51539G	-1.17	6.7514G	-51.73	-41.14	-10.59	3
6.52178G	-1.07	6.753G	-51.74	-41.07	-10.67	4



802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TnomVnom

14/02/2022

CF Freq  
6.665GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68418G	-1.92	6.4178G	-52.32	-41.92	-10.40	1
6.63303G	-1.65	6.4186G	-51.49	-41.65	-9.84	2
6.63303G	-1.35	6.4202G	-51.79	-41.30	-10.49	3
6.70016G	-1.69	6.9122G	-52.28	-41.69	-10.59	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6825MHz Straddle 6.525-6.875GHz\_TnomVnom

14/02/2022

CF Freq  
6.825GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84258G	-1.50	6.5786G	-51.84	-41.50	-10.34	1
6.83059G	-1.08	6.5786G	-50.22	-41.08	-9.14	2
6.81461G	-1.40	6.5778G	-51.51	-41.40	-10.11	3
6.81141G	-0.97	6.5778G	-49.93	-40.97	-8.96	4

802.11ax HEW160\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TnomVnom

14/02/2022

CF Freq  
6.985GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.97621G	-1.08	6.7378G	-50.73	-41.08	-9.65	1
6.96902G	-1.18	6.7338G	-50.51	-41.18	-9.33	2
6.96822G	-1.59	6.7394G	-50.09	-41.50	-8.59	3
6.96182G	-1.01	6.737G	-50.32	-41.01	-9.31	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.18419G	-4.61	6.1867G	-38.92	-24.64	-14.28	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.46821G	-4.79	6.4631G	-39.20	-24.93	-14.27	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.88389G	-4.40	6.8869G	-38.80	-24.43	-14.37	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	7.00309G	-4.98	6.9831G	-39.48	-25.04	-14.44	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96409G	-4.73	5.967G	-40.13	-24.73	-15.40	1
6175MHz	Pass	6.18419G	-4.61	6.1867G	-38.92	-24.64	-14.28	1
6415MHz	Pass	6.40711G	-5.10	6.4029G	-40.80	-25.26	-15.54	1
6435MHz	Pass	6.44339G	-5.44	6.4229G	-40.77	-25.48	-15.29	1
6475MHz	Pass	6.46821G	-4.79	6.4631G	-39.20	-24.93	-14.27	1
6515MHz	Pass	6.50651G	-4.73	6.5029G	-41.02	-24.84	-16.18	1
6535MHz	Pass	6.52641G	-4.72	6.5229G	-40.90	-24.76	-16.14	1
6695MHz	Pass	6.68581G	-4.56	6.683G	-40.70	-24.58	-16.12	1
6855MHz	Pass	6.86369G	-4.43	6.843G	-39.71	-24.43	-15.28	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.88389G	-4.40	6.8869G	-38.80	-24.43	-14.37	1
6895MHz	Pass	6.88741G	-4.06	6.8603G	-60.57	-44.06	-16.51	1
6995MHz	Pass	7.00309G	-4.98	6.9831G	-39.48	-25.04	-14.44	1
7095MHz	Pass	7.08771G	-4.47	7.0829G	-39.72	-24.47	-15.25	1
7115MHz	Pass	7.10631G	-5.73	7.127G	-41.40	-25.78	-15.62	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

5955MHz\_TnomVnom

21/04/2022

CF Freq  
5.955GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96409G	-4.73	5.967G	-40.13	-24.73	-15.40	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6175MHz\_TnomVnom

21/04/2022

CF Freq  
6.175GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18419G	-4.61	6.1867G	-38.92	-24.64	-14.28	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6415MHz\_TnomVnom**

**MASK**

21/04/2022

CF Freq  
6.415GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40711G	-5.10	6.4029G	-40.80	-25.26	-15.54	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6435MHz\_TnomVnom**

**MASK**

21/04/2022

CF Freq  
6.435GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44339G	-5.44	6.4229G	-40.77	-25.48	-15.29	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6475MHz\_TnomVnom**

**MASK**

21/04/2022

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46821G	-4.79	6.4631G	-39.20	-24.93	-14.27	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6515MHz\_TnomVnom**

**MASK**

21/04/2022

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50651G	-4.73	6.5029G	-41.02	-24.84	-16.18	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX  
6535MHz\_TnomVnom

MASK

21/04/2022

CF Freq  
6.535GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52641G	-4.72	6.5229G	-40.90	-24.76	-16.14	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX  
6695MHz\_TnomVnom

MASK

21/04/2022

CF Freq  
6.695GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68581G	-4.56	6.683G	-40.70	-24.58	-16.12	1




802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6855MHz\_TnomVnom

21/04/2022




802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

6875MHz Straddle 6.525-6.875GHz\_TnomVnom

21/04/2022



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6895MHz\_TnomVnom**

**MASK**

21/04/2022

CF Freq  
6.895GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88741G	-4.06	6.8603G	-60.57	-44.06	-16.51	1

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6995MHz\_TnomVnom**

**MASK**

21/04/2022

CF Freq  
6.995GHz


Span  
100MHz


RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00309G	-4.98	6.9831G	-39.48	-25.04	-14.44	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

7095MHz\_TnomVnom

21/04/2022

CF Freq  
7.095GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08771G	-4.47	7.0829G	-39.72	-24.47	-15.25	1

802.11ax HEW20\_Nss1,(MCS0)\_1TX

MASK

7115MHz\_TnomVnom

21/04/2022

CF Freq  
7.115GHz


Span  
100MHz

RBW  
300kHz

VBW  
1MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10631G	-5.73	7.127G	-41.40	-25.78	-15.62	1




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	14.0141G	45.76	68.20	-22.44	3	Vertical	274	1.68	-

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 7005MHz\_TnomVnom




EUTZ\_1TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00532G	59.45	88.20	-28.75	44.88	3	Vertical	274	1.68	-	40.90	8.60	34.93
AV	14.0141G	45.76	68.20	-22.44	31.19	3	Vertical	274	1.68	-	40.90	8.60	34.93

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 7005MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00668G	59.63	88.20	-28.57	45.06	3	Horizontal	245	2.62	-	40.90	8.60	34.93
AV	14.0073G	45.72	68.20	-22.48	31.15	3	Horizontal	245	2.62	-	40.90	8.60	34.93

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 7005MHz\_TnomVnom




EUT\_Z\_1TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01126G	46.83	83.54	-36.71	42.97	1	Vertical	338	1.55	-	37.60	15.96	49.70
AV	21.01578G	32.92	63.54	-30.62	29.06	1	Vertical	338	1.55	-	37.60	15.96	49.70

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 7005MHz\_TnomVnom



EUT\_Z\_1TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01844G	47.30	83.54	-36.24	43.44	1	Horizontal	88	1.50	-	37.60	15.96	49.70
AV	21.0183G	32.91	63.54	-30.63	29.05	1	Horizontal	88	1.50	-	37.60	15.96	49.70






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.29404G	41.25	54.00	-12.75	3	Vertical	349	1.00	-

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28748G	55.03	74.00	-18.97	42.24	3	Vertical	349	1.00	-	38.71	8.94	34.86
AV	12.29404G	41.25	54.00	-12.75	28.46	3	Vertical	349	1.00	-	38.71	8.94	34.86

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28708G	54.90	74.00	-19.10	42.11	3	Horizontal	225	1.19	-	38.71	8.94	34.86
AV	12.29096G	41.22	54.00	-12.78	28.43	3	Horizontal	225	1.19	-	38.71	8.94	34.86

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom




EUT\_Z\_2TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43342G	46.40	83.54	-37.14	43.94	1	Vertical	9	1.51	-	37.72	14.87	50.13
AV	18.4397G	32.29	63.54	-31.25	29.80	1	Vertical	9	1.51	-	37.73	14.88	50.12

### 802.11ax HEW80\_Nss1,(MCS0)\_2TX

#### 6145MHz\_TnomVnom



EUT\_Z\_2TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43618G	46.23	83.54	-37.31	43.77	1	Horizontal	195	1.54	-	37.72	14.87	50.13
AV	18.43438G	32.31	63.54	-31.23	29.85	1	Horizontal	195	1.54	-	37.72	14.87	50.13




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	RMS	13.6502G	44.98	68.20	-23.22	3	Horizontal	306	1.80	-

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65136G	58.80	88.20	-29.40	44.61	3	Vertical	300	1.50	-	40.30	8.67	34.78
RMS	13.6422G	44.90	68.20	-23.30	30.73	3	Vertical	300	1.50	-	40.28	8.67	34.78

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUTY\_4TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64092G	58.67	88.20	-29.53	44.50	3	Horizontal	306	1.80	-	40.28	8.67	34.78
RMS	13.6502G	44.98	68.20	-23.22	30.79	3	Horizontal	306	1.80	-	40.30	8.67	34.78



**802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUTY\_4TX  
 Setting 16  
 04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47116G	47.75	83.54	-35.79	44.24	1	Vertical	293	2.74	-	37.69	15.71	49.89
AV	20.47508G	34.29	63.54	-29.25	30.78	1	Vertical	293	2.74	-	37.69	15.71	49.89

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom



EUTY\_4TX  
Setting 16  
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47904G	47.60	83.54	-35.94	44.08	1	Horizontal	39	1.50	-	37.69	15.72	49.89
AV	20.46616G	34.51	63.54	-29.03	31.00	1	Horizontal	39	1.50	-	37.69	15.71	49.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	20.6865G	31.09	54.00	-22.91	3	Horizontal	344	2.97	-

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 12  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80392G	55.51	88.20	-32.69	39.56	3	Vertical	205	2.97	-	40.32	9.00	33.37
RMS	13.80224G	41.61	68.20	-26.59	25.67	3	Vertical	205	2.97	-	40.31	9.00	33.37

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 12  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80272G	55.32	88.20	-32.88	39.38	3	Horizontal	65	1.83	-	40.31	9.00	33.37
RMS	13.80278G	41.57	68.20	-26.63	25.63	3	Horizontal	65	1.83	-	40.31	9.00	33.37

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6895MHz\_TnomVnom




EUT X\_1TX  
Setting 12  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68716G	45.20	74.00	-28.80	41.30	3	Vertical	100	1.04	-	37.92	15.81	49.83
AV	20.69058G	31.06	54.00	-22.94	27.14	3	Vertical	100	1.04	-	37.93	15.81	49.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom



EUT X\_1TX  
Setting 12  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6889G	45.07	74.00	-28.93	41.15	3	Horizontal	344	2.97	-	37.93	15.81	49.82
AV	20.6865G	31.09	54.00	-22.91	27.19	3	Horizontal	344	2.97	-	37.92	15.81	49.83

**For Mode 1:**

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69	Stop Transmission	10	100	90	<b>PASS</b>
						-70	Stop & with Beacon	-			
						-73	Start Transmission	-			
6	101	20	6455	Center	6455	-69	Stop Transmission	10	100	90	<b>PASS</b>
						-70	Stop & with Beacon	-			
						-72	Start Transmission	-			
7	149	20	6695	Center	6695	-69	Stop Transmission	9	90	90	<b>PASS</b>
						-70	Stop & with Beacon	-			
						-73	Start Transmission	-			
8	213	20	7015	Center	7015	-69	Stop Transmission	9	90	90	<b>PASS</b>
						-70	Stop & with Beacon	-			
						-75	Start Transmission	-			

Note :

1. EUT antenna gain = Band 5=2.4dBi / Band 6=1.96dBi / Band 7=0.99dBi / Band 8=0.33dBi considered in the measurement path loss
2. Measurement use conducted measurement at the antenna connector.



Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-66.00	Stop Transmission	10	100	90	PASS
						-67.00	Stop & with Beacon	-	-	-	-
						-69.00	Start Transmission	-	-	-	-
				Center	6185	-63.00	Stop Transmission	9	90	90	PASS
						-64.00	Stop & with Beacon	-	-	-	-
						-65.00	Start Transmission	-	-	-	-
				High edge	6260	-66.00	Stop Transmission	10	100	90	PASS
						-67.00	Stop & with Beacon	-	-	-	-
						-70.00	Start Transmission	-	-	-	-
6	111	160	6505	Low edge	6430	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-65.00	Start Transmission	-	-	-	-
				Center	6505	-63.00	Stop Transmission	10	100	90	PASS
						-64.00	Stop & with Beacon	-	-	-	-
						-65.00	Start Transmission	-	-	-	-
				High edge	6580	-67.00	Stop Transmission	9	90	90	PASS
						-68.00	Stop & with Beacon	-	-	-	-
						-70.00	Start Transmission	-	-	-	-
7	143	160	6665	Low edge	6590	-66.00	Stop Transmission	10	100	90	PASS
						-67.00	Stop & with Beacon	-	-	-	-
						-69.00	Start Transmission	-	-	-	-
				Center	6665	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-65.00	Start Transmission	-	-	-	-
				High edge	6740	-66.00	Stop Transmission	9	90	90	PASS
						-67.00	Stop & with Beacon	-	-	-	-
						-70.00	Start Transmission	-	-	-	-
8	207	160	6985	Low edge	6910	-68.00	Stop Transmission	9	90	90	PASS
						-69.00	Stop & with Beacon	-	-	-	-
						-71.00	Start Transmission	-	-	-	-
				Center	6985	-64.00	Stop Transmission	10	100	90	PASS
						-65.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				High edge	7060	-67.00	Stop Transmission	10	100	90	PASS
						-68.00	Stop & with Beacon	-	-	-	-
						-71.00	Start Transmission	-	-	-	-


Note :

1. EUT antenna gain = Band 5=2.4dBi / Band 6=1.96dBi / Band 7=0.99dBi / Band 8=0.33dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 9.APR.2022 10:10:13

Frequency (MHz): 6455 MHz




Date: 9.APR.2022 10:09:50

Frequency (MHz): 6695 MHz





Date: 9.APR.2022 10:06:35


Frequency (MHz): 7015 MHz



Date: 9.APR.2022 10:06:09




Frequency (MHz): 6260 MHz




Date: 9.APR.2022 09:59:19

Frequency (MHz): 6430 MHz




Date: 9.APR.2022 10:00:14

Frequency (MHz): 6505 MHz




Date: 9.APR.2022 10:00:35

Frequency (MHz): 6580 MHz




Date: 9.APR.2022 10:00:58

Frequency (MHz): 6590 MHz




Date: 9.APR.2022 10:02:00

Frequency (MHz): 6665 MHz




Date: 9.APR.2022 10:02:17

## Frequency (MHz): 6740 MHz



Date: 9.APR.2022 10:02:43


## Frequency (MHz): 6910 MHz



Date: 9.APR.2022 10:03:44




Frequency (MHz): 6985 MHz




Date: 9.APR.2022 10:04:05


Frequency (MHz): 7060 MHz




Date: 9.APR.2022 10:04:23




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




**Note : M1 : Inject AWGN signal**




**Note : M1 : Inject AWGN signal**




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal