



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_1TX	-2.38
802.11ax HEW80+80_Nss1,(MCS0)_2TX	-7.56
5.25-5.35GHz	-
802.11ax HEW80+80_Nss1,(MCS0)_1TX	-2.33
802.11ax HEW80+80_Nss1,(MCS0)_2TX	-7.51
5.47-5.725GHz	-
802.11ax HEW80+80_Nss2,(MCS0)_2TX	-3.28
802.11ax HEW80+80_Nss2,(MCS0)_4TX	-2.43

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW80+80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	4.55	-2.38				-2.38	17.00
5210MHz,#5290MHz	Pass	4.48	-	-	-	-2.33	-2.33	11.00
802.11ax HEW80+80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	3.62	-3.41	-	-	-3.71	-3.28	11.00
802.11ax HEW80+80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
#5210MHz,5290MHz	Pass	7.58	-10.15	-10.80			-7.56	15.42
5210MHz,#5290MHz	Pass	7.48	-	-	-10.13	-10.72	-7.51	9.52
802.11ax HEW80+80_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
#5530MHz,#5610MHz	Pass	7.01	-5.18	-5.74	-5.78	-5.93	-2.43	9.99

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;









Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.01
802.11a_Nss1,(6Mbps)_2TX	8.04
802.11a_Nss1,(6Mbps)_4TX	7.08
802.11ax HEW20_Nss1,(MCS0)_1TX	4.37
802.11ax HEW20_Nss1,(MCS0)_2TX	7.55
802.11ax HEW20_Nss1,(MCS0)_4TX	7.07
802.11ax HEW40_Nss1,(MCS0)_1TX	2.21
802.11ax HEW40_Nss1,(MCS0)_2TX	5.27
802.11ax HEW40_Nss1,(MCS0)_4TX	6.71
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.39
802.11ax HEW80_Nss1,(MCS0)_2TX	1.69
802.11ax HEW80_Nss1,(MCS0)_4TX	3.12
802.11ax HEW160_Nss1,(MCS0)_1TX	-6.45
802.11ax HEW160_Nss1,(MCS0)_2TX	-5.24
802.11ax HEW160_Nss1,(MCS0)_4TX	-4.85
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	3.37
802.11a_Nss1,(6Mbps)_2TX	6.27
802.11a_Nss1,(6Mbps)_4TX	9.30
802.11ax HEW20_Nss1,(MCS0)_1TX	2.82
802.11ax HEW20_Nss1,(MCS0)_2TX	5.66
802.11ax HEW20_Nss1,(MCS0)_4TX	8.90
802.11ax HEW40_Nss1,(MCS0)_1TX	0.23
802.11ax HEW40_Nss1,(MCS0)_2TX	3.08
802.11ax HEW40_Nss1,(MCS0)_4TX	6.08
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.16
802.11ax HEW80_Nss1,(MCS0)_2TX	-0.51
802.11ax HEW80_Nss1,(MCS0)_4TX	1.29

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.11	4.91				4.91	9.89
5580MHz	Pass	7.11	5.00				5.00	9.89
5700MHz	Pass	7.11	4.49				4.49	9.89
5720MHz Straddle 5.47-5.725GHz	Pass	7.11	5.01				5.01	9.89
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	3.11				3.11	27.99
5745MHz	Pass	8.01	3.37				3.37	27.99
5785MHz	Pass	8.01	3.36				3.36	27.99
5825MHz	Pass	8.01	2.70				2.70	27.99
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.11	3.86				3.86	9.89
5580MHz	Pass	7.11	4.30				4.30	9.89
5700MHz	Pass	7.11	3.27				3.27	9.89
5720MHz Straddle 5.47-5.725GHz	Pass	7.11	4.37				4.37	9.89
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	2.26				2.26	27.99
5745MHz	Pass	8.01	2.82				2.82	27.99
5785MHz	Pass	8.01	2.56				2.56	27.99
5825MHz	Pass	8.01	2.03				2.03	27.99
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5510MHz	Pass	7.11	-0.63				-0.63	9.89
5550MHz	Pass	7.11	2.21				2.21	9.89
5670MHz	Pass	7.11	1.04				1.04	9.89
5710MHz Straddle 5.47-5.725GHz	Pass	7.11	1.83				1.83	9.89
5710MHz Straddle 5.725-5.85GHz	Pass	8.01	-1.26				-1.26	27.99
5755MHz	Pass	8.01	0.23				0.23	27.99
5795MHz	Pass	8.01	-0.01				-0.01	27.99
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.11	-3.40				-3.40	9.89
5610MHz	Pass	7.11	-1.48				-1.48	9.89
5690MHz Straddle 5.47-5.725GHz	Pass	7.11	-1.39				-1.39	9.89
5690MHz Straddle 5.725-5.85GHz	Pass	8.01	-5.10				-5.10	27.99
5775MHz	Pass	8.01	-3.16				-3.16	27.99
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.11	-6.45				-6.45	9.89
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.66	4.36	4.38			7.34	9.34
5580MHz	Pass	7.66	4.53	4.71			7.59	9.34
5700MHz	Pass	7.66	3.96	3.83			6.84	9.34
5720MHz Straddle 5.47-5.725GHz	Pass	7.66	5.17	4.89			8.04	9.34
5720MHz Straddle 5.725-5.85GHz	Pass	8.11	2.96	2.94			5.88	27.89
5745MHz	Pass	8.11	3.50	3.33			6.27	27.89
5785MHz	Pass	8.11	3.30	3.16			6.21	27.89
5825MHz	Pass	8.11	2.83	2.90			5.79	27.89
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.66	2.77	2.71			5.69	9.34
5580MHz	Pass	7.66	4.49	4.67			7.55	9.34
5700MHz	Pass	7.66	2.88	2.83			5.84	9.34
5720MHz Straddle 5.47-5.725GHz	Pass	7.66	4.39	4.43			7.36	9.34
5720MHz Straddle 5.725-5.85GHz	Pass	8.11	2.47	2.41			5.43	27.89
5745MHz	Pass	8.11	2.76	2.66			5.66	27.89
5785MHz	Pass	8.11	2.64	2.55			5.53	27.89
5825MHz	Pass	8.11	2.23	2.41			5.21	27.89
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5510MHz	Pass	7.66	-0.96	-1.18			1.83	9.34
5550MHz	Pass	7.66	2.15	2.45			5.27	9.34







PSD_Radio 2-1T1S, 2T1S, 4T1S



Appendix D.3



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5670MHz	Pass	7.66	0.24	0.14			3.06	9.34
5710MHz Straddle 5.47-5.725GHz	Pass	7.66	1.89	1.73			4.75	9.34
5710MHz Straddle 5.725-5.85GHz	Pass	8.11	-1.03	-1.10			1.92	27.89
5755MHz	Pass	8.11	0.11	0.17			3.08	27.89
5795MHz	Pass	8.11	0.06	0.11			3.05	27.89
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.66	-5.15	-4.97			-2.15	9.34
5610MHz	Pass	7.66	-2.23	-2.02			0.89	9.34
5690MHz Straddle 5.47-5.725GHz	Pass	7.66	-1.15	-1.36			1.69	9.34
5690MHz Straddle 5.725-5.85GHz	Pass	8.11	-4.85	-5.08			-1.99	27.89
5775MHz	Pass	8.11	-3.42	-3.53			-0.51	27.89
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.66	-8.09	-8.25			-5.24	9.34
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	9.91	1.22	1.17	1.12	1.23	7.08	7.09
5580MHz	Pass	9.91	0.96	1.22	0.93	1.20	6.97	7.09
5700MHz	Pass	9.91	0.81	0.76	0.84	0.89	6.72	7.09
5720MHz Straddle 5.47-5.725GHz	Pass	9.91	0.90	0.82	1.04	0.96	6.81	7.09
5720MHz Straddle 5.725-5.85GHz	Pass	10.40	-1.05	-1.17	-1.02	-0.98	4.91	25.60
5745MHz	Pass	10.40	3.41	3.30	3.47	3.73	9.30	25.60
5785MHz	Pass	10.40	3.12	3.03	3.00	3.26	8.99	25.60
5825MHz	Pass	10.40	2.82	3.01	2.84	3.39	8.81	25.60
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	9.91	0.73	0.80	0.71	0.77	6.64	7.09
5580MHz	Pass	9.91	1.06	1.45	1.04	1.18	7.07	7.09
5700MHz	Pass	9.91	1.03	0.95	1.05	0.89	6.85	7.09
5720MHz Straddle 5.47-5.725GHz	Pass	9.91	0.92	0.89	1.11	0.88	6.85	7.09
5720MHz Straddle 5.725-5.85GHz	Pass	10.40	-1.02	-1.03	-1.05	-1.05	4.90	25.60
5745MHz	Pass	10.40	3.00	2.92	3.15	3.12	8.90	25.60
5785MHz	Pass	10.40	2.78	2.59	2.59	2.79	8.57	25.60
5825MHz	Pass	10.40	2.26	2.54	2.38	2.62	8.34	25.60
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5510MHz	Pass	9.91	-2.61	-2.81	-2.65	-3.04	3.08	7.09
5550MHz	Pass	9.91	0.02	0.23	0.21	0.30	6.01	7.09
5670MHz	Pass	9.91	-0.97	-1.17	-0.97	-1.12	4.81	7.09
5710MHz Straddle 5.47-5.725GHz	Pass	9.91	1.01	0.75	0.80	0.64	6.71	7.09
5710MHz Straddle 5.725-5.85GHz	Pass	10.40	-2.13	-2.46	-2.40	-2.37	3.67	25.60
5755MHz	Pass	10.40	0.22	0.09	0.06	0.29	6.08	25.60
5795MHz	Pass	10.40	-0.03	-0.03	-0.20	0.04	5.83	25.60
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	9.91	-7.49	-7.53	-7.16	-7.42	-1.68	7.09
5610MHz	Pass	9.91	-3.01	-2.68	-3.07	-2.95	2.95	7.09
5690MHz Straddle 5.47-5.725GHz	Pass	9.91	-2.81	-2.86	-2.69	-2.72	3.12	7.09
5690MHz Straddle 5.725-5.85GHz	Pass	10.40	-6.44	-6.65	-6.41	-6.57	-0.58	25.60
5775MHz	Pass	10.40	-4.47	-4.54	-4.64	-4.56	1.29	25.60
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	9.91	-10.69	-10.84	-10.83	-10.64	-4.85	7.09



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


































































































































































Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.22
802.11ax HEW20_Nss1,(MCS0)_1TX	5.98
802.11ax HEW40_Nss1,(MCS0)_1TX	3.16
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.03
802.11ax HEW160_Nss1,(MCS0)_1TX	-5.60
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.40
802.11ax HEW20_Nss1,(MCS0)_1TX	6.28
802.11ax HEW40_Nss1,(MCS0)_1TX	3.46
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.73
802.11ax HEW160_Nss1,(MCS0)_1TX	-5.42
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.77
802.11ax HEW20_Nss1,(MCS0)_1TX	6.41
802.11ax HEW40_Nss1,(MCS0)_1TX	4.13
802.11ax HEW80_Nss1,(MCS0)_1TX	0.98
802.11ax HEW160_Nss1,(MCS0)_1TX	-5.71
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.36
802.11ax HEW20_Nss1,(MCS0)_1TX	5.17
802.11ax HEW40_Nss1,(MCS0)_1TX	2.60
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.49

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	6.60	4.81	4.81	16.40
5200MHz	Pass	6.60	6.22	6.22	16.40
5240MHz	Pass	6.60	5.91	5.91	16.40
5260MHz	Pass	6.60	6.06	6.06	10.40
5300MHz	Pass	6.60	6.40	6.40	10.40
5320MHz	Pass	6.60	5.26	5.26	10.40
5500MHz	Pass	6.60	5.92	5.92	10.40
5580MHz	Pass	6.60	6.61	6.61	10.40
5700MHz	Pass	6.60	4.37	4.37	10.40
5720MHz Straddle 5.47-5.725GHz	Pass	6.60	6.77	6.77	10.40
5720MHz Straddle 5.725-5.85GHz	Pass	6.60	4.98	4.98	29.40
5745MHz	Pass	6.60	5.36	5.36	29.40
5785MHz	Pass	6.60	5.34	5.34	29.40
5825MHz	Pass	6.60	5.20	5.20	29.40
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	6.60	4.00	4.00	16.40
5200MHz	Pass	6.60	5.98	5.98	16.40
5240MHz	Pass	6.60	5.60	5.60	16.40
5260MHz	Pass	6.60	5.82	5.82	10.40
5300MHz	Pass	6.60	6.28	6.28	10.40
5320MHz	Pass	6.60	4.50	4.50	10.40
5500MHz	Pass	6.60	4.62	4.62	10.40
5580MHz	Pass	6.60	6.26	6.26	10.40
5700MHz	Pass	6.60	3.43	3.43	10.40
5720MHz Straddle 5.47-5.725GHz	Pass	6.60	6.41	6.41	10.40
5720MHz Straddle 5.725-5.85GHz	Pass	6.60	4.65	4.65	29.40
5745MHz	Pass	6.60	5.17	5.17	29.40
5785MHz	Pass	6.60	4.92	4.92	29.40
5825MHz	Pass	6.60	4.95	4.95	29.40
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	6.60	0.46	0.46	16.40
5230MHz	Pass	6.60	3.16	3.16	16.40
5270MHz	Pass	6.60	3.46	3.46	10.40
5310MHz	Pass	6.60	0.66	0.66	10.40
5510MHz	Pass	6.60	0.17	0.17	10.40
5550MHz	Pass	6.60	3.55	3.55	10.40
5670MHz	Pass	6.60	0.97	0.97	10.40
5710MHz Straddle 5.47-5.725GHz	Pass	6.60	4.13	4.13	10.40
5710MHz Straddle 5.725-5.85GHz	Pass	6.60	1.40	1.40	29.40
5755MHz	Pass	6.60	2.60	2.60	29.40
5795MHz	Pass	6.60	2.48	2.48	29.40
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	6.60	-3.03	-3.03	16.40
5290MHz	Pass	6.60	-2.73	-2.73	10.40
5530MHz	Pass	6.60	-2.88	-2.88	10.40
5610MHz	Pass	6.60	-1.08	-1.08	10.40
5690MHz Straddle 5.47-5.725GHz	Pass	6.60	0.98	0.98	10.40
5690MHz Straddle 5.725-5.85GHz	Pass	6.60	-2.26	-2.26	29.40






5775MHz	Pass	6.60	-1.49	-1.49	29.40
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.60	-5.60	-5.60	16.40
5250MHz Straddle 5.25-5.35GHz	Pass	6.60	-5.42	-5.42	10.40
5570MHz	Pass	6.60	-5.71	-5.71	10.40



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;





















































































Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 12	Pass	PK	33.88M	36.33	40.00	-3.67	Vertical

Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	36.33	40.00	-3.67	-30.72	3	Vertical	75	1.00	"Worst"	67.05	22.78	0.74	54.24
PK	63.95M	33.05	40.00	-6.95	-40.88	3	Vertical	60	2.00	-	73.93	12.13	1.06	54.07
PK	154.16M	36.72	43.50	-6.78	-36.18	3	Vertical	90	2.00	-	72.90	16.61	1.55	54.34
PK	168.71M	35.41	43.50	-8.09	-36.95	3	Vertical	124	4.00	-	72.36	15.65	1.64	54.24
PK	200.72M	32.17	43.50	-11.33	-37.27	3	Vertical	68	1.00	-	69.44	14.98	1.77	54.02
PK	254.56M	32.21	46.00	-13.79	-32.89	3	Vertical	45	1.00	-	65.10	19.16	2.01	54.06

Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
QP	30.97M	35.07	40.00	-4.93	-29.68	3	Horizontal	68	1.00	"Worst"	64.75	24.04	0.70	54.42
PK	46.01M	28.04	40.00	-11.96	-36.35	3	Horizontal	45	2.00	-	64.39	16.73	0.85	53.93
PK	154.16M	31.02	43.50	-12.48	-36.18	3	Horizontal	28	2.00	-	67.20	16.61	1.55	54.34
PK	165.32M	30.78	43.50	-12.72	-36.78	3	Horizontal	90	2.00	-	67.56	15.87	1.61	54.26
PK	279.29M	28.73	46.00	-17.27	-33.30	3	Horizontal	145	3.00	-	62.03	18.76	2.09	54.15
PK	626.07M	31.09	46.00	-14.91	-23.61	3	Horizontal	65	1.00	-	54.70	26.69	3.18	53.48



CSE (Band Reject Filter)_Radio 1-1T1S, 2T1S, 4T1S (Harmonic 1GHz ~ 8GHz)

Appendix E.2

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	8G	AV	-50.92	-55.47	-55.47				-41.20	-9.72	4.55
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	8G	AV	-48.24	-52.83	-55.98	-55.71			-41.20	-7.04	4.59
802.11a_Nss1,(6Mbps)_4TX	Pass	1G	8G	AV	-45.67	-50.88	-55.94	-56.92	-55.85	-60.06	-41.20	-4.47	5.21
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-50.94	-55.49	-55.49				-41.20	-9.74	4.55
802.11ax HEW20_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-47.70	-52.29	-55.41	-55.20			-41.20	-6.50	4.59
802.11ax HEW20_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-45.56	-50.77	-56.33	-56.09	-56.73	-58.34	-41.20	-4.36	5.21
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-48.39	-52.94	-52.94				-41.20	-7.19	4.55
802.11ax HEW40_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-47.77	-52.36	-54.77	-56.06			-41.20	-6.57	4.59
802.11ax HEW40_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-46.33	-51.54	-57.97	-55.34	-58.08	-60.30	-41.20	-5.13	5.21
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-42.50	-47.05	-47.05				-41.20	-1.30	4.55
802.11ax HEW80_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-42.51	-47.10	-50.48	-49.77			-41.20	-1.31	4.59
802.11ax HEW80_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-46.59	-51.80	-59.18	-59.25	-56.73	-56.79	-41.20	-5.39	5.21
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	8G	AV	-51.70	-55.50	-55.50				-41.20	-10.50	3.80
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	8G	AV	-48.55	-52.87	-56.93	-55.04			-41.20	-7.35	4.32
802.11a_Nss1,(6Mbps)_4TX	Pass	1G	8G	AV	-46.68	-51.16	-55.31	-57.77	-56.85	-60.10	-41.20	-5.48	4.48
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-51.65	-55.45	-55.45				-41.20	-10.45	3.80
802.11ax HEW20_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-48.64	-52.96	-55.85	-56.09			-41.20	-7.44	4.32
802.11ax HEW20_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-46.76	-51.24	-56.48	-56.09	-57.38	-60.11	-41.20	-5.56	4.48
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-46.11	-49.91	-49.91				-41.20	-4.91	3.80
802.11ax HEW40_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-46.51	-50.83	-52.20	-56.49			-41.20	-5.31	4.32
802.11ax HEW40_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-46.60	-51.08	-56.02	-56.54	-56.84	-59.94	-41.20	-5.40	4.48
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-43.36	-47.16	-47.16				-41.20	-2.16	3.80
802.11ax HEW80_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-42.37	-46.69	-48.03	-52.46			-41.20	-1.17	4.32
802.11ax HEW80_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-47.32	-51.80	-55.75	-58.99	-60.17	-57.65	-41.20	-6.12	4.48
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	8G	AV	-52.07	-55.56	-55.56				-41.20	-10.87	3.49
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	8G	AV	-49.00	-53.02	-55.74	-56.34			-41.20	-7.80	4.02
802.11a_Nss1,(6Mbps)_4TX	Pass	1G	8G	AV	-45.88	-50.66	-55.10	-56.30	-57.39	-58.78	-41.20	-4.68	4.78
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-52.17	-55.66	-55.66				-41.20	-10.97	3.49
802.11ax HEW20_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-48.77	-52.79	-55.83	-55.78			-41.20	-7.57	4.02
802.11ax HEW20_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-46.28	-51.06	-55.74	-56.04	-58.12	-59.41	-41.20	-5.08	4.78
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-53.85	-57.34	-57.34				-41.20	-12.65	3.49
802.11ax HEW40_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-50.85	-54.87	-61.46	-55.94			-41.20	-9.65	4.02
802.11ax HEW40_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-47.06	-51.84	-61.69	-55.54	-57.13	-59.42	-41.20	-5.86	4.78
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-50.54	-54.03	-54.03				-41.20	-9.34	3.49
802.11ax HEW80_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-46.36	-50.38	-55.03	-52.21			-41.20	-5.16	4.02
802.11ax HEW80_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-47.25	-52.03	-61.99	-56.35	-55.88	-61.37	-41.20	-6.05	4.78
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	1G	8G	AV	-54.88	-58.77	-58.77				-41.20	-13.68	3.89
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	8G	AV	-51.91	-56.36	-63.30	-57.34			-41.20	-10.71	4.45
802.11a_Nss1,(6Mbps)_4TX	Pass	1G	8G	AV	-48.12	-53.32	-59.55	-58.05	-60.34	-59.78	-41.20	-6.92	5.20
802.11ax HEW20_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-54.73	-58.62	-58.62				-41.20	-13.53	3.89
802.11ax HEW20_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-51.73	-56.18	-60.78	-58.03			-41.20	-10.53	4.45
802.11ax HEW20_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-47.97	-53.17	-62.16	-56.99	-58.93	-60.28	-41.20	-6.77	5.20
802.11ax HEW40_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-54.28	-58.17	-58.17				-41.20	-13.08	3.89
802.11ax HEW40_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-51.13	-55.58	-58.15	-59.09			-41.20	-9.93	4.45
802.11ax HEW40_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-48.15	-53.35	-61.37	-58.20	-57.50	-62.19	-41.20	-6.95	5.20
802.11ax HEW80_Nss1,(MCSO)_1TX	Pass	1G	8G	AV	-54.62	-58.51	-58.51				-41.20	-13.42	3.89
802.11ax HEW80_Nss1,(MCSO)_2TX	Pass	1G	8G	AV	-50.83	-55.28	-56.78	-60.63			-41.20	-9.63	4.45
802.11ax HEW80_Nss1,(MCSO)_4TX	Pass	1G	8G	AV	-49.73	-54.93	-61.18	-60.65	-62.44	-59.92	-41.20	-8.53	5.20

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



**CSE (Band Reject Filter)_Radio 1-1T1S, 2T1S, 4T1S
(Harmonic 1GHz ~ 8GHz)**

Appendix E.2

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5610MHz	Pass	1G	8G	PK	5.40913G	4.78	-52.45	-54.17	-52.39	-52.90	-46.90	-42.12	-21.20	-20.92
5610MHz	Pass	1G	8G	PK	5.46338G	4.78	-62.76	-61.80	-63.71	-60.94	-56.16	-51.38	-27.00	-24.38
5610MHz	Pass	1G	8G	PK	5.88425G	4.78	-60.15	-59.96	-58.50	-56.60	-52.54	-47.76	-27.00	-20.76
5690MHz Straddle 5.47-5.725GHz	Pass	1G	8G	AV	5.07313G	4.78	-61.99	-56.35	-55.88	-61.37	-52.03	-47.25	-41.20	-6.05
5690MHz Straddle 5.47-5.725GHz	Pass	1G	8G	AV	5.3925G	4.78	-61.81	-58.75	-58.28	-59.31	-53.32	-48.54	-41.20	-7.34
5690MHz Straddle 5.47-5.725GHz	Pass	1G	8G	PK	5.0915G	4.78	-56.15	-50.72	-48.27	-55.33	-45.42	-40.64	-21.20	-19.44
5690MHz Straddle 5.47-5.725GHz	Pass	1G	8G	PK	5.40825G	4.78	-53.71	-50.46	-54.22	-53.52	-46.68	-41.90	-21.20	-20.70
5690MHz Straddle 5.47-5.725GHz	Pass	1G	8G	PK	5.46775G	4.78	-61.02	-62.64	-61.79	-62.75	-55.97	-51.19	-27.00	-24.19
5690MHz Straddle 5.47-5.725GHz	Pass	1G	8G	PK	5.8755G	4.78	-57.22	-57.08	-53.63	-56.81	-49.88	-45.10	-27.00	-18.10
5775MHz	Pass	1G	8G	AV	5.40388G	5.20	-61.18	-60.65	-62.44	-59.92	-54.93	-49.73	-41.20	-8.53
5775MHz	Pass	1G	8G	PK	5.0705G	5.20	-57.00	-53.91	-53.66	-53.94	-48.42	-43.22	-21.20	-22.02
5775MHz	Pass	1G	8G	PK	5.93938G	5.20	-59.14	-62.18	-59.74	-61.72	-54.49	-49.29	-27.00	-22.29
5775MHz	Pass	1G	8G	PK	6.999G	5.20	-60.27	-58.77	-58.53	-60.98	-53.50	-48.30	-27.00	-21.30


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08886G	-44.82	-21.20	-23.62	4.55	0.00	-49.37	-49.37
1G	8G	1M	PK	5.3785G	-46.70	-21.20	-25.50	4.55	0.00	-51.25	-51.25
1G	8G	1M	PK	5.87463G	-52.80	-27.00	-25.80	4.55	0.00	-57.35	-57.35

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.08625G	-51.60	-41.20	-10.40	4.55	0.00	-56.15	-56.15
1G	8G	1M	AV	5.37588G	-52.29	-41.20	-11.09	4.55	0.00	-56.84	-56.84

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.10725G	-44.99	-21.20	-23.79	4.55	0.00	-49.54	-49.54
1G	8G	1M	PK	5.38375G	-46.24	-21.20	-25.04	4.55	0.00	-50.79	-50.79
1G	8G	1M	PK	5.81375G	-53.44	-27.00	-26.44	4.55	0.00	-57.99	-57.99

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5200MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.09763G	-50.92	-41.20	-9.72	4.55	0.00	-55.47	-55.47
1G	8G	1M	AV	5.389G	-52.28	-41.20	-11.08	4.55	0.00	-56.83	-56.83

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.05388G	-44.92	-21.20	-23.72	4.55	0.00	-49.47	-49.47
1G	8G	1M	PK	5.309G	-48.54	-21.20	-27.34	4.55	0.00	-53.09	-53.09
1G	8G	1M	PK	5.67638G	-52.81	-27.00	-25.81	4.55	0.00	-57.36	-57.36

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5240MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.046G	-51.57	-41.20	-10.37	4.55	0.00	-56.12	-56.12
1G	8G	1M	AV	5.37588G	-52.45	-41.20	-11.25	4.55	0.00	-57.00	-57.00

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.06525G	-46.72	-21.20	-25.52	3.80	0.00	-50.52	-50.52
1G	8G	1M	PK	5.41175G	-48.57	-21.20	-27.37	3.80	0.00	-52.37	-52.37
1G	8G	1M	PK	5.8715G	-53.13	-27.00	-26.13	3.80	0.00	-56.93	-56.93

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5260MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.06438G	-51.74	-41.20	-10.54	3.80	0.00	-55.54	-55.54
1G	8G	1M	AV	5.37588G	-53.83	-41.20	-12.63	3.80	0.00	-57.63	-57.63

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.106386	-45.52	-21.20	-24.32	3.80	0.00	-49.32	-49.32
1G	8G	1M	PK	5.307250	-47.97	-21.20	-26.77	3.80	0.00	-51.77	-51.77
1G	8G	1M	PK	5.872880	-53.54	-27.00	-26.54	3.80	0.00	-57.34	-57.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5300MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.116000	-51.70	-41.20	-10.50	3.80	0.00	-55.50	-55.50
1G	8G	1M	AV	5.397750	-54.46	-41.20	-13.26	3.80	0.00	-58.26	-58.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08975G	-47.51	-21.20	-26.31	3.80	0.00	-51.31	-51.31
1G	8G	1M	PK	5.39513G	-48.11	-21.20	-26.91	3.80	0.00	-51.91	-51.91
1G	8G	1M	PK	5.88075G	-54.38	-27.00	-27.38	3.80	0.00	-58.18	-58.18

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5320MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.12038G	-53.37	-41.20	-12.17	3.80	0.00	-57.17	-57.17
1G	8G	1M	AV	5.12125G	-53.37	-41.20	-12.17	3.80	0.00	-57.17	-57.17
1G	8G	1M	AV	5.37586G	-53.77	-41.20	-12.57	3.80	0.00	-57.57	-57.57

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.081G	-49.74	-21.20	-28.54	3.49	0.00	-53.23	-53.23
1G	8G	1M	PK	5.39863G	-46.73	-21.20	-25.53	3.49	0.00	-50.22	-50.22
1G	8G	1M	PK	5.4695G	-58.10	-27.00	-31.10	3.49	0.00	-61.59	-61.59
1G	8G	1M	PK	5.88513G	-53.30	-27.00	-26.30	3.49	0.00	-56.79	-56.79

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5500MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.109G	-56.30	-41.20	-15.10	3.49	0.00	-59.79	-59.79
1G	8G	1M	AV	5.39863G	-52.07	-41.20	-10.87	3.49	0.00	-55.56	-55.56

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.28488G	-56.96	-27.00	-29.96	3.49	0.00	-60.45	-60.45
1G	8G	1M	PK	5.38813G	-49.03	-21.20	-27.83	3.49	0.00	-52.52	-52.52
1G	8G	1M	PK	5.46513G	-57.00	-27.00	-30.00	3.49	0.00	-60.49	-60.49
1G	8G	1M	PK	5.88075G	-54.03	-27.00	-27.03	3.49	0.00	-57.52	-57.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5580MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.088G	-57.26	-41.20	-16.06	3.49	0.00	-60.75	-60.75
1G	8G	1M	AV	5.38988G	-55.14	-41.20	-13.94	3.49	0.00	-58.63	-58.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.10813G	-50.58	-21.20	-29.38	3.49	0.00	-54.07	-54.07
1G	8G	1M	PK	5.37588G	-50.17	-21.20	-28.97	3.49	0.00	-53.66	-53.66
1G	8G	1M	PK	5.46688G	-57.35	-27.00	-30.35	3.49	0.00	-60.84	-60.84
1G	8G	1M	PK	5.886G	-53.84	-27.00	-26.84	3.49	0.00	-57.33	-57.33

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5700MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.07838G	-57.02	-41.20	-15.82	3.49	0.00	-60.51	-60.51
1G	8G	1M	AV	5.37588G	-56.19	-41.20	-14.99	3.49	0.00	-59.68	-59.68

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5720MHz Straddle 5.47-5.725GHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.11688G	-50.83	-21.20	-29.63	3.49	0.00	-54.32	-54.32
1G	8G	1M	PK	5.38463G	-49.80	-21.20	-28.60	3.49	0.00	-53.29	-53.29
1G	8G	1M	PK	5.46075G	-58.11	-27.00	-31.11	3.49	0.00	-61.60	-61.60
1G	8G	1M	PK	5.88688G	-52.93	-27.00	-25.93	3.49	0.00	-56.42	-56.42

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]


5720MHz Straddle 5.47-5.725GHz

27/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.08975G	-56.55	-41.20	-15.35	3.49	0.00	-60.04	-60.04
1G	8G	1M	AV	5.37588G	-56.12	-41.20	-14.92	3.49	0.00	-59.61	-59.61






5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [PK]

5825MHz

27/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.38988G	-49.85	-21.20	-28.65	3.89	0.00	-53.74	-53.74
1G	8G	1M	PK	5.942G	-55.68	-27.00	-28.68	3.89	0.00	-59.57	-59.57
1G	8G	1M	PK	6.85465G	-54.13	-27.00	-27.13	3.89	0.00	-58.02	-58.02

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

CSE Other [AV]

5825MHz

27/03/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.37588G	-55.21	-41.20	-14.01	3.89	0.00	-59.10	-59.10

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [PK]

5180MHz

27/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	PK	5.08275G	-44.72	-21.20	-23.52	4.55	0.00	-49.27	-49.27
1G	8G	1M	PK	5.38025G	-46.90	-21.20	-25.70	4.55	0.00	-51.45	-51.45
1G	8G	1M	PK	5.88163G	-52.90	-27.00	-25.90	4.55	0.00	-57.45	-57.45

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Other [AV]

5180MHz

27/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
1G	8G	1M	AV	5.08713G	-51.13	-41.20	-9.93	4.55	0.00	-55.68	-55.68
1G	8G	1M	AV	5.37588G	-52.67	-41.20	-11.47	4.55	0.00	-57.22	-57.22