


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5510MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45993G	-31.86	-21.20	-10.66	6.60	0.00	-38.46	-38.46
5.39G	5.805G	1M	PK	5.46906G	-28.24	-27.00	-1.24	6.60	0.00	-34.84	-34.84
5.39G	5.805G	1M	PK	5.7801G	-39.71	-27.00	-12.71	6.60	0.00	-46.31	-46.31

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5510MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45972G	-47.53	-41.20	-6.33	6.60	0.00	-54.13	-54.13
5.39G	5.805G	1M	AV	5.45993G	-47.53	-41.20	-6.33	6.60	0.00	-54.13	-54.13

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5550MHz

10/04/2023



Legend for the plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45868G	-31.04	-21.20	-9.84	6.60	0.00	-37.64	-37.64
5.39G	5.805G	1M	PK	5.46491G	-30.72	-27.00	-3.72	6.60	0.00	-37.32	-37.32
5.39G	5.805G	1M	PK	5.73051G	-38.76	-27.00	-11.76	6.60	0.00	-45.36	-45.36

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5550MHz

10/04/2023



Legend for the plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Port 1 (Blue line)


F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45993G	-47.11	-41.20	-5.91	6.60	0.00	-53.71	-53.71

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5670MHz

10/04/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	PK	5.45308G	-40.64	-21.20	-19.44	6.60	0.00	-47.24	-47.24
5.39G	5.805G	1M	PK	5.46325G	-41.18	-27.00	-14.18	6.60	0.00	-47.78	-47.78
5.39G	5.805G	1M	PK	5.72719G	-28.85	-27.00	-1.95	6.60	0.00	-35.55	-35.55

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5670MHz

10/04/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.805G	1M	AV	5.45972G	-52.35	-41.20	-11.15	6.60	0.00	-58.95	-58.95

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5710MHz Straddle 5.47-5.725GHz

10/04/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	PK	5.42861G	-40.97	-21.20	-19.77	6.60	0.00	-47.57	-47.57
5.39G	5.93G	1M	PK	5.4602G	-40.47	-27.00	-13.47	6.60	0.00	-47.07	-47.07
5.39G	5.93G	1M	PK	5.8596G	-37.03	-27.00	-10.03	6.60	0.00	-43.63	-43.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5710MHz Straddle 5.47-5.725GHz

10/04/2023




F.Start(Hz)	F.Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.39G	5.93G	1M	AV	5.44022G	-52.25	-41.20	-11.05	6.60	0.00	-58.85	-58.85

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5755MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.65027G	-33.67	-26.80	-6.87	6.60	0.00	-40.27	-40.27
5.645G	5.93G	1M	PK	5.92957G	-37.66	-27.00	-10.66	6.60	0.00	-44.26	-44.26

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5795MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.645G	5.93G	1M	PK	5.64529G	-39.40	-27.00	-12.40	6.60	0.00	-46.00	-46.00
5.645G	5.93G	1M	PK	5.92829G	-36.54	-27.00	-9.54	6.60	0.00	-43.14	-43.14

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5210MHz

10/04/2023



Legend for CSE Bandedge [PK]:

- Limit.PK (Red line)
- ERP.PK (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14002G	-26.67	-21.20	-5.47	6.60	0.00	-33.27	-33.27
4.99G	5.51G	1M	PK	5.35036G	-38.47	-21.20	-17.27	6.60	0.00	-45.07	-45.07
4.99G	5.51G	1M	PK	5.49466G	-39.62	-27.00	-12.62	6.60	0.00	-46.22	-46.22

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5210MHz

10/04/2023



Legend for CSE Bandedge [AV]:

- Limit.AV (Red line)
- ERP.AV (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14938G	-42.07	-41.20	-0.87	6.60	0.00	-48.67	-48.67
4.99G	5.51G	1M	AV	5.35192G	-51.24	-41.20	-10.04	6.60	0.00	-57.84	-57.84

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5290MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	PK	5.14704G	-38.91	-21.20	-17.71	6.60	0.00	-45.51	-45.51
4.99G	5.51G	1M	PK	5.35712G	-24.86	-21.20	-3.66	6.60	0.00	-31.46	-31.46
4.99G	5.51G	1M	PK	5.46656G	-40.63	-27.00	-13.63	6.60	0.00	-47.23	-47.23

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5290MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.99G	5.51G	1M	AV	5.14912G	-50.32	-41.20	-9.12	6.60	0.00	-56.92	-56.92
4.99G	5.51G	1M	AV	5.3527G	-41.63	-41.20	-0.43	6.60	0.00	-48.23	-48.23

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5530MHz

10/04/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.31661G	-40.34	-27.00	-13.34	6.60	0.00	-46.94	-46.94
5.31G	5.885G	1M	PK	5.45548G	-29.80	-21.20	-8.60	6.60	0.00	-36.40	-36.40
5.31G	5.885G	1M	PK	5.46669G	-28.30	-27.00	-1.30	6.60	0.00	-34.90	-34.90
5.31G	5.885G	1M	PK	5.75994G	-38.59	-27.00	-11.59	6.60	0.00	-45.19	-45.19

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5530MHz

10/04/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45979G	-42.89	-41.20	-1.69	6.60	0.00	-49.49	-49.49

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5610MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	PK	5.32869G	-41.55	-27.00	-14.55	6.60	0.00	-48.15	-48.15
5.31G	5.885G	1M	PK	5.4595G	-35.67	-21.20	-14.47	6.60	0.00	-42.27	-42.27
5.31G	5.885G	1M	PK	5.46755G	-32.60	-27.00	-5.60	6.60	0.00	-39.20	-39.20
5.31G	5.885G	1M	PK	5.72975G	-27.47	-27.00	-0.47	6.60	0.00	-34.07	-34.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5610MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.31G	5.885G	1M	AV	5.45806G	-48.59	-41.20	-7.39	6.60	0.00	-55.19	-55.19
5.31G	5.885G	1M	AV	5.4595G	-48.59	-41.20	-7.39	6.60	0.00	-55.19	-55.19

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5690MHz Straddle 5.47-5.725GHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	PK	5.34535G	-41.15	-27.00	-14.15	6.60	0.00	-47.75	-47.75
5.31G	6.01G	1M	PK	5.45805G	-38.98	-21.20	-17.78	6.60	0.00	-45.58	-45.58
5.31G	6.01G	1M	PK	5.46995G	-38.01	-27.00	-11.01	6.60	0.00	-44.61	-44.61
5.31G	6.01G	1M	PK	5.8546G	-29.01	-27.00	-2.01	6.60	0.00	-35.61	-35.61

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5690MHz Straddle 5.47-5.725GHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
5.31G	6.01G	1M	AV	5.45875G	-49.98	-41.20	-8.78	6.60	0.00	-56.58	-56.58
5.31G	6.01G	1M	AV	5.4598G	-49.98	-41.20	-8.78	6.60	0.00	-56.58	-56.58

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5775MHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
5.565G	6.01G	1M	PK	5.64955G	-27.06	-27.00	-0.06	6.60	0.00	-33.66	-33.66
5.565G	6.01G	1M	PK	5.92768G	-29.25	-27.00	-2.25	6.60	0.00	-35.85	-35.85

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5250MHz Straddle 5.25-5.35GHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	PK	5.1429G	-30.01	-21.20	-8.81	6.60	0.00	-36.61	-36.61
4.83G	5.67G	1M	PK	5.38146G	-30.26	-21.20	-9.06	6.60	0.00	-36.86	-36.86
4.83G	5.67G	1M	PK	5.46252G	-33.86	-27.00	-6.86	6.60	0.00	-40.46	-40.46

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5250MHz Straddle 5.25-5.35GHz

10/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
4.83G	5.67G	1M	AV	5.14374G	-42.23	-41.20	-1.03	6.60	0.00	-48.83	-48.83
4.83G	5.67G	1M	AV	5.35248G	-44.27	-41.20	-3.07	6.60	0.00	-50.87	-50.87

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX


CSE Bandedge [PK]

5570MHz

10/04/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.15G	6.045G	1M	PK	5.34556G	-39.34	-27.00	-12.34	6.60	0.00	-45.94	-45.94
5.15G	6.045G	1M	PK	5.45743G	-29.80	-21.20	-8.60	6.60	0.00	-36.40	-36.40
5.15G	6.045G	1M	PK	5.4628G	-29.92	-27.00	-2.92	6.60	0.00	-36.52	-36.52
5.15G	6.045G	1M	PK	5.72638G	-34.55	-27.00	-7.55	6.60	0.00	-41.15	-41.15






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	17.47312G	63.49	68.20	-4.71	3	Horizontal	25.6	1.80	-

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUTX_1TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64964G	52.81	74.00	-21.19	70.98	3	Vertical	11	1.10	-	39.15	8.49	65.81
AV	11.64988G	43.07	54.00	-10.93	61.24	3	Vertical	11	1.10	-	39.15	8.49	65.81
PK	17.47968G	60.28	68.20	-7.92	72.53	3	Vertical	24	1.28	-	41.88	11.26	65.39

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX



EUTX_1TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65004G	54.32	74.00	-19.68	72.48	3	Horizontal	74	1.88	-	39.15	8.50	65.81
AV	11.64984G	46.49	54.00	-7.51	64.66	3	Horizontal	74	1.88	-	39.15	8.49	65.81
PK	17.47312G	63.49	68.20	-4.71	75.74	3	Horizontal	25.6	1.80	-	41.87	11.26	65.38




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	17.2395G	65.96	68.20	-2.24	3	Horizontal	304	1.82	-

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUTX_2TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48976G	54.13	74.00	-19.87	72.38	3	Vertical	341	1.06	-	39.20	8.45	65.90
AV	11.48988G	45.53	54.00	-8.47	63.78	3	Vertical	341	1.06	-	39.20	8.45	65.90
PK	17.23248G	62.72	68.20	-5.48	75.53	3	Vertical	4	1.32	-	41.33	11.10	65.24

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



EUTX_2TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49G	53.90	74.00	-20.10	72.15	3	Horizontal	45	1.89	-	39.20	8.45	65.90
AV	11.48982G	46.06	54.00	-7.94	64.31	3	Horizontal	45	1.89	-	39.20	8.45	65.90
PK	17.2395G	65.96	68.20	-2.24	78.73	3	Horizontal	304	1.82	-	41.36	11.11	65.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.269G	61.24	68.20	-6.96	3	Vertical	211	1.80	-

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT X_4TX
Setting 17
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50236G	57.46	74.00	-16.54	41.64	3	Vertical	298	1.02	-	40.10	10.35	34.63
AV	11.51728G	43.44	54.00	-10.56	27.64	3	Vertical	298	1.02	-	40.07	10.36	34.63
PK	17.269G	61.24	68.20	-6.96	42.13	3	Vertical	211	1.80	-	41.44	12.74	35.07

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX



EUT X_4TX
Setting 17
06-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50574G	57.25	74.00	-16.75	41.44	3	Horizontal	23	1.79	-	40.09	10.35	34.63
AV	11.50576G	43.28	54.00	-10.72	27.47	3	Horizontal	23	1.79	-	40.09	10.35	34.63
PK	17.2742G	61.06	68.20	-7.14	41.95	3	Horizontal	-0	1.80	-	41.45	12.74	35.08




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	17.26372G	56.75	68.20	-11.45	3	Horizontal	30	2.49	-

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX



EUTX_1TX
Setting 17
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51548G	52.18	74.00	-21.82	70.42	3	Vertical	157	1.25	-	39.20	8.45	65.89
AV	11.51824G	39.28	54.00	-14.72	57.51	3	Vertical	157	1.25	-	39.20	8.46	65.89
PK	17.26184G	55.40	68.20	-12.80	68.09	3	Vertical	297	1.49	-	41.45	11.12	65.26

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX



EUTX_1TX
Setting 17
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5008G	51.31	74.00	-22.69	69.56	3	Horizontal	238	1.00	-	39.20	8.45	65.90
AV	11.51816G	39.33	54.00	-14.67	57.56	3	Horizontal	238	1.00	-	39.20	8.46	65.89
PK	17.26372G	56.75	68.20	-11.45	69.44	3	Horizontal	30	2.49	-	41.45	11.12	65.26




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	16.65096G	55.24	68.20	-12.96	3	Horizontal	350	1.80	-

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUTX_2TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09376G	51.89	74.00	-22.11	70.33	3	Vertical	61	1.64	-	39.21	8.33	65.98
AV	11.09308G	40.10	54.00	-13.90	58.54	3	Vertical	61	1.64	-	39.21	8.33	65.98
PK	16.65968G	54.18	68.20	-14.02	68.42	3	Vertical	69	1.80	-	39.72	10.73	64.69

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX



EUTX_2TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09324G	52.21	74.00	-21.79	70.65	3	Horizontal	304	1.53	-	39.21	8.33	65.98
AV	11.09296G	40.14	54.00	-13.86	58.58	3	Horizontal	304	1.53	-	39.21	8.33	65.98
PK	16.65096G	55.24	68.20	-12.96	69.50	3	Horizontal	350	1.80	-	39.70	10.72	64.68




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.27388G	57.11	68.20	-11.09	3	Vertical	231	1.80	-

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUTX_4TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50776G	51.75	74.00	-22.25	70.00	3	Vertical	180	1.96	-	39.20	8.45	65.90
AV	11.51768G	39.54	54.00	-14.46	57.77	3	Vertical	180	1.96	-	39.20	8.46	65.89
PK	17.27388G	57.11	68.20	-11.09	69.74	3	Vertical	231	1.80	-	41.50	11.13	65.26

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX



EUTX_4TX
 Setting 17
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50856G	51.69	74.00	-22.31	69.93	3	Horizontal	134	2.23	-	39.20	8.45	65.89
AV	11.51988G	39.53	54.00	-14.47	57.76	3	Horizontal	134	2.23	-	39.20	8.46	65.89
PK	17.25704G	55.81	68.20	-12.39	68.51	3	Horizontal	56	1.80	-	41.43	11.12	65.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	17.265G	62.03	68.20	-6.17	3	Vertical	130	1.80	-

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
Setting 20
06-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50682G	57.66	74.00	-16.34	41.85	3	Vertical	285	1.80	-	40.09	10.35	34.63
AV	11.501G	44.96	54.00	-9.04	29.14	3	Vertical	285	1.80	-	40.10	10.35	34.63
PK	17.265G	62.03	68.20	-6.17	42.93	3	Vertical	130	1.80	-	41.43	12.73	35.06

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX



EUT_Z_1TX
Setting 20
06-H-R-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50154G	57.81	74.00	-16.19	41.99	3	Horizontal	222	1.80	-	40.10	10.35	34.63
AV	11.50274G	44.87	54.00	-9.13	29.06	3	Horizontal	222	1.80	-	40.09	10.35	34.63
PK	17.2731G	61.86	68.20	-6.34	42.74	3	Horizontal	281	1.80	-	41.45	12.74	35.07



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.7134G	26.43	54.00	-27.57	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7134G	35.54	74.00	-38.46	-5.27	3	Vertical	235	1.75	-	40.81	25.33	4.21	34.81
AV	1.7134G	26.43	54.00	-27.57	-5.27	3	Vertical	235	1.75	"Worst"	31.70	25.33	4.21	34.81

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7156G	34.23	74.00	-39.77	-5.27	3	Horizontal	121	1.60	-	39.50	25.33	4.21	34.81
AV	1.7156G	25.76	54.00	-28.24	-5.27	3	Horizontal	121	1.60	"Worst"	31.03	25.33	4.21	34.81