


2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [PK]

2412MHz

24/03/2023



Limit.PK  
 ERP.PK  
 Port.1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.83975G	-59.51	-21.20	-38.31	5.46	0.00	-64.97	-64.97
3G	25G	1M	PK	15.716G	-52.06	-21.20	-30.86	5.46	0.00	-57.52	-57.52

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [AV]

2412MHz

24/03/2023



Limit.AV  
 ERP.AV  
 Port.1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.815G	-65.31	-41.20	-24.11	5.46	0.00	-70.77	-70.77
3G	25G	1M	AV	15.738G	-60.38	-41.20	-19.18	5.46	0.00	-65.84	-65.84

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [PK]

2437MHz

24/03/2023



Limit:PK

ERP:PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.87G	-56.26	-21.20	-35.06	5.46	0.00	-61.72	-61.72
3G	25G	1M	PK	15.58675G	-52.33	-21.20	-31.13	5.46	0.00	-57.79	-57.79

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [AV]

2437MHz

24/03/2023



Limit:AV

ERP:AV

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.88375G	-65.42	-41.20	-24.22	5.46	0.00	-70.88	-70.88
3G	25G	1M	AV	15.65275G	-60.71	-41.20	-19.51	5.46	0.00	-66.17	-66.17

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.91675G	-57.66	-21.20	-36.46	5.46	0.00	-63.12	-63.12
3G	25G	1M	PK	15.69125G	-53.12	-21.20	-31.92	5.46	0.00	-58.58	-58.58

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.9195G	-65.10	-41.20	-23.90	5.46	0.00	-70.56	-70.56
3G	25G	1M	AV	15.617G	-59.54	-41.20	-18.34	5.46	0.00	-65.00	-65.00

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [PK]

2412MHz

24/03/2023



Limit:PK   
 EIRP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.82875G	-57.64	-21.20	-36.44	5.46	0.00	-63.10	-63.10
3G	25G	1M	PK	15.716G	-52.49	-21.20	-31.29	5.46	0.00	-57.95	-57.95

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [AV]

2412MHz

24/03/2023



Limit:AV   
 EIRP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.837G	-65.74	-41.20	-24.54	5.46	0.00	-71.20	-71.20
3G	25G	1M	AV	15.61425G	-60.93	-41.20	-19.73	5.46	0.00	-66.39	-66.39

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [PK]

2437MHz

24/03/2023



Limit:PK   
 EIRP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.88375G	-57.09	-21.20	-35.89	5.46	0.00	-62.55	-62.55
3G	25G	1M	PK	15.64175G	-52.51	-21.20	-31.31	5.46	0.00	-57.97	-57.97



2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [AV]

2437MHz

24/03/2023



Limit:AV   
 EIRP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87825G	-65.91	-41.20	-24.71	5.46	0.00	-71.37	-71.37
3G	25G	1M	AV	15.628G	-60.73	-41.20	-19.53	5.46	0.00	-66.19	-66.19

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [PK]

2462MHz

24/03/2023



Limit:PK   
 EIRP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.9305G	-56.97	-21.20	-35.77	5.46	0.00	-62.43	-62.43
3G	25G	1M	PK	15.6445G	-52.54	-21.20	-31.34	5.46	0.00	-58.00	-58.00




2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [AV]

2462MHz

24/03/2023



Limit:AV   
 EIRP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.91675G	-65.11	-41.20	-23.91	5.46	0.00	-70.57	-70.57
3G	25G	1M	AV	15.639G	-60.66	-41.20	-19.46	5.46	0.00	-66.12	-66.12

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

2412MHz

24/03/2023



Limit:PK   
 ERP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.826G	-57.84	-21.20	-36.64	5.46	0.00	-63.30	-63.30
3G	25G	1M	PK	15.6335G	-52.23	-21.20	-31.03	5.46	0.00	-57.69	-57.69




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

2412MHz

24/03/2023



Limit:AV   
 ERP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.81775G	-65.78	-41.20	-24.58	5.46	0.00	-71.24	-71.24
3G	25G	1M	AV	15.63075G	-60.47	-41.20	-19.27	5.46	0.00	-65.93	-65.93

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

2437MHz

24/03/2023



Limit:PK   
 ERP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.8645G	-57.67	-21.20	-36.47	5.46	0.00	-63.13	-63.13
3G	25G	1M	PK	15.727G	-51.25	-21.20	-30.05	5.46	0.00	-56.71	-56.71

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

2437MHz

24/03/2023



Limit:AV   
 ERP:AV   
 Port 1 

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.8645G	-65.45	-41.20	-24.25	5.46	0.00	-70.91	-70.91
3G	25G	1M	AV	15.63075G	-60.71	-41.20	-19.51	5.46	0.00	-66.17	-66.17




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

2462MHz

24/03/2023



Limit:PK   
 ERP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.9415G	-58.08	-21.20	-36.88	5.46	0.00	-63.54	-63.54
3G	25G	1M	PK	15.617G	-52.70	-21.20	-31.50	5.46	0.00	-58.16	-58.16

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

2462MHz

24/03/2023



Limit:AV   
 ERP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.91125G	-65.36	-41.20	-24.16	5.46	0.00	-70.82	-70.82
3G	25G	1M	AV	15.7545G	-60.71	-41.20	-19.51	5.46	0.00	-66.17	-66.17

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE [PK]

2412MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.8315G	-55.78	-21.20	-34.58	5.46	0.00	-61.24	-63.99	-64.53
3G	25G	1M	PK	15.6835G	-50.47	-21.20	-29.27	5.46	0.00	-55.93	-58.62	-59.28

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE [AV]

2412MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.8095G	-62.91	-41.20	-21.71	5.46	0.00	-68.37	-71.26	-71.50
3G	25G	1M	AV	15.61975G	-57.59	-41.20	-16.39	5.46	0.00	-63.05	-65.88	-66.24

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE [PK]

2437MHz

24/03/2023



- Limit-PK
- EIRP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.859G	-55.46	-21.20	-34.26	5.46	0.00	-60.92	-64.04	-63.83
3G	25G	1M	PK	15.63075G	-50.29	-21.20	-29.09	5.46	0.00	-55.75	-59.43	-58.18

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE [AV]

2437MHz

24/03/2023



- Limit-AV
- EIRP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.87275G	-62.67	-41.20	-21.47	5.46	0.00	-68.13	-71.14	-71.14
3G	25G	1M	AV	15.63075G	-57.63	-41.20	-16.43	5.46	0.00	-63.09	-65.70	-66.55

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE [PK]

2462MHz

24/03/2023



- Limit-PK
- EIRP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.925G	-56.09	-21.20	-34.89	5.46	0.00	-61.55	-64.23	-64.91
3G	25G	1M	PK	15.7325G	-50.05	-21.20	-28.85	5.46	0.00	-55.51	-57.66	-59.60

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE [AV]

2462MHz

24/03/2023



- Limit-AV
- EIRP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.925G	-62.79	-41.20	-21.59	5.46	0.00	-68.25	-71.26	-71.26
3G	25G	1M	AV	15.628G	-57.66	-41.20	-16.46	5.46	0.00	-63.12	-66.07	-66.19

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE [PK]

2412MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.82325G	-55.75	-21.20	-34.55	5.46	0.00	-61.21	-64.33	-64.11
3G	25G	1M	PK	15.66375G	-49.87	-21.20	-28.67	5.46	0.00	-55.33	-59.20	-57.62

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE [AV]

2412MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.815G	-62.77	-41.20	-21.57	5.46	0.00	-68.23	-71.01	-71.49
3G	25G	1M	AV	15.64175G	-57.62	-41.20	-16.42	5.46	0.00	-63.08	-65.63	-66.61

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE [PK]

2437MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.88375G	-55.78	-21.20	-34.58	5.46	0.00	-61.24	-63.69	-64.90
3G	25G	1M	PK	15.65825G	-49.82	-21.20	-28.62	5.46	0.00	-55.28	-60.29	-56.93

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE [AV]

2437MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.8865G	-62.53	-41.20	-21.33	5.46	0.00	-67.99	-70.88	-71.12
3G	25G	1M	AV	15.62525G	-57.73	-41.20	-16.53	5.46	0.00	-63.19	-65.85	-66.58

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE [PK]

2462MHz

24/03/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.9195G	-54.53	-21.20	-33.33	5.46	0.00	-59.99	-61.45	-65.42
3G	25G	1M	PK	15.64725G	-49.52	-21.20	-28.32	5.46	0.00	-54.98	-58.63	-57.43

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.93875G	-62.50	-41.20	-21.30	5.46	0.00	-67.96	-71.22	-70.74
3G	25G	1M	AV	15.6335G	-57.57	-41.20	-16.37	5.46	0.00	-63.03	-65.92	-66.16

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE [PK]

2412MHz

24/03/2023



- Limit-PK
- EIRP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.837G	-55.50	-21.20	-34.30	5.46	0.00	-60.96	-63.67	-64.30
3G	25G	1M	PK	15.6115G	-49.51	-21.20	-28.31	5.46	0.00	-54.97	-57.37	-58.69

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE [AV]

2412MHz

24/03/2023



- Limit-AV
- EIRP-AV
- Sum-AV
- Port 1
- Port 2

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.8315G	-62.60	-41.20	-21.40	5.46	0.00	-68.06	-70.51	-71.71
3G	25G	1M	AV	15.65275G	-57.75	-41.20	-16.55	5.46	0.00	-63.21	-66.68	-66.81




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE [PK]

2437MHz

24/03/2023



- Limit-PK
- EIRP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.88925G	-55.68	-21.20	-34.48	5.46	0.00	-61.14	-63.69	-64.66
3G	25G	1M	PK	15.57575G	-50.50	-21.20	-29.30	5.46	0.00	-55.96	-60.25	-57.98

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE [AV]

2437MHz

24/03/2023



- Limit-AV
- EIRP-AV
- Sum-AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.88375G	-62.89	-21.20	-21.69	5.46	0.00	-68.35	-71.36	-71.36
3G	25G	1M	AV	15.61975G	-57.58	-21.20	-16.38	5.46	0.00	-63.04	-66.49	-65.65

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE [PK]

2462MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	PK	4.93325G	-54.54	-21.20	-33.34	5.46	0.00	-60.00	-62.60	-63.47
3G	25G	1M	PK	15.65G	-50.14	-21.20	-28.94	5.46	0.00	-55.60	-58.56	-58.67

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE [AV]

2462MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
3G	25G	1M	AV	4.9305G	-62.17	-41.20	-20.97	5.46	0.00	-67.63	-71.00	-70.31
3G	25G	1M	AV	15.6115G	-57.88	-41.20	-16.68	5.46	0.00	-63.34	-66.29	-66.41

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE [PK]

2412MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8315G	-51.68	-21.20	-30.48	6.57	0.00	-58.25	-63.78	-65.47	-64.76	-63.38
3G	25G	1M	PK	15.6555G	-46.62	-21.20	-25.42	6.57	0.00	-53.19	-59.23	-60.89	-58.80	-58.34

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE [AV]

2412MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.8205G	-58.82	-41.20	-17.62	6.57	0.00	-65.39	-71.48	-70.99	-71.73	-71.48
3G	25G	1M	AV	15.606G	-53.94	-41.20	-12.74	6.57	0.00	-60.51	-66.57	-66.32	-66.44	-66.82

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.86725G	-51.46	-21.20	-30.26	6.57	0.00	-58.03	-65.04	-62.94	-65.28	-63.42
3G	25G	1M	PK	15.6225G	-46.77	-21.20	-25.57	6.57	0.00	-53.34	-58.67	-59.37	-59.31	-60.24

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.892G	-58.56	-41.20	-17.36	6.57	0.00	-65.13	-71.11	-71.35	-71.86	-70.41
3G	25G	1M	AV	15.65G	-53.78	-41.20	-12.58	6.57	0.00	-60.35	-66.31	-66.06	-66.70	-66.44

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE [PK]

2462MHz

24/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.91675G	-50.95	-21.20	-29.75	6.57	0.00	-57.52	-64.82	-61.46	-64.94	-63.93
3G	25G	1M	PK	15.65825G	-46.78	-21.20	-25.58	6.57	0.00	-53.35	-60.74	-60.04	-58.74	-58.37

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE [AV]

2462MHz

24/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.925G	-58.31	-41.20	-17.11	6.57	0.00	-64.88	-71.02	-70.78	-70.78	-71.02
3G	25G	1M	AV	15.617G	-53.94	-41.20	-12.74	6.57	0.00	-60.51	-66.25	-66.89	-66.63	-66.38

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE [PK]

2412MHz

24/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8425G	-51.83	-21.20	-30.63	6.57	0.00	-58.40	-64.62	-63.86	-63.46	-66.22
3G	25G	1M	PK	15.5975G	-46.61	-21.20	-25.41	6.57	0.00	-53.18	-59.19	-59.57	-58.47	-59.68

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE [AV]

2412MHz

24/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.8425G	-58.77	-41.20	-17.57	6.57	0.00	-65.34	-71.68	-71.19	-70.95	-71.68
3G	25G	1M	AV	15.62525G	-53.64	-41.20	-12.44	6.57	0.00	-60.21	-66.33	-66.33	-65.96	-66.33

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE [PK]

2437MHz

24/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8645G	-51.61	-21.20	-30.41	6.57	0.00	-58.18	-63.83	-65.92	-63.32	-64.14
3G	25G	1M	PK	15.72975G	-45.68	-21.20	-24.48	6.57	0.00	-52.25	-55.73	-60.33	-59.14	-59.42

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE [AV]

2437MHz

24/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.85625G	-58.57	-41.20	-17.37	6.57	0.00	-65.14	-71.16	-71.16	-71.41	-70.92
3G	25G	1M	AV	15.64175G	-53.82	-41.20	-12.62	6.57	0.00	-60.39	-66.74	-65.87	-66.74	-66.36

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE [PK]

2462MHz

24/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.93325G	-51.99	-21.20	-30.79	6.57	0.00	-58.56	-65.51	-64.20	-64.77	-63.99
3G	25G	1M	PK	15.59225G	-46.23	-21.20	-25.03	6.57	0.00	-52.80	-57.91	-59.97	-58.78	-58.88

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE [AV]

2462MHz

24/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.9305G	-58.53	-41.20	-17.33	6.57	0.00	-65.10	-71.25	-71.25	-70.76	-71.25
3G	25G	1M	AV	15.60325G	-53.69	-41.20	-12.49	6.57	0.00	-60.26	-65.41	-66.71	-66.09	-67.10




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE [PK]

2412MHz

24/03/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.81775G	-51.42	-21.20	-30.22	6.57	0.00	-57.99	-64.56	-64.90	-64.67	-62.40
3G	25G	1M	PK	15.61425G	-46.38	-21.20	-25.18	6.57	0.00	-52.95	-57.99	-59.58	-60.92	-58.04

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE [AV]

2412MHz

24/03/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.83425G	-58.60	-41.20	-17.40	6.57	0.00	-65.17	-70.96	-71.70	-70.73	-71.45
3G	25G	1M	AV	15.639G	-53.94	-41.20	-12.74	6.57	0.00	-60.51	-66.37	-66.50	-66.89	-66.37

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE [PK]

2437MHz

24/03/2023



- LimitPK
- EIRP-PK
- Sum-PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.8755G	-51.40	-21.20	-30.20	6.57	0.00	-57.97	-62.21	-63.71	-65.77	-65.15
3G	25G	1M	PK	15.67475G	-46.63	-21.20	-25.43	6.57	0.00	-53.20	-59.84	-59.15	-57.90	-60.40

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE [AV]

2437MHz

24/03/2023



- LimitAV
- EIRP-AV
- Sum-AV
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.88375G	-58.83	-41.20	-17.63	6.57	0.00	-65.40	-71.36	-71.36	-71.12	-71.88
3G	25G	1M	AV	15.71325G	-53.92	-41.20	-12.72	6.57	0.00	-60.49	-66.52	-66.13	-66.78	-66.65

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE [PK]

2462MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	PK	4.925G	-51.65	-21.20	-30.45	6.57	0.00	-58.22	-64.68	-65.53	-63.10	-64.01
3G	25G	1M	PK	15.595G	-46.08	-21.20	-24.88	6.57	0.00	-52.65	-57.84	-61.88	-57.84	-58.26

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE [AV]

2462MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
3G	25G	1M	AV	4.9415G	-58.55	-41.20	-17.35	6.57	0.00	-65.12	-71.47	-71.47	-70.50	-71.21
3G	25G	1M	AV	15.6335G	-53.84	-41.20	-12.64	6.57	0.00	-60.41	-65.80	-66.79	-66.66	-66.53



**CSE (High Pass Filter)\_Radio 3-1T1S  
(Harmonic 3GHz ~ 25GHz)**

**Appendix F.5**

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	3G	25G	AV	15.59775G	6.90	-66.37	-66.37	-59.47	-41.20	-18.27
802.11g_Nss1,(6Mbps)_1TX	Pass	3G	25G	AV	19.709G	6.90	-66.46	-66.46	-59.56	-41.20	-18.36
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	3G	25G	AV	19.742G	6.90	-66.40	-66.40	-59.50	-41.20	-18.30

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



**CSE (High Pass Filter)\_Radio 3-1T1S  
(Harmonic 3GHz ~ 25GHz)**

**Appendix F.5**

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.82325G	6.90	-69.88	-69.88	-62.98	-41.20	-21.78
2412MHz	Pass	3G	25G	AV	19.742G	6.90	-66.40	-66.40	-59.50	-41.20	-18.30
2412MHz	Pass	3G	25G	PK	4.82325G	6.90	-64.10	-64.10	-57.20	-21.20	-36.00
2412MHz	Pass	3G	25G	PK	15.59225G	6.90	-58.72	-58.72	-51.82	-21.20	-30.62
2437MHz	Pass	3G	25G	AV	4.87G	6.90	-70.81	-70.81	-63.91	-41.20	-22.71
2437MHz	Pass	3G	25G	AV	19.71725G	6.90	-66.44	-66.44	-59.54	-41.20	-18.34
2437MHz	Pass	3G	25G	PK	4.859G	6.90	-63.79	-63.79	-56.89	-21.20	-35.69
2437MHz	Pass	3G	25G	PK	19.742G	6.90	-58.76	-58.76	-51.86	-21.20	-30.66
2462MHz	Pass	3G	25G	AV	4.92225G	6.90	-70.48	-70.48	-63.58	-41.20	-22.38
2462MHz	Pass	3G	25G	AV	15.59775G	6.90	-66.37	-66.37	-59.47	-41.20	-18.27
2462MHz	Pass	3G	25G	PK	4.93875G	6.90	-63.53	-63.53	-56.63	-21.20	-35.43
2462MHz	Pass	3G	25G	PK	18.33125G	6.90	-58.87	-58.87	-51.97	-21.20	-30.77
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.80675G	6.90	-70.35	-70.35	-63.45	-41.20	-22.25
2412MHz	Pass	3G	25G	AV	19.709G	6.90	-66.46	-66.46	-59.56	-41.20	-18.36
2412MHz	Pass	3G	25G	PK	4.83425G	6.90	-63.27	-63.27	-56.37	-21.20	-35.17
2412MHz	Pass	3G	25G	PK	18.03975G	6.90	-58.71	-58.71	-51.81	-21.20	-30.61
2437MHz	Pass	3G	25G	AV	4.8865G	6.90	-71.00	-71.00	-64.10	-41.20	-22.90
2437MHz	Pass	3G	25G	AV	19.7145G	6.90	-66.60	-66.60	-59.70	-41.20	-18.50
2437MHz	Pass	3G	25G	PK	4.85625G	6.90	-62.57	-62.57	-55.67	-21.20	-34.47
2437MHz	Pass	3G	25G	PK	20.27825G	6.90	-58.32	-58.32	-51.42	-21.20	-30.22
2462MHz	Pass	3G	25G	AV	4.93875G	6.90	-70.92	-70.92	-64.02	-41.20	-22.82
2462MHz	Pass	3G	25G	AV	19.76675G	6.90	-66.60	-66.60	-59.70	-41.20	-18.50
2462MHz	Pass	3G	25G	PK	4.925G	6.90	-62.34	-62.34	-55.44	-21.20	-34.24
2462MHz	Pass	3G	25G	PK	19.81075G	6.90	-58.27	-58.27	-51.37	-21.20	-30.17
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	3G	25G	AV	4.8425G	6.90	-71.12	-71.12	-64.22	-41.20	-23.02
2412MHz	Pass	3G	25G	AV	19.7585G	6.90	-66.82	-66.82	-59.92	-41.20	-18.72
2412MHz	Pass	3G	25G	PK	4.815G	6.90	-62.97	-62.97	-56.07	-21.20	-34.87
2412MHz	Pass	3G	25G	PK	19.66775G	6.90	-57.61	-57.61	-50.71	-21.20	-29.51
2437MHz	Pass	3G	25G	AV	4.88925G	6.90	-70.99	-70.99	-64.09	-41.20	-22.89
2437MHz	Pass	3G	25G	AV	19.72275G	6.90	-66.59	-66.59	-59.69	-41.20	-18.49
2437MHz	Pass	3G	25G	PK	4.881G	6.90	-62.86	-62.86	-55.96	-21.20	-34.76
2437MHz	Pass	3G	25G	PK	19.73925G	6.90	-57.49	-57.49	-50.59	-21.20	-29.39
2462MHz	Pass	3G	25G	AV	4.936G	6.90	-70.47	-70.47	-63.57	-41.20	-22.37
2462MHz	Pass	3G	25G	AV	19.742G	6.90	-66.40	-66.40	-59.50	-41.20	-18.30
2462MHz	Pass	3G	25G	PK	4.925G	6.90	-63.65	-63.65	-56.75	-21.20	-35.55
2462MHz	Pass	3G	25G	PK	19.76675G	6.90	-58.34	-58.34	-51.44	-21.20	-30.24


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [PK]

2412MHz

07/04/2023



Limit.PK  
 ERP.PK  
 Port.1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.82325G	-57.20	-21.20	-36.00	6.90	0.00	-64.10	-64.10
3G	25G	1M	PK	15.59225G	-51.82	-21.20	-30.62	6.90	0.00	-58.72	-58.72

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [AV]

2412MHz

07/04/2023



Limit.AV  
 ERP.AV  
 Port.1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.82325G	-62.98	-41.20	-21.78	6.90	0.00	-69.88	-69.88
3G	25G	1M	AV	19.742G	-59.50	-41.20	-18.30	6.90	0.00	-66.40	-66.40

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [PK]

2437MHz

07/04/2023



Legend for CSE [PK]:  
 Limit:PK (Red dashed line)  
 EIRP:PK (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.859G	-56.89	-21.20	-35.69	6.90	0.00	-63.79	-63.79
3G	25G	1M	PK	19.742G	-51.86	-21.20	-30.66	6.90	0.00	-58.76	-58.76

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [AV]

2437MHz

07/04/2023



Legend for CSE [AV]:  
 Limit:AV (Red dashed line)  
 EIRP:AV (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.87G	-63.91	-41.20	-22.71	6.90	0.00	-70.81	-70.81
3G	25G	1M	AV	19.71725G	-59.54	-41.20	-18.34	6.90	0.00	-66.44	-66.44

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [PK]

2462MHz

07/04/2023



LimitPK   
 ERP-PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.93875G	-56.63	-21.20	-35.43	6.90	0.00	-63.53	-63.53
3G	25G	1M	PK	18.33125G	-51.97	-21.20	-30.77	6.90	0.00	-58.87	-58.87

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE [AV]

2462MHz

07/04/2023



LimitAV   
 ERP-AV   
 Port 1 

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.92225G	-63.58	-41.20	-22.38	6.90	0.00	-70.48	-70.48
3G	25G	1M	AV	15.59775G	-59.47	-41.20	-18.27	6.90	0.00	-66.37	-66.37




2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [PK]

2412MHz

07/04/2023



Limit PK  
 EIRP-PK  
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.83425G	-56.37	-21.20	-35.17	6.90	0.00	-63.27	-63.27
3G	25G	1M	PK	18.03975G	-51.81	-21.20	-30.61	6.90	0.00	-58.71	-58.71

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [AV]

2412MHz

07/04/2023



Limit AV  
 EIRP-AV  
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.80675G	-63.45	-41.20	-22.25	6.90	0.00	-70.35	-70.35
3G	25G	1M	AV	19.709G	-59.56	-41.20	-18.36	6.90	0.00	-66.46	-66.46


2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [PK]

2437MHz

07/04/2023



Limit:PK   
 EIRP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.85625G	-55.67	-21.20	-34.47	6.90	0.00	-62.57	-62.57
3G	25G	1M	PK	20.27825G	-51.42	-21.20	-30.22	6.90	0.00	-58.32	-58.32


2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [AV]

2437MHz

07/04/2023



Limit:AV   
 EIRP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.8865G	-64.10	-41.20	-22.90	6.90	0.00	-71.00	-71.00
3G	25G	1M	AV	19.7145G	-59.70	-41.20	-18.50	6.90	0.00	-66.60	-66.60

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [PK]

2462MHz

07/04/2023



LimitPK   
 ERP-PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.925G	-55.44	-21.20	-34.24	6.90	0.00	-62.34	-62.34
3G	25G	1M	PK	19.81075G	-51.37	-21.20	-30.17	6.90	0.00	-58.27	-58.27

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE [AV]

2462MHz

07/04/2023



LimitAV   
 ERP-AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.93875G	-64.02	-41.20	-22.82	6.90	0.00	-70.92	-70.92
3G	25G	1M	AV	19.76675G	-59.70	-41.20	-18.50	6.90	0.00	-66.60	-66.60

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

2412MHz

07/04/2023



Limit:PK   
 EIRP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.815G	-56.07	-21.20	-34.87	6.90	0.00	-62.97	-62.97
3G	25G	1M	PK	19.66775G	-50.71	-21.20	-29.51	6.90	0.00	-57.61	-57.61

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

2412MHz

07/04/2023



Limit:AV   
 EIRP:AV   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.8425G	-64.22	-41.20	-23.02	6.90	0.00	-71.12	-71.12
3G	25G	1M	AV	19.7585G	-59.92	-41.20	-18.72	6.90	0.00	-66.82	-66.82

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

2437MHz

07/04/2023



Limit:PK   
 EIRP:PK   
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.881G	-55.96	-21.20	-34.76	6.90	0.00	-62.86	-62.86
3G	25G	1M	PK	19.73925G	-50.59	-21.20	-29.39	6.90	0.00	-57.49	-57.49

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

2437MHz

07/04/2023



Limit:AV   
 EIRP:AV   
 Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.88925G	-64.09	-41.20	-22.89	6.90	0.00	-70.99	-70.99
3G	25G	1M	AV	19.72275G	-59.69	-41.20	-18.49	6.90	0.00	-66.59	-66.59

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [PK]

2462MHz

07/04/2023



Limit:PK   
 EIRP:PK   
 Port 1 


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	PK	4.925G	-56.75	-21.20	-35.55	6.90	0.00	-63.65	-63.65
3G	25G	1M	PK	19.76675G	-51.44	-21.20	-30.24	6.90	0.00	-58.34	-58.34

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE [AV]

2462MHz

07/04/2023



Limit:AV   
 EIRP:AV   
 Port 1 

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
3G	25G	1M	AV	4.936G	-63.57	-41.20	-22.37	6.90	0.00	-70.47	-70.47
3G	25G	1M	AV	19.742G	-59.50	-41.20	-18.30	6.90	0.00	-66.40	-66.40



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48639G	5.46	-64.18				-64.18	-58.72	-41.20	-17.52
802.11b_Nss1,(1Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.49227G	5.49	-64.74	-64.45			-61.58	-56.09	-41.20	-14.89
802.11b_Nss1,(1Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.49047G	8.71	-64.75	-64.45	-64.75	-64.75	-58.65	-49.94	-41.20	-8.74
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48377G	5.46	-63.91				-63.91	-58.45	-41.20	-17.25
802.11g_Nss1,(6Mbps)_2TX	Pass	2.36G	2.5235G	AV	2.48361G	5.49	-64.19	-64.19			-61.18	-55.69	-41.20	-14.49
802.11g_Nss1,(6Mbps)_4TX	Pass	2.36G	2.5235G	AV	2.48361G	8.71	-64.19	-64.19	-64.19	-63.91	-58.10	-49.39	-41.20	-8.19
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.48361G	5.46	-63.13				-63.13	-57.67	-41.20	-16.47
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.36G	2.5235G	AV	2.48361G	5.49	-63.13	-63.13			-60.12	-54.63	-41.20	-13.43
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	2.36G	2.5235G	AV	2.48361G	8.71	-62.89	-62.89	-63.13	-62.19	-56.74	-48.03	-41.20	-6.83

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



# CSE Bandedge (w/o Filter)\_Radio 1-1T1S, 2T1S, 4T1S

# Appendix F.6

## Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.386G	5.46	-64.88				-64.88	-59.42	-41.20	-18.22
2412MHz	Pass	2.36G	2.5235G	AV	2.49423G	5.46	-64.44				-64.44	-58.98	-41.20	-17.78
2412MHz	Pass	2.36G	2.5235G	PK	2.36687G	5.46	-53.43				-53.43	-47.97	-21.20	-26.77
2412MHz	Pass	2.36G	2.5235G	PK	2.48949G	5.46	-52.52				-52.52	-47.06	-21.20	-25.86
2437MHz	Pass	2.36G	2.5235G	AV	2.38747G	5.46	-64.87				-64.87	-59.41	-41.20	-18.21
2437MHz	Pass	2.36G	2.5235G	AV	2.49963G	5.46	-64.72				-64.72	-59.26	-41.20	-18.06
2437MHz	Pass	2.36G	2.5235G	PK	2.37929G	5.46	-53.44				-53.44	-47.98	-21.20	-26.78
2437MHz	Pass	2.36G	2.5235G	PK	2.49423G	5.46	-52.96				-52.96	-47.50	-21.20	-26.30
2462MHz	Pass	2.36G	2.5235G	AV	2.38943G	5.46	-65.15				-65.15	-59.69	-41.20	-18.49
2462MHz	Pass	2.36G	2.5235G	AV	2.48639G	5.46	-64.18				-64.18	-58.72	-41.20	-17.52
2462MHz	Pass	2.36G	2.5235G	PK	2.38502G	5.46	-52.53				-52.53	-47.07	-21.20	-26.87
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	5.46	-52.69				-52.69	-47.23	-21.20	-26.03
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38878G	5.46	-64.86				-64.86	-59.40	-41.20	-18.20
2412MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.46	-64.47				-64.47	-59.01	-41.20	-17.81
2412MHz	Pass	2.36G	2.5235G	PK	2.3618G	5.46	-52.95				-52.95	-47.49	-21.20	-26.29
2412MHz	Pass	2.36G	2.5235G	PK	2.48606G	5.46	-52.17				-52.17	-46.71	-21.20	-25.51
2437MHz	Pass	2.36G	2.5235G	AV	2.38959G	5.46	-65.15				-65.15	-59.69	-41.20	-18.49
2437MHz	Pass	2.36G	2.5235G	AV	2.48622G	5.46	-64.46				-64.46	-59.00	-41.20	-17.80
2437MHz	Pass	2.36G	2.5235G	PK	2.38322G	5.46	-52.82				-52.82	-47.36	-21.20	-26.16
2437MHz	Pass	2.36G	2.5235G	PK	2.49848G	5.46	-53.26				-53.26	-47.80	-21.20	-26.60
2462MHz	Pass	2.36G	2.5235G	AV	2.37635G	5.46	-64.94				-64.94	-59.48	-41.20	-18.28
2462MHz	Pass	2.36G	2.5235G	AV	2.48377G	5.46	-63.91				-63.91	-58.45	-41.20	-17.25
2462MHz	Pass	2.36G	2.5235G	PK	2.38224G	5.46	-53.50				-53.50	-48.04	-21.20	-26.84
2462MHz	Pass	2.36G	2.5235G	PK	2.49783G	5.46	-52.88				-52.88	-47.42	-21.20	-26.22
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38959G	5.46	-64.57				-64.57	-59.11	-41.20	-17.91
2412MHz	Pass	2.36G	2.5235G	AV	2.48769G	5.46	-64.46				-64.46	-59.00	-41.20	-17.80
2412MHz	Pass	2.36G	2.5235G	PK	2.36981G	5.46	-53.19				-53.19	-47.73	-21.20	-26.53
2412MHz	Pass	2.36G	2.5235G	PK	2.49947G	5.46	-52.95				-52.95	-47.49	-21.20	-26.29
2437MHz	Pass	2.36G	2.5235G	AV	2.38927G	5.46	-64.86				-64.86	-59.40	-41.20	-18.20
2437MHz	Pass	2.36G	2.5235G	AV	2.48982G	5.46	-64.45				-64.45	-58.99	-41.20	-17.79
2437MHz	Pass	2.36G	2.5235G	PK	2.36589G	5.46	-53.36				-53.36	-47.90	-21.20	-26.70
2437MHz	Pass	2.36G	2.5235G	PK	2.48933G	5.46	-52.38				-52.38	-46.92	-21.20	-25.72
2462MHz	Pass	2.36G	2.5235G	AV	2.3878G	5.46	-65.16				-65.16	-59.70	-41.20	-18.50
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.46	-63.13				-63.13	-57.67	-41.20	-16.47
2462MHz	Pass	2.36G	2.5235G	PK	2.38109G	5.46	-53.20				-53.20	-47.74	-21.20	-26.54
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	5.46	-51.06				-51.06	-45.60	-21.20	-24.40
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38698G	5.49	-65.17	-64.87			-62.01	-56.52	-41.20	-15.32
2412MHz	Pass	2.36G	2.5235G	AV	2.49996G	5.49	-64.72	-64.72			-61.71	-56.22	-41.20	-15.02
2412MHz	Pass	2.36G	2.5235G	PK	2.38976G	5.49	-54.18	-53.30			-50.71	-45.22	-21.20	-24.02
2412MHz	Pass	2.36G	2.5235G	PK	2.49456G	5.49	-53.27	-53.60			-50.42	-44.93	-21.20	-23.73
2437MHz	Pass	2.36G	2.5235G	AV	2.3891G	5.49	-65.16	-64.86			-62.00	-56.51	-41.20	-15.31
2437MHz	Pass	2.36G	2.5235G	AV	2.48851G	5.49	-64.46	-64.75			-61.59	-56.10	-41.20	-14.90
2437MHz	Pass	2.36G	2.5235G	PK	2.38224G	5.49	-53.65	-52.61			-50.09	-44.60	-21.20	-23.40
2437MHz	Pass	2.36G	2.5235G	PK	2.49783G	5.49	-53.19	-54.01			-50.57	-45.08	-21.20	-23.88
2462MHz	Pass	2.36G	2.5235G	AV	2.38698G	5.49	-64.87	-65.47			-62.15	-56.66	-41.20	-15.46
2462MHz	Pass	2.36G	2.5235G	AV	2.49227G	5.49	-64.74	-64.45			-61.58	-56.09	-41.20	-14.89
2462MHz	Pass	2.36G	2.5235G	PK	2.38273G	5.49	-53.81	-54.48			-51.12	-45.63	-21.20	-24.43
2462MHz	Pass	2.36G	2.5235G	PK	2.48737G	5.49	-51.12	-55.05			-49.64	-44.15	-21.20	-22.95
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.3891G	5.49	-64.86	-64.86			-61.85	-56.36	-41.20	-15.16
2412MHz	Pass	2.36G	2.5235G	AV	2.49571G	5.49	-64.44	-65.04			-61.72	-56.23	-41.20	-15.03
2412MHz	Pass	2.36G	2.5235G	PK	2.38093G	5.49	-54.40	-53.13			-50.71	-45.22	-21.20	-24.02
2412MHz	Pass	2.36G	2.5235G	PK	2.48639G	5.49	-53.06	-54.04			-50.51	-45.02	-21.20	-23.82
2437MHz	Pass	2.36G	2.5235G	AV	2.36736G	5.49	-65.28	-64.99			-62.12	-56.63	-41.20	-15.43
2437MHz	Pass	2.36G	2.5235G	AV	2.49652G	5.49	-65.04	-64.44			-61.72	-56.23	-41.20	-15.03
2437MHz	Pass	2.36G	2.5235G	PK	2.37373G	5.49	-53.24	-54.71			-50.90	-45.41	-21.20	-24.21
2437MHz	Pass	2.36G	2.5235G	PK	2.49521G	5.49	-54.11	-52.73			-50.36	-44.87	-21.20	-23.67
2462MHz	Pass	2.36G	2.5235G	AV	2.38943G	5.49	-65.15	-65.15			-62.14	-56.65	-41.20	-15.45
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.49	-64.19	-64.19			-61.18	-55.69	-41.20	-14.49
2462MHz	Pass	2.36G	2.5235G	PK	2.36703G	5.49	-54.40	-53.36			-50.84	-45.35	-21.20	-24.15
2462MHz	Pass	2.36G	2.5235G	PK	2.49342G	5.49	-53.68	-52.44			-50.01	-44.52	-21.20	-23.32
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	5.49	-64.57	-64.03			-61.28	-55.79	-41.20	-14.59
2412MHz	Pass	2.36G	2.5235G	AV	2.49947G	5.49	-64.43	-65.03			-61.71	-56.22	-41.20	-15.02
2412MHz	Pass	2.36G	2.5235G	PK	2.38829G	5.49	-53.31	-53.70			-50.49	-45.00	-21.20	-23.80





CSE Bandedge (w/o Filter)\_Radio 1-1T1S, 2T1S, 4T1S

Appendix F.6

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2412MHz	Pass	2.36G	2.5235G	PK	2.49211G	5.49	-52.52	-54.38			-50.34	-44.85	-21.20	-23.65
2437MHz	Pass	2.36G	2.5235G	AV	2.38502G	5.49	-64.89	-65.18			-62.02	-56.53	-41.20	-15.33
2437MHz	Pass	2.36G	2.5235G	AV	2.49391G	5.49	-64.44	-65.04			-61.72	-56.23	-41.20	-15.03
2437MHz	Pass	2.36G	2.5235G	PK	2.37177G	5.49	-53.79	-53.72			-50.74	-45.25	-21.20	-24.05
2437MHz	Pass	2.36G	2.5235G	PK	2.48802G	5.49	-52.67	-54.13			-50.33	-44.84	-21.20	-23.64
2462MHz	Pass	2.36G	2.5235G	AV	2.38714G	5.49	-65.17	-65.17			-62.16	-56.67	-41.20	-15.47
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	5.49	-63.13	-63.13			-60.12	-54.63	-41.20	-13.43
2462MHz	Pass	2.36G	2.5235G	PK	2.38387G	5.49	-54.13	-52.13			-50.01	-44.52	-21.20	-23.32
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	5.49	-53.06	-52.68			-49.86	-44.37	-21.20	-23.17
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38959G	8.71	-65.15	-65.15	-64.86	-65.15	-59.06	-50.35	-41.20	-9.15
2412MHz	Pass	2.36G	2.5235G	AV	2.49178G	8.71	-64.45	-65.05	-64.74	-65.05	-58.79	-50.08	-41.20	-8.88
2412MHz	Pass	2.36G	2.5235G	PK	2.38469G	8.71	-55.38	-53.10	-54.30	-54.64	-48.25	-39.54	-21.20	-18.34
2412MHz	Pass	2.36G	2.5235G	PK	2.48524G	8.71	-54.31	-54.05	-53.70	-53.46	-47.85	-39.14	-21.20	-17.94
2437MHz	Pass	2.36G	2.5235G	AV	2.38387G	8.71	-65.19	-65.19	-64.89	-65.49	-59.16	-50.45	-41.20	-9.25
2437MHz	Pass	2.36G	2.5235G	AV	2.48377G	8.71	-64.76	-64.76	-64.76	-64.76	-58.74	-50.03	-41.20	-8.83
2437MHz	Pass	2.36G	2.5235G	PK	2.37978G	8.71	-53.28	-55.03	-54.67	-54.41	-48.28	-39.57	-21.20	-18.37
2437MHz	Pass	2.36G	2.5235G	PK	2.48917G	8.71	-53.86	-53.37	-53.53	-54.30	-47.73	-39.02	-21.20	-17.82
2462MHz	Pass	2.36G	2.5235G	AV	2.38976G	8.71	-65.46	-65.15	-65.15	-65.15	-59.20	-50.49	-41.20	-9.29
2462MHz	Pass	2.36G	2.5235G	AV	2.49047G	8.71	-64.75	-64.45	-64.75	-64.75	-58.65	-49.94	-41.20	-8.74
2462MHz	Pass	2.36G	2.5235G	PK	2.37226G	8.71	-55.46	-53.63	-54.12	-54.54	-48.37	-39.66	-21.20	-18.46
2462MHz	Pass	2.36G	2.5235G	PK	2.48508G	8.71	-52.53	-53.70	-55.06	-54.40	-47.80	-39.09	-21.20	-17.89
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.71	-64.86	-64.86	-64.57	-64.57	-58.69	-49.98	-41.20	-8.78
2412MHz	Pass	2.36G	2.5235G	AV	2.49718G	8.71	-64.73	-64.73	-64.73	-65.04	-58.78	-50.07	-41.20	-8.87
2412MHz	Pass	2.36G	2.5235G	PK	2.38338G	8.71	-54.65	-54.74	-53.41	-53.41	-47.98	-39.27	-21.20	-18.07
2412MHz	Pass	2.36G	2.5235G	PK	2.49211G	8.71	-54.03	-53.77	-53.28	-54.38	-47.83	-39.12	-21.20	-17.92
2437MHz	Pass	2.36G	2.5235G	AV	2.38829G	8.71	-65.16	-65.16	-65.16	-65.16	-59.14	-50.43	-41.20	-9.23
2437MHz	Pass	2.36G	2.5235G	AV	2.49113G	8.71	-64.75	-64.75	-64.75	-64.75	-58.73	-50.02	-41.20	-8.82
2437MHz	Pass	2.36G	2.5235G	PK	2.36049G	8.71	-55.24	-55.43	-51.87	-53.86	-47.83	-39.12	-21.20	-17.92
2437MHz	Pass	2.36G	2.5235G	PK	2.48704G	8.71	-52.90	-54.31	-53.87	-54.04	-47.73	-39.02	-21.20	-17.82
2462MHz	Pass	2.36G	2.5235G	AV	2.38403G	8.71	-65.19	-64.89	-65.19	-65.49	-59.16	-50.45	-41.20	-9.25
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.71	-64.19	-64.19	-64.19	-63.91	-58.10	-49.39	-41.20	-8.19
2462MHz	Pass	2.36G	2.5235G	PK	2.38714G	8.71	-55.86	-54.03	-54.45	-52.87	-48.15	-39.44	-21.20	-18.24
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	8.71	-52.04	-52.99	-52.69	-53.22	-46.69	-37.98	-21.20	-16.78
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.71	-64.57	-64.30	-63.77	-63.27	-57.93	-49.22	-41.20	-8.02
2412MHz	Pass	2.36G	2.5235G	AV	2.49374G	8.71	-64.74	-64.74	-64.74	-65.04	-58.79	-50.08	-41.20	-8.88
2412MHz	Pass	2.36G	2.5235G	PK	2.38943G	8.71	-54.02	-53.30	-53.15	-53.38	-47.43	-38.72	-21.20	-17.52
2412MHz	Pass	2.36G	2.5235G	PK	2.4993G	8.71	-54.10	-54.36	-53.50	-52.43	-47.51	-38.80	-21.20	-17.60
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	8.71	-65.15	-65.15	-65.15	-65.15	-59.13	-50.42	-41.20	-9.22
2437MHz	Pass	2.36G	2.5235G	AV	2.48933G	8.71	-64.75	-64.75	-64.75	-64.75	-58.73	-50.02	-41.20	-8.82
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	8.71	-53.93	-55.26	-53.69	-53.22	-47.94	-39.23	-21.20	-18.03
2437MHz	Pass	2.36G	2.5235G	PK	2.4962G	8.71	-54.65	-55.23	-52.80	-53.19	-47.83	-39.12	-21.20	-17.92
2462MHz	Pass	2.36G	2.5235G	AV	2.38878G	8.71	-65.46	-65.46	-65.16	-64.86	-59.21	-50.50	-41.20	-9.30
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	8.71	-62.89	-62.89	-63.13	-62.19	-56.74	-48.03	-41.20	-6.83
2462MHz	Pass	2.36G	2.5235G	PK	2.386G	8.71	-54.55	-54.64	-54.81	-53.17	-48.22	-39.51	-21.20	-18.31
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	8.71	-52.99	-51.97	-52.47	-51.44	-46.16	-37.45	-21.20	-16.25


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [PK]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36687G	-47.97	-21.20	-26.77	5.46	0.00	-53.43	-53.43
2.36G	2.5235G	1M	PK	2.48949G	-47.06	-21.20	-25.86	5.46	0.00	-52.52	-52.52

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [AV]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.386G	-59.42	-41.20	-18.22	5.46	0.00	-64.88	-64.88
2.36G	2.5235G	1M	AV	2.48423G	-58.98	-41.20	-17.78	5.46	0.00	-64.44	-64.44

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [PK]

2437MHz

24/03/2023



Limit.PK

ERP.PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.37929G	-47.98	-21.20	-26.78	5.46	0.00	-53.44	-53.44
2.36G	2.5235G	1M	PK	2.49423G	-47.50	-21.20	-26.30	5.46	0.00	-52.96	-52.96

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [AV]

2437MHz

24/03/2023



Limit.AV

ERP.AV

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38747G	-59.41	-41.20	-18.21	5.46	0.00	-64.87	-64.87
2.36G	2.5235G	1M	AV	2.49963G	-59.26	-41.20	-18.06	5.46	0.00	-64.72	-64.72

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38502G	-47.07	-21.20	-25.87	5.46	0.00	-52.53	-52.53
2.36G	2.5235G	1M	PK	2.48377G	-47.23	-21.20	-26.03	5.46	0.00	-52.69	-52.69

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-59.69	-41.20	-18.49	5.46	0.00	-65.15	-65.15
2.36G	2.5235G	1M	AV	2.48639G	-58.72	-41.20	-17.52	5.46	0.00	-64.18	-64.18

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

2412MHz

24/03/2023



Limit.PK

EIRP.PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.3618G	-47.49	-21.20	-26.29	5.46	0.00	-52.95	-52.95
2.36G	2.5235G	1M	PK	2.48606G	-46.71	-21.20	-25.51	5.46	0.00	-52.17	-52.17

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

2412MHz

24/03/2023



Limit.AV

EIRP.AV

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38878G	-59.40	-41.20	-18.20	5.46	0.00	-64.86	-64.86
2.36G	2.5235G	1M	AV	2.48377G	-59.01	-41.20	-17.81	5.46	0.00	-64.47	-64.47

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38322G	-47.36	-21.20	-26.16	5.46	0.00	-52.82	-52.82
2.36G	2.5235G	1M	PK	2.49848G	-47.80	-21.20	-26.60	5.46	0.00	-53.26	-53.26

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-59.69	-41.20	-18.49	5.46	0.00	-65.15	-65.15
2.36G	2.5235G	1M	AV	2.46622G	-59.00	-41.20	-17.80	5.46	0.00	-64.46	-64.46

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38224G	-48.04	-21.20	-26.64	5.46	0.00	-53.50	-53.50
2.36G	2.5235G	1M	PK	2.49783G	-47.42	-21.20	-26.22	5.46	0.00	-52.88	-52.88

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.37635G	-59.48	-41.20	-18.28	5.46	0.00	-64.94	-64.94
2.36G	2.5235G	1M	AV	2.48377G	-58.45	-41.20	-17.25	5.46	0.00	-63.91	-63.91

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

2412MHz

24/03/2023



Limit:PK

ERP:PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36981G	-47.73	-21.20	-26.53	5.46	0.00	-53.19	-53.19
2.36G	2.5235G	1M	PK	2.49947G	-47.49	-21.20	-26.29	5.46	0.00	-52.95	-52.95

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

2412MHz

24/03/2023



Limit:AV

ERP:AV

Port 1

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38959G	-59.11	-41.20	-17.91	5.46	0.00	-64.57	-64.57
2.36G	2.5235G	1M	AV	2.48769G	-59.00	-41.20	-17.80	5.46	0.00	-64.46	-64.46




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36589G	-47.90	-21.20	-26.70	5.46	0.00	-53.36	-53.36
2.36G	2.5235G	1M	PK	2.48933G	-46.92	-21.20	-25.72	5.46	0.00	-52.38	-52.38

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38927G	-59.40	-41.20	-18.20	5.46	0.00	-64.86	-64.86
2.36G	2.5235G	1M	AV	2.48982G	-58.99	-41.20	-17.79	5.46	0.00	-64.45	-64.45

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

2462MHz

24/03/2023



Legend for CSE Bandedge [PK]:  
 Limit.PK (Red line)  
 ERP.PK (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38109G	-47.74	-21.20	-26.54	5.46	0.00	-53.20	-53.20
2.36G	2.5235G	1M	PK	2.48361G	-45.60	-21.20	-24.40	5.46	0.00	-51.06	-51.06

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

2462MHz

24/03/2023



Legend for CSE Bandedge [AV]:  
 Limit.AV (Red line)  
 ERP.AV (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.3878G	-59.70	-41.20	-18.50	5.46	0.00	-65.16	-65.16
2.36G	2.5235G	1M	AV	2.48361G	-57.67	-41.20	-16.47	5.46	0.00	-63.13	-63.13

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE Bandedge [PK]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-45.22	-21.20	-24.02	5.49	0.00	-50.71	-54.18	-53.30
2.36G	2.5235G	1M	PK	2.49456G	-44.93	-21.20	-23.73	5.49	0.00	-50.42	-53.27	-53.60

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE Bandedge [AV]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38698G	-56.52	-41.20	-15.32	5.49	0.00	-62.01	-65.17	-64.87
2.36G	2.5235G	1M	AV	2.49996G	-56.22	-41.20	-15.02	5.49	0.00	-61.71	-64.72	-64.72

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38224G	-44.60	-21.20	-23.40	5.49	0.00	-50.09	-53.65	-52.61
2.36G	2.5235G	1M	PK	2.49783G	-45.08	-21.20	-23.88	5.49	0.00	-50.57	-53.19	-54.01

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE Bandedge [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-56.51	-41.20	-15.31	5.49	0.00	-62.00	-65.16	-64.86
2.36G	2.5235G	1M	AV	2.48851G	-56.10	-41.20	-14.90	5.49	0.00	-61.59	-64.46	-64.75

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE Bandedge [PK]

2462MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38273G	-45.63	-21.20	-24.43	5.49	0.00	-51.12	-53.81	-54.48
2.36G	2.5235G	1M	PK	2.48737G	-44.15	-21.20	-22.95	5.49	0.00	-49.64	-51.12	-55.05

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

CSE Bandedge [AV]

2462MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38698G	-56.66	-41.20	-15.46	5.49	0.00	-62.15	-64.87	-65.47
2.36G	2.5235G	1M	AV	2.48227G	-56.09	-41.20	-14.89	5.49	0.00	-61.58	-64.74	-64.45

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE Bandedge [PK]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38093G	-45.22	-21.20	-24.02	5.49	0.00	-50.71	-54.40	-53.13
2.36G	2.5235G	1M	PK	2.46639G	-45.02	-21.20	-23.82	5.49	0.00	-50.51	-53.06	-54.04

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE Bandedge [AV]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.3891G	-56.36	-41.20	-15.16	5.49	0.00	-61.85	-64.86	-64.86
2.36G	2.5235G	1M	AV	2.49571G	-56.23	-41.20	-15.03	5.49	0.00	-61.72	-64.44	-65.04

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE Bandedge [PK]

2437MHz

24/03/2023



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.37373G	-45.41	-21.20	-24.21	5.49	0.00	-50.90	-53.24	-54.71
2.36G	2.5235G	1M	PK	2.49521G	-44.87	-21.20	-23.67	5.49	0.00	-50.36	-54.11	-52.73

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE Bandedge [AV]

2437MHz

24/03/2023



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.36736G	-56.63	-41.20	-15.43	5.49	0.00	-62.12	-65.28	-64.99
2.36G	2.5235G	1M	AV	2.49652G	-56.23	-41.20	-15.03	5.49	0.00	-61.72	-65.04	-64.44

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.36703G	-45.35	-21.20	-24.15	5.49	0.00	-50.84	-54.40	-53.36
2.36G	2.5235G	1M	PK	2.48342G	-44.52	-21.20	-23.32	5.49	0.00	-50.01	-53.68	-52.44

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

CSE Bandedge [AV]

2462MHz

24/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38943G	-56.65	-41.20	-15.45	5.49	0.00	-62.14	-65.15	-65.15
2.36G	2.5235G	1M	AV	2.48361G	-55.69	-41.20	-14.49	5.49	0.00	-61.18	-64.19	-64.19




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE Bandedge [PK]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38829G	-45.00	-21.20	-23.80	5.49	0.00	-50.49	-53.31	-53.70
2.36G	2.5235G	1M	PK	2.49211G	-44.85	-21.20	-23.65	5.49	0.00	-50.34	-52.52	-54.38

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE Bandedge [AV]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-55.79	-41.20	-14.59	5.49	0.00	-61.28	-64.57	-64.03
2.36G	2.5235G	1M	AV	2.49947G	-56.22	-41.20	-15.02	5.49	0.00	-61.71	-64.43	-65.03

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.37177G	-45.25	-21.20	-24.05	5.49	0.00	-50.74	-53.79	-53.72
2.36G	2.5235G	1M	PK	2.48802G	-44.84	-21.20	-23.64	5.49	0.00	-50.33	-52.67	-54.13

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE Bandedge [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38502G	-56.53	-41.20	-15.33	5.49	0.00	-62.02	-64.89	-65.18
2.36G	2.5235G	1M	AV	2.49391G	-56.23	-41.20	-15.03	5.49	0.00	-61.72	-64.44	-65.04

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	PK	2.38387G	-44.52	-21.20	-23.32	5.49	0.00	-50.01	-54.13	-52.13
2.36G	2.5235G	1M	PK	2.4841G	-44.37	-21.20	-23.17	5.49	0.00	-49.86	-53.06	-52.68

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

CSE Bandedge [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
2.36G	2.5235G	1M	AV	2.38714G	-56.67	-41.20	-15.47	5.49	0.00	-62.16	-65.17	-65.17
2.36G	2.5235G	1M	AV	2.48361G	-54.63	-41.20	-13.43	5.49	0.00	-60.12	-63.13	-63.13

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE Bandedge [PK]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38469G	-39.54	-21.20	-18.34	8.71	0.00	-48.25	-55.38	-53.10	-54.30	-54.64
2.36G	2.5235G	1M	PK	2.48524G	-39.14	-21.20	-17.94	8.71	0.00	-47.85	-54.31	-54.05	-53.70	-53.46

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE Bandedge [AV]

2412MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38999G	-50.35	-41.20	-9.15	8.71	0.00	-59.06	-65.15	-65.15	-64.86	-65.15
2.36G	2.5235G	1M	AV	2.49178G	-50.08	-41.20	-8.88	8.71	0.00	-58.79	-64.45	-65.05	-64.74	-65.05

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.37978G	-39.57	-21.20	-18.37	8.71	0.00	-48.28	-53.28	-55.03	-54.67	-54.41
2.36G	2.5235G	1M	PK	2.48917G	-39.02	-21.20	-17.82	8.71	0.00	-47.73	-53.86	-53.37	-53.53	-54.30

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE Bandedge [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38887G	-50.45	-41.20	-9.25	8.71	0.00	-59.16	-65.19	-65.19	-64.89	-65.49
2.36G	2.5235G	1M	AV	2.48377G	-50.03	-41.20	-8.83	8.71	0.00	-58.74	-64.76	-64.76	-64.76	-64.76

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.37226G	-39.66	-21.20	-18.46	8.71	0.00	-48.37	-55.46	-53.63	-54.12	-54.54
2.36G	2.5235G	1M	PK	2.48508G	-39.09	-21.20	-17.89	8.71	0.00	-47.80	-52.53	-53.70	-55.06	-54.40

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

CSE Bandedge [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-50.49	-41.20	-9.29	8.71	0.00	-59.20	-65.46	-65.15	-65.15	-65.15
2.36G	2.5235G	1M	AV	2.49047G	-49.94	-41.20	-8.74	8.71	0.00	-58.65	-64.75	-64.45	-64.75	-64.75

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE Bandedge [PK]

2412MHz

24/03/2023




2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE Bandedge [AV]

2412MHz

24/03/2023




2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.36049G	-39.12	-21.20	-17.92	8.71	0.00	-47.83	-55.24	-55.43	-51.87	-53.86
2.36G	2.5235G	1M	PK	2.48704G	-39.02	-21.20	-17.82	8.71	0.00	-47.73	-52.90	-54.31	-53.87	-54.04

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE Bandedge [AV]

2437MHz

24/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38829G	-50.43	-41.20	-9.23	8.71	0.00	-59.14	-65.16	-65.16	-65.16	-65.16
2.36G	2.5235G	1M	AV	2.49113G	-50.02	-41.20	-8.82	8.71	0.00	-58.73	-64.75	-64.75	-64.75	-64.75




2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38714G	-39.44	-21.20	-18.24	8.71	0.00	-48.15	-55.86	-54.03	-54.45	-52.87
2.36G	2.5235G	1M	PK	2.48361G	-37.98	-21.20	-16.78	8.71	0.00	-46.69	-52.04	-52.99	-52.69	-53.22

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

CSE Bandedge [AV]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38403G	-50.45	-41.20	-9.25	8.71	0.00	-59.16	-65.19	-64.89	-65.19	-65.49
2.36G	2.5235G	1M	AV	2.48361G	-49.39	-41.20	-8.19	8.71	0.00	-58.10	-64.19	-64.19	-64.19	-63.91

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

2412MHz

24/03/2023




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

2412MHz

24/03/2023




2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-39.23	-21.20	-18.03	8.71	0.00	-47.94	-53.93	-55.26	-53.69	-53.22
2.36G	2.5235G	1M	PK	2.4962G	-39.12	-21.20	-17.92	8.71	0.00	-47.83	-54.65	-55.23	-52.80	-53.19

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

2437MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-50.42	-41.20	-9.22	8.71	0.00	-59.13	-65.15	-65.15	-65.15	-65.15
2.36G	2.5235G	1M	AV	2.48933G	-50.02	-41.20	-8.82	8.71	0.00	-58.73	-64.75	-64.75	-64.75	-64.75

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE Bandedge [PK]

2462MHz

24/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.386G	-39.51	-21.20	-18.31	8.71	0.00	-48.22	-54.55	-54.64	-54.81	-53.17
2.36G	2.5235G	1M	PK	2.48377G	-37.45	-21.20	-16.25	8.71	0.00	-46.16	-52.99	-51.97	-52.47	-51.44

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

CSE Bandedge [AV]

2462MHz

24/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38878G	-50.50	-41.20	-9.30	8.71	0.00	-59.21	-65.46	-65.46	-65.16	-64.86
2.36G	2.5235G	1M	AV	2.48361G	-48.03	-41.20	-6.83	8.71	0.00	-56.74	-62.89	-62.89	-63.13	-62.19



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.49685G	6.90	-58.82	-58.82	-51.92	-41.20	-10.72
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.48361G	6.90	-60.45	-60.45	-53.55	-41.20	-12.35
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	6.90	-57.72	-57.72	-50.82	-41.20	-9.62

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38714G	6.90	-58.93	-58.93	-52.03	-41.20	-10.83
2412MHz	Pass	2.36G	2.5235G	AV	2.49685G	6.90	-58.82	-58.82	-51.92	-41.20	-10.72
2412MHz	Pass	2.36G	2.5235G	PK	2.38567G	6.90	-47.44	-47.44	-40.54	-21.20	-19.34
2412MHz	Pass	2.36G	2.5235G	PK	2.49816G	6.90	-47.78	-47.78	-40.88	-21.20	-19.68
2437MHz	Pass	2.36G	2.5235G	AV	2.38878G	6.90	-64.09	-64.09	-57.19	-41.20	-15.99
2437MHz	Pass	2.36G	2.5235G	AV	2.49996G	6.90	-63.87	-63.87	-56.97	-41.20	-15.77
2437MHz	Pass	2.36G	2.5235G	PK	2.37112G	6.90	-52.37	-52.37	-45.47	-21.20	-24.27
2437MHz	Pass	2.36G	2.5235G	PK	2.49979G	6.90	-52.01	-52.01	-45.11	-21.20	-23.91
2462MHz	Pass	2.36G	2.5235G	AV	2.38796G	6.90	-64.09	-64.09	-57.19	-41.20	-15.99
2462MHz	Pass	2.36G	2.5235G	AV	2.48491G	6.90	-63.34	-63.34	-56.44	-41.20	-15.24
2462MHz	Pass	2.36G	2.5235G	PK	2.37177G	6.90	-52.44	-52.44	-45.54	-21.20	-24.34
2462MHz	Pass	2.36G	2.5235G	PK	2.48393G	6.90	-51.95	-51.95	-45.05	-21.20	-23.85
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	6.90	-61.45	-61.45	-54.55	-41.20	-13.35
2412MHz	Pass	2.36G	2.5235G	AV	2.48426G	6.90	-63.88	-63.88	-56.98	-41.20	-15.78
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	6.90	-50.54	-50.54	-43.64	-21.20	-22.44
2412MHz	Pass	2.36G	2.5235G	PK	2.49113G	6.90	-51.80	-51.80	-44.90	-21.20	-23.70
2437MHz	Pass	2.36G	2.5235G	AV	2.38829G	6.90	-64.09	-64.09	-57.19	-41.20	-15.99
2437MHz	Pass	2.36G	2.5235G	AV	2.49947G	6.90	-63.87	-63.87	-56.97	-41.20	-15.77
2437MHz	Pass	2.36G	2.5235G	PK	2.36065G	6.90	-52.13	-52.13	-45.23	-21.20	-24.03
2437MHz	Pass	2.36G	2.5235G	PK	2.48982G	6.90	-52.16	-52.16	-45.26	-21.20	-24.06
2462MHz	Pass	2.36G	2.5235G	AV	2.38829G	6.90	-64.09	-64.09	-57.19	-41.20	-15.99
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	6.90	-60.45	-60.45	-53.55	-41.20	-12.35
2462MHz	Pass	2.36G	2.5235G	PK	2.38632G	6.90	-52.03	-52.03	-45.13	-21.20	-23.93
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	6.90	-49.66	-49.66	-42.76	-21.20	-21.56
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	6.90	-57.72	-57.72	-50.82	-41.20	-9.62
2412MHz	Pass	2.36G	2.5235G	AV	2.49096G	6.90	-64.33	-64.33	-57.43	-41.20	-16.23
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	6.90	-46.48	-46.48	-39.58	-21.20	-18.38
2412MHz	Pass	2.36G	2.5235G	PK	2.49047G	6.90	-52.61	-52.61	-45.71	-21.20	-24.51
2437MHz	Pass	2.36G	2.5235G	AV	2.38992G	6.90	-64.54	-64.54	-57.64	-41.20	-16.44
2437MHz	Pass	2.36G	2.5235G	AV	2.48475G	6.90	-64.06	-64.06	-57.16	-41.20	-15.96
2437MHz	Pass	2.36G	2.5235G	PK	2.37864G	6.90	-52.80	-52.80	-45.90	-21.20	-24.70
2437MHz	Pass	2.36G	2.5235G	PK	2.4962G	6.90	-52.91	-52.91	-46.01	-21.20	-24.81
2462MHz	Pass	2.36G	2.5235G	AV	2.38714G	6.90	-64.14	-64.14	-57.24	-41.20	-16.04
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	6.90	-58.64	-58.64	-51.74	-41.20	-10.54
2462MHz	Pass	2.36G	2.5235G	PK	2.36654G	6.90	-52.15	-52.15	-45.25	-21.20	-24.05
2462MHz	Pass	2.36G	2.5235G	PK	2.48361G	6.90	-46.30	-46.30	-39.40	-21.20	-18.20


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [PK]

2412MHz

07/04/2023




2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [AV]

2412MHz

07/04/2023




2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [PK]

2437MHz

07/04/2023



Legend for CSE Bandedge [PK]:  
 Limit:PK (Red line)  
 ERP:PK (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.37112G	-45.47	-21.20	-24.27	6.90	0.00	-52.37	-52.37
2.36G	2.5235G	1M	PK	2.49979G	-45.11	-21.20	-23.91	6.90	0.00	-52.01	-52.01

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [AV]

2437MHz

07/04/2023



Legend for CSE Bandedge [AV]:  
 Limit:AV (Red line)  
 ERP:AV (Green line)  
 Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38878G	-57.19	-41.20	-15.99	6.90	0.00	-64.09	-64.09
2.36G	2.5235G	1M	AV	2.49996G	-56.97	-41.20	-15.77	6.90	0.00	-63.87	-63.87




2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [PK]

2462MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.37177G	-45.54	-21.20	-24.34	6.90	0.00	-52.44	-52.44
2.36G	2.5235G	1M	PK	2.48393G	-45.05	-21.20	-23.85	6.90	0.00	-51.95	-51.95

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

CSE Bandedge [AV]

2462MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38796G	-57.19	-41.20	-15.99	6.90	0.00	-64.09	-64.09
2.36G	2.5235G	1M	AV	2.48491G	-56.44	-41.20	-15.24	6.90	0.00	-63.34	-63.34

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

2412MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-43.64	-21.20	-22.44	6.90	0.00	-50.54	-50.54
2.36G	2.5235G	1M	PK	2.49113G	-44.90	-21.20	-23.70	6.90	0.00	-51.80	-51.80

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

2412MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-54.55	-41.20	-13.35	6.90	0.00	-61.45	-61.45
2.36G	2.5235G	1M	AV	2.48426G	-56.98	-41.20	-15.78	6.90	0.00	-63.88	-63.88

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

2437MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36065G	-45.23	-21.20	-24.03	6.90	0.00	-52.13	-52.13
2.36G	2.5235G	1M	PK	2.48982G	-45.26	-21.20	-24.06	6.90	0.00	-52.16	-52.16

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

2437MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38829G	-57.19	-41.20	-15.99	6.90	0.00	-64.09	-64.09
2.36G	2.5235G	1M	AV	2.48947G	-56.97	-41.20	-15.77	6.90	0.00	-63.87	-63.87

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [PK]

2462MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38632G	-45.13	-21.20	-23.93	6.90	0.00	-52.03	-52.03
2.36G	2.5235G	1M	PK	2.4841G	-42.76	-21.20	-21.56	6.90	0.00	-49.66	-49.66

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

CSE Bandedge [AV]

2462MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38829G	-57.19	-41.20	-15.99	6.90	0.00	-64.09	-64.09
2.36G	2.5235G	1M	AV	2.48361G	-53.55	-41.20	-12.35	6.90	0.00	-60.45	-60.45

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

2412MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-39.58	-21.20	-18.38	6.90	0.00	-46.48	-46.48
2.36G	2.5235G	1M	PK	2.49047G	-45.71	-21.20	-24.51	6.90	0.00	-52.61	-52.61

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

2412MHz

07/04/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-50.82	-41.20	-9.62	6.90	0.00	-57.72	-57.72
2.36G	2.5235G	1M	AV	2.49096G	-57.43	-41.20	-16.23	6.90	0.00	-64.33	-64.33

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

2437MHz

07/04/2023



Legend for CSE Bandedge [PK]:  
 Limit:PK (Red line)  
 EIRP:PK (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.37864G	-45.90	-21.20	-24.70	6.90	0.00	-52.80	-52.80
2.36G	2.5235G	1M	PK	2.4962G	-46.01	-21.20	-24.81	6.90	0.00	-52.91	-52.91

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

2437MHz

07/04/2023



Legend for CSE Bandedge [AV]:  
 Limit:AV (Red line)  
 EIRP:AV (Green line)  
 Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-57.64	-41.20	-16.44	6.90	0.00	-64.54	-64.54
2.36G	2.5235G	1M	AV	2.48475G	-57.16	-41.20	-15.96	6.90	0.00	-64.06	-64.06

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [PK]

2462MHz

10/04/2023



Legend for CSE Bandedge [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Port 1 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36654G	-45.25	-21.20	-24.05	6.90	0.00	-52.15	-52.15
2.36G	2.5235G	1M	PK	2.48361G	-39.40	-21.20	-18.20	6.90	0.00	-46.30	-46.30

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

CSE Bandedge [AV]

2462MHz

10/04/2023



Legend for CSE Bandedge [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Port 1 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38714G	-57.24	-41.20	-16.04	6.90	0.00	-64.14	-64.14
2.36G	2.5235G	1M	AV	2.48361G	-51.74	-41.20	-10.54	6.90	0.00	-58.64	-58.64




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	12.18288G	39.55	54.00	-14.45	3	Horizontal	126	1.22	-



2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

2437MHz\_TX




EUTX\_1TX  
Setting 17  
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86122G	44.78	74.00	-29.22	71.96	3	Vertical	180	1.99	-	32.72	5.30	65.20
AV	4.87748G	30.87	54.00	-23.13	58.02	3	Vertical	180	1.99	-	32.75	5.30	65.20
PK	7.32114G	50.82	74.00	-23.18	71.88	3	Vertical	360	1.80	-	37.70	6.92	65.68
AV	7.32336G	38.10	54.00	-15.90	59.16	3	Vertical	360	1.80	-	37.70	6.92	65.68
PK	12.18136G	51.55	74.00	-22.45	69.78	3	Vertical	223	2.39	-	38.64	8.69	65.56
AV	12.18272G	39.05	54.00	-14.95	57.29	3	Vertical	223	2.39	-	38.63	8.69	65.56

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

2437MHz\_TX



EUT\_X\_1TX  
Setting 17  
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85924G	42.54	74.00	-31.46	69.72	3	Horizontal	221	2.78	-	32.72	5.30	65.20
AV	4.874G	31.65	54.00	-22.35	58.80	3	Horizontal	221	2.78	-	32.75	5.30	65.20
PK	7.30614G	50.73	74.00	-23.27	71.77	3	Horizontal	108	1.08	-	37.70	6.91	65.65
AV	7.32294G	38.11	54.00	-15.89	59.17	3	Horizontal	108	1.08	-	37.70	6.92	65.68
PK	12.17612G	51.26	74.00	-22.74	69.48	3	Horizontal	126	1.22	-	38.65	8.69	65.56
AV	12.18288G	39.55	54.00	-14.45	57.79	3	Horizontal	126	1.22	-	38.63	8.69	65.56




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	12.18314G	39.06	54.00	-14.94	3	Vertical	9	1.51	-

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

2437MHz\_TX




EUT\_X\_2TX  
 Setting 17  
 04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8665G	42.46	74.00	-31.54	69.63	3	Vertical	155	1.80	-	32.73	5.30	65.20
AV	4.86062G	30.32	54.00	-23.68	57.50	3	Vertical	155	1.80	-	32.72	5.30	65.20
PK	7.2963G	49.97	74.00	-24.03	71.02	3	Vertical	20	1.09	-	37.68	6.90	65.63
AV	7.29996G	37.99	54.00	-16.01	59.03	3	Vertical	20	1.09	-	37.70	6.90	65.64
PK	12.19442G	51.79	74.00	-22.21	70.04	3	Vertical	9	1.51	-	38.61	8.70	65.56
AV	12.18314G	39.06	54.00	-14.94	57.30	3	Vertical	9	1.51	-	38.63	8.69	65.56

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

2437MHz\_TX



EUT\_X\_2TX  
Setting 17  
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88684G	43.21	74.00	-30.79	70.34	3	Horizontal	346	2.97	-	32.77	5.30	65.20
AV	4.874G	31.05	54.00	-22.95	58.20	3	Horizontal	346	2.97	-	32.75	5.30	65.20
PK	7.32576G	50.78	74.00	-23.22	71.84	3	Horizontal	322	1.80	-	37.70	6.93	65.69
AV	7.296G	38.07	54.00	-15.93	59.12	3	Horizontal	322	1.80	-	37.68	6.90	65.63
PK	12.19208G	51.45	74.00	-22.55	69.69	3	Horizontal	25	1.57	-	38.62	8.70	65.56
AV	12.17234G	38.98	54.00	-15.02	57.20	3	Horizontal	25	1.57	-	38.66	8.69	65.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	7.2969G	40.52	54.00	-13.48	3	Vertical	163	1.94	-

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

2437MHz\_TX




EUTZ\_4TX  
Setting 17  
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87634G	47.41	74.00	-26.59	41.98	3	Vertical	190	1.38	-	32.75	5.30	32.62
AV	4.86296G	33.84	54.00	-20.16	28.44	3	Vertical	190	1.38	-	32.73	5.30	32.63
PK	7.3188G	52.46	74.00	-21.54	41.06	3	Vertical	163	1.94	-	37.70	6.92	33.22
AV	7.2969G	40.52	54.00	-13.48	29.15	3	Vertical	163	1.94	-	37.68	6.90	33.21

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

2437MHz\_TX



EUT\_Z\_4TX  
 Setting 17  
 04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87238G	46.26	74.00	-27.74	40.85	3	Horizontal	76	1.32	-	32.74	5.30	32.63
AV	4.87928G	33.67	54.00	-20.33	28.23	3	Horizontal	76	1.32	-	32.76	5.30	32.62
PK	7.29642G	52.45	74.00	-21.55	41.08	3	Horizontal	285	2.14	-	37.68	6.90	33.21
AV	7.29612G	40.51	54.00	-13.49	29.14	3	Horizontal	285	2.14	-	37.68	6.90	33.21






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	7.29924G	40.41	54.00	-13.59	3	Vertical	360	2.35	-

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

2437MHz\_TX




EUT X\_1TX  
Setting 20  
06-H-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87616G	46.40	74.00	-27.60	40.72	3	Vertical	66	1.51	-	31.40	6.78	32.50
AV	4.87736G	34.03	54.00	-19.97	28.35	3	Vertical	66	1.51	-	31.40	6.78	32.50
PK	7.32444G	52.81	74.00	-21.19	41.51	3	Vertical	360	2.35	-	36.70	8.06	33.46
AV	7.29924G	40.41	54.00	-13.59	29.04	3	Vertical	360	2.35	-	36.70	8.09	33.42

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

2437MHz\_TX



EUT X\_1TX  
Setting 20  
06-H-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86182G	45.77	74.00	-28.23	40.10	3	Horizontal	23	1.80	-	31.40	6.77	32.50
AV	4.8878G	33.21	54.00	-20.79	27.52	3	Horizontal	23	1.80	-	31.40	6.78	32.49
PK	7.30536G	52.57	74.00	-21.43	41.22	3	Horizontal	360	3.00	-	36.70	8.08	33.43
AV	7.29972G	40.31	54.00	-13.69	28.94	3	Horizontal	360	3.00	-	36.70	8.09	33.42



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.7134G	26.43	54.00	-27.57	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7134G	35.54	74.00	-38.46	-5.27	3	Vertical	235	1.75	-	40.81	25.33	4.21	34.81
AV	1.7134G	26.43	54.00	-27.57	-5.27	3	Vertical	235	1.75	"Worst"	31.70	25.33	4.21	34.81

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.7156G	34.23	74.00	-39.77	-5.27	3	Horizontal	121	1.60	-	39.50	25.33	4.21	34.81
AV	1.7156G	25.76	54.00	-28.24	-5.27	3	Horizontal	121	1.60	"Worst"	31.03	25.33	4.21	34.81