




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	13.321G	49.96	54.00	-4.04	3	Vertical	109	1.80	-

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35824G	56.25	74.00	-17.75	38.14	3	Vertical	121	2.05	-	38.80	13.39	34.08
AV	12.3829G	43.69	54.00	-10.31	25.55	3	Vertical	121	2.05	-	38.80	13.41	34.07



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37834G	56.49	74.00	-17.51	38.36	3	Horizontal	302	2.14	-	38.80	13.40	34.07
AV	12.38392G	43.68	54.00	-10.32	25.54	3	Horizontal	302	2.14	-	38.80	13.41	34.07



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.549G	56.32	83.54	-27.22	52.30	1	Vertical	128	1.92	-	37.70	16.67	50.35
AV	18.56784G	43.16	63.54	-20.38	39.16	1	Vertical	128	1.92	-	37.70	16.67	50.37



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_X_1TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56838G	56.34	83.54	-27.20	52.34	1	Horizontal	127	1.83	-	37.70	16.67	50.37
AV	18.5676G	43.17	63.54	-20.37	39.17	1	Horizontal	127	1.83	-	37.70	16.67	50.37

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32382G	61.95	74.00	-12.05	40.58	3	Vertical	183	2.25	-	40.12	14.16	32.91
AV	13.31584G	49.87	54.00	-4.13	28.52	3	Vertical	183	2.25	-	40.12	14.15	32.92



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33846G	62.22	74.00	-11.78	40.80	3	Horizontal	178	2.46	-	40.14	14.17	32.89
AV	13.31602G	49.87	54.00	-4.13	28.52	3	Horizontal	178	2.46	-	40.12	14.15	32.92



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99578G	56.24	83.54	-27.30	53.37	1	Vertical	106	2.72	-	37.51	17.26	51.90
AV	19.98G	43.62	63.54	-19.92	40.72	1	Vertical	106	2.72	-	37.53	17.25	51.88



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_X_2TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98996G	56.31	83.54	-27.23	53.42	1	Horizontal	46	2.82	-	37.52	17.26	51.89
AV	19.98006G	43.66	63.54	-19.88	40.76	1	Horizontal	46	2.82	-	37.53	17.25	51.88



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
Setting 17
03-L-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.32448G	63.11	74.00	-10.89	41.74	3	Vertical	109	1.80	-	40.12	14.16	32.91
AV	13.321G	49.96	54.00	-4.04	28.59	3	Vertical	109	1.80	-	40.12	14.16	32.91



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32214G	62.65	74.00	-11.35	41.28	3	Horizontal	357	2.78	-	40.12	14.16	32.91
AV	13.32016G	49.95	54.00	-4.05	28.59	3	Horizontal	357	2.78	-	40.12	14.16	32.92



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98456G	56.92	83.54	-26.62	54.03	1	Vertical	291	2.90	-	37.52	17.25	51.88
AV	19.9869G	43.81	63.54	-19.73	40.93	1	Vertical	291	2.90	-	37.52	17.25	51.89



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX



EUT X_4TX
Setting 17
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99182G	56.39	83.54	-27.15	53.51	1	Horizontal	107	1.76	-	37.51	17.26	51.89
AV	19.9923G	43.16	63.54	-20.38	40.28	1	Horizontal	107	1.76	-	37.51	17.26	51.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	17.87094G	49.77	54.00	-4.23	3	Vertical	232	2.66	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 20
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91762G	59.82	74.00	-14.18	41.81	3	Vertical	81	1.80	-	39.36	13.05	34.40
AV	11.92392G	47.02	54.00	-6.98	29.00	3	Vertical	81	1.80	-	39.35	13.06	34.39
PK	17.87178G	3.74	74.00	-70.26	-26.24	3	Vertical	232	2.66	-	44.64	17.82	32.48
AV	17.87094G	49.77	54.00	-4.23	19.80	3	Vertical	232	2.66	-	44.64	17.82	32.49

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT_Y_1TX
Setting 20
03-L-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92002G	59.34	74.00	-14.66	41.32	3	Horizontal	188	1.81	-	39.36	13.06	34.40
AV	11.92392G	47.02	54.00	-6.98	29.00	3	Horizontal	188	1.81	-	39.35	13.06	34.39
PK	17.86482G	64.91	74.00	-9.09	34.96	3	Horizontal	209	2.28	-	44.63	17.82	32.50
AV	17.87094G	49.75	54.00	-4.25	19.78	3	Horizontal	209	2.28	-	44.64	17.82	32.49