








Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.9929G	-1.27	6.1056G	-46.62	-41.12	-5.50	3
5985MHz	Pass	5.9818G	-1.69	6.1053G	-48.88	-41.45	-7.43	4
6225MHz	Pass	6.2217G	0.12	6.346G	-47.72	-39.75	-7.97	1
6225MHz	Pass	6.2273G	0.31	6.3466G	-46.88	-39.69	-7.19	2
6225MHz	Pass	6.2303G	0.23	6.3449G	-46.53	-39.70	-6.83	3
6225MHz	Pass	6.2277G	0.50	6.3446G	-47.48	-39.34	-8.14	4
6385MHz	Pass	6.3942G	-0.02	6.5068G	-48.54	-40.02	-8.52	1
6385MHz	Pass	6.3816G	0.73	6.5069G	-46.91	-39.27	-7.64	2
6385MHz	Pass	6.381G	0.43	6.2635G	-46.77	-39.57	-7.20	3
6385MHz	Pass	6.3959G	0.26	6.5073G	-46.70	-39.74	-6.96	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99681G	-1.70	6.269G	-47.51	-41.70	-5.81	1
6025MHz	Pass	6.039G	-1.90	6.2686G	-47.39	-41.90	-5.49	2
6025MHz	Pass	6.0094G	-0.64	6.2686G	-45.36	-40.64	-4.72	3
6025MHz	Pass	5.99961G	-1.10	6.2684G	-46.97	-41.08	-5.89	4
6185MHz	Pass	6.21439G	0.80	6.4338G	-45.96	-39.20	-6.76	1
6185MHz	Pass	6.20619G	0.68	6.4268G	-45.65	-39.26	-6.39	2
6185MHz	Pass	6.20599G	1.27	6.4304G	-45.18	-38.73	-6.45	3
6185MHz	Pass	6.21799G	0.53	6.4276G	-45.34	-39.47	-5.87	4
6345MHz	Pass	6.37299G	-0.20	6.5874G	-47.35	-40.20	-7.15	1
6345MHz	Pass	6.36519G	1.17	6.5886G	-45.11	-38.83	-6.28	2
6345MHz	Pass	6.3296G	0.57	6.588G	-45.63	-39.43	-6.20	3
6345MHz	Pass	6.3612G	0.61	6.5924G	-46.24	-39.39	-6.85	4
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6535MHz	Pass	6.535425G	-1.73	6.503775G	-55.69	-41.73	-13.96	1
6535MHz	Pass	6.53365G	-1.42	6.505G	-54.02	-41.29	-12.73	2
6535MHz	Pass	6.531851G	-0.77	6.50415G	-54.28	-40.77	-13.51	3
6535MHz	Pass	6.536725G	-1.60	6.50485G	-54.51	-41.35	-13.16	4
6695MHz	Pass	6.691851G	-1.64	6.684G	-35.83	-21.70	-14.13	1
6695MHz	Pass	6.689876G	-1.43	6.68405G	-34.45	-21.45	-13.00	2
6695MHz	Pass	6.692001G	-1.13	6.684075G	-33.63	-20.53	-13.10	3
6695MHz	Pass	6.694675G	-1.37	6.66535G	-54.39	-40.24	-14.15	4
6855MHz	Pass	6.851901G	-1.72	6.8855G	-55.67	-41.72	-13.95	1
6855MHz	Pass	6.857649G	-1.91	6.843925G	-35.35	-21.95	-13.40	2
6855MHz	Pass	6.857749G	-1.57	6.88585G	-54.63	-41.57	-13.06	3
6855MHz	Pass	6.857149G	-1.87	6.8866G	-55.41	-41.87	-13.54	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6565MHz	Pass	6.562851G	-1.91	6.50595G	-52.34	-41.91	-10.43	1
6565MHz	Pass	6.571598G	-1.84	6.5044G	-51.75	-41.84	-9.91	2
6565MHz	Pass	6.5655G	-1.84	6.5051G	-53.00	-41.84	-11.16	3
6565MHz	Pass	6.571698G	-2.66	6.50635G	-52.82	-42.66	-10.16	4
6685MHz	Pass	6.688699G	-2.43	6.7449G	-53.82	-42.43	-11.39	1
6685MHz	Pass	6.674503G	-2.05	6.6259G	-53.65	-41.77	-11.88	2
6685MHz	Pass	6.6836G	-2.39	6.74415G	-52.95	-42.39	-10.56	3
6685MHz	Pass	6.682351G	-1.67	6.63235G	-48.48	-38.03	-10.45	4
6845MHz	Pass	6.848649G	-2.37	6.78555G	-53.03	-42.37	-10.66	1
6845MHz	Pass	6.8439G	-2.41	6.904G	-52.80	-42.27	-10.53	2
6845MHz	Pass	6.847699G	-2.39	6.90515G	-52.69	-42.39	-10.30	3
6845MHz	Pass	6.8469G	-2.53	6.90415G	-52.90	-42.53	-10.37	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	6.6176G	-0.14	6.5046G	-48.36	-40.03	-8.33	1
6625MHz	Pass	6.6139G	0.12	6.5027G	-48.21	-39.88	-8.33	2
6625MHz	Pass	6.6227G	-0.03	6.5041G	-47.61	-40.03	-7.58	3
6625MHz	Pass	6.6132G	-0.15	6.5033G	-48.03	-40.03	-8.00	4
6705MHz	Pass	6.7212G	-0.37	6.8337G	-49.06	-40.37	-8.69	1
6705MHz	Pass	6.6947G	0.08	6.58G	-48.72	-39.92	-8.80	2





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6705MHz	Pass	6.7035G	0.01	6.8291G	-48.24	-39.99	-8.25	3
6705MHz	Pass	6.7107G	-0.05	6.5858G	-47.59	-39.68	-7.91	4
6785MHz	Pass	6.7911G	-0.14	6.9077G	-48.66	-40.14	-8.52	1
6785MHz	Pass	6.7947G	-0.27	6.9081G	-48.68	-40.27	-8.41	2
6785MHz	Pass	6.7877G	-0.20	6.9044G	-48.52	-39.98	-8.54	3
6785MHz	Pass	6.7753G	-0.53	6.9031G	-47.98	-39.92	-8.06	4
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	6.64201G	-0.12	6.9086G	-46.60	-40.12	-6.48	1
6665MHz	Pass	6.63621G	0.23	6.4184G	-46.24	-39.77	-6.47	2
6665MHz	Pass	6.64201G	-0.22	6.9066G	-45.82	-39.93	-5.89	3
6665MHz	Pass	6.63761G	0.16	6.4222G	-45.83	-39.84	-5.99	4















































5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

CF (Hz)  
6.225G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




01/09/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2195G	-0.08	6.3456G	-47.76	-40.08	-7.68	1
6.2165G	0.28	6.347G	-47.22	-39.72	-7.50	2



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

CF (Hz)  
6.025G

Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS





01/09/2023



Port 1 


Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99841G	0.02	6.2678G	-44.32	-39.97	-4.35	1
5.98941G	-0.05	6.2654G	-43.93	-39.78	-4.15	2









6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

01/09/2023

CF (Hz)  
6.845G

Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M


Sweep Time (s)  
4.01m


Detector Type  
RMS



Port 1

Port 2





6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

CF (Hz)  
6.665G

Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS





01/09/2023



Port 1



Port 2



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6558G	-0.12	6.9132G	-46.98	-40.12	-6.86	1
6.6534G	0.05	6.9158G	-46.53	-39.95	-6.58	2













































Summary


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.418549G	2.26	6.3844G	-44.50	-37.36	-7.14	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.538274G	1.65	6.50515G	-46.08	-38.05	-8.03	1





Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.957599G	2.16	5.984275G	-49.03	-37.41	-11.62	1
6195MHz	Pass	6.1962G	1.90	6.164725G	-48.63	-37.89	-10.74	1
6415MHz	Pass	6.418549G	2.26	6.3844G	-44.50	-37.36	-7.14	1
6535MHz	Pass	6.538274G	1.65	6.50515G	-46.08	-38.05	-8.03	1
6695MHz	Pass	6.694025G	1.68	6.664225G	-46.89	-38.32	-8.57	1
6855MHz	Pass	6.856175G	1.59	6.823925G	-46.99	-38.20	-8.79	1












Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	12.385G	43.19	54.00	-10.81	3	Vertical	157	1.74	-

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUTZ\_1TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36316G	55.58	74.00	-18.42	42.43	3	Vertical	157	1.74	-	38.90	8.78	34.53
AV	12.385G	43.19	54.00	-10.81	30.03	3	Vertical	157	1.74	-	38.90	8.79	34.53

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUTZ\_1TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36082G	55.64	74.00	-18.36	42.49	3	Horizontal	57	1.53	-	38.90	8.78	34.53
AV	12.38362G	42.99	54.00	-11.01	29.83	3	Horizontal	57	1.53	-	38.90	8.79	34.53

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUTZ\_1TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5424G	38.29	83.54	-45.25	34.24	1	Vertical	263	1.04	-	37.73	16.66	50.34
AV	18.54606G	26.40	63.54	-37.14	22.37	1	Vertical	263	1.04	-	37.72	16.66	50.35

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6185MHz\_TX




EUTZ\_1TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54462G	40.27	83.54	-43.27	36.23	1	Horizontal	197	1.91	-	37.72	16.66	50.34
AV	18.56703G	26.33	63.54	-37.21	22.33	1	Horizontal	197	1.91	-	37.70	16.67	50.37

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68166G	55.32	74.00	-18.68	41.54	3	Vertical	37	1.07	-	39.36	8.94	34.52
AV	12.69552G	43.17	54.00	-10.83	29.35	3	Vertical	37	1.07	-	39.39	8.95	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68181G	56.04	74.00	-17.96	42.26	3	Horizontal	175	1.52	-	39.36	8.94	34.52
AV	12.69312G	42.01	54.00	-11.99	28.19	3	Horizontal	175	1.52	-	39.39	8.95	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02183G	39.47	83.54	-44.07	35.54	1	Vertical	165	2.66	-	37.90	16.86	50.83
AV	19.02453G	26.16	63.54	-37.38	22.23	1	Vertical	165	2.66	-	37.90	16.86	50.83



5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03602G	38.66	83.54	-44.88	34.74	1	Horizontal	355	2.25	-	37.90	16.86	50.84
AV	19.02093G	26.27	63.54	-37.27	22.34	1	Horizontal	355	2.25	-	37.90	16.86	50.83

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67524G	54.73	74.00	-19.27	40.96	3	Vertical	95	2.39	-	39.35	8.94	34.52
AV	12.6855G	41.37	54.00	-12.63	27.58	3	Vertical	95	2.39	-	39.37	8.94	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68199G	53.21	74.00	-20.79	39.43	3	Horizontal	228	1.43	-	39.36	8.94	34.52
AV	12.69957G	41.02	54.00	-12.98	27.19	3	Horizontal	228	1.43	-	39.40	8.95	34.52

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02783G	40.87	83.54	-42.67	36.94	1	Vertical	43	1.81	-	37.90	16.86	50.83
AV	19.02642G	26.15	63.54	-37.39	22.22	1	Vertical	43	1.81	-	37.90	16.86	50.83

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

6345MHz\_TX



EUT\_Y\_4TX  
Setting 17  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02885G	40.21	83.54	-43.33	36.28	1	Horizontal	238	1.51	-	37.90	16.86	50.83
AV	19.04289G	26.14	63.54	-37.40	22.22	1	Horizontal	238	1.51	-	37.90	16.87	50.85




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	12.83861G	43.61	68.20	-24.59	3	Horizontal	232	1.22	-

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
Setting 20  
04-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	12.8441G	56.04	88.20	-32.16	41.94	3	Vertical	272	1.80	-	39.60	9.02	34.52
RMS	12.83726G	43.55	68.20	-24.65	29.45	3	Vertical	272	1.80	-	39.60	9.02	34.52

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
Setting 20  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84284G	56.17	88.20	-32.03	42.07	3	Horizontal	232	1.22	-	39.60	9.02	34.52
RMS	12.83861G	43.61	68.20	-24.59	29.51	3	Horizontal	232	1.22	-	39.60	9.02	34.52



5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX




EUT\_X\_1TX  
Setting 20  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24272G	47.66	83.54	-35.88	43.89	1	Vertical	348	2.60	-	37.91	16.95	51.09
AV	19.23018G	34.98	63.54	-28.56	31.18	1	Vertical	348	2.60	-	37.94	16.94	51.08

5.925-6.425GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TX



EUT\_X\_1TX  
Setting 20  
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23198G	46.80	83.54	-36.74	42.99	1	Horizontal	119	2.21	-	37.94	16.95	51.08
AV	19.23048G	34.98	63.54	-28.56	31.18	1	Horizontal	119	2.21	-	37.94	16.94	51.08