



11a40_Nss1,(6Mbps)_2TX


5710MHz Straddle 5.47-5.725GHz

CSE-PK

07/03/2020



PX=Port X
Psum=P1+...PX





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.39G	1M	PK	5.3258G	-41.51	-27.00	-14.51	7.60	0.00	-49.11	-50.33	-55.24
5.39G	5.47G	1M	PK	5.40056G	-40.54	-21.20	-19.34	7.60	0.00	-48.14	-51.93	-50.49
5.47G	5.85G	1M	PK	5.85G	-37.54	-27.00	-10.54	7.60	0.00	-45.14	-48.38	-47.94
5.85G	5.93G	1M	PK	5.8828G	-36.24	-27.00	-9.24	7.60	0.00	-43.84	-46.53	-47.19
5.93G	8G	1M	PK	5.94475G	-38.14	-27.00	-11.14	7.60	0.00	-45.74	-47.80	-49.97

11a40_Nss1,(6Mbps)_2TX


5710MHz Straddle 5.47-5.725GHz

CSE-AV



07/03/2020







PX=Port X
Psum=P1+...PX





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.39G	1M	AV	5.36201G	-50.77	-41.20	-9.57	7.60	0.00	-58.37	-60.66	-62.25
5.39G	5.47G	1M	AV	5.39624G	-50.58	-41.20	-9.38	7.60	0.00	-58.18	-60.16	-62.54
5.93G	8G	1M	AV	7.51847G	-60.87	-41.20	-19.67	7.60	0.00	-68.47	-71.00	-72.02











11a80_Nss1,(6Mbps)_2TX

5690MHz Straddle 5.47-5.725GHz

CSE-PK

07/03/2020



PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.31G	1M	PK	5.2739G	-41.93	-27.00	-14.93	7.60	0.00	-49.53	-51.52	-53.87
5.31G	5.47G	1M	PK	5.34488G	-39.86	-27.00	-12.86	7.60	0.00	-47.46	-50.70	-50.26
5.47G	5.85G	1M	PK	5.85G	-34.09	-27.00	-7.09	7.60	0.00	-41.69	-45.67	-43.90
5.85G	6.01G	1M	PK	5.85G	-33.47	-27.00	-6.47	7.60	0.00	-41.07	-46.02	-42.75
6.01G	8G	1M	PK	6.05179G	-39.69	-27.00	-12.69	7.60	0.00	-47.29	-53.28	-48.55

11a80_Nss1,(6Mbps)_2TX

5690MHz Straddle 5.47-5.725GHz



CSE-AV



07/03/2020







PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.31G	1M	AV	5.14245G	-51.86	-41.20	-10.66	7.60	0.00	-59.46	-62.17	-62.80
5.31G	5.47G	1M	AV	5.3676G	-50.30	-41.20	-9.10	7.60	0.00	-57.90	-60.53	-61.33
6.01G	8G	1M	AV	7.61842G	-60.82	-41.20	-19.62	7.60	0.00	-68.42	-70.42	-72.74




























































802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz

CSE-PK

07/03/2020



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


PX=Port X
Psum=P1+...PX

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.39G	1M	PK	5.33787G	-41.47	-27.00	-14.47	7.60	0.00	-49.07	-50.65	-54.24
5.39G	5.47G	1M	PK	5.39768G	-41.05	-21.20	-19.85	7.60	0.00	-48.65	-51.34	-52.00
5.47G	5.85G	1M	PK	5.85G	-37.42	-27.00	-10.42	7.60	0.00	-45.02	-48.45	-47.64
5.85G	5.93G	1M	PK	5.8564G	-36.52	-27.00	-9.52	7.60	0.00	-44.12	-46.33	-48.11
5.93G	8G	1M	PK	5.96079G	-39.04	-27.00	-12.04	7.60	0.00	-46.64	-48.36	-51.50

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz

CSE-AV



07/03/2020







Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2



PX=Port X
Psum=P1+...PX

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.39G	1M	AV	5.35378G	-50.98	-41.20	-9.78	7.60	0.00	-58.58	-60.93	-62.37
5.39G	5.47G	1M	AV	5.39176G	-50.93	-41.20	-9.73	7.60	0.00	-58.53	-61.27	-61.82
5.93G	8G	1M	AV	7.51407G	-61.06	-41.20	-19.86	7.60	0.00	-68.66	-72.47	-70.99










802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz

CSE-PK

07/03/2020



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


PX=Port X
Psum=P1+...PX

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.31G	1M	PK	5.29276G	-41.41	-27.00	-14.41	7.60	0.00	-49.01	-55.15	-50.22
5.31G	5.47G	1M	PK	5.34776G	-40.19	-27.00	-13.19	7.60	0.00	-47.79	-50.09	-51.64
5.47G	5.85G	1M	PK	5.85G	-34.60	-27.00	-7.60	7.60	0.00	-42.20	-45.12	-45.30
5.85G	6.01G	1M	PK	5.85064G	-33.32	-27.00	-6.32	7.60	0.00	-40.92	-44.26	-43.62
6.01G	8G	1M	PK	6.04109G	-39.56	-27.00	-12.56	7.60	0.00	-47.16	-49.25	-51.33

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz

CSE-AV

07/03/2020



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2

PX=Port X
Psum=P1+...PX

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.31G	1M	AV	5.14137G	-52.19	-41.20	-10.99	7.60	0.00	-59.79	-62.68	-62.93
5.31G	5.47G	1M	AV	5.35704G	-50.09	-41.20	-8.89	7.60	0.00	-57.69	-59.92	-61.66
6.01G	8G	1M	AV	7.503G	-60.61	-41.20	-19.41	7.60	0.00	-68.21	-71.13	-71.31

<2T2S>

For Conducted Harmonic (1~8GHz):

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	5.35G	5.39G	AV	5.38928G	4.75	-57.25	-55.63	-53.35	-48.60	-41.20	-7.40
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.07G	5.15G	AV	5.10136G	4.75	-56.15	-56.26	-53.19	-48.44	-41.20	-7.24
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	4.99G	5.15G	AV	5.12952G	4.87	-52.21	-49.78	-47.82	-42.95	-41.20	-1.75
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	5.39G	8G	AV	5.41153G	4.74	-57.63	-55.71	-53.55	-48.81	-41.20	-7.61
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.35G	5.43G	AV	5.3996G	4.74	-55.58	-55.38	-52.47	-47.73	-41.20	-6.53
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.35G	5.51G	AV	5.42712G	4.87	-53.41	-52.63	-49.99	-45.12	-41.20	-3.92
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	1G	5.43G	AV	5.40342G	4.59	-61.50	-60.89	-58.17	-53.58	-41.20	-12.38
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.39G	5.47G	AV	5.40728G	4.59	-57.32	-58.08	-54.67	-50.08	-41.20	-8.88
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.31G	5.47G	AV	5.39768G	4.59	-53.67	-54.13	-50.88	-46.29	-41.20	-5.09

DG = Directional Gain;
 PX=Port X; Psum=P1+.P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	1G	5.11G	AV	5.10024G	4.75	-57.67	-57.02	-54.32	-49.57	-41.20	-8.37
5180MHz	Pass	5.11G	5.15G	AV	5.1116G	4.75	-57.17	-56.40	-53.76	-49.01	-41.20	-7.81
5180MHz	Pass	5.15G	5.35G	AV	5.35G	4.75	-58.78	-57.81	-55.26	-50.51	-41.20	-9.31
5180MHz	Pass	5.35G	5.39G	AV	5.38928G	4.75	-57.25	-55.63	-53.35	-48.60	-41.20	-7.40
5180MHz	Pass	5.39G	8G	AV	5.4422G	4.75	-59.44	-56.05	-54.41	-49.66	-41.20	-8.46
5180MHz	Pass	1G	5.11G	PK	4.97334G	4.75	-47.65	-48.26	-44.93	-40.18	-21.20	-18.98
5180MHz	Pass	5.11G	5.15G	PK	5.13416G	4.75	-42.62	-48.67	-41.66	-36.91	-21.20	-15.71
5180MHz	Pass	5.15G	5.35G	PK	5.35G	4.75	-48.38	-47.53	-44.92	-40.17	-21.20	-18.97
5180MHz	Pass	5.35G	5.39G	PK	5.38824G	4.75	-46.74	-45.08	-42.82	-38.07	-21.20	-16.87
5180MHz	Pass	5.39G	8G	PK	6.47609G	4.75	-58.15	-43.98	-43.82	-39.07	-27.00	-12.07
5320MHz	Pass	1G	5.11G	AV	5.08585G	4.74	-59.64	-58.63	-56.10	-51.36	-41.20	-10.16
5320MHz	Pass	5.11G	5.15G	AV	5.11608G	4.74	-58.40	-59.01	-55.68	-50.94	-41.20	-9.74
5320MHz	Pass	5.15G	5.35G	AV	5.15G	4.74	-59.97	-59.49	-56.71	-51.97	-41.20	-10.77
5320MHz	Pass	5.35G	5.39G	AV	5.3856G	4.74	-57.18	-56.15	-53.62	-48.88	-41.20	-7.68
5320MHz	Pass	5.39G	8G	AV	5.41153G	4.74	-57.63	-55.71	-53.55	-48.81	-41.20	-7.61
5320MHz	Pass	1G	5.11G	PK	5.10743G	4.74	-49.81	-50.32	-47.05	-42.31	-21.20	-21.11
5320MHz	Pass	5.11G	5.15G	PK	5.11752G	4.74	-47.12	-49.46	-45.12	-40.38	-21.20	-19.18
5320MHz	Pass	5.15G	5.35G	PK	5.15G	4.74	-50.48	-49.90	-47.17	-42.43	-21.20	-21.23
5320MHz	Pass	5.35G	5.39G	PK	5.3892G	4.74	-46.96	-45.17	-42.96	-38.22	-21.20	-17.02
5320MHz	Pass	5.39G	8G	PK	5.57662G	4.74	-47.86	-47.66	-44.75	-40.01	-27.00	-13.01
5500MHz	Pass	1G	5.43G	AV	5.40342G	4.59	-61.50	-60.89	-58.17	-53.58	-41.20	-12.38
5500MHz	Pass	5.43G	5.47G	AV	5.43016G	4.59	-65.31	-64.51	-61.88	-57.29	-41.20	-16.09
5500MHz	Pass	5.765G	8G	AV	7.50411G	4.59	-84.18	-83.08	-80.58	-75.99	-41.20	-34.79
5500MHz	Pass	1G	5.43G	PK	5.26554G	4.59	-51.19	-56.10	-49.97	-45.38	-27.00	-18.38
5500MHz	Pass	5.43G	5.47G	PK	5.43056G	4.59	-55.13	-55.25	-52.18	-47.59	-21.20	-26.39
5500MHz	Pass	5.47G	5.725G	PK	5.725G	4.59	-71.83	-72.46	-69.12	-64.53	-27.00	-37.53
5500MHz	Pass	5.725G	5.765G	PK	5.76436G	4.59	-58.21	-57.70	-54.94	-50.35	-27.00	-23.35
5500MHz	Pass	5.765G	8G	PK	5.8639G	4.59	-53.30	-53.34	-50.31	-45.72	-27.00	-18.72
5580MHz												
5700MHz	Pass	1G	5.43G	AV	5.35081G	4.59	-61.93	-63.97	-59.82	-55.23	-41.20	-14.03
5700MHz	Pass	5.43G	5.47G	AV	5.43G	4.59	-68.32	-68.48	-65.39	-60.80	-41.20	-19.60
5700MHz	Pass	5.765G	8G	AV	7.37001G	4.59	-79.02	-79.05	-76.02	-71.43	-41.20	-30.23
5700MHz	Pass	1G	5.43G	PK	5.21847G	4.59	-53.95	-52.13	-49.94	-45.35	-27.00	-18.35
5700MHz	Pass	5.43G	5.47G	PK	5.43008G	4.59	-57.01	-58.28	-54.59	-50.00	-21.20	-28.80
5700MHz	Pass	5.47G	5.725G	PK	5.725G	4.59	-59.68	-60.99	-57.28	-52.69	-27.00	-25.69
5700MHz	Pass	5.725G	5.765G	PK	5.76476G	4.59	-52.90	-49.46	-47.84	-43.25	-27.00	-16.25
5700MHz	Pass	5.765G	8G	PK	5.79294G	4.59	-47.63	-48.45	-45.01	-40.42	-27.00	-13.42
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	1G	5.07G	AV	5.06898G	4.75	-58.71	-58.43	-55.56	-50.81	-41.20	-9.61
5190MHz	Pass	5.07G	5.15G	AV	5.10136G	4.75	-56.15	-56.26	-53.19	-48.44	-41.20	-7.24
5190MHz	Pass	5.15G	5.35G	AV	5.35G	4.75	-58.29	-57.75	-55.00	-50.25	-41.20	-9.05
5190MHz	Pass	5.35G	5.43G	AV	5.35704G	4.75	-57.99	-57.25	-54.59	-49.84	-41.20	-8.64
5190MHz	Pass	5.43G	8G	AV	5.45313G	4.75	-58.83	-57.69	-55.21	-50.46	-41.20	-9.26
5190MHz	Pass	1G	5.07G	PK	5.05677G	4.75	-49.43	-48.44	-45.90	-41.15	-21.20	-19.95
5190MHz	Pass	5.07G	5.15G	PK	5.1308G	4.75	-41.70	-43.96	-39.67	-34.92	-21.20	-13.72
5190MHz	Pass	5.15G	5.35G	PK	5.35G	4.75	-49.05	-47.73	-45.33	-40.58	-21.20	-19.38
5190MHz	Pass	5.35G	5.43G	PK	5.36264G	4.75	-45.94	-48.47	-44.01	-39.26	-21.20	-18.06
5190MHz	Pass	5.43G	8G	PK	5.6119G	4.75	-51.49	-46.92	-45.62	-40.87	-27.00	-13.87
5310MHz	Pass	1G	5.07G	AV	5.05067G	4.74	-59.96	-59.89	-56.91	-52.17	-41.20	-10.97
5310MHz	Pass	5.07G	5.15G	AV	5.14584G	4.74	-58.89	-58.09	-55.46	-50.72	-41.20	-9.52
5310MHz	Pass	5.15G	5.35G	AV	5.15G	4.74	-58.91	-58.78	-55.83	-51.09	-41.20	-9.89
5310MHz	Pass	5.35G	5.43G	AV	5.3996G	4.74	-55.58	-55.38	-52.47	-47.73	-41.20	-6.53



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5310MHz	Pass	5.43G	8G	AV	5.43578G	4.74	-57.37	-55.88	-53.55	-48.81	-41.20	-7.61
5310MHz	Pass	1G	5.07G	PK	5.00844G	4.74	-51.24	-49.27	-47.13	-42.39	-21.20	-21.19
5310MHz	Pass	5.07G	5.15G	PK	5.12248G	4.74	-48.35	-48.38	-45.35	-40.61	-21.20	-19.41
5310MHz	Pass	5.15G	5.35G	PK	5.15G	4.74	-47.67	-49.44	-45.46	-40.72	-21.20	-19.52
5310MHz	Pass	5.35G	5.43G	PK	5.36472G	4.74	-44.04	-43.51	-40.76	-36.02	-21.20	-14.82
5310MHz	Pass	5.43G	8G	PK	5.52541G	4.74	-49.13	-47.31	-45.12	-40.38	-27.00	-13.38
5510MHz	Pass	1G	5.39G	AV	5.38945G	4.59	-60.13	-58.51	-56.23	-51.64	-41.20	-10.44
5510MHz	Pass	5.39G	5.47G	AV	5.40728G	4.59	-57.32	-58.08	-54.67	-50.08	-41.20	-8.88
5510MHz	Pass	5.805G	8G	AV	7.34671G	4.59	-79.86	-78.05	-75.85	-71.26	-41.20	-30.06
5510MHz	Pass	1G	5.39G	PK	5.33238G	4.59	-49.61	-54.64	-48.42	-43.83	-27.00	-16.83
5510MHz	Pass	5.39G	5.47G	PK	5.40488G	4.59	-46.94	-49.19	-44.91	-40.32	-21.20	-19.12
5510MHz	Pass	5.47G	5.725G	PK	5.725G	4.59	-72.12	-70.83	-68.42	-63.83	-27.00	-36.83
5510MHz	Pass	5.725G	5.805G	PK	5.78868G	4.59	-50.97	-47.74	-46.05	-41.46	-27.00	-14.46
5510MHz	Pass	5.805G	8G	PK	5.90158G	4.59	-50.70	-47.50	-45.80	-41.21	-27.00	-14.21
5670MHz	Pass	1G	5.39G	AV	5.3675G	4.59	-60.51	-63.01	-58.57	-53.98	-41.20	-12.78
5670MHz	Pass	5.39G	5.47G	AV	5.39928G	4.59	-60.07	-61.90	-57.88	-53.29	-41.20	-12.09
5670MHz	Pass	5.805G	8G	AV	7.36235G	4.59	-79.38	-78.48	-75.90	-71.31	-41.20	-30.11
5670MHz	Pass	1G	5.39G	PK	5.29068G	4.59	-50.57	-53.46	-48.77	-44.18	-27.00	-17.18
5670MHz	Pass	5.39G	5.47G	PK	5.39752G	4.59	-51.69	-48.30	-46.66	-42.07	-21.20	-20.87
5670MHz	Pass	5.47G	5.725G	PK	5.725G	4.59	-69.14	-67.48	-65.22	-60.63	-27.00	-33.63
5670MHz	Pass	5.725G	5.805G	PK	5.78468G	4.59	-44.66	-46.03	-42.28	-37.69	-27.00	-10.69
5670MHz	Pass	5.805G	8G	PK	5.81515G	4.59	-45.97	-49.03	-44.23	-39.64	-27.00	-12.64
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	1G	4.99G	AV	4.98751G	4.87	-59.18	-58.14	-55.62	-50.75	-41.20	-9.55
5210MHz	Pass	4.99G	5.15G	AV	5.12952G	4.87	-52.21	-49.78	-47.82	-42.95	-41.20	-1.75
5210MHz	Pass	5.15G	5.35G	AV	5.35G	4.87	-53.88	-53.01	-50.41	-45.54	-41.20	-4.34
5210MHz	Pass	5.35G	5.51G	AV	5.35256G	4.87	-53.35	-51.66	-49.41	-44.54	-41.20	-3.34
5210MHz	Pass	5.51G	8G	AV	7.36661G	4.87	-79.07	-79.21	-76.13	-71.26	-41.20	-30.06
5210MHz	Pass	1G	4.99G	PK	4.98252G	4.87	-49.05	-49.71	-46.36	-41.49	-21.20	-20.29
5210MHz	Pass	4.99G	5.15G	PK	5.11928G	4.87	-39.96	-33.09	-32.28	-27.41	-21.20	-6.21
5210MHz	Pass	5.15G	5.35G	PK	5.35G	4.87	-43.72	-41.94	-39.73	-34.86	-21.20	-13.66
5210MHz	Pass	5.35G	5.51G	PK	5.50584G	4.87	-48.56	-45.42	-43.70	-38.83	-27.00	-11.83
5210MHz	Pass	5.51G	8G	PK	5.54673G	4.87	-50.34	-45.77	-44.47	-39.60	-27.00	-12.60
5290MHz	Pass	1G	4.99G	AV	4.98302G	4.87	-60.66	-59.21	-56.86	-51.99	-41.20	-10.79
5290MHz	Pass	4.99G	5.15G	AV	5.14776G	4.87	-53.97	-54.41	-51.17	-46.30	-41.20	-5.10
5290MHz	Pass	5.15G	5.35G	AV	5.15G	4.87	-54.76	-54.07	-51.39	-46.52	-41.20	-5.32
5290MHz	Pass	5.35G	5.51G	AV	5.42712G	4.87	-53.41	-52.63	-49.99	-45.12	-41.20	-3.92
5290MHz	Pass	5.51G	8G	AV	7.35883G	4.87	-79.18	-78.82	-75.99	-71.12	-41.20	-29.92
5290MHz	Pass	1G	4.99G	PK	4.98701G	4.87	-50.05	-49.75	-46.89	-42.02	-21.20	-20.82
5290MHz	Pass	4.99G	5.15G	PK	5.14392G	4.87	-43.42	-44.42	-40.88	-36.01	-21.20	-14.81
5290MHz	Pass	5.15G	5.35G	PK	5.15G	4.87	-43.98	-44.30	-41.13	-36.26	-21.20	-15.06
5290MHz	Pass	5.35G	5.51G	PK	5.46008G	4.87	-44.93	-44.47	-41.68	-36.81	-27.00	-9.81
5290MHz	Pass	5.51G	8G	PK	5.51218G	4.87	-47.99	-48.12	-45.04	-40.17	-27.00	-13.17
5530MHz	Pass	1G	5.31G	AV	5.14137G	4.59	-61.29	-60.77	-58.01	-53.42	-41.20	-12.22
5530MHz	Pass	5.31G	5.47G	AV	5.39768G	4.59	-53.67	-54.13	-50.88	-46.29	-41.20	-5.09
5530MHz	Pass	5.885G	8G	AV	7.37343G	4.59	-79.96	-78.40	-76.10	-71.51	-41.20	-30.31
5530MHz	Pass	1G	5.31G	PK	5.29492G	4.59	-49.54	-49.61	-46.56	-41.97	-27.00	-14.97
5530MHz	Pass	5.31G	5.47G	PK	5.34744G	4.59	-45.96	-46.29	-43.11	-38.52	-27.00	-11.52
5530MHz	Pass	5.47G	5.725G	PK	5.725G	4.59	-70.62	-68.82	-66.62	-62.03	-27.00	-35.03
5530MHz	Pass	5.725G	5.885G	PK	5.84244G	4.59	-47.84	-45.93	-43.77	-39.18	-27.00	-12.18
5530MHz	Pass	5.885G	8G	PK	5.90959G	4.59	-46.87	-50.62	-45.34	-40.75	-27.00	-13.75

DG = Directional Gain;
 PX=Port X; Psum=P1+...PX


802.11ax HEW20_Nss2,(MCS0)_2TX
5180MHz

CSE-PK

26/03/2020



PX=Port X
Psum=P1+...PX





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.11G	1M	PK	4.97334G	-40.18	-21.20	-18.98	4.75	0.00	-44.93	-47.65	-48.26
5.11G	5.15G	1M	PK	5.13416G	-36.91	-21.20	-15.71	4.75	0.00	-41.66	-42.62	-48.67
5.15G	5.35G	1M	PK	5.35G	-40.17	-21.20	-18.97	4.75	0.00	-44.92	-48.38	-47.53
5.35G	5.39G	1M	PK	5.38824G	-38.07	-21.20	-16.87	4.75	0.00	-42.82	-46.74	-45.08
5.39G	8G	1M	PK	6.47609G	-39.07	-27.00	-12.07	4.75	0.00	-43.82	-58.15	-43.98


802.11ax HEW20_Nss2,(MCS0)_2TX
5180MHz

CSE-AV



26/03/2020







PX=Port X
Psum=P1+...PX







F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	5.11G	1M	AV	5.10024G	-49.57	-41.20	-8.37	4.75	0.00	-54.32	-57.67	-57.02
5.11G	5.15G	1M	AV	5.1116G	-49.01	-41.20	-7.81	4.75	0.00	-53.76	-57.17	-56.40
5.15G	5.35G	1M	AV	5.35G	-50.51	-41.20	-9.31	4.75	0.00	-55.26	-58.78	-57.81
5.35G	5.39G	1M	AV	5.38928G	-48.60	-41.20	-7.40	4.75	0.00	-53.35	-57.25	-55.63
5.39G	8G	1M	AV	5.4422G	-49.66	-41.20	-8.46	4.75	0.00	-54.41	-59.44	-56.05































<2T1S>

For Conducted Harmonic (8~40GHz):

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	40G	7.88	-73.96	-73.09	-70.49	-62.61	-41.20	-21.41
11a40_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.9965G	7.88	-74.03	-73.92	-70.96	-63.08	-41.20	-21.88
11a80_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.9965G	7.88	-73.94	-74.28	-71.10	-63.22	-41.20	-22.02
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	15.605G	7.88	-66.96	-61.71	-60.58	-52.70	-41.20	-11.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	40G	7.88	-74.08	-73.06	-70.53	-62.65	-41.20	-21.45
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.9895G	7.88	-73.78	-73.83	-70.79	-62.91	-41.20	-21.71
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.993G	7.88	-73.77	-73.78	-70.76	-62.88	-41.20	-21.68
11a40_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.9825G	7.88	-73.57	-74.10	-70.82	-62.94	-41.20	-21.74
11a80_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	39.9965G	7.88	-74.44	-73.52	-70.95	-63.07	-41.20	-21.87
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	15.8955G	7.88	-60.38	-63.24	-58.57	-50.69	-41.20	-9.49
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	40G	7.88	-74.46	-73.31	-70.84	-62.96	-41.20	-21.76
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	40G	7.88	-73.14	-74.20	-70.63	-62.75	-41.20	-21.55
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	8G	12G	AV	11.401G	7.60	-70.93	-70.96	-67.93	-60.33	-41.20	-19.13
11a40_Nss1,(6Mbps)_2TX	Pass	8G	12G	AV	11.341G	7.60	-73.37	-73.28	-70.31	-62.71	-41.20	-21.51
11a80_Nss1,(6Mbps)_2TX	Pass	12G	40G	AV	40G	7.60	-73.61	-74.35	-70.95	-63.35	-41.20	-22.15
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	8G	12G	AV	11.4G	7.60	-72.39	-72.20	-69.28	-61.68	-41.20	-20.48
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	8G	12G	AV	11.4225G	7.60	-72.65	-74.47	-70.46	-62.86	-41.20	-21.66
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	12G	40G	AV	39.9895G	7.60	-74.03	-74.00	-71.00	-63.40	-41.20	-22.20

DG = Directional Gain;
 PX=Port X; Psum=P1+.P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dB)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.165G	7.76	-83.86	-83.63	-80.73	-72.97	-41.20	-31.77
5180MHz	Pass	12G	40G	AV	39.9965G	7.76	-73.13	-74.39	-70.70	-62.94	-41.20	-21.74
5180MHz	Pass	8G	12G	PK	10.362G	7.76	-69.57	-76.75	-68.81	-61.05	-27.00	-34.05
5180MHz	Pass	12G	40G	PK	37.1895G	7.76	-65.34	-68.33	-63.57	-55.81	-27.00	-28.81
5200MHz	Pass	8G	12G	AV	11.162G	7.88	-84.81	-83.13	-80.88	-73.00	-41.20	-31.80
5200MHz	Pass	12G	40G	AV	39.9965G	7.88	-73.26	-73.89	-70.55	-62.67	-41.20	-21.47
5200MHz	Pass	8G	12G	PK	10.399G	7.88	-68.89	-77.93	-68.38	-60.50	-27.00	-33.50
5200MHz	Pass	12G	40G	PK	38.579G	7.88	-65.88	-66.74	-63.28	-55.40	-27.00	-28.40
5240MHz	Pass	8G	12G	AV	11.177G	7.88	-83.92	-83.68	-80.79	-72.91	-41.20	-31.71
5240MHz	Pass	12G	40G	AV	40G	7.88	-73.96	-73.09	-70.49	-62.61	-41.20	-21.41
5240MHz	Pass	8G	12G	PK	10.4785G	7.88	-66.68	-74.92	-66.07	-58.19	-27.00	-31.19
5240MHz	Pass	12G	40G	PK	37.2245G	7.88	-65.42	-65.69	-62.54	-54.66	-27.00	-27.66
5260MHz	Pass	8G	12G	AV	11.177G	7.88	-84.08	-83.79	-80.92	-73.04	-41.20	-31.84
5260MHz	Pass	12G	40G	AV	39.9825G	7.88	-73.14	-74.55	-70.78	-62.90	-41.20	-21.70
5260MHz	Pass	8G	12G	PK	10.519G	7.88	-69.84	-76.06	-68.91	-61.03	-27.00	-34.03
5260MHz	Pass	12G	40G	PK	37.291G	7.88	-66.47	-65.33	-62.85	-54.97	-27.00	-27.97
5300MHz	Pass	8G	12G	AV	10.6G	7.88	-77.83	-85.44	-77.14	-69.26	-41.20	-28.06
5300MHz	Pass	12G	40G	AV	39.993G	7.88	-73.77	-73.78	-70.76	-62.88	-41.20	-21.68
5300MHz	Pass	8G	12G	PK	10.597G	7.88	-68.95	-76.37	-68.23	-60.35	-27.00	-33.35
5300MHz	Pass	12G	40G	PK	37.249G	7.88	-65.18	-68.49	-63.52	-55.64	-27.00	-28.64
5320MHz	Pass	8G	12G	AV	10.643G	7.75	-75.16	-83.62	-74.58	-66.83	-41.20	-25.63
5320MHz	Pass	12G	40G	AV	40G	7.75	-73.36	-74.04	-70.68	-62.93	-41.20	-21.73
5320MHz	Pass	8G	12G	PK	10.6385G	7.75	-64.19	-76.87	-63.96	-56.21	-21.20	-35.01
5320MHz	Pass	12G	40G	PK	38.2745G	7.75	-64.72	-68.49	-63.20	-55.45	-27.00	-28.45
5500MHz	Pass	8G	12G	AV	11.003G	7.60	-72.72	-81.94	-72.23	-64.63	-41.20	-23.43
5500MHz	Pass	12G	40G	AV	39.993G	7.60	-73.81	-74.38	-71.08	-63.48	-41.20	-22.28
5500MHz	Pass	8G	12G	PK	10.998G	7.60	-62.80	-71.92	-62.30	-54.70	-21.20	-33.50
5500MHz	Pass	12G	40G	PK	37.1895G	7.60	-65.08	-66.47	-62.71	-55.11	-27.00	-28.11
5580MHz	Pass	8G	12G	AV	11.1615G	7.50	-72.42	-78.74	-71.51	-64.01	-41.20	-22.81
5580MHz	Pass	12G	40G	AV	39.9755G	7.50	-74.15	-73.97	-71.05	-63.55	-41.20	-22.35
5580MHz	Pass	8G	12G	PK	11.152G	7.50	-63.11	-70.26	-62.34	-54.84	-21.20	-33.64
5580MHz	Pass	12G	40G	PK	36.661G	7.50	-68.69	-64.98	-63.44	-55.94	-27.00	-28.94
5700MHz	Pass	8G	12G	AV	11.401G	7.60	-70.93	-70.96	-67.93	-60.33	-41.20	-19.13
5700MHz	Pass	12G	40G	AV	40G	7.60	-73.54	-73.69	-70.60	-63.00	-41.20	-21.80
5700MHz	Pass	8G	12G	PK	11.4015G	7.60	-61.49	-61.87	-58.67	-51.07	-21.20	-29.87
5700MHz	Pass	12G	40G	PK	36.745G	7.60	-66.36	-64.63	-62.40	-54.80	-27.00	-27.80
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4395G	7.60	-73.03	-72.88	-69.94	-62.34	-41.20	-21.14
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	40G	7.60	-74.21	-73.78	-70.98	-63.38	-41.20	-22.18
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.439G	7.60	-64.26	-63.64	-60.93	-53.33	-21.20	-32.13
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	37.571G	7.60	-65.63	-66.35	-62.96	-55.36	-27.00	-28.36
11a40_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8G	12G	AV	11.181G	7.76	-83.88	-84.49	-81.16	-73.40	-41.20	-32.20
5190MHz	Pass	12G	40G	AV	39.9965G	7.76	-74.16	-73.96	-71.05	-63.29	-41.20	-22.09
5190MHz	Pass	8G	12G	PK	10.38G	7.76	-70.99	-77.02	-70.02	-62.26	-27.00	-35.26
5190MHz	Pass	12G	40G	PK	37.347G	7.76	-66.15	-66.44	-63.28	-55.52	-27.00	-28.52
5230MHz	Pass	8G	12G	AV	11.166G	7.88	-83.80	-83.67	-80.72	-72.84	-41.20	-31.64
5230MHz	Pass	12G	40G	AV	39.9965G	7.88	-74.03	-73.92	-70.96	-63.08	-41.20	-21.88
5230MHz	Pass	8G	12G	PK	10.4615G	7.88	-68.17	-74.05	-67.17	-59.29	-27.00	-32.29
5230MHz	Pass	12G	40G	PK	37.1965G	7.88	-68.80	-63.95	-62.72	-54.84	-27.00	-27.84
5270MHz	Pass	8G	12G	AV	11.19G	7.88	-84.19	-83.73	-80.94	-73.06	-41.20	-31.86
5270MHz	Pass	12G	40G	AV	39.9825G	7.88	-73.57	-74.10	-70.82	-62.94	-41.20	-21.74
5270MHz	Pass	8G	12G	PK	10.541G	7.88	-70.47	-74.72	-69.08	-61.20	-27.00	-34.20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5270MHz	Pass	12G	40G	PK	37.5325G	7.88	-65.29	-67.61	-63.29	-55.41	-27.00	-28.41
5310MHz	Pass	8G	12G	AV	10.6195G	7.75	-80.03	-85.76	-79.00	-71.25	-41.20	-30.05
5310MHz	Pass	12G	40G	AV	40G	7.75	-73.88	-74.05	-70.95	-63.20	-41.20	-22.00
5310MHz	Pass	8G	12G	PK	10.5935G	7.75	-72.30	-76.76	-70.97	-63.22	-27.00	-36.22
5310MHz	Pass	8G	12G	PK	10.6175G	7.75	-70.36	-76.66	-69.45	-61.70	-21.20	-40.50
5310MHz	Pass	12G	40G	PK	37.3225G	7.75	-70.45	-63.63	-62.81	-55.06	-27.00	-28.06
5510MHz	Pass	8G	12G	AV	11.0195G	7.60	-77.68	-82.98	-76.56	-68.96	-41.20	-27.76
5510MHz	Pass	12G	40G	AV	39.993G	7.60	-74.24	-73.36	-70.77	-63.17	-41.20	-21.97
5510MHz	Pass	8G	12G	PK	11.02G	7.60	-66.23	-75.98	-65.79	-58.19	-21.20	-36.99
5510MHz	Pass	12G	40G	PK	37.2175G	7.60	-68.88	-63.88	-62.69	-55.09	-27.00	-28.09
5550MHz	Pass	8G	12G	AV	11.0995G	7.60	-74.16	-80.80	-73.31	-65.71	-41.20	-24.51
5550MHz	Pass	12G	40G	AV	39.9965G	7.60	-74.34	-73.53	-70.91	-63.31	-41.20	-22.11
5550MHz	Pass	8G	12G	PK	11.0985G	7.60	-64.17	-71.46	-63.43	-55.83	-21.20	-34.63
5550MHz	Pass	12G	40G	PK	37.382G	7.60	-67.39	-64.55	-62.73	-55.13	-27.00	-28.13
5670MHz	Pass	8G	12G	AV	11.341G	7.60	-73.37	-73.28	-70.31	-62.71	-41.20	-21.51
5670MHz	Pass	12G	40G	AV	40G	7.60	-73.59	-74.06	-70.81	-63.21	-41.20	-22.01
5670MHz	Pass	8G	12G	PK	11.337G	7.60	-62.66	-64.40	-60.43	-52.83	-21.20	-31.63
5670MHz	Pass	12G	40G	PK	37.5255G	7.60	-68.30	-65.20	-63.47	-55.87	-27.00	-28.87
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4215G	7.60	-73.24	-73.56	-70.39	-62.79	-41.20	-21.59
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.993G	7.60	-74.28	-73.94	-71.10	-63.50	-41.20	-22.30
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.42G	7.60	-61.04	-65.87	-59.81	-52.21	-21.20	-31.01
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	36.5805G	7.60	-66.69	-65.56	-63.08	-55.48	-27.00	-28.48
11a80_Nss1 (6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	8G	12G	AV	11.174G	7.88	-83.38	-84.16	-80.74	-72.86	-41.20	-31.66
5210MHz	Pass	12G	40G	AV	39.9965G	7.88	-73.94	-74.28	-71.10	-63.22	-41.20	-22.02
5210MHz	Pass	8G	12G	PK	10.438G	7.88	-74.98	-75.38	-72.17	-64.29	-27.00	-37.29
5210MHz	Pass	8G	12G	PK	10.529G	7.88	-74.15	-75.44	-71.74	-63.86	-27.00	-36.86
5210MHz	Pass	12G	40G	PK	37.249G	7.88	-66.55	-65.41	-62.93	-55.05	-27.00	-28.05
5290MHz	Pass	8G	12G	AV	10.6005G	7.88	-81.61	-83.99	-79.63	-71.75	-41.20	-30.55
5290MHz	Pass	12G	40G	AV	39.9965G	7.88	-74.44	-73.52	-70.95	-63.07	-41.20	-21.87
5290MHz	Pass	8G	12G	PK	10.595G	7.88	-71.81	-76.16	-70.45	-62.57	-27.00	-35.57
5290MHz	Pass	12G	40G	PK	37.2245G	7.88	-66.52	-64.39	-62.32	-54.44	-27.00	-27.44
5530MHz	Pass	8G	12G	AV	11.0785G	7.60	-78.30	-83.39	-77.13	-69.53	-41.20	-28.33
5530MHz	Pass	12G	40G	AV	39.9895G	7.60	-73.71	-74.36	-71.01	-63.41	-41.20	-22.21
5530MHz	Pass	8G	12G	PK	10.5285G	7.60	-73.70	-74.72	-71.17	-63.57	-27.00	-36.57
5530MHz	Pass	8G	12G	PK	11.082G	7.60	-69.83	-75.66	-68.82	-61.22	-21.20	-40.02
5530MHz	Pass	12G	40G	PK	37.389G	7.60	-70.82	-64.32	-63.44	-55.84	-27.00	-28.84
5610MHz	Pass	8G	12G	AV	11.2365G	7.50	-74.35	-76.92	-72.44	-64.94	-41.20	-23.74
5610MHz	Pass	12G	40G	AV	39.9965G	7.50	-74.12	-73.63	-70.86	-63.36	-41.20	-22.16
5610MHz	Pass	8G	12G	PK	11.236G	7.50	-64.68	-67.41	-62.82	-55.32	-21.20	-34.12
5610MHz	Pass	12G	40G	PK	37.179G	7.50	-66.00	-65.79	-62.88	-55.38	-27.00	-28.38
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.3985G	7.60	-75.36	-76.14	-72.72	-65.12	-41.20	-23.92
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	40G	7.60	-73.61	-74.35	-70.95	-63.35	-41.20	-22.15
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.41G	7.60	-65.32	-68.55	-63.63	-56.03	-21.20	-34.83
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	37.2G	7.60	-64.08	-70.07	-63.10	-55.50	-27.00	-28.50
802.11ax HEW20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.1615G	7.76	-84.21	-83.75	-80.96	-73.20	-41.20	-32.00
5180MHz	Pass	12G	40G	AV	39.986G	7.76	-74.07	-74.11	-71.08	-63.32	-41.20	-22.12
5180MHz	Pass	8G	12G	PK	10.3665G	7.76	-70.27	-76.80	-69.40	-61.64	-27.00	-34.64
5180MHz	Pass	12G	40G	PK	37.158G	7.76	-65.20	-68.23	-63.45	-55.69	-27.00	-28.69
5200MHz	Pass	8G	12G	AV	11.1785G	7.88	-83.24	-82.88	-80.05	-72.17	-41.20	-30.97
5200MHz	Pass	12G	40G	AV	15.605G	7.88	-66.96	-61.71	-60.58	-52.70	-41.20	-11.50
5200MHz	Pass	8G	12G	PK	10.407G	7.88	-64.51	-76.56	-64.25	-56.37	-27.00	-29.37
5200MHz	Pass	12G	40G	PK	15.6155G	7.88	-63.86	-53.59	-53.20	-45.32	-21.20	-24.12

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5240MHz	Pass	8G	12G	AV	11.1355G	7.88	-84.97	-83.02	-80.88	-73.00	-41.20	-31.80
5240MHz	Pass	12G	40G	AV	40G	7.88	-73.60	-74.00	-70.79	-62.91	-41.20	-21.71
5240MHz	Pass	8G	12G	PK	10.4745G	7.88	-67.45	-75.57	-66.83	-58.95	-27.00	-31.95
5240MHz	Pass	12G	40G	PK	37.102G	7.88	-68.07	-64.31	-62.78	-54.90	-27.00	-27.90
5260MHz	Pass	8G	12G	AV	11.168G	7.88	-83.90	-83.70	-80.79	-72.91	-41.20	-31.71
5260MHz	Pass	12G	40G	AV	39.993G	7.88	-74.34	-73.44	-70.86	-62.98	-41.20	-21.78
5260MHz	Pass	8G	12G	PK	10.52G	7.88	-70.90	-75.46	-69.60	-61.72	-27.00	-34.72
5260MHz	Pass	12G	40G	PK	36.675G	7.88	-65.67	-66.62	-63.11	-55.23	-27.00	-28.23
5300MHz	Pass	8G	12G	AV	10.6G	7.88	-78.27	-79.57	-75.86	-67.98	-41.20	-26.78
5300MHz	Pass	12G	40G	AV	15.8955G	7.88	-60.38	-63.24	-58.57	-50.69	-41.20	-9.49
5300MHz	Pass	8G	12G	PK	10.599G	7.88	-68.93	-70.65	-66.70	-58.82	-27.00	-31.82
5300MHz	Pass	12G	40G	PK	15.899G	7.88	-53.22	-58.26	-52.04	-44.16	-21.20	-22.96
5320MHz	Pass	8G	12G	AV	10.642G	7.75	-75.57	-84.59	-75.06	-67.31	-41.20	-26.11
5320MHz	Pass	12G	40G	AV	39.9475G	7.75	-75.22	-73.07	-71.00	-63.25	-41.20	-22.05
5320MHz	Pass	8G	12G	PK	10.1345G	7.75	-78.27	-72.00	-71.08	-63.33	-27.00	-36.33
5320MHz	Pass	8G	12G	PK	10.6425G	7.75	-66.62	-75.04	-66.04	-58.29	-21.20	-37.09
5320MHz	Pass	12G	40G	PK	36.6715G	7.75	-65.28	-66.38	-62.78	-55.03	-27.00	-28.03
5500MHz	Pass	8G	12G	AV	11.0065G	7.60	-73.55	-82.52	-73.03	-65.43	-41.20	-24.23
5500MHz	Pass	12G	40G	AV	39.9825G	7.60	-73.56	-74.03	-70.78	-63.18	-41.20	-21.98
5500MHz	Pass	8G	12G	PK	11.0035G	7.60	-64.05	-73.56	-63.59	-55.99	-21.20	-34.79
5500MHz	Pass	12G	40G	PK	37.515G	7.60	-65.96	-67.21	-63.53	-55.93	-27.00	-28.93
5580MHz	Pass	8G	12G	AV	11.16G	7.50	-72.54	-78.07	-71.47	-63.97	-41.20	-22.77
5580MHz	Pass	12G	40G	AV	39.8775G	7.50	-74.71	-73.66	-71.14	-63.64	-41.20	-22.44
5580MHz	Pass	8G	12G	PK	11.155G	7.50	-63.44	-70.49	-62.66	-55.16	-21.20	-33.96
5580MHz	Pass	12G	40G	PK	38.4775G	7.50	-64.40	-69.06	-63.12	-55.62	-27.00	-28.62
5700MHz	Pass	8G	12G	AV	11.4G	7.60	-72.39	-72.20	-69.28	-61.68	-41.20	-20.48
5700MHz	Pass	12G	40G	AV	39.9965G	7.60	-73.93	-73.89	-70.90	-63.30	-41.20	-22.10
5700MHz	Pass	8G	12G	PK	11.4005G	7.60	-61.36	-63.28	-59.20	-51.60	-21.20	-30.40
5700MHz	Pass	12G	40G	PK	37.991G	7.60	-67.82	-64.30	-62.70	-55.10	-27.00	-28.10
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4405G	7.60	-72.76	-72.81	-69.77	-62.17	-41.20	-20.97
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.993G	7.60	-74.22	-73.82	-71.01	-63.41	-41.20	-22.21
5720MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.4435G	7.60	-63.19	-64.41	-60.75	-53.15	-21.20	-31.95
5720MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	36.71G	7.60	-68.83	-65.61	-63.92	-56.32	-27.00	-29.32
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8G	12G	AV	11.1495G	7.76	-84.31	-83.87	-81.07	-73.31	-41.20	-32.11
5190MHz	Pass	12G	40G	AV	39.9965G	7.76	-73.64	-74.41	-71.00	-63.24	-41.20	-22.04
5190MHz	Pass	8G	12G	PK	10.1895G	7.76	-73.54	-75.85	-71.53	-63.77	-27.00	-36.77
5190MHz	Pass	8G	12G	PK	10.3745G	7.76	-74.47	-77.32	-72.65	-64.89	-27.00	-37.89
5190MHz	Pass	12G	40G	PK	37.235G	7.76	-65.89	-67.01	-63.40	-55.64	-27.00	-28.64
5230MHz	Pass	8G	12G	AV	11.176G	7.88	-82.89	-84.32	-80.54	-72.66	-41.20	-31.46
5230MHz	Pass	12G	40G	AV	40G	7.88	-74.08	-73.06	-70.53	-62.65	-41.20	-21.45
5230MHz	Pass	8G	12G	PK	10.4625G	7.88	-69.61	-76.03	-68.72	-60.84	-27.00	-33.84
5230MHz	Pass	12G	40G	PK	37.529G	7.88	-68.05	-65.76	-63.75	-55.87	-27.00	-28.87
5270MHz	Pass	8G	12G	AV	11.176G	7.88	-83.79	-84.05	-80.91	-73.03	-41.20	-31.83
5270MHz	Pass	12G	40G	AV	40G	7.88	-74.46	-73.31	-70.84	-62.96	-41.20	-21.76
5270MHz	Pass	8G	12G	PK	10.548G	7.88	-70.20	-74.34	-68.78	-60.90	-27.00	-33.90
5270MHz	Pass	8G	12G	PK	10.5625G	7.88	-68.35	-78.86	-67.98	-60.10	-27.00	-33.10
5270MHz	Pass	12G	40G	PK	37.2035G	7.88	-67.59	-65.37	-63.33	-55.45	-27.00	-28.45
5310MHz	Pass	8G	12G	AV	10.626G	7.75	-81.83	-84.45	-79.94	-72.19	-41.20	-30.99
5310MHz	Pass	12G	40G	AV	39.9895G	7.75	-74.21	-73.74	-70.96	-63.21	-41.20	-22.01
5310MHz	Pass	8G	12G	PK	10.1445G	7.75	-73.59	-74.45	-70.99	-63.24	-27.00	-36.24
5310MHz	Pass	8G	12G	PK	10.6205G	7.75	-72.41	-77.54	-71.25	-63.50	-21.20	-42.30
5310MHz	Pass	12G	40G	PK	37.284G	7.75	-65.91	-66.07	-62.98	-55.23	-27.00	-28.23
5510MHz	Pass	8G	12G	AV	11.026G	7.60	-76.78	-84.17	-76.05	-68.45	-41.20	-27.25

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5510MHz	Pass	12G	40G	AV	40G	7.60	-73.88	-73.85	-70.85	-63.25	-41.20	-22.05
5510MHz	Pass	8G	12G	PK	10.2725G	7.60	-75.29	-73.60	-71.35	-63.75	-27.00	-36.75
5510MHz	Pass	8G	12G	PK	11.0235G	7.60	-68.50	-75.40	-67.69	-60.09	-21.20	-38.89
5510MHz	Pass	12G	40G	PK	37.179G	7.60	-64.95	-66.34	-62.58	-54.98	-27.00	-27.98
5550MHz	Pass	8G	12G	AV	11.1025G	7.60	-74.59	-79.50	-73.37	-65.77	-41.20	-24.57
5550MHz	Pass	12G	40G	AV	40G	7.60	-73.73	-73.63	-70.67	-63.07	-41.20	-21.87
5550MHz	Pass	8G	12G	PK	11.108G	7.60	-63.92	-74.36	-63.54	-55.94	-21.20	-34.74
5550MHz	Pass	12G	40G	PK	37.305G	7.60	-65.45	-66.05	-62.73	-55.13	-27.00	-28.13
5670MHz	Pass	8G	12G	AV	11.3395G	7.60	-74.41	-76.26	-72.23	-64.63	-41.20	-23.43
5670MHz	Pass	12G	40G	AV	39.993G	7.60	-74.16	-73.61	-70.87	-63.27	-41.20	-22.07
5670MHz	Pass	8G	12G	PK	11.338G	7.60	-66.18	-67.55	-63.80	-56.20	-21.20	-35.00
5670MHz	Pass	12G	40G	PK	37.396G	7.60	-64.74	-69.05	-63.37	-55.77	-27.00	-28.77
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.4225G	7.60	-72.65	-74.47	-70.46	-62.86	-41.20	-21.66
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.993G	7.60	-74.18	-73.37	-70.75	-63.15	-41.20	-21.95
5710MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.4115G	7.60	-64.40	-64.50	-61.44	-53.84	-21.20	-32.64
5710MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	37.3785G	7.60	-65.82	-66.52	-63.15	-55.55	-27.00	-28.55
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	8G	12G	AV	11.164G	7.88	-83.39	-84.12	-80.73	-72.85	-41.20	-31.65
5210MHz	Pass	12G	40G	AV	39.9895G	7.88	-73.78	-73.83	-70.79	-62.91	-41.20	-21.71
5210MHz	Pass	8G	12G	PK	10.139G	7.88	-74.97	-73.79	-71.33	-63.45	-27.00	-36.45
5210MHz	Pass	8G	12G	PK	10.4515G	7.88	-75.54	-75.23	-72.37	-64.49	-27.00	-37.49
5210MHz	Pass	12G	40G	PK	37.375G	7.88	-64.56	-68.02	-62.94	-55.06	-27.00	-28.06
5290MHz	Pass	8G	12G	AV	10.611G	7.88	-83.41	-84.78	-81.03	-73.15	-41.20	-31.95
5290MHz	Pass	8G	12G	AV	11.18G	7.88	-83.93	-84.10	-81.00	-73.12	-41.20	-31.92
5290MHz	Pass	12G	40G	AV	40G	7.88	-73.14	-74.20	-70.63	-62.75	-41.20	-21.55
5290MHz	Pass	8G	12G	PK	10.502G	7.88	-74.45	-74.25	-71.34	-63.46	-27.00	-36.46
5290MHz	Pass	8G	12G	PK	10.58G	7.88	-73.33	-76.08	-71.48	-63.60	-27.00	-36.60
5290MHz	Pass	12G	40G	PK	37.3365G	7.88	-63.90	-69.96	-62.94	-55.06	-27.00	-28.06
5530MHz	Pass	8G	12G	AV	11.0775G	7.60	-76.81	-84.20	-76.08	-68.48	-41.20	-27.28
5530MHz	Pass	12G	40G	AV	39.9965G	7.60	-73.84	-74.37	-71.09	-63.49	-41.20	-22.29
5530MHz	Pass	8G	12G	PK	10.1905G	7.60	-72.69	-76.38	-71.14	-63.54	-27.00	-36.54
5530MHz	Pass	8G	12G	PK	11.0755G	7.60	-68.09	-74.32	-67.16	-59.56	-21.20	-38.36
5530MHz	Pass	12G	40G	PK	37.3155G	7.60	-66.42	-66.21	-63.30	-55.70	-27.00	-28.70
5610MHz	Pass	8G	12G	AV	11.2425G	7.50	-77.02	-78.70	-74.77	-67.27	-41.20	-26.07
5610MHz	Pass	12G	40G	AV	39.9685G	7.50	-73.89	-74.32	-71.09	-63.59	-41.20	-22.39
5610MHz	Pass	8G	12G	PK	11.251G	7.50	-65.40	-71.88	-64.52	-57.02	-21.20	-35.82
5610MHz	Pass	12G	40G	PK	37.2385G	7.50	-66.68	-65.78	-63.20	-55.70	-27.00	-28.70
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	AV	11.3755G	7.60	-75.70	-75.66	-72.67	-65.07	-41.20	-23.87
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	AV	39.9895G	7.60	-74.03	-74.00	-71.00	-63.40	-41.20	-22.20
5690MHz Straddle 5.47-5.725GHz	Pass	8G	12G	PK	11.3805G	7.60	-65.69	-67.27	-63.40	-55.80	-21.20	-34.60
5690MHz Straddle 5.47-5.725GHz	Pass	12G	40G	PK	37.9735G	7.60	-66.30	-66.56	-63.42	-55.82	-27.00	-28.82


DG = Directional Gain;
 PX=Port X; Psum=P1+.P2+...PX

11a20_Nss1,(6Mbps)_2TX

5180MHz

CSE-PK

07/03/2020




F_Start(Hz)	F_Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.362G	-61.05	-27.00	-34.05	7.76	0.00	-68.81	-69.57	-76.75
12G	40G	1M	PK	37.1895G	-55.81	-27.00	-28.81	7.76	0.00	-63.57	-65.34	-68.33

11a20_Nss1,(6Mbps)_2TX

5180MHz

CSE-AV

07/03/2020




F_Start(Hz)	F_Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.165G	-72.97	-41.20	-31.77	7.76	0.00	-80.73	-83.86	-83.63
12G	40G	1M	AV	39.9965G	-62.94	-41.20	-21.74	7.76	0.00	-70.70	-73.13	-74.39

11a20_Nss1,(6Mbps)_2TX

CSE-PK

5200MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.399G	-60.50	-27.00	-33.50	7.88	0.00	-68.38	-68.89	-77.93
12G	40G	1M	PK	38.579G	-55.40	-27.00	-28.40	7.88	0.00	-63.28	-65.88	-66.74


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-AV

5200MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.162G	-73.00	-41.20	-31.80	7.88	0.00	-80.88	-84.81	-83.13
12G	40G	1M	AV	39.9965G	-62.67	-41.20	-21.47	7.88	0.00	-70.55	-73.26	-73.89


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-PK

5240MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.4785G	-58.19	-27.00	-31.19	7.88	0.00	-66.07	-66.68	-74.92
12G	40G	1M	PK	37.2245G	-54.66	-27.00	-27.66	7.88	0.00	-62.54	-65.42	-65.69


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-AV

5240MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.177G	-72.91	-41.20	-31.71	7.88	0.00	-80.79	-83.92	-83.68
12G	40G	1M	AV	40G	-62.61	-41.20	-21.41	7.88	0.00	-70.49	-73.96	-73.09


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-PK

5260MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.519G	-61.03	-27.00	-34.03	7.88	0.00	-68.91	-69.84	-76.06
12G	40G	1M	PK	37.291G	-54.97	-27.00	-27.97	7.88	0.00	-62.85	-66.47	-65.33


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-AV

5260MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	11.177G	-73.04	-41.20	-31.84	7.88	0.00	-80.92	-84.08	-83.79
12G	40G	1M	AV	39.9825G	-62.90	-41.20	-21.70	7.88	0.00	-70.78	-73.14	-74.55


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-PK

5300MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.597G	-60.35	-27.00	-33.35	7.88	0.00	-68.23	-68.95	-76.37
12G	40G	1M	PK	37.249G	-55.64	-27.00	-28.64	7.88	0.00	-63.52	-65.18	-68.49


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-AV

5300MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.6G	-69.26	-41.20	-28.06	7.88	0.00	-77.14	-77.83	-85.44
12G	40G	1M	AV	39.993G	-62.88	-41.20	-21.68	7.88	0.00	-70.76	-73.77	-73.78


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-PK

5320MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	PK	10.6385G	-56.21	-21.20	-35.01	7.75	0.00	-63.96	-64.19	-76.87
12G	40G	1M	PK	38.2745G	-55.45	-27.00	-28.45	7.75	0.00	-63.20	-64.72	-68.49


PX=Port X
Psum=P1+...PX

11a20_Nss1,(6Mbps)_2TX

CSE-AV

5320MHz

07/03/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	12G	1M	AV	10.643G	-66.83	-41.20	-25.63	7.75	0.00	-74.58	-75.16	-83.62
12G	40G	1M	AV	40G	-62.93	-41.20	-21.73	7.75	0.00	-70.68	-73.36	-74.04

PX=Port X
Psum=P1+...PX