

1522 Label Location



Label Format

AIR-CAP1552E-A-K9

802.11n Outdoor Mesh Access Point
Power Input: 100-480V~, 50/60Hz, 1.0A
PoE In: 42-56 V \equiv , 1.5A

FCC ID: LDK102074P
IC: 2461B-102074P

Cisco Systems, Inc. Watertight IP67Type
170 West Tasman Drive 4 Enclosure
San Jose, CA 95134
USA

See Manual before Use

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference and 2) this device must accept any interference received, including interference that may cause undesired operation.



47-23553-01_01

<http://cisco-returns.com>

AIR-CAP1552I-A-K9

802.11n Outdoor Mesh Access Point
Power Input: 100-480V~, 50/60Hz, 1.0A
PoE In: 42-56 V \equiv , 1.5A

FCC ID: LDK102074P
IC: 2461B-102074P

Cisco Systems, Inc. Watertight IP67Type
170 West Tasman Drive 4 Enclosure
San Jose, CA 95134
USA

See Manual before Use

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference and 2) this device must accept any interference received, including interference that may cause undesired operation.



47-23553-01_01

<http://cisco-returns.com>

