




Receiver Radiated Emissions

Radiated Receiver Spurs, All Rates, All Modes, Average




Radiated Receiver Spurs, All Rates, All Modes, Peak






Conducted Emissions




Frequency MHz	Raw dBuV	Cable Loss	Factors dB	Level dBuV	Measurement Type	Line	Limit dBuV	Margin dB	Pass /Fail	Comments
0.155687	25.7	21.4	1.6	48.7	Av	N	55.7	-7	Pass	
0.155687	29.8	21.4	1.6	52.8	Qp	N	65.7	-12.9	Pass	
0.538798	14	20.1	0.6	34.6	Qp	N	56	-21.4	Pass	
0.538798	-2.7	20.1	0.6	18	Av	N	46	-28	Pass	
1.027	15.3	20	0.5	35.9	Qp	N	56	-20.1	Pass	
1.027	2.4	20	0.5	23	Av	N	46	-23	Pass	
1.645	14.1	20.2	0.5	34.7	Qp	L	56	-21.3	Pass	
1.645	3.7	20.2	0.5	24.3	Av	L	46	-21.7	Pass	
2.359	6.5	20.3	0.5	27.3	Av	N	46	-18.7	Pass	
2.359	16	20.3	0.5	36.7	Qp	N	56	-19.3	Pass	
3.617	7.3	20.4	0.5	28.3	Av	N	46	-17.7	Pass	
3.617	16.8	20.4	0.5	37.7	Qp	N	56	-18.3	Pass	






Radiated Emissions



Test Results Table

Frequency MHz	Raw dBuV	Cable Loss	AF dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	Margin dB	Pass /Fail	Comments
36.355	34.7	0.6	-10.1	25.2	Qp	V	208	102	30	-4.8	Pass	
43.321	37.9	0.6	-15.1	23.4	Qp	V	350	138	30	-6.6	Pass	
47.511	42.6	0.7	-17.6	25.6	Qp	V	261	78	30	-4.4	Pass	
52.426	40.3	0.7	-19.1	22	Qp	V	221	121	30	-8	Pass	
250.015	34.1	1.5	-14.1	21.5	Qp	V	111	195	37	-15.5	Pass	
375.005	30.6	1.8	-11.1	21.3	Qp	V	101	186	37	-15.7	Pass	
1000	24.8	3	-3.1	24.7	Qp	V	283	60	37	-12.3	Pass	



Title: Radiated Emissions Configuration Photograph