


Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B



Antenna C



Center Fre

CF Ste

Freq Offse

Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna B

Ref 0.00 dBm

Antenna A



Antenna D



Trig: Free Run #Atten: 10 dB



Center Fre

CF Ste

Freq Offse

Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



9 10 11 12


Antenna B

Ref 0.00 dBm

Antenna A



Antenna C Antenna D



Trig: Free Run EAtten: 10 dB



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3






Antenna C



Antenna B




Antenna D



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna B





Antenna C



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3

Antenna B






Antenna A


Antenna C

Page No: 209 of 321




Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A



Antenna B



Antenna C

Antenna D



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B



Antenna C

Antenna D



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna C



Antenna B



Antenna D



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1







Antenna B



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Average, 5300 / 5320 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C


Antenna D













Antenna B








Antenna A

Antenna C


Antenna B








Antenna C




Antenna B



Antenna D








Antenna A

Antenna B







Antenna B




Antenna C







Antenna C



Antenna B



Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Antenna A

Page No: 223 of 321



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna A


Antenna B



Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B




Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1








Antenna C



Antenna B



Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B



Antenna C

Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3






Antenna C



Antenna B




Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

| Context | Section | Sect


Antenna C

Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B




Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C

Antenna D




Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna C



Antenna B



Antenna D



Center Fre

CF Ste

Freq Offse


Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna C




Trig: Free Run


Ref 0.00 dBm

Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C




Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna C




Antenna B




Antenna D













Antenna A Antenna B








Antenna B



Antenna C










Antenna B



Antenna C


Antenna D

Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna A

Antenna B




Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna B



Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C


Antenna D



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C


Antenna D



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

Antenna B



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B



Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A

Center Freq 5.405000000 GHz | Find Free Ram |

Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



Conducted Bandedge Peak, 5260 / 5280 / 5300 / 5320 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1








Antenna B




Antenna C

Antenna D













Antenna B








Antenna B



Antenna C







Antenna A

Application Another Section And Sectio

Antenna B




Antenna C

Antenna D




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1





Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna B




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A





Antenna C

Antenna B



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna A

Antenna B





Antenna C


Antenna D




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna B




Antenna C



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A

4 Section 2 Sect




Antenna C

Antenna B



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C

Antenna D



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C




Conducted Bandedge Peak, 5300 / 5320 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Center Freq 5.40500000 GHz With rear Care Trigs Free Rin Brisin Law Ref 0.00 dBm Ref 0.00 dBm Ref 0.00 dBm Center Freq 5.40500000 GHz Start 5.35000 GHz



Antenna B



Antenna C

Antenna D














Antenna A Antenna B







Antenna B



Antenna C







Antenna A



Antenna C



Antenna B



Antenna D









Antenna B








Antenna B




Antenna C









Antenna B




Antenna C

Antenna D




Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna A Antenna B




Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3





Antenna B




Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna B





Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

Antenna B




Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna B




Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna B




Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B



Antenna C


Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A

Antenna C

Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1








Antenna B



Antenna C

Antenna D



Page No: 318 of 321



Maximum Permissible Exposure (MPE) Calculations

15.407: U-NII devices are subject to the radio frequency radiation exposure requirements specified in Sec. 1.1307(b), Sec. 2.1091 and Sec. 2.1093 of this chapter, as appropriate. All equipment shall be considered to operate in a ``general population/uncontrolled" environment. Applications for equipment authorization of devices operating under this section must contain a statement confirming compliance with these requirements for both fundamental emissions and unwanted emissions. Technical information showing the basis for this statement must be submitted to the Commission upon request.

Given

 $E=\sqrt{(30*P*G)}/d$ and $S=E^2/3770$

where

E=Field Strength in Volts/meter

P=Power in Watts

G=Numeric Antenna Gain

d=Distance in meters

S=Power Density in mW/cm^2

Combine equations and rearrange the terms to express the distance as a function of the remaining variables:

 $d=\sqrt{((30*P*G)/(3770*S))}$

Changing to units of power in mW and distance in cm, using:

P(mW)=P(W)/1000

d(cm)=100*d(m)

vields

 $d=100*\sqrt{((30*(P/1000)*G)/(3770*S))}$

 $d=0.282*\sqrt{(P*G/S)}$

where

d=Distance in cm

P=Power in mW

G=Numerica Antenna Gain

S=Power Density in mW/cm^2

Substituting the logarithmic form of power and gain using:

 $P(mW)=10^{(P(dBm)/10)}$

 $G(numeric)=10^{(G(dBi)/10)}$

yields

 $d=0.282*10^{(P+G)/20}/\sqrt{S}$

Equation (1)

and

 $s=((0.282*10^{((P+G)/20))/d)^2$

Equation (2)

where

d=MPE distance in cm

P=Power in dBm

G=Antenna Gain in dBi

S=Power Density in mW/cm^2

Page No: 319 of 321



Equation (1) and the measured peak power are used to calculate the MPE distance. Note that for mobile or fixed location transmitters such as an access point, the minimum separation distance is 20 cm even if the calculations indicate that the MPE distance may be less.

S=1mW/cm² maximum. The highest supported antenna gain is 5 dBi. Using the peak power levels recorded in the test report along with Equation 1 above, the MPE distances are calculated as follows.

			Peak				
		Power	Transmit	Antenna	MPE		
Frequency	Bit Rate	Density	Power	Gain	Distance	Limit	Margin
(MHz)	(Mbps)	(mW/cm^2)	(dBm)	(dBi)	(cm)	(cm)	(cm)
5260/5280	MO	1	22.2	5	6.46	20	13.54

MPE Calculations

To maintain compliance, installations will assure a separation distance of at least 20cm.

Using Equation 2, the MPE levels (s) at 20 cm are calculated as follows:

			Peak				
		MPE	Transmit	Antenna	Power		
Frequency	Bit Rate	Distance	Power	Gain	Density	Limit	Margin
(MHz)	(Mbps)	(cm)	(dBm)	(dBi)	(mW/cm^2)	(mW/cm^2)	(mW/cm^2)
5260/5280	M0	20	22.2	5	0.10	1	0.90

Page No: 320 of 321



Appendix C: Test Equipment/Software Used to perform the test

Equip #	Manufacturer	Model	Description	Last Cal	Next Due
CIS049381	Agilent	N9030A	Spectrum Analyzer	28-Aug-12	28-Aug-13

Page No: 321 of 321