



# Conducted Spurs Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Conducted Spurs Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



Conducted Spurs Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna A Antenna B



Conducted Spurs Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Spurs Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



Conducted Spurs Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3






Antenna B




Antenna C




# Conducted Spurs Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D



## Conducted Spurs Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C

Antenna D



Conducted Spurs Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna A Antenna B



Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A


Antenna B



Antenna C



Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna B





Antenna C




Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B





Antenna C

Antenna D




Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2













Antenna C

Antenna D




Conducted Spurs Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B





Antenna C

Antenna D



Conducted Spurs Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Spurs Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C



# Conducted Spurs Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C

Antenna D



# Conducted Bandedge

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

Use the procedures in 718828 D01 DTS Meas Guidance v01 to substitute conducted measurements in place of radiated measurements.

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Be sure to enter all losses between the transmitter output and the spectrum analyzer.

Reference Level: 10 dBm Attenuation: 4 dB Sweep Time: Coupled Resolution Bandwidth: 1MHz

Video Bandwidth: 1 MHz for peak, 100 Hz for average

Detector: Peak

Save 2 plots: 1) Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV @3m)

2) Peak plot (Vertical and Horizontal), Limit = -21.25 dBm eirp (74dBuV @3m)

Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands.

The "measure-and-sum technique" is used for measuring in-band transmit power of a device. In the measure-and-sum approach, the conducted emission level is measured at each antenna port. The measured results at the various antenna ports are then summed mathematically to determine the total emission level from the device. Summing is performed in linear power units.

This report represents the worst case data for all supported operating modes and antennas.

Page No: 421 of 590



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
	Non HT/VHT80, 6 to 54 Mbps	1	6	-47.9	<b>-</b> 0.0			-41.9	-41.25	0.6
	Non HT/VHT80, 6 to 54 Mbps	2	6	-51.7	-53.9	<b>5</b> 2.6		-43.7	-41.25	2.4
	Non HT/VHT80, 6 to 54 Mbps	3	6	-54.7	-54.7	-53.6	F2 F	-43.5	-41.25	2.3
	Non HT/VHT80, 6 to 54 Mbps	4	6	-54.7	-54.7	-53.6	-53.5	-42.1	-41.25	0.8
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-47.7	<b>-</b> 1.0			-41.7	-41.25	0.5
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-51.2	-51.6			-42.4	-41.25	1.1
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-51.2	-51.6	<b>70</b> 6		-42.4	-41.25	1.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-52.5	-52.7	-52.6		-41.8	-41.25	0.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-52.5	-52.7	-52.6		-41.8	-41.25	0.6
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-52.5	-52.7	-52.6		-41.8	-41.25	0.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-53.7	-54.0	-53.7	-55.7	-42.2	-41.25	0.9
5290	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-53.7	-54.0	-53.7	-55.7	-42.2	-41.25	0.9
5	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-53.7	-54.0	-53.7	-55.7	-42.2	-41.25	0.9
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-53.7	-54.0			-41.8	-41.25	0.6
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-51.2	-51.6			-42.4	-41.25	1.1
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-57.5	-57.0	-56.8		-41.5	-41.25	0.3
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-56.5	-55.7	-55.7		-43.4	-41.25	2.1
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-52.5	-52.7	-52.6		-41.8	-41.25	0.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-59.7	-59.0	-59.5	-59.1	-41.3	-41.25	0.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-57.5	-57.0	-56.8	-57.8	-42.2	-41.25	1.0
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-56.5	-55.7	-55.7	-56.9	-42.9	-41.25	1.7
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-51.2	-51.6			-42.4	-41.25	1.1
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-52.5	-52.7	-52.6		-41.8	-41.25	0.6
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-53.7	-54.0	-53.7	-55.7	-42.2	-41.25	0.9
	Non HT/VHT40, 6 to 54 Mbps	1	6	-48.4				-42.4	-41.25	1.2
	Non HT/VHT40, 6 to 54 Mbps	2	6	-52.4	-50.8			-42.5	-41.25	1.3
	Non HT/VHT40, 6 to 54 Mbps	3	6	-54.1	-52.7	-54.3		-42.9	-41.25	1.6
0.	Non HT/VHT40, 6 to 54 Mbps	4	6	-54.1	-52.7	-54.3	-54.7	-41.9	-41.25	0.6
5310	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-48.9				-42.9	-41.25	1.7
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-50.9	-51.8			-42.3	-41.25	1.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-50.9	-51.8			-42.3	-41.25	1.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-52.3	-53.3	-53.6		-42.3	-41.25	1.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-52.3	-53.3	-53.6		-42.3	-41.25	1.0

Page No: 422 of 590



	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-52.3	-53.3	-53.6		-42.3	-41.25	1.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-52.3	-53.3	-53.6	-54.5	-41.3	-41.25	0.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-52.3	-53.3	-53.6	-54.5	-41.3	-41.25	0.1
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-52.3	-53.3	-53.6	-54.5	-41.3	-41.25	0.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-53.7	-54.6			-42.1	-41.25	0.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-50.9	-51.8			-42.3	-41.25	1.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-56.4	-58.9	-58.2		-42.1	-41.25	0.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-53.7	-54.6	-55.1		-41.9	-41.25	0.6
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-52.3	-53.3	-53.6		-42.3	-41.25	1.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-60.0	-59.5	-60.0	-60.7	-42.0	-41.25	0.8
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-54.9	-56.6	-56.3	-58.7	-41.4	-41.25	0.2
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-53.7	-54.6	-55.1	-55.6	-41.5	-41.25	0.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-50.9	-51.8			-42.3	-41.25	1.1
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-52.3	-53.3	-53.6		-42.3	-41.25	1.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-52.3	-53.3	-53.6	-54.5	-41.3	-41.25	0.1
	Non HT/VHT20, 6 to 54 Mbps	1	6	-50.6				-44.6	-41.25	3.4
	Non HT/VHT20, 6 to 54 Mbps	2	6	-53.9	-53.6			-44.7	-41.25	3.5
	Non HT/VHT20, 6 to 54 Mbps	3	6	-57.5	-58.2	-59.2		-47.5	-41.25	6.2
	Non HT/VHT20, 6 to 54 Mbps	4	6	-60.5	-59.8	-60.2	-62.3	-48.6	-41.25	7.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-55.1	-54.6			-42.8	-41.25	1.6
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-60.5	-59.8	-60.2		-44.6	-41.25	3.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-63.1	-61.3	-64.0	-62.5	-44.6	-41.25	3.3
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-50.2				-44.2	-41.25	3.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-52.8	-53.1			-43.9	-41.25	2.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-50.2	-51.1			-41.6	-41.25	0.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-58.7	-58.1	-58.6		-47.7	-41.25	6.4
)	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-52.8	-53.1	-53.8		-42.4	-41.25	1.2
5320	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-52.8	-53.1	-53.8		-42.4	-41.25	1.2
<b>L</b> )	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-59.4	-60.7	-59.6	-61.2	-48.1	-41.25	6.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-56.9	-55.9	-56.6	-58.1	-44.8	-41.25	3.5
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-54.9	-54.8	-55.2	-55.9	-43.2	-41.25	1.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-54.9	-54.8			-42.8	-41.25	1.6
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-50.2	-51.1			-41.6	-41.25	0.4
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-59.4	-60.7	-59.6		-44.3	-41.25	3.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-56.9	-55.9	-56.6		-43.9	-41.25	2.6
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-52.8	-53.1	-53.8		-42.4	-41.25	1.2
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-63.1	-62.6	-63.1	-64.3	-45.2	-41.25	4.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-59.8	-60.0	-60.1	-60.2	-45.0	-41.25	3.8
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-56.9	-55.9	-56.6	-58.1	-43.6	-41.25	2.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-50.2	-51.1			-41.6	-41.25	0.4

Page No: 423 of 590

Custom EMC Test Report No: EDCS - 1325331



HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-52.8	-53.1	-53.8		-42.4	-41.25	1.2
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-56.9	-55.9	-56.6	-58.1	-44.8	-41.25	3.5

Page No: 424 of 590



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
	Non HT/VHT80, 6 to 54 Mbps	1	6	-29.4				-23.4	-21.25	2.2
	Non HT/VHT80, 6 to 54 Mbps	2	6	-39.1	-42.5			-31.5	-21.25	10.2
	Non HT/VHT80, 6 to 54 Mbps	3	6	-47.0	-39.2	-44.1		-31.5	-21.25	10.2
	Non HT/VHT80, 6 to 54 Mbps	4	6	-47.0	-39.2	-44.1	-39.2	-29.2	-21.25	8.0
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-32.8				-26.8	-21.25	5.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-38.3	-37.9			-29.1	-21.25	7.8
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-38.3	-37.9			-29.1	-21.25	7.8
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-38.5	-41.5	-38.5		-28.5	-21.25	7.3
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-38.5	-41.5	-38.5		-28.5	-21.25	7.3
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-38.5	-41.5	-38.5		-28.5	-21.25	7.3
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-39.9	-38.7	-40.1	-42.0	-28.0	-21.25	6.8
5290	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-39.9	-38.7	-40.1	-42.0	-28.0	-21.25	6.8
52	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-39.9	-38.7	-40.1	-42.0	-28.0	-21.25	6.8
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-39.9	-38.7			-27.2	-21.25	6.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-38.3	-37.9			-29.1	-21.25	7.8
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-41.8	-41.5	-41.0		-25.8	-21.25	4.6
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-41.4	-39.8	-39.5		-27.6	-21.25	6.3
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-38.5	-41.5	-38.5		-28.5	-21.25	7.3
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-42.5	-46.0	-41.6	-42.0	-24.7	-21.25	3.5
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-41.8	-41.5	-41.0	-40.8	-26.2	-21.25	5.0
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-41.4	-39.8	-39.5	-40.9	-27.1	-21.25	5.9
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-38.3	-37.9			-29.1	-21.25	7.8
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-38.5	-41.5	-38.5		-28.5	-21.25	7.3
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-39.9	-38.7	-40.1	-42.0	-28.0	-21.25	6.8
	Non HT/VHT40, 6 to 54 Mbps	1	6	-32.6				-26.6	-21.25	5.4
	Non HT/VHT40, 6 to 54 Mbps	2	6	-32.6	-31.1			-22.8	-21.25	1.5
	Non HT/VHT40, 6 to 54 Mbps	3	6	-38.3	-42.3	-40.9		-29.4	-21.25	8.2
0	Non HT/VHT40, 6 to 54 Mbps	4	6	-38.3	-42.3	-40.9	-43.1	-28.7	-21.25	7.5
5310	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-34.2				-28.2	-21.25	7.0
u )	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-38.0	-43.2			-30.9	-21.25	9.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-38.0	-43.2			-30.9	-21.25	9.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-41.9	-45.6	-43.1		-32.5	-21.25	11.3
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-41.9	-45.6	-43.1		-32.5	-21.25	11.3
,	Page No.			-	-					

Page No: 425 of 590



	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-41.9	-45.6	-43.1		-32.5	-21.25	11.3
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-41.9	-45.6	-43.1	-45.8	-31.8	-21.25	10.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-41.9	-45.6	-43.1	-45.8	-31.8	-21.25	10.5
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-41.9	-45.6	-43.1	-45.8	-31.8	-21.25	10.5
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-46.1	-46.2			-34.1	-21.25	12.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-38.0	-43.2			-30.9	-21.25	9.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-45.3	-44.9	-48.3		-30.4	-21.25	9.1
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-46.1	-46.2	-44.5		-33.0	-21.25	11.7
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-41.9	-45.6	-43.1		-32.5	-21.25	11.3
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.7	-46.6	-47.8	-48.4	-29.8	-21.25	8.5
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-45.9	-44.9	-47.5	-48.1	-31.4	-21.25	10.1
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-46.1	-46.2	-44.5	-46.6	-32.6	-21.25	11.3
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-38.0	-43.2			-30.9	-21.25	9.6
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-41.9	-45.6	-43.1		-32.5	-21.25	11.3
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-41.9	-45.6	-43.1	-45.8	-31.8	-21.25	10.5
	Non HT/VHT20, 6 to 54 Mbps	1	6	-41.3				-35.3	-21.25	14.1
	Non HT/VHT20, 6 to 54 Mbps	2	6	-39.8	-41.9			-31.7	-21.25	10.5
	Non HT/VHT20, 6 to 54 Mbps	3	6	-46.2	-47.0	-48.6		-36.4	-21.25	15.1
	Non HT/VHT20, 6 to 54 Mbps	4	6	-47.6	-47.6	-47.7	-47.8	-35.7	-21.25	14.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-43.1	-45.7			-32.2	-21.25	10.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-47.6	-47.6	-47.7		-32.1	-21.25	10.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.8	-52.1	-48.9	-48.4	-31.0	-21.25	9.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-32.4				-26.4	-21.25	5.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-35.7	-38.2			-27.8	-21.25	6.5
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-32.4	-29.7			-21.8	-21.25	0.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-48.0	-43.6	-48.0		-35.2	-21.25	14.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-35.7	-38.2	-38.5		-26.5	-21.25	5.3
5320	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-35.7	-38.2	-38.5		-26.5	-21.25	5.3
L)	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-47.7	-50.5	-48.1	-48.6	-36.6	-21.25	15.3
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-43.8	-40.9	-43.5	-46.4	-31.2	-21.25	9.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-40.0	-40.3	-41.6	-42.9	-29.0	-21.25	7.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-40.0	-40.3			-28.1	-21.25	6.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-32.4	-29.7			-21.8	-21.25	0.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-47.7	-50.5	-48.1		-33.0	-21.25	11.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-43.8	-40.9	-43.5		-30.0	-21.25	8.7
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-35.7	-38.2	-38.5		-26.5	-21.25	5.3
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.9	-48.4	-50.0	-49.6	-31.2	-21.25	9.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-49.4	-47.3	-47.7	-49.0	-33.2	-21.25	12.0
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-43.8	-40.9	-43.5	-46.4	-30.0	-21.25	8.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-32.4	-29.7			-21.8	-21.25	0.6

Page No: 426 of 590

Custom EMC Test Report No: EDCS - 1325331



HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-35.7	-38.2	-38.5		-26.5	-21.25	5.3
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-43.8	-40.9	-43.5	-46.4	-31.2	-21.25	9.9

Page No: 427 of 590






Antenna A

Page No: 428 of 590








Antenna A Antenna B








Antenna B



Antenna C










Antenna B




Antenna C

Antenna D



## Conducted Bandedge Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna A

Page No: 432 of 590



Conducted Bandedge Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Average, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna B



Conducted Bandedge Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Average, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna A

Antenna B




Antenna C



Conducted Bandedge Average, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B




Antenna C




Conducted Bandedge Average, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C

Antenna D



Center Fre

CFSte

Freq Offse

## Conducted Bandedge Average, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Antenna B

Ref -10.00 dBm

## Antenna A

Antenna C





Trig: Free Run


-54.02 dSm -63.31 dSm

5.350 00 GHz 5.439 98 GHz

Antenna D



Conducted Bandedge Average, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3








Antenna C



Antenna B



Antenna D



Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna B



Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C



Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

Antenna B




Antenna C



Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B



Antenna C



Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1








Antenna C



Antenna B



Antenna D




Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2








Antenna C



Antenna B



Antenna D




Conducted Bandedge Average, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3








Antenna C




Antenna B




Antenna D



Conducted Bandedge Average, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B



Conducted Bandedge Average, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna B





Antenna C



Conducted Bandedge Average, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1








Antenna C




Antenna B



Antenna D






Antenna A

Page No: 452 of 590







Antenna A

Antenna B







Antenna B



Antenna C








Antenna C




Antenna B



Antenna D



## Conducted Bandedge Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A

Page No: 456 of 590



Conducted Bandedge Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B



Conducted Bandedge Average, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna B




Conducted Bandedge Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Average, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2





Antenna B




Antenna C



Conducted Bandedge Average, 5310 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C



Conducted Bandedge Average, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1








Antenna C Antenna D



Antenna B






## Conducted Bandedge Average, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna B



Antenna C

Antenna D




Conducted Bandedge Average, 5310 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3






Antenna C



Antenna B



Antenna D



Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna A Antenna B




Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A


Antenna B



Antenna C



Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B



Antenna C



Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Trig Free Run



Antenna B



Antenna C

Antenna D




Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2








Antenna C



Antenna B




Antenna D



Conducted Bandedge Average, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B





Antenna C

Antenna D



Conducted Bandedge Average, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Average, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C




# Conducted Bandedge Average, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1








Antenna B




Antenna C

Antenna D











Antenna A Antenna B


Page No: 477 of 590







Antenna B



Antenna C



Center Fre


Conducted Bandedge Average, 5320 MHz, Non HT/VHT20, 6 to 54 Mbps







Antenna C




Trig: Free Run


Ref -10.00 dBm

Antenna D



Conducted Bandedge Average, 5320 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps





Antenna B



Conducted Bandedge Average, 5320 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps





Antenna B



Antenna C



Conducted Bandedge Average, 5320 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps






Antenna C




Antenna B



Antenna D



### Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna A

Page No: 483 of 590



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3





Antenna B




Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1








Antenna C




Antenna B




Antenna D




### Conducted Bandedge Average, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B



Antenna C

Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3





Antenna C



Antenna B




Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B




Antenna C




Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

Antenna B




Antenna C



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A

Antenna B



Antenna C




Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1








Antenna C



Antenna B



Antenna D




### Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna C



Antenna B




Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Center Fre

CFSte

Freq Offse


Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1







Antenna C



Trig Free Run

Ref -10.00 dBm

Antenna D






Antenna A

Page No: 503 of 590









Antenna A Antenna B









Antenna B



Antenna C















Antenna C

Antenna D



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna A Antenna B



Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna A

Antenna B



Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna B



Antenna C



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna B




Antenna C



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C


Antenna D



Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C

Antenna D



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





#### Antenna A

# ### Programmer | P

Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna B



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna B




Antenna C



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna B




Antenna C



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2











Antenna C

Antenna D



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



# Conducted Bandedge Peak, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





#### Antenna A

# 

Antenna B



Antenna C

Antenna D





Antenna A

Page No: 527 of 590








Antenna A

Antenna B








Antenna B




Antenna C









Antenna B



Antenna C

Antenna D



# Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1




Antenna A

Page No: 531 of 590



Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1





Antenna B



Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna A Antenna B




Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



# Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3






Antenna B




Antenna C



Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna B





Antenna C


Antenna D



Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C

Antenna D



# Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna A

Antenna B



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna B



Antenna C



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





### Antenna A



#VBW 1.0 MHz

Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





### Antenna A

# | Application |

Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3





### Antenna A



#VBW 1.0 MHz

Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1







Antenna B



# Conducted Bandedge Peak, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



# Conducted Bandedge Peak, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1








Antenna B



Antenna C

Antenna D











Antenna A

Antenna B







### Antenna A


### Center Freq 5.405000000 GHz
| Win Feet |


Antenna C


Page No: 553 of 590

Antenna B









Antenna B



Antenna C

Antenna D








Antenna A Antenna B







Antenna B




Antenna C









Antenna B




Antenna C

Antenna D



# Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A

Page No: 558 of 590



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna A Antenna B




Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna B



Antenna C




# Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C



# Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C


Antenna D




Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C

Antenna D



# Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3







Antenna B





Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna A Antenna B




Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B



Antenna C




Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna B





Antenna C




# Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2









Antenna C

Antenna B



Antenna D



# Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna B



# Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



# Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1








Antenna B



Antenna C

Antenna D





Page No: 578 of 590



### Appendix B: Emission Test Results

Testing Laboratory: Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134, USA

# Radiated Spurious Emissions

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

Using Vasona, configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer). Place the radio in continuous transmit mode.

Span: 1GHz – 18 GHz
Reference Level: 80 dBuV
Attenuation: 10 dB
Sweep Time: Coupled
Resolution Bandwidth: 1MHz

Video Bandwidth: 1 MHz for peak, 10 Hz for average

Detector: Peak

Maximize Turntable (find worst case table angle), Maximize Antenna (find worst case height)

Save 2 plots: 1) Average Plot (Vertical and Horizontal), Limit= 54dBuV @3m

2) Peak plot (Vertical and Horizontal), Limit = 74dBuV @3m


Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands.

This report represents the worst case data for all supported operating modes and antennas. There are no measurable emissions above 18 GHz.




# **Transmitter Radiated Spurious Emissions**






### Radiated Transmitter Spurs 5280MHz, All Rates, All Modes, Average




Page No: 580 of 590







## Radiated Transmitter Spurs 5280MHz, All Rates, All Modes, Peak



Page No: 581 of 590




# **Receiver Radiated Spurious Emissions**






### Radiated Receiver Spurs, All Rates, All Modes, Peak





**Test Setup for Conducted Measurements** 




**Test Setup for Radiated Measurements** 

Page No: 583 of 590



# **Conducted Emissions**



Test Result Table										
Frequency MHz	Raw dBuV	Cable Loss	Factors dB	Level dBuV	Measurement Type	Line	Limit dBuV	Margin dB	Pass /Fail	Comments
0.168	29.9	21.2	0.2	51.3	Qp	L	65.1	-13.7	Pass	
0.256	21.3	20.7	0.1	42.1	Qp	L	61.6	-19.5	Pass	
0.222	23.9	20.9	0.1	44.9	Ор	L	62.7	-17.9	Pass	
2.695	19	20	0	39	Ор	L	56	-17	Pass	
0.826	16.7	20	0	36.7	Ор	L	56	-19.3	Pass	
0.618	14.2	20	0	34.3	Ор	L	56	-21.7	Pass	
0.293	17.7	20.6	0	38.3	Ор	N	60.4	-22.1	Pass	
1.07	18.4	20	0	38.4	Ор	N	56	-17.6	Pass	
2.834	17.2	20	0	37.2	Ор	N	56	-18.8	Pass	
0.166	30.8	21.3	0.2	52.3	Ор	N	65.2	-12.9	Pass	
2.221	18.6	20	0	38.7	Qp	N	56	-17.3	Pass	
4.111	15.3	20	0	35.4	Ор	N	56	-20.6	Pass	
0.168	17	21.2	0.2	38.4	Av	L	55.1	-16.7	Pass	
0.256	-0.4	20.7	0.1	20.4	Av	L	51.6	-31.2	Pass	
0.222	1.4	20.9	0.1	22.4	Av	L	52.7	-30.3	Pass	
2.695	7	20	0	27.1	Av	L	46	-18.9	Pass	
0.826	5.5	20	0	25.6	Av	L	46	-20.4	Pass	
0.618	0.9	20	0	21	Av	L	46	-25	Pass	
0.293	8	20.6	0	28.6	Av	N	50.4	-21.8	Pass	
1.07	7	20	0	27	Av	N	46	-19	Pass	
2.834	4	20	0	24	Av	N	46	-22	Pass	
0.166	18.2	21.3	0.2	39.6	Av	N	55.2	-15.5	Pass	
2.221	6.5	20	0	26.5	Av	N	46	-19.5	Pass	
4.111	3.5	20	0	23.6	Av	N	46	-22.4	Pass	


Page No: 584 of 590



**Test Setup for Conducted Measurements** 




# Radiated emissions



Test Result Table												
Frequency MHz	Raw dBuV	Cable Loss	AF dB	Level dBuV/m	Measurement Type	Pol	Hgt cm	Azt Deg	Limit dBuV/m	Margin dB	Pass /Fail	Comments
30.449	22.5	0.7	-6.8	16.3	Qp	V	149	290	30	-13.7	Pass	
63.207	38.4	1	-20.2	19.2	Ор	V	197	87	30	-10.8	Pass	
144.011	34	1.4	-14.9	20.5	Ор	V	119	255	30	-9.5	Pass	
77.91	35.5	1.1	-19.8	16.8	Ор	V	119	19	30	-13.2	Pass	
853.084	20.6	3.3	-6.4	17.5	Qp	V	274	6	37	-19.5	Pass	
168.944	27.9	1.5	-15.7	13.7	Qp	V	115	34	30	-16.3	Pass	





Page No: 587 of 590



# Maximum Permissible Exposure (MPE) Calculations

15.407: U-NII devices are subject to the radio frequency radiation exposure requirements specified in Sec. 1.1307(b), Sec. 2.1091 and Sec. 2.1093 of this chapter, as appropriate. All equipment shall be considered to operate in a ``general population/uncontrolled" environment. Applications for equipment authorization of devices operating under this section must contain a statement confirming compliance with these requirements for both fundamental emissions and unwanted emissions. Technical information showing the basis for this statement must be submitted to the Commission upon request.

Given

 $E=\sqrt{(30*P*G)}/d$  and  $S=E^2/3770$ 

where

E=Field Strength in Volts/meter

P=Power in Watts

G=Numeric Antenna Gain

d=Distance in meters

S=Power Density in mW/cm^2

Combine equations and rearrange the terms to express the distance as a function of the remaining variables:

 $d=\sqrt{((30*P*G)/(3770*S))}$ 

Changing to units of power in mW and distance in cm, using:

P(mW)=P(W)/1000 d(cm)=100\*d(m)

yields

 $d=100*\sqrt{((30*(P/1000)*G)/(3770*S))}$ 

d=0.282\*√(P\*G/S)

where

d=Distance in cm

P=Power in mW

G=Numerica Antenna Gain

S=Power Density in mW/cm^2

Substituting the logarithmic form of power and gain using:

 $P(mW)=10^{(P(dBm)/10)}$   $G(numeric)=10^{(G(dBi)/10)}$ 

yields

 $d=0.282*10^{(P+G)/20}/\sqrt{S}$  Equation (1)

and

 $s=((0.282*10^{(P+G)/20)})/d)^2$  Equation (2)

where

d=MPE distance in cm

P=Power in dBm

G=Antenna Gain in dBi

S=Power Density in mW/cm^2

Page No: 588 of 590



Equation (1) and the measured peak power are used to calculate the MPE distance. Note that for mobile or fixed location transmitters such as an access point, the minimum separation distance is 20 cm even if the calculations indicate that the MPE distance may be less.

S=1mW/cm^2 maximum. The highest supported antenna gain is 6 dBi (9dBi with beamforming). Using the peak power levels recorded in the test report along with Equation 1 above, the MPE distances are calculated as follows.

### **MPE Calculations:**

Frequency (MHz)	Power Density (mW/cm^2)	Peak Transmit Power (dBm)	Antenna Gain (dBi)	MPE Distance (cm)	Limit (cm)	Margin (cm)
5260	1	19.7	6	5.44	20	14.56
5270	1	19.9	6	5.56	20	14.44

To maintain compliance, installations will assure a separation distance of at least 20cm.

Using Equation 2, the MPE levels (s) at 20 cm are calculated as follows:

	MPE Distance	Peak Transmit Power	Antenna Gain	Power Density	Limit (mW/cm	Margin (mW/cm
Frequency (MHz)	(cm)	(dBm)	(dBi)	(mW/cm^2)	^2)	^2)
5260	20	19.7	6	0.07	1	0.93
5270	20	19.9	6	0.08	1	0.92

Page No: 589 of 590



# Appendix C: Test Equipment/Software Used to perform the test

Equip No	Manufacturer	Model	Description	Cal Due Date	
30562	Micro-Coax	UFB311A-1-0950-504504	RF Coaxial Cable, to 18GHz, 95 in	6/26/2014	
46702	Stanley	33-605	10 Meter Tape Measure	11/1/2013	
32806	Sunol Sciences	JB1	Combination Antenna	1/24/2014	
27234	York	CNE V	Comparison Noise Emitter		
41929	Newport	iBTHP-5-DB9	5 inch Temp/RH/Press Sensor w/20ft cable	12/12/2013	
25651	Micro-Coax	UFB311A-1-3150-504504	Rf Coaxial Cable 315.0 in to 18GHz	2/13/2014	
8320	Times Microwave Systems	RG-214	3 ft RG-214 Cable	11/19/2013	
47410	Agilent	N9038A	EMI Receiver	1/15/2014	
21116	Micro-Coax	UFB311A-0-3540-520520	RF Coaxial Cable, to 18GHz, 354 in	2/20/2014	
18313	HP	8447D	RF Preamplifier	1/8/2014	
8195	TTE	H613-150K-50-21378	Hi Pass Filter - 150KHz cutoff	1/4/2014	
8496	Fischer Custom Communications	FCC-450B-2.4-N	Instrumentation Limiter	5/20/2014	
47300	Agilent Technologies	N9038A	MXE EMI Receiver 20Hz to 26.5 Ghz	11/13/2013	
49560	Bird	5-T-MB	5W 50 Ohm BNC Termination 4GHz	8/9/2014	
27234	York	CNE V	Comparison Noise Emitter		
45990	Fischer Custom Communications	F-090527-1009-1	Line Impedance Stabilization Network	6/21/2014	
45991	Fischer Custom Communications	F-090527-1009-2	Lisn Adapter	6/21/2014	
21606	Coleman	RG-223	4ft BNC cable	10/31/2013	
41928	Newport	iBTHP-5-DB9	5 inch Temp/RH/Press Sensor w/20ft cable	4/12/2014	
5687	Fluke	73 III	Digital Multimeter	9/11/2013	
35248	Stanley	33-696	5 Meter Tape Measure	7/9/2014	
39110	Coleman	RG-223	25 ft BNC cable	11/29/2013	
30526	Midwest Microwave	TRM-2048-MC-BNC-10	50 Ohm Terminator, BNC w/chain	3/11/2014	
44038	Fischer Custom Communications	F-071115-1057-1	Balanced Telecom Impedance Stabilization Network	5/29/2014	
4003	Fischer Custom Communications	FCC-801-M2-32A	CDN, 2-LINE, 32A	3/14/2014	

Page No: 590 of 590