



Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2




Antenna A



Antenna B



Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Antenna C




Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5670 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B




Antenna C




Antenna D



Peak Output Power / PSD, 5670 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1




Antenna A




Antenna B




Peak Output Power / PSD, 5670 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5670 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D




Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A

Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5700 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A




Antenna B




Peak Output Power / PSD, 5700 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5700 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps




Antenna A



Antenna B




Antenna C




Antenna D

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A

Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Peak Output Power / PSD, 5700 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A




Antenna B




Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5700 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5700 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5700 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5700 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5700 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D

Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B



Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2




Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5700 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5700 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Peak Output Power / PSD, 5700 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5700 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Peak Excursion

15.407: The ratio of the peak excursion of the modulation envelope (measured using a peak hold function) to the maximum conducted output power (measured as specified above) shall not exceed 13 dB across any 1 MHz bandwidth or the emission bandwidth whichever is less.

Set the spectrum analyzer span to view the entire emission bandwidth. The largest difference between the following two traces must be ≤ 13 dB for all frequencies across the emission bandwidth.

Set the spectrum analyzer span to view the entire emission bandwidth. The largest difference between the following two traces must be ≤ 13 dB for all frequencies across the emission bandwidth.

1st Trace: (Peak)

Set Span to encompass the entire emission bandwidth of the signal.

RBW = 1 MHz, VBW = 3 MHz

Detector = Peak

Sweep = Auto

Trace 1 = Max-hold

Ref Level Offset = correct for attenuator and cable loss

Ref Level = 20dBm

Atten = 10dBm

2nd Trace: (Average)

Trace 2 = clear right

Detector = Sample

Avg/VBW type = Pwr(RMS)

Average = 100

Sweep = single

Set marker Deltas

Trace 1 & Peak search

Marker Delta

Trace 2 & Peak search


Record the difference between the Peak and Average Markers




Frequency (MHz)	Mode	Data Rate (Mbps)	Peak Excursion (dB)	Limit (dBm/MHz)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	6	7.3	13	5.7
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.4	13	5.6
5510	Non HT/VHT40, 6 to 54 Mbps	6	7.2	13	5.8
	HT/VHT40, M0 to M23, M0.1 to M9.3	m0	7.4	13	5.6
5530	Non HT/VHT80, 6 to 54 Mbps	6	7.3	13	5.7
	HT/VHT80, M0 to M23, M0.1 to M9.3	m0x1	7.8	13	5.2
5550	Non HT/VHT40, 6 to 54 Mbps	6	7.1	13	5.9
	HT/VHT40, M0 to M23, M0.1 to M9.3	m0	7.5	13	5.5
5580	Non HT/VHT20, 6 to 54 Mbps	6	7	13	6.0
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.5	13	5.5
5660	Non HT/VHT20, 6 to 54 Mbps	6	7.2	13	5.8
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.3	13	5.7
5670	Non HT/VHT40, 6 to 54 Mbps	6	7.3	13	5.7
	HT/VHT40, M0 to M23, M0.1 to M9.3	m0	7.2	13	5.8
5700	Non HT/VHT20, 6 to 54 Mbps	6	7.2	13	5.8
	HT/VHT20, M0 to M23, M0.1 to M9.3	m0	7.5	13	5.5



Peak Excursion, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps




Peak Excursion, 5500 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3






Peak Excursion, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps




Peak Excursion, 5510 MHz, HT/VHT40, M0 to M23, M0.1 to M9.3






Peak Excursion, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps




Peak Excursion, 5530 MHz, HT/VHT80, M0 to M23, M0.1 to M9.3






Peak Excursion, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps




Peak Excursion, 5550 MHz, HT/VHT40, M0 to M23, M0.1 to M9.3






Peak Excursion, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps




Peak Excursion, 5580 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3






Peak Excursion, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps




Peak Excursion, 5660 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3






Peak Excursion, 5670 MHz, Non HT/VHT40, 6 to 54 Mbps




Peak Excursion, 5670 MHz, HT/VHT40, M0 to M23, M0.1 to M9.3






Peak Excursion, 5700 MHz, Non HT/VHT20, 6 to 54 Mbps



Peak Excursion, 5700 MHz, HT/VHT20, M0 to M23, M0.1 to M9.3





Conducted Spurious Emissions

15.407: For transmitters operating in the 5.25-5.35 and 5.47-5.725 GHz band: all emissions outside of the 5.25-5.35 and 5.47-5.725 GHz bands shall not exceed an EIRP of -27dBm/MHz.

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer).

Span:	30 MHz-40 GHz
Reference Level:	20 dBm
Attenuation:	10 dB
Sweep Time:	10 s
Resolution Bandwidth:	1 MHz
Video Bandwidth:	3 MHz
Detector:	Peak
Trace:	Single
Marker:	Peak

Record the marker waveform peak to spur difference



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	1	6	-73.5				-67.5	-41.25	26.3
	Non HT/VHT20, 6 to 54 Mbps	2	6	-75.1	-75.2			-66.1	-41.25	24.9
	Non HT/VHT20, 6 to 54 Mbps	3	6	-75.2	-75.1	-75.0		-64.3	-41.25	23.1
	Non HT/VHT20, 6 to 54 Mbps	4	6	-75.4	-75.0	-75.2	-75.2	-63.2	-41.25	21.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-75.1	-75.2			-63.1	-41.25	21.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-75.3	-75.2	-75.2		-59.7	-41.25	18.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-75.3	-75.3	-75.2	-75.2	-57.2	-41.25	16.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-73.6				-67.6	-41.25	26.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-75.3	-75.2	-75.0		-64.4	-41.25	23.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.4	-75.3	-75.3	-63.3	-41.25	22.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-75.3	-75.2	-75.0	-75.2	-63.2	-41.25	21.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-75.2	-75.1	-74.9	-75.2	-63.1	-41.25	21.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.2	-75.1			-63.1	-41.25	21.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.1			-66.1	-41.25	24.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.0	-75.1	-75.2		-59.5	-41.25	18.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.2	-75.3		-62.7	-41.25	21.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.1	-75.3	-75.1	-75.1	-57.1	-41.25	15.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.2	-75.2	-75.2	-75.2	-60.2	-41.25	18.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.2	-75.3	-75.2	-62.0	-41.25	20.8
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.1			-66.1	-41.25	24.9	
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.1	-74.9		-64.3	-41.25	23.0	
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.2	-75.0	-75.2	-63.2	-41.25	21.9	
5510	Non HT/VHT40, 6 to 54 Mbps	1	6	-75.1				-69.1	-41.25	27.9
	Non HT/VHT40, 6 to 54 Mbps	2	6	-75.1	-75.3			-66.2	-41.25	24.9
	Non HT/VHT40, 6 to 54 Mbps	3	6	-75.1	-75.3	-75.3		-64.5	-41.25	23.2
	Non HT/VHT40, 6 to 54 Mbps	4	6	-75.2	-75.2	-75.1	-75.2	-63.2	-41.25	21.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-75.1				-69.1	-41.25	27.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.3			-66.2	-41.25	25.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.3			-66.2	-41.25	25.0



	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.3	-75.2	-75.2	-63.2	-41.25	22.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-75.2	-75.3	-75.3	-75.3	-63.3	-41.25	22.0
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-75.2	-75.3	-75.3	-75.3	-63.3	-41.25	22.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.2	-75.3			-63.2	-41.25	22.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.3			-66.2	-41.25	25.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.2	-75.4	-75.2		-59.7	-41.25	18.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.3	-75.3		-62.7	-41.25	21.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.0	-75.2	-75.0	-75.4	-57.1	-41.25	15.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.3	-75.3	-75.3	-75.2	-60.3	-41.25	19.0
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.3	-75.3	-75.3	-62.1	-41.25	20.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.3			-66.2	-41.25	25.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.3	-75.3		-64.5	-41.25	23.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.2	-75.3	-75.3	-75.3	-63.3	-41.25	22.0
	Non HT/VHT80, 6 to 54 Mbps	1	6	-75.3				-69.3	-41.25	28.1
	Non HT/VHT80, 6 to 54 Mbps	2	6	-75.3	-75.0			-66.1	-41.25	24.9
	Non HT/VHT80, 6 to 54 Mbps	3	6	-75.3	-75.0	-75.4		-64.5	-41.25	23.2
	Non HT/VHT80, 6 to 54 Mbps	4	6	-75.3	-75.0	-75.4	-75.0	-63.2	-41.25	21.9
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-75.3				-69.3	-41.25	28.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.2	-75.2			-63.2	-41.25	21.9
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.1	-75.1	-75.3		-59.6	-41.25	18.3
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.2	-75.3		-62.7	-41.25	21.4
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.3	-75.3	-75.1	-75.3	-57.2	-41.25	16.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.3	-75.2	-75.2	-75.3	-60.2	-41.25	19.0
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.2	-75.3	-75.2	-62.0	-41.25	20.8
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-75.2	-75.2			-66.2	-41.25	24.9
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-75.2	-75.2	-75.3		-64.5	-41.25	23.2



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.2	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
5550	Non HT/VHT40, 6 to 54 Mbps	1	6	-73.4				-67.4	-41.25	26.2
	Non HT/VHT40, 6 to 54 Mbps	2	6	-73.4	-73.1			-64.2	-41.25	23.0
	Non HT/VHT40, 6 to 54 Mbps	3	6	-75.0	-74.8	-75.0		-64.2	-41.25	22.9
	Non HT/VHT40, 6 to 54 Mbps	4	6	-75.3	-75.2	-75.3	-75.2	-63.2	-41.25	22.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-74.2				-68.2	-41.25	27.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-75.0	-75.3	-75.2		-64.4	-41.25	23.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.3	-75.3	-75.2	-63.3	-41.25	22.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-75.0	-75.3	-75.2	-75.2	-63.2	-41.25	21.9
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-75.0	-75.3	-75.2	-75.2	-63.2	-41.25	21.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-75.0	-75.3			-63.1	-41.25	21.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-74.2	-74.4			-65.3	-41.25	24.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.2	-75.3	-75.3		-59.7	-41.25	18.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-75.2	-75.1	-75.3		-62.6	-41.25	21.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.2	-75.3	-75.3	-75.2	-57.2	-41.25	16.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.2	-75.2	-75.1	-75.2	-60.2	-41.25	18.9
HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-75.2	-75.1	-75.3	-75.3	-62.0	-41.25	20.8	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-74.2	-74.4			-65.3	-41.25	24.0	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-74.8	-75.0	-74.9		-64.1	-41.25	22.9	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-75.0	-75.3	-75.2	-75.2	-63.2	-41.25	21.9	
5580	Non HT/VHT20, 6 to 54 Mbps	1	6	-68.8				-62.8	-41.25	21.6
	Non HT/VHT20, 6 to 54 Mbps	2	6	-71.2	-73.8			-63.3	-41.25	22.0
	Non HT/VHT20, 6 to 54 Mbps	3	6	-74.3	-75.1	-75.5		-64.2	-41.25	22.9
	Non HT/VHT20, 6 to 54 Mbps	4	6	-75.1	-75.2	-75.4	-75.2	-63.2	-41.25	22.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-72.1	-74.8			-61.2	-41.25	20.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-75.1	-75.2	-75.4		-59.7	-41.25	18.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-75.3	-75.2	-75.2	-75.3	-57.2	-41.25	16.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-69.6				-63.6	-41.25	22.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-70.9	-73.9			-63.1	-41.25	21.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-69.6	-73.6			-62.1	-41.25	20.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-74.0	-75.2	-75.4		-64.1	-41.25	22.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-75.3	-75.3	-75.2	-75.2	-63.2	-41.25	22.0	



	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-73.4	-75.1	-75.2	-75.1	-62.6	-41.25	21.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-72.7	-74.9	-75.0	-74.4	-62.1	-41.25	20.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-72.7	-74.9			-61.7	-41.25	20.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-69.6	-73.6			-62.1	-41.25	20.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.3	-75.3	-75.2		-59.7	-41.25	18.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-73.4	-75.1	-75.2		-61.9	-41.25	20.7
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.3	-75.3	-75.4	-75.3	-57.3	-41.25	16.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.0	-75.3	-75.2	-75.3	-60.2	-41.25	18.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-73.4	-75.1	-75.2	-75.1	-61.4	-41.25	20.2
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-69.6	-73.6			-62.1	-41.25	20.9
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-70.9	-73.9	-75.4		-62.2	-41.25	21.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-73.4	-75.1	-75.2	-75.1	-62.6	-41.25	21.4
5660	Non HT/VHT20, 6 to 54 Mbps	1	6	-67.7				-61.7	-41.25	20.5
	Non HT/VHT20, 6 to 54 Mbps	2	6	-69.1	-71.2			-61.0	-41.25	19.8
	Non HT/VHT20, 6 to 54 Mbps	3	6	-72.4	-74.1	-75.5		-63.0	-41.25	21.8
	Non HT/VHT20, 6 to 54 Mbps	4	6	-74.8	-75.1	-75.5	-75.4	-63.2	-41.25	21.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-70.5	-72.0			-59.2	-41.25	17.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-74.7	-74.9	-75.4		-59.4	-41.25	18.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-75.1	-75.5	-75.5	-75.5	-57.4	-41.25	16.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-67.3				-61.3	-41.25	20.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-69.5	-71.3			-61.3	-41.25	20.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-67.3	-69.5			-59.3	-41.25	18.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-72.6	-74.2	-75.5		-63.2	-41.25	21.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-74.4	-74.9	-75.5	-75.4	-63.0	-41.25	21.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-72.5	-72.9	-75.4	-75.3	-61.8	-41.25	20.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-70.7	-72.7	-75.5	-74.0	-60.8	-41.25	19.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-70.7	-72.7			-59.6	-41.25	18.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-67.3	-69.5			-59.3	-41.25	18.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-74.4	-74.9	-75.5		-59.3	-41.25	18.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-72.5	-72.9	-75.4		-60.9	-41.25	19.6
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.0	-75.5	-75.5	-75.7	-57.4	-41.25	16.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-74.0	-74.6	-75.4	-75.4	-59.8	-41.25	18.5
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-72.5	-72.9	-75.4	-75.3	-60.6	-41.25	19.4
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-67.3	-69.5			-59.3	-41.25	18.0
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-69.5	-71.3	-75.3		-60.7	-41.25	19.4	
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-72.5	-72.9	-75.4	-75.3	-61.8	-41.25	20.6	



5670	Non HT/VHT40, 6 to 54 Mbps	1	6	-75.4				-69.4	-41.25	28.2
	Non HT/VHT40, 6 to 54 Mbps	2	6	-72.4	-72.9			-63.6	-41.25	22.4
	Non HT/VHT40, 6 to 54 Mbps	3	6	-74.2	-74.6	-75.4		-63.9	-41.25	22.7
	Non HT/VHT40, 6 to 54 Mbps	4	6	-75.4	-75.4	-75.4	-75.1	-63.3	-41.25	22.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-71.7				-65.7	-41.25	24.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-75.5	-75.5	-75.5	-75.6	-63.5	-41.25	22.3
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-74.1	-75.1	-75.5	-75.4	-63.0	-41.25	21.7
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-74.1	-75.1	-75.5	-75.4	-63.0	-41.25	21.7
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-74.1	-75.1			-62.6	-41.25	21.3
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-71.7	-72.9			-63.2	-41.25	22.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-75.6	-75.3	-75.3		-59.8	-41.25	18.6
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-74.8	-75.5	-75.4		-62.7	-41.25	21.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-75.5	-75.5	-75.5	-75.5	-57.5	-41.25	16.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-75.4	-75.6	-75.6	-75.6	-60.5	-41.25	19.3
HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-74.8	-75.5	-75.4	-75.5	-62.1	-41.25	20.8	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-71.7	-72.9			-63.2	-41.25	22.0	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-73.1	-74.0	-75.5		-63.3	-41.25	22.1	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-74.1	-75.1	-75.5	-75.4	-63.0	-41.25	21.7	
5700	Non HT/VHT20, 6 to 54 Mbps	1	6	-71.4				-65.4	-41.25	24.2
	Non HT/VHT20, 6 to 54 Mbps	2	6	-72.4	-73.8			-64.0	-41.25	22.8
	Non HT/VHT20, 6 to 54 Mbps	1	6	-74.0	-74.2	-74.2		-63.4	-41.25	22.1
	Non HT/VHT20, 6 to 54 Mbps	4	6	-74.1	-74.2	-74.2	-73.9	-62.1	-41.25	20.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-73.1	-74.3			-61.6	-41.25	20.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-74.2	-74.2	-74.2		-58.6	-41.25	17.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-74.0	-74.4	-74.1	-74.2	-56.2	-41.25	14.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-72.6				-66.6	-41.25	25.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-73.8	-74.2			-65.0	-41.25	23.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-73.8	-74.2			-65.0	-41.25	23.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-73.9	-74.3	-74.3		-63.4	-41.25	22.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-74.3	-74.2	-74.2	-74.4	-62.3	-41.25	21.0
HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-73.9	-74.3	-74.3	-74.2	-62.2	-41.25	20.9	



HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-73.8	-74.2	-74.3	-74.3	-62.1	-41.25	20.9
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-73.8	-74.2			-62.0	-41.25	20.7
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-73.8	-74.2			-65.0	-41.25	23.7
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-74.2	-74.2	-74.3		-58.7	-41.25	17.4
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-73.8	-74.2	-74.3		-61.5	-41.25	20.3
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-74.3	-74.2	-74.2	-74.2	-56.2	-41.25	15.0
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-74.2	-74.2	-74.1	-74.2	-59.2	-41.25	17.9
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-73.8	-74.2	-74.3	-74.3	-60.9	-41.25	19.7
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-73.8	-74.2			-65.0	-41.25	23.7
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-73.8	-74.2	-74.3		-63.3	-41.25	22.1
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-73.9	-74.3	-74.3	-74.2	-62.2	-41.25	20.9



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	1	6	-48.2				-42.2	-27	15.2
	Non HT/VHT20, 6 to 54 Mbps	2	6	-49.1	-48.8			-39.9	-27	12.9
	Non HT/VHT20, 6 to 54 Mbps	3	6	-49.7	-50.1	-48.3		-38.5	-27	11.5
	Non HT/VHT20, 6 to 54 Mbps	4	6	-47.4	-47.1	-48.0	-49.3	-35.9	-27	8.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-49.1	-48.8			-36.9	-27	9.9
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-47.5	-47.7	-49.9		-32.7	-27	5.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.9	-47.6	-47.9	-49.2	-30.1	-27	3.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-47.5				-41.5	-27	14.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-48.6	-48.5	-49.9		-38.2	-27	11.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.2	-46.1	-48.9	-48.9	-35.8	-27	8.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-48.6	-48.5	-49.9	-47.8	-36.6	-27	9.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-48.0	-49.2	-49.9	-49.0	-37.0	-27	10.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.0	-49.2			-36.5	-27	9.5
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.0	-49.2			-39.5	-27	12.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.5	-48.8	-48.0		-32.8	-27	5.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.2	-48.3	-48.2		-35.7	-27	8.7
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-49.9	-49.5	-49.5	-48.8	-31.4	-27	4.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-48.0	-48.2	-47.9	-49.1	-33.3	-27	6.3
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.2	-48.3	-48.2	-47.7	-34.9	-27	7.9	
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.0	-49.2			-39.5	-27	12.5	
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.0	-49.2	-49.9		-38.2	-27	11.2	
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.6	-48.5	-49.9	-47.8	-36.6	-27	9.6	
5510	Non HT/VHT40, 6 to 54 Mbps	1	6	-45.6				-39.6	-27	12.6
	Non HT/VHT40, 6 to 54 Mbps	2	6	-45.6	-48.2			-37.7	-27	10.7
	Non HT/VHT40, 6 to 54 Mbps	3	6	-45.6	-48.2	-48.4		-36.4	-27	9.4
	Non HT/VHT40, 6 to 54 Mbps	4	6	-49.4	-47.4	-49.4	-47.4	-36.3	-27	9.3
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-47.9				-41.9	-27	14.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-48.2	-48.7			-39.4	-27	12.4
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-48.2	-48.7			-39.4	-27	12.4



	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-47.9	-50.5	-47.8	-46.4	-35.9	-27	8.9
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-48.2	-48.7	-48.3	-48.9	-36.5	-27	9.5
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-48.2	-48.7	-48.3	-48.9	-36.5	-27	9.5
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.2	-48.7			-36.4	-27	9.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.2	-48.7			-39.4	-27	12.4
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.0	-46.9	-47.1		-31.7	-27	4.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.2	-48.7	-48.3		-35.8	-27	8.8
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.8	-47.3	-47.1	-49.1	-30.0	-27	3.0
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-48.5	-47.8	-47.8	-49.5	-33.3	-27	6.3
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.2	-48.7	-48.3	-48.9	-35.3	-27	8.3
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.2	-48.7			-39.4	-27	12.4
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.2	-48.7	-48.3		-37.6	-27	10.6
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.2	-48.7	-48.3	-48.9	-36.5	-27	9.5
5530	Non HT/VHT80, 6 to 54 Mbps	1	6	-49.1				-43.1	-27	16.1
	Non HT/VHT80, 6 to 54 Mbps	2	6	-49.1	-49.6			-40.3	-27	13.3
	Non HT/VHT80, 6 to 54 Mbps	3	6	-49.1	-49.6	-47.8		-38.0	-27	11.0
	Non HT/VHT80, 6 to 54 Mbps	4	6	-49.1	-49.6	-47.8	-48.0	-36.5	-27	9.5
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	6	-48.7				-42.7	-27	15.7
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.9	-49.1			-37.0	-27	10.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.9	-49.1			-40.0	-27	13.0
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-49.8	-47.2	-45.8		-31.7	-27	4.7
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.9	-49.1	-50.1		-36.8	-27	9.8
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-45.9	-48.9	-46.4	-47.1	-28.9	-27	1.9
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-49.5	-49.1	-50.1	-47.7	-34.0	-27	7.0
HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.9	-49.1	-50.1	-49.0	-36.0	-27	9.0	
HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.9	-49.1			-40.0	-27	13.0	
HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.9	-49.1	-50.1		-38.6	-27	11.6	



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.9	-49.1	-50.1	-49.0	-37.2	-27	10.2
5550	Non HT/VHT40, 6 to 54 Mbps	1	6	-48.3				-42.3	-27	15.3
	Non HT/VHT40, 6 to 54 Mbps	2	6	-48.3	-49.9			-40.0	-27	13.0
	Non HT/VHT40, 6 to 54 Mbps	3	6	-49.3	-48.3	-48.8		-38.0	-27	11.0
	Non HT/VHT40, 6 to 54 Mbps	4	6	-50.9	-47.7	-47.6	-47.0	-36.0	-27	9.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-47.8				-41.8	-27	14.8
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-49.0	-46.0	-49.5		-37.1	-27	10.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-49.2	-49.2	-47.9	-48.0	-36.5	-27	9.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-49.0	-46.0	-49.5	-48.7	-36.0	-27	9.0
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-49.0	-46.0	-49.5	-48.7	-36.0	-27	9.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-49.0	-46.0			-35.2	-27	8.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-47.8	-49.5			-39.6	-27	12.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.9	-47.6	-48.4		-32.7	-27	5.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.0	-48.5	-48.7		-36.2	-27	9.2
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-49.4	-48.4	-48.2	-48.9	-30.7	-27	3.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.4	-46.5	-48.6	-47.6	-32.4	-27	5.4
HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.0	-48.5	-48.7	-49.8	-35.8	-27	8.8	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-47.8	-49.5			-39.6	-27	12.6	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-47.8	-48.9	-49.1		-37.8	-27	10.8	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-49.0	-46.0	-49.5	-48.7	-36.0	-27	9.0	
5580	Non HT/VHT20, 6 to 54 Mbps	1	6	-47.7				-41.7	-27	14.7
	Non HT/VHT20, 6 to 54 Mbps	2	6	-49.8	-48.8			-40.3	-27	13.3
	Non HT/VHT20, 6 to 54 Mbps	3	6	-47.6	-49.4	-48.6		-37.7	-27	10.7
	Non HT/VHT20, 6 to 54 Mbps	4	6	-48.8	-50.3	-48.9	-48.3	-37.0	-27	10.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-48.9	-48.6			-36.7	-27	9.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-48.8	-50.3	-48.9		-33.7	-27	6.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.6	-49.5	-48.6	-49.1	-30.6	-27	3.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-48.7				-42.7	-27	15.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-46.9	-48.7			-38.7	-27	11.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-48.7	-48.8			-39.7	-27	12.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-50.0	-46.9	-48.7		-37.6	-27	10.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.2	-47.3	-49.3	-48.4	-36.2	-27	9.2	



	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-49.1	-48.8	-49.0	-48.6	-36.9	-27	9.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-49.8	-49.8	-50.2	-49.6	-37.8	-27	10.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-49.8	-49.8			-37.8	-27	10.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.7	-48.8			-39.7	-27	12.7
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.2	-47.3	-49.3		-32.6	-27	5.6
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.1	-48.8	-49.0		-36.4	-27	9.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-47.8	-48.1	-46.8	-49.4	-29.9	-27	2.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.3	-48.9	-48.6	-47.8	-33.1	-27	6.1
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.1	-48.8	-49.0	-48.6	-35.7	-27	8.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.7	-48.8			-39.7	-27	12.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-46.9	-48.7	-49.0		-37.3	-27	10.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-49.1	-48.8	-49.0	-48.6	-36.9	-27	9.9
	Non HT/VHT20, 6 to 54 Mbps	1	6	-50.7				-44.7	-27	17.7
	Non HT/VHT20, 6 to 54 Mbps	2	6	-50.3	-48.8			-40.5	-27	13.5
	Non HT/VHT20, 6 to 54 Mbps	3	6	-50.3	-48.8	-48.9		-38.5	-27	11.5
	Non HT/VHT20, 6 to 54 Mbps	4	6	-49.1	-48.4	-48.1	-48.6	-36.5	-27	9.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-47.9	-49.4			-36.6	-27	9.6
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-49.7	-47.5	-49.4		-33.2	-27	6.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-50.0	-50.7	-50.4	-49.5	-32.1	-27	5.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-46.1				-40.1	-27	13.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-47.1	-48.7			-38.8	-27	11.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-46.1	-49.7			-38.5	-27	11.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-47.8	-49.9	-50.3		-38.4	-27	11.4
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-48.0	-49.0	-49.1	-49.7	-36.9	-27	9.9
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-49.3	-48.4	-46.8	-48.9	-36.2	-27	9.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-48.0	-48.5	-48.9	-47.3	-36.1	-27	9.1
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.0	-48.5			-36.2	-27	9.2
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-46.1	-49.7			-38.5	-27	11.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.0	-49.0	-49.1		-33.1	-27	6.1
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.3	-48.4	-46.8		-35.5	-27	8.5
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-50.2	-48.7	-48.5	-49.0	-31.0	-27	4.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-48.9	-48.9	-49.2	-48.8	-33.9	-27	6.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.3	-48.4	-46.8	-48.9	-35.0	-27	8.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-46.1	-49.7			-38.5	-27	11.5
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-47.1	-48.7	-49.5		-37.5	-27	10.5
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-49.3	-48.4	-46.8	-48.9	-36.2	-27	9.2




5670	Non HT/VHT40, 6 to 54 Mbps	1	6	-49.0				-43.0	-27	16.0
	Non HT/VHT40, 6 to 54 Mbps	2	6	-47.9	-49.4			-39.6	-27	12.6
	Non HT/VHT40, 6 to 54 Mbps	3	6	-48.4	-48.2	-47.6		-37.3	-27	10.3
	Non HT/VHT40, 6 to 54 Mbps	4	6	-49.0	-47.9	-48.2	-49.5	-36.6	-27	9.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	6	-49.4				-43.4	-27	16.4
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	6	-47.6	-49.7	-48.3	-48.6	-36.5	-27	9.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	6	-48.6	-50.0	-50.5	-46.2	-36.5	-27	9.5
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	6	-48.6	-50.0	-50.5	-46.2	-36.5	-27	9.5
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.6	-50.0			-37.2	-27	10.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-49.4	-48.6			-40.0	-27	13.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-48.0	-49.0	-49.4		-33.2	-27	6.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-49.1	-50.4	-48.6		-36.7	-27	9.7
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-46.2	-48.7	-50.6	-47.5	-29.9	-27	2.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-49.2	-49.2	-48.7	-48.1	-33.8	-27	6.8
HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-49.1	-50.4	-48.6	-48.7	-35.9	-27	8.9	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	6	-49.4	-48.6			-40.0	-27	13.0	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	6	-49.2	-47.2	-49.5		-37.7	-27	10.7	
HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	6	-48.6	-50.0	-50.5	-46.2	-36.5	-27	9.5	
5700	Non HT/VHT20, 6 to 54 Mbps	1	6	-46.9				-40.9	-27	13.9
	Non HT/VHT20, 6 to 54 Mbps	2	6	-47.9	-48.2			-39.0	-27	12.0
	Non HT/VHT20, 6 to 54 Mbps	3	6	-48.4	-50.2	-48.1		-38.0	-27	11.0
	Non HT/VHT20, 6 to 54 Mbps	4	6	-48.6	-48.9	-47.0	-48.4	-36.1	-27	9.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	9	-48.6	-47.2			-35.8	-27	8.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	11	-47.8	-45.4	-47.3		-31.1	-27	4.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	12	-47.1	-47.4	-47.9	-45.7	-28.9	-27	1.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	6	-47.4				-41.4	-27	14.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	6	-48.6	-46.1			-38.2	-27	11.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	6	-48.6	-46.1			-38.2	-27	11.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	6	-47.4	-48.7	-48.1		-37.3	-27	10.3
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	6	-47.8	-49.0	-47.4	-47.1	-35.7	-27	8.7
HT/VHT20, M8 to M15, M0.2 to M9.2	4	6	-47.4	-48.7	-48.1	-46.9	-35.7	-27	8.7	



HT/VHT20, M16 to M23, M0.3 to M9.3	4	6	-48.6	-46.1	-48.7	-45.7	-35.0	-27	8.0
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	9	-48.6	-46.1			-35.2	-27	8.2
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	6	-48.6	-46.1			-38.2	-27	11.2
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	11	-46.5	-48.8	-47.2		-31.8	-27	4.8
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-48.6	-46.1	-48.7		-35.1	-27	8.1
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	12	-48.0	-46.8	-47.8	-47.3	-29.4	-27	2.4
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	9	-47.6	-47.3	-46.6	-48.2	-32.4	-27	5.4
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	7	-48.6	-46.1	-48.7	-45.7	-33.8	-27	6.8
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	6	-48.6	-46.1			-38.2	-27	11.2
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	6	-48.6	-46.1	-48.7		-36.9	-27	9.9
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	6	-47.4	-48.7	-48.1	-46.9	-35.7	-27	8.7



Conducted Spurs, All Antennas





Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C




Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D




Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D

Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5580 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5580 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5580 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5660 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5660 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5660 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5660 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5660 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5660 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5660 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5660 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5660 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5660 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C