

Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Center F	req 5.405	000000 GH	Z 10: Fast C	Trig: Free Run		Type: Log-Pwr	05:08:53 AM May 21 TRACE 1 TYPE DET 12:00	Frequency
0 dB/div	Ref Offset Ref 0.00	13.7 dB dBm				Mk	1 5.350 00 G -56.80 dt	Hz Auto Tune Sm
09 00 00								Center Freq 5,405000000 GHz
:00 :00 :00								Start Freq 5.35000000 GHz
1030 111 Ú 111 U								Stop Freq 5,46000000 GHz
Res BW	000 GHz 1.0 MHz		#VBW	V 100 Hz			Stop 5.46000 0 858 ms (1001	GHz CF Step pts) 11,000000 MHz
	NC SCL	5.350 00	GHz	-56.80 dBm	PUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Man
2 3 4 5 6 7 8								Freq Offset 0 Hz
9 10 11 12								
sp ·						STATU	S)	

Antenna B

	req 5.4050000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	105:12:32 AM May 21, 2014 TRACE 2 2 4 TVFE 0 MANAGEMENT DET P 10 10 10 10	Frequency Auto Tune	
Ref Offset 13.7 dB Mkr2 5.401 48 GHz 10 dBddv Ref 0.00 dBm - 58.96 dBm							
10.0 						Center Free 5,405000000 GH	
40.8 60.0 60.0			\$ ²		37 73 4 94	Start Fre 5,350000000 GH	
-711.0 -erro -etro						Stop Fre 5.460000000 GH	
Start 5.35 #Res BW		#VBV	/ 100 Hz	Sweep	Stop 5.46000 GHz 858 ms (1001 pts)	CF Ste 11.000000 MH	
	111	× 5 350 00 GHz 5 401 48 GHz	-57.73 dBm -58.96 dBm	INCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma	
3466		540146 GH2	-56.36 0.511			Freq Offse 0 H	
7 8 9 10 11							
12				STATU	1	-	

Antenna C

Page No: 601 of 604



Conducted Bandedge Average, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1







	req 5.405000000		Trig: Free Run #Atten: 4 dB		e: Log-Pwr	105:42:07 AM May 21, 2014 TRACE 12 2 4 5 TYPE DET 2 14 14 14	Frequency
10 dB/div	Ref Offset 13.7 dB Ref 0.00 dBm				Mkr	1 5.350 00 GHz -59.96 dBm	Auto Tune
00 10.0 20.0							Center Fred 5.405000000 GHz
49,8 80.0 1 80.0							Start Free 5,35000000 GHz
71.0 81.0 						31500 000	Stop Fred 5.46000000 GHz
Start 5.35 #Res BW		#VB	W 100 Hz	FUNCTION FU	Sweep	Stop 5.46000 GHz 858 ms (1001 pts) Function value	CF Step 11,000000 MHz Auto Mar
		350 00 GHz	-59,96 dBm	FUNCTION FO	NCTION WIDTH	FUNCTION WALUE	FregOffsel
4 6 6 7							0 Hz
8 9 10 11 12							
ASG		_			STATUS		

Antenna C



enter Freq 5.40500000		Trig: Free Run	Avg Type: Log-Pwr	05:45:46 AM May 21, 2014 TRACE T TVPE DET P 11 N 01 M	Frequency
Ref Offset 13.7 dB dB/div Ref 0.00 dBm	Poanttow	Price in 4 40	Mkr2 5.392 24 -61.89		
0.0					Center Free 5.405000000 GH
ns da <mark>1</mark>		2		577b @m	Start Free 5.350000000 GH
00) 0.0 0.0					Stop Fre 6.460000000 GH
tart 5.35000 GHz Res BW 1.0 MHz	#VBV	V 100 Hz	Sweep	Stop 5.46000 GHz 858 ms (1001 pts)	CF Ster 11,000000 MH Auto Ma
RF MODE, FBC 502, 3× 1 N 1 F 5, 3 N 1 F 5, 4 6 6 6 7 8 9 0 1 2	350 00 GHz 392 24 GHz	-57.76 dBm -51.89 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Freq Offse

Antenna D

Page No: 602 of 604

-ē 1 -1.17

alada cisco

Conducted Test Setup

Page No: 603 of 604

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential



Appendix B: Test Equipment/Software Used to perform the test

Equip #	Manufacturer	Model	Description	Last Cal	Next Due
CIS-50721	Agilent	N9030A	PXA Spectrum Analyzer	4/7/2014	4/7/2015

Page No: 604 of 604

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential