


Peak Output Power / PSD, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna C




uluilu cisco

Antenna B


Page No: 101 of 810



Antenna A



Antenna C




uluilu cisco

Antenna B

Page No: 102 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3



Peak Output Power / PSD, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna C




cisco

Antenna B



Antenna D

Page No: 103 of 810



Antenna A



Antenna C



cisco

Antenna B




Antenna D

Page No: 104 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential


Peak Output Power / PSD, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna C



cisco

Antenna B




Antenna D

Page No: 105 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3

Peak Output Power / PSD, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna B

Page No: 106 of 810


Peak Output Power / PSD, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna C



Antenna B

Page No: 107 of 810


Peak Output Power / PSD, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna C








Antenna D

Page No: 108 of 810




Peak Output Power / PSD, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps




Antenna A

Page No: 109 of 810


Peak Output Power / PSD, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps






Antenna B

Page No: 110 of 810




Peak Output Power / PSD, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps





Antenna C




Antenna B

Page No: 111 of 810




Peak Output Power / PSD, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps






Antenna C



uluilu cisco





Antenna D

Page No: 112 of 810



Bit D Bit D


Antenna A


Page No: 113 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna B

Antenna A

Page No: 114 of 810

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2





Antenna B


Page No: 115 of 810

Antenna A

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna C



Antenna B

Page No: 116 of 810

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna C



Antenna B

Page No: 117 of 810

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3








Antenna C



Antenna B

Page No: 118 of 810




Peak Output Power / PSD, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1





Antenna C




cisco






Antenna D

Page No: 119 of 810



Antenna A




Antenna C



cisco

Antenna B



Antenna D

Page No: 120 of 810


This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Peak Output Power / PSD, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3






Antenna C




cisco






Antenna D

Page No: 121 of 810




Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1




cisco

Antenna B

Page No: 122 of 810






Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna B

Page No: 123 of 810




Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna C



uluilu cisco


Antenna B

Page No: 124 of 810



Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna C



uluilu cisco

Antenna B

Page No: 125 of 810




Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3




uluilu cisco

Antenna B



Antenna C

Page No: 126 of 810



enter Freq 5.550000000 GHz





Antenna C




սիսիս cisco

Antenna B



Antenna D


Page No: 127 of 810








Antenna C



cisco

Antenna B




Antenna D


Page No: 128 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential


Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A




Antenna C



սիսիս cisco

Antenna B




Antenna D

Page No: 129 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3

Peak Output Power / PSD, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna B

Page No: 130 of 810

Peak Output Power / PSD, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1








Antenna C




Antenna B


Page No: 131 of 810



Antenna A




Antenna C



cisco

Antenna B



Antenna D

Page No: 132 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





D4:13:23 PM May 2 Radio Std: None enter Freq 5.560000000 GHz Center Freq Radio Device: BTS 5.5576667 C 9.5390 d Ref Offset 13.7 dB Ref 30.00 dBm Center Fre 5.56000000 GH 1 elser al milling A GALLA CF 9 Center 5.56 GHz #Res BW 1 MHz Span 40 MHz #Sweep 100 ms #VBW 3 MHz Freq Channel Power Power Spectral Density 19.89 dBm / 16.58 MHz -52.30 dBm /Hz Antenna A

Peak Output Power / PSD, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps

Page No: 133 of 810

Peak Output Power / PSD, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps






Antenna B

Antenna A

Page No: 134 of 810

Interference Interference Interference Interference Interference Center Freq 5.5600000000 GHz Interference Interference Interference Interference 0 called with the state of t



Antenna B



Antenna C

Page No: 135 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps




Peak Output Power / PSD, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps





Antenna C




cisco





Antenna D

Page No: 136 of 810




Peak Output Power / PSD, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



cisco

Antenna B

Page No: 137 of 810



սիսիս

Peak Output Power / PSD, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps

Center Fre 5.56000000 GH

CF Ste

FregOt

Radio Std: Man

Radio Device: BTS

1 5.5618 C

Span 40 MHz #Sweep 100 ms

Antenna A

11.13 dBm / 16.58 MHz

Center 5.56 GHz #Res BW 1 MHz

Channel Power

enter Freq 5.560000000 GHz

Ref Offset 13.7 dB Ref 20.00 dBm



#VBW 3 MHz


Power Spectral Density

-61.06 dBm /Hz

Antenna C




Page No: 138 of 810




Peak Output Power / PSD, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps





Antenna C



cisco





Antenna D

Page No: 139 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Bit Description Madger, Channel Joser Center Freq Science (Line) Center Freq Science (Line) Center Freq Science (Line) Center Freq Science (Line) If Galaxie Mixel (Line) Radio Exercise (Line) Frequency If Galaxie If Galaxie Mixel (Line) Radio Exercise (Line) Frequency If Galaxie If Galaxie Mixel (Line) Radio Exercise (Line) Center Freq If Galaxie If Galaxie If Galaxie If Galaxie Center Freq If Galaxie If Galaxi

Antenna A

Page No: 140 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 141 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna B

Page No: 142 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1


cisco

enter Freq 5.560000000 GH: Padio Std: None Radio Device: BTS 1 5.563 (2.0532 d Ref Offset 13.7 dB Ref 30.00 dBm Center Fre 5.56000000 GH CF S Span 40 MHz #Sweep 100 ms Center 5.56 GHz #Res BW 1 MHz #VBW 3 MHz FreqO Channel Power Power Spectral Density 12.66 dBm / 17.74 MHz -59.83 dBm /Hz Antenna A



Antenna B

Antenna A



Antenna C

Page No: 143 of 810




Peak Output Power / PSD, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna C




Antenna B

Page No: 144 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3








Antenna C



Antenna B

Page No: 145 of 810



Peak Output Power / PSD, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna C




cisco





Antenna D

Page No: 146 of 810




Peak Output Power / PSD, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna C



cisco






Antenna D


Page No: 147 of 810






Antenna C

Antenna A



cisco

Antenna B




Antenna D


Page No: 148 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5560 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3




Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1




cisco

Antenna B

Page No: 149 of 810





Antenna B

Page No: 150 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2




Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna C



uluilu cisco


Antenna B

Page No: 151 of 810



Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna C



uluilu cisco


Antenna B

Page No: 152 of 810




Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna C



uluilu cisco

Antenna B

Page No: 153 of 810




Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna C




cisco






Antenna D

Page No: 154 of 810




Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna C



cisco

Antenna B




Antenna D

Page No: 155 of 810




Peak Output Power / PSD, 5560 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna C



cisco


Antenna B



Antenna D

Page No: 156 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1





Antenna B


Antenna A

Page No: 157 of 810

Peak Output Power / PSD, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1







Antenna C




Antenna B

Page No: 158 of 810



Antenna A



Antenna C



cisco

Antenna B



Antenna D


Page No: 159 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1




Peak Output Power / PSD, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps



Antenna A

Page No: 160 of 810

Peak Output Power / PSD, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps






Antenna B

Page No: 161 of 810

Note: 100 colspan="2" Center Freq 5.6900000000 GHz Official curve Official curve</



Antenna B

Antenna A




Antenna C

Page No: 162 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps




Peak Output Power / PSD, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps






Antenna C



uluilu cisco





Antenna D

Page No: 163 of 810

Peak Output Power / PSD, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1




Bit D Center Freq 5.69000000 GHz Center Freq 5.69000000 GHz Center Freq 5.69000000 GHz Frequency Center Freq 5.69000000 GHz Freq 5.69000000 GHz Center Freq 5.6900000 GHz Radio Evices ETS Control of the freq 5.69000000 GHz Freq 5.69000000 GHz Search or the freq 5.6900000 GHz Center Freq 5.6900000 GHz Control of the freq 5.6900000 GHz Freq 5.6900000 GHz Search or the freq 5.6900000 GHz Center Freq 5.6900000 GHz Control of the freq 5.690 GHz Freq 5.6900000 GHz Span 160 MHz Center Freq 5.690 GHz Center 5.69 GHz FVEW 3 MHz Span 160 MHz GF Step 16.00000 MHz Channel Power Power Spectral Density OHz 20.96 dBm / 76.5 MHz -57.87 dBm /Hz OHz


Antenna A

Page No: 164 of 810

Peak Output Power / PSD, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B

Page No: 165 of 810

Peak Output Power / PSD, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2




Antenna A



Antenna B

Page No: 166 of 810


Peak Output Power / PSD, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1








Antenna C



Antenna B

Page No: 167 of 810


Peak Output Power / PSD, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2








Antenna C



Antenna B

Page No: 168 of 810


Peak Output Power / PSD, 5690 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3








Antenna C



Antenna B


Page No: 169 of 810



Antenna A



Antenna C



cisco

Antenna B



Antenna D

Page No: 170 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1

Peak Output Power / PSD, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2








Antenna C







Antenna D

Page No: 171 of 810


Peak Output Power / PSD, 5690 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3








Antenna C








Antenna D

Page No: 172 of 810




Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1




cisco

Antenna B

Page No: 173 of 810



Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



enter Freq 5.690000000 GHz Ref Offset 13.82 dB Ref 30.00 dBm CF Step Span 160 MHz #Sweep 100 ms Center 5.69 GHz #Res BW 1 MHz Auto M #VBW 3 MHz Freq Of Channel Power Power Spectral Density 18.58 dBm / 76.5 MHz -60.26 dBm /Hz

Antenna A


Antenna B

Page No: 174 of 810




Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna C



uluilu cisco


Antenna B

Page No: 175 of 810



Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna C



ululu cisco

Antenna B

Page No: 176 of 810




Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna C



uluilu cisco


Antenna B

Page No: 177 of 810



Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 Interference Andrea Connections





Antenna C




uluilu cisco






Antenna D


Page No: 178 of 810



Antenna A




Antenna C



cisco

Antenna B



Antenna D


Page No: 179 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential


Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna C



uluilu cisco

Antenna B



Antenna D

Page No: 180 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential


Peak Output Power / PSD, 5690 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3

սիսի **CISCO**

Frequ

Radio Std: None

Peak Output Power / PSD, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1




enter Freq 5.690000000 GHz 00 GHz Avg|Hol Radio Device: BTS 5.6924 C Ref Offset 13.82 dB Ref 30.00 dBm Center Fre 5.69000000 G CF Step Span 160 MHz #Sweep 100 ms Center 5.69 GHz #Res BW 1 MHz Auto M #VBW 3 MHz Freq Of Channel Power Power Spectral Density 18.58 dBm / 76.5 MHz -60.26 dBm /Hz Antenna B

Antenna A

Page No: 181 of 810


Peak Output Power / PSD, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna C



Antenna B

Page No: 182 of 810

Peak Output Power / PSD, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna C







Antenna D

Page No: 183 of 810




Peak Output Power / PSD, 5710 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A

Page No: 184 of 810


Peak Output Power / PSD, 5710 MHz, Non HT/VHT40, 6 to 54 Mbps





Antenna B

Page No: 185 of 810




Peak Output Power / PSD, 5710 MHz, Non HT/VHT40, 6 to 54 Mbps






Antenna C



Antenna B

Page No: 186 of 810



Peak Output Power / PSD, 5710 MHz, Non HT/VHT40, 6 to 54 Mbps






Antenna C



uluilu cisco





Antenna D

Page No: 187 of 810

Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1





Radio Std: None enter Freq 5.710000000 GHz Radio Device: BTS Ref Offset 13.75 dB Ref 30.00 dBm 8.1772 dl Center Fre 5.710000000 GH •1 CF 5 Center 5.71 GHz #Res BW 1 MHz Span 80 MHz #Sweep 100 ms #VBW 3 MHz Freq Channel Power Power Spectral Density 21.83 dBm / 36.74 MHz -53.82 dBm /Hz

Antenna A

Page No: 188 of 810

Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna B

Page No: 189 of 810

Peak Output Power / PSD, 5710 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna B


Antenna A

Page No: 190 of 810


Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1








Antenna C



Antenna B

Page No: 191 of 810


Peak Output Power / PSD, 5710 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2








Antenna C



Antenna B

Page No: 192 of 810

Peak Output Power / PSD, 5710 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3












Antenna B

Page No: 193 of 810



Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1





Antenna C



cisco






Antenna D

Page No: 194 of 810



Antenna A



Antenna C



cisco

Antenna B



Antenna D

Page No: 195 of 810


This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Peak Output Power / PSD, 5710 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Peak Output Power / PSD, 5710 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3





Antenna C




cisco





Antenna D

Page No: 196 of 810




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1




cisco

Antenna B

Page No: 197 of 810






Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2


Antenna B

Page No: 198 of 810




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna C



uluilu cisco


Antenna B

Page No: 199 of 810




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna C



uluilu cisco

Antenna B

Page No: 200 of 810