


Conducted Spurs Peak, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps




Antenna A

Page No: 501 of 810










Page No: 502 of 810








Antenna B





Antenna C

Page No: 503 of 810



Conducted Spurs Peak, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps






Antenna C



cisco





Antenna D

Page No: 504 of 810




Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1




Antenna A

Page No: 505 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B

Page No: 506 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna B

Antenna A

Page No: 507 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1






Antenna B

PN0: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	TRACE DO THE	Frequency
13.8 dB dBm		N	/kr2 11.000 GHz -63.44 dBm	Auto Tun
				Center Fre 9.015000000 GH
Mar Marine	المربحة والمراجعة والمراجع والمراجع	2 untrijuteer of a general-	Marine Marchine	Start Fre 30.000000 MH
				Stop Fre 18.000000000 GH
#VBI	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
8 5.530 GHz	-62.00 dBm	INCTION FUNCTION WIDT	H FUNCTION VALUE	Auto Ma
16.500 GHz	-63.46 dBm -63.46 dBm			Freq Offso 0 H
	IFGaisLew IS3.9 dB IBm IBm IBm IBm IBm IBm IBm IB	If Galance If Action: 4 dB 3.8 dB If Calance If Calance If Calance	If Galactow EAstan.4 dB 38 dB N BBm N IBm N #WBW 3.0 MHz Sweep #VBW 3.0 MHz Sweep 11000 CHzi \$22.00 dBm	Brank w Detent w Detent w Mkr2 11.000 GHz -53.44 dBm dBm -53.44 dBm -53.44 dBm -53.44 dBm -53.44 dBm dBm -53.44 dBm -53.44 dBm -53.44 dBm -53.44 dBm dBm -53.44 dBm -53.44 dBm -53.44 dBm -53.44 dBm -53.44 dBm dBm -53.44 dBm -53.44 dBm -53.44 dBm -53.44 dBm -53.44 dBm dBm -53.44 dBm -53.4

Antenna C

Page No: 508 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna B


AL Sug Center Freg 9.015000		.345 INT		e: Log-Pwr	09:46:01.PM May 23, 2014	Frequency
enter Freq 9.015000	PNO: Fast -> IFGain:Low	Trig: Free Run #Atten: 4 dB	CUB 110	in Logic an	DET P TO THE D	
Ref Offset 13.8				MI	-63,44 dBm	Auto Tune
09 100						Center Free 9.015000000 GH:
are aio aio no <mark>Norsentralitzentraditze</mark>	marking	agaa ahari waada ahari waxaa	2 Northige June	vanite	www.ave.gations	Start Free 30.000000 MH
0.0						Stop Fre
anó						Lange of the second sec
Start 30 MHz Res BW 1.0 MHz	#VBV	V 3.0 MHz		Sweep :	Stop 18.000 GHz 30.0 ms (1001 pts)	1.121000000001
Res BW 1.0 MHz Res BW 1.0 MHz WA MODE TRC SCL	× 5.530 GHz	γ F	UNCTION FU	Sweep :	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	1.797000000 GH
Start 30 MHz Res BW 1.0 MHz MAN MODE TRC SCL. 1 N 1 7 2 N 1 7 3 N 1 7 4 6	8	Υ. F	UNCTION FU		30.0 ms (1001 pts)	1.797000000 GH
tart 30 MHz Res BW 1.0 MHz RM MODE TRC SCL. 1 N 1 f 2 N 1 f 3 N 1 f 4	× 6.530 GHz 11.000 GHz	7 F -62.00 dBm -63.44 dBm	UNCTION FL		30.0 ms (1001 pts)	1.797000000 GH <u>Auto</u> Ma Freq Offse

Antenna C

Page No: 509 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna B

An	tel	nna	A



Antenna C

Page No: 510 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1








enter Freq 9.01	5000000 GHz PN0: Fast IFGain:Low		Avg Type: Log-Pwr	10:14:02 PM May 23, 2014 TRACE 2 4 5 TYPE 04 DUT P TURNAL	Frequency
0 dB/div Ref Offs	Auto Tune				
000					Center Free 9.015000000 GH:
416 500 610 710	and the second states	Antonion	as anonotophyseologilities	nulting the gradient	Start Free 30.000000 MH:
nio 0.0					Stop Free 18.000000000 GH
start 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
KR MODE THE SEL	× 5.530 GHz	-64.72 dBm	PUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
2 N 4 4 6 6	11.000 GHz 16.500 GHz	63.80 dBm 61.27 dBm			Freq Offse 0 H
7 8 9					

Antenna C





Antenna D

Page No: 511 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2







00000 GHz		Avg Type: Log-Pwr	10:14:02 PM May 23, 2014 TRACE 214 F TYPE 010 May 23, 2014	Frequency
	kr3 16.500 GHz -61.27 dBm	Auto Tune		
				Center Fre 9.015000000 GH
mar and man	Antological and a sector	no. Sameret all you to gliat	nuttions de afra Maria	Start Fre 30.000000 MH
				Stop Fre 18.000000000 GH
#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
5.530 GHz 11.000 GHz 16.500 GHz	64.72 dBm 53.80 dBm 51.27 dBm	FUNCTION WOTH	PUNCTION VALUE	Auto Ma Freq Offse 0 H
	00000 GHZ PRICE Fast = IFGale:Low Bin Bin #VEI #VEI X S S S S S S S S S S S S S S S S S S	Ptio:Fail Trig:Free Run If Calculus Trig:Free Run RAten: 4 dB 89 dB Bm #VBW 3.0 MHz #VBW 3.0 MHz \$550 DH4 - \$350 DH4 - \$350 DH4 \$472 dBm	Bit Bit March Avg Type: Log-Pwr Pit Cale: Low Trig: Free Run Avg Type: Log-Pwr Bit Bit Mater. 4 dB Mater. 4 dB #WBW 3.0 MHz Sweep #VBW 3.0 MHz Sweep # Stable Arg Type: Log Pwr Pactility	Model Frig: Free Run Akter: 4 dB Avg Type: Log-Pwr Trig: Free Run Akter: 4 dB Mac Type: Log-Pwr Trig: Free Run Stop: Stop: S

Antenna C





Antenna D

Page No: 512 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3








AL 500 00 Center Freq 9.01500000		- Trig: Free Run	Avg Type: Log-Pwr	10:14:02 PM May 23, 2014 TRACE 12:14 F TYPE TAXE DOT P. NO. 14 F	Frequency
Ref Offset 13.8 dB			N	1kr3 16.500 GHz -61.27 dBm	Auto Tun
00 (0.0 (0.0) (0.0)					Center Fre 9.015000000 GH
200 500 610 mo ognacilyt gestaller	and the man	Ant al give a land in strategies	مى مەركىمى مەرمەلىيى كەرمەر يەرمە	million diation	Start Fre 30.000000 MH
71.0					Stop Fre 18.00000000 GH
4.00					
Start 30 MHz #Res BW 1.0 MHz	#VBI	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	1.797000000 GH
Start 30 MHz		Y	Sweep	30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma
Start 30 MHz #Res BW 1.0 MHz #Ref BW 1.0 MHz #Ref RC SCL X 1 N 1 f 3 N 1 f 4 6				30.0 ms (1001 pts)	1.797000000 GH
Start 30 MHz #Res BW 1.0 MHz MOR MODE THC SCL X 1 N 1 f 2 N 1 f 4	5.530 GHz	7 -64.72 dBm -63.80 dBm		30.0 ms (1001 pts)	1.797000000 GH Auto Ma Freq Offs


Antenna C





Antenna D

Page No: 513 of 810



սիսիս cisco

M

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1


Antenna A

30 MHz BW 1.0 MH

Ref Offset 13.8 dB Ref 0.00 dBm

Antenna B

Page No: 514 of 810



Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

t 30 MHz 5 BW 1.0 MH

W 3.0 MH

5.530 GHz 11.000 GHz 16.500 GHz -60.95 dBn -61.10 dBn -63.47 dBn

Ref Offset 13.8 dB Ref 0.00 dBm

Antenna B

Page No: 515 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



RL # 50.0 DC		L SENSENT		Log-Pwr	12:13:24 AM May 24, 2014	Frequency
enter Freq 9.0150000	PNO: Fast ++ IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type	. Log-Pwr	TYPE DET P N H H DIN	
Ref Offset 13.8 dB dB/div Ref 0.00 dBm				M	kr3 16,500 GHz -60.86 dBm	Auto Tune
00 000 000 000 000						Center Free 9.015000000 GH
2.0 10 20 20 Handlifted and all all and a street and a st	mart Huners	-	m 2 man	aget days of a party	armanne alvera	Start Free 30.000000 MH
0.0 1						Stop Free 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz		V 3.0 MHz	FUNCTION FUN	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GH Auto Mar
	5.530 GHz 11.000 GHz 16.500 GHz	-61.46 dBm -63.59 dBm -60.86 dBm				Freq Offse 0 H
				STATUS		-

Antenna A

	015000000 GHz PNO: Fast IFGain:Lov	Trig: Free Run	Avg Type: Log-Pwr	12:20:23 AM May 24, 2014 TRACE 12 14 E TYPE WANNAMAN OUT P N GNUM	Frequency
0 dB/div Ref 0	ffset 13.8 dB 0.00 dBm		М	kr2 11.000 GHz -61.59 dBm	Auto Tune
000 200 200 200					Center Free 9.015000000 GH
40.0 50.0		لليتوادينا أواجعه وحلج ومقرارها	2 Marth Strate Sound & State	0.3 (7.5-1.6) (7.5-1.6)	Start Fre 30.000000 MH
The state of the second second					
40.0 40.0					
Start 30 MHz	iz #V	/BW 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	18.00000000 GH
Start 30 MHz Res BW 1.0 MH	×	¥.	Sweep Function Function win/H	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	Stop Fre 18.000000000 GH CF Ste 1.797000000 GH <u>Auto</u> Ma
Start 30 MHz #Res BW 1.0 MH MKR MODE TRC SCL 1 N 1 f	× 5.530 GHz	-63.54 dBm		30.0 ms (1001 pts)	18.00000000 GH CF Ste 1.79700000 GH
Start 30 MHz #Res BW 1.0 MH WR MODE TRC SCL 1 N 1 F 2 N 1 F 3 N 1 F 6	×	¥.		30.0 ms (1001 pts)	18.00000000 GH CF Ste 1.79700000 GH
Start 30 MHz Res BW 1.0 MH MR MODE TRC SCL 1 N 1 7 2 N 1 7 3 N 1 7	× 5,530 GHz 11,000 GHz	-63.54 dBm -61.59 dBm		30.0 ms (1001 pts)	18.00000000 GH CF Ste 1.797000000 GH Auto Ma Freq Offse

Antenna C

Antenna B


Page No: 516 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



enter Freq 9.01500000		Trig: Free Run #Atten: 4 dB	Avg Ty	ALISN OF	10:35:01 PM May 23, 2014 TRACE 22, 2014 TVPE W	Frequency
Ref Offset 13.8 dB				Μ	kr3 16.500 GHz -63.24 dBm	
000 (10.5) (20.0) (20.0)						Center Freq 9.015000000 GHz
EG SIQ SIQ TO C with telly - High ray with the pro-	Man	wanted	April 2 April 10	-tengel, word	3	Start Fred 30,000000 MHz
no						Stop Freq 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz KR HODE THE SCL ×			FUNCTION	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	
1 N 1 F 2 N 1 F 3 N 1 F 4 5 5 7	5.530 GHz 11.000 GHz 16.500 GHz	-51.57 dBm -64.58 dBm -53.24 dBm				Freq Offset 0 Hz
sg.				STATU	0	

Antenna A



Antenna C

Antenna B


Page No: 517 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A




Antenna C

Antenna B

Page No: 518 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A

	Tele: Free Pup	Avg Type: Log-Pwr	01:16:25 AM May 24, 2014 TRACE 2014	Frequency
PNO: Fast IFGain:Low	#Atten: 4 dB		DET PRONUM	La sur
t 13.8 dB) dBm		M	kr3 16.500 GHz -61.95 dBm	Auto Tune
				Center Free 9.015000000 GH:
and mar and the second	ىرى بەتىرىنىيە تەرىپىدىنىيە ھەرىپىدىنىيە تەتتىپىرىدە تەرىپىدىنىيە تەتتىپىرىدە تە	and	and the second	Start Free 30.000000 MH
				Stop Fre 18.000000000 GH
#VBV	V 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Stej 1.797000000 GH
×		UNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
5.530 GHz 11.000 GHz 16.500 GHz	-63.17 dBm -64.34 dBm -61.95 dBm			FreqOffse
				OH
	5000000 CHz IF GaleLow 4130 dB dBm #VBW #VBW *5582 CHrz 1100 CHz	5000000 GHz Brainclow Trig: Free Run Anten: 4 dB dBm #VBW 3.0 MHz #VBW 3.0 MHz 5,530 GHz 5,530 GHz 4 dBm	5000000 GHz PBD: Fail - an - Trig: Free Run Breakdow Trig: Free Run Breakdow Avg Type: Log-Pwr Breakdow 133 dB M dBm M dBm Avg Type: Log-Pwr Breakdow M dBm M dBm Avg Type: Log-Pwr Breakdow M dBm M Avg Type: Log-Pwr Breakdow Avg Type: Log-Pwr Breakdow M dBm M Avg Type: Log-Pwr Breakdow Avg Type: Log-Pwr Breakdow	5000000 GHz Trig: Free Run Breakd.ow Trig: Free Run Breakd.ow Avg Type: Log-Por Thic: Batter Type: Log-Por 133 dB Mkr316.500 GHz dBm -51.95 dBm dBm -51.95 dBm

Antenna C





Antenna D

Page No: 519 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna A

Center Freq 9.0150000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	11:37:51 PM May 23, 2014 TRACE 24 TYPE CAT P TO DO TO DO	Frequency
Ref Offset 13.8 de	3		N	/kr2 11.000 GHz -63.60 dBm	Auto Tune
00					Center Fre 9.015000000 GH
410 510 610	war for the same	านรุกษณฑายาม	2 Constant of the second	Constanting of the state of the state	Start Fre 30.000000 MH
71.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					Stop Fre 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz		N 3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma
1 N 1 1 F F F F F F F F F F F F F F F F	5.530 GHz 11.000 GHz 16.500 GHz	4 61.86 dBm 63.60 dBm 63.75 dBm	EARCTION FORCE	H. FUNCTION VALUE	Freq Offse 0 H
10 11 12 12			STAT		

Antenna C





Antenna D

Page No: 520 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3








	#Atten: 4 dB		DET P 12 G1 12 F2 F2	1
dB M		ţ	Mkr3 16,500 GHz -60,77 dBm	Auto Tun
				Center Fre 9.015000000 GH
annow the margin	n warden and the state of the s	2 University of the start of the	Antiper Manager and State	Start Fre 30.000000 MH
				Stop Fre 18.00000000 GH
#VB\	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	1.797000000 GH
5.530 GHz 11.000 GHz 16.500 GHz	50.56 dBm 51.35 dBm -60.77 dBm		H FUNCTION VALUE	Auto Ma Freq Offse 0 H
	m ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	n #VBW 3.0 MHz #VBW 3.0 MHz \$550 GHz \$550 GHz \$550 GHz \$130	n #VBW 3.0 MHz Sweet \$550 GHz \$556 dBm Pactor Pactor V01	*VBW 3.0 MHz Stop 18.000 GHz 5500 GHz - 2056 dBm 1000 GHz - 2056 dBm 1000 GHz - 2056 dBm 1000 GHz - 2056 dBm

Antenna C






Antenna D

Page No: 521 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 522 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna B


Center Freq 9.0150000	PNO: Fast -	Trig: Free Run	Avg	Type: Log-Pwr	TRAC	E WARAAAAAAAA	Frequency
Ref Offset 13.8 d Ref 0.00 dBm						00 GHz 14 dBm	Auto Tun
09 100							Center Free 9.015000000 GH
ana alo no dogosta datasta data ta	m Mun	ayaayaa hari amaa fahiyaa famayaa	2 www.juut,	margamet +4	Werthand	23 June	Start Free 30,000000 MH
10 0 10 0 10 0							Stop Free 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz		V 3.0 MHz			30.0 ms (CF Step 1.797000000 GH Auto Mai
1 N 1 7	5.530 GHz 11.000 GHz 16.500 GHz	-62,00 dBm -63,44 dBm -63,46 dBm	INCTION	EUNCTION WOTH	FUNCTIO	4 YALUE	Freq Offse

Antenna C

Page No: 523 of 810

Conducted Spurs Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1








Center Freq 9.01500000		Trig: Free Run #Atten: 4 dB		e: Log-Pwr	10:14:02 PM May 2: TRACE TYPE DUT	Filmer F	requency
Ref Offset 13.8 dB IO dB/div Ref 0.00 dBm			Mkr3 16.500 GHz -61.27 dBm				
00 000 200 310							Center Fre 5000000 GH
418 	and the second	Antonialanterinterin	2	hours and the second		3	Start Fre
711.0 60:0 /010						18.00	Stop Fre
Start 30 MHz #Res BW 1.0 MHz	#VB\	V 3.0 MHz		Sweep	Stop 18.000 30.0 ms (1001	pts) 1.79	CF Ste 7000000 GH
3 N 1 Y	5.530 GHz 11.000 GHz 16.500 GHz	-64.72 dBm -63.80 dBm -61.27 dBm	PUNCTION FU	NCTION WIDTH	FUNCTION VALUE		Ma Freq Offse 0 H
4 6 6 7 8 9 9							

Antenna C





Antenna D

Page No: 524 of 810




enter Freq 9.015000000 GHz Avg Type: Log-F Trig: Free Run Auto Tun Ref Offset 13.89 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre ∧3 2 30.000000 N Stop Fre Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CFSt 30 MHz BW 1.0 MH W 3.0 MH 1,79700 M -50.65 dBn -62.13 dBn -62.18 dBn 5.550 GHz 11.080 GHz 16.620 GHz Freq Offse

Conducted Spurs Peak, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps

Antenna A

Page No: 525 of 810






Antenna A

Antenna B

Page No: 526 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Spurs Peak, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps



Conducted Spurs Peak, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps



cisco

Antenna A



Antenna C


Antenna B

Page No: 527 of 810



Conducted Spurs Peak, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps






Antenna C



cisco

Antenna B




Antenna D

Page No: 528 of 810



Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A

Page No: 529 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 530 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna A


Antenna B

Page No: 531 of 810

սիսիս cisco

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Center Freq 9.0150	PNO: Fast -	Trig: Free Run	Avg Type: Log-Pwr	11:51:39 AM May 24, 2014 TRACE 12 14 E TYPE WWWWWWWW	Frequency
Ref Offset 13		sAtten: 4 dB	IV	1kr2 11.080 GHz -62.69 dBm	Auto Tune
00 00 00 200					Center Free 9.015000000 GH
4010 5010 5010	mar 21	ومزوول ورافيه والمراجع	2 undershimmed areas have	A CONTRACTOR	Start Free 30.000000 MH
nuò					Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz	CF Ste 1.797000000 G				
HER MODE TRC SCL.	8 5.550 GHz 11.080 GHz 16.620 GHz	-57,54 dBm -52,69 dBm -64,27 dBm	PUNCTION VIOTA	FUNCTION VALUE	Auto Mai Freq Offse 0 H
7					

Antenna C

Page No: 532 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna B

	DC	.DAGE UNIT		Type: Log-Pwr	11:34:39 AM May 24, 2014 TRACE TRACE	Frequency
enter Freq 9.01500	PNO: Fast - IFGain:Low	Trig: Free Run	Avg	Type: Log-Pwr	TYPE WAR	
Ref Offset 13	8.89 dB Bm			M	-62.52 dBm	Auto Tuni
09 000 000						Center Free 9.015000000 GH
110 110 110	month	R. Starting and a fight of the second	2	and the property and the state	ant-party planeter, particular	Start Fre- 30.000000 MH
no no						Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
KR MODE TRC SCL.	5.550 GHz 11.080 GHz	-55.29 dBm -64.07 dBm	PUNCTION	EUNCTION WIDTH	FUNCTION VALUE	Auto Mar
	16.620 GHz	-62.52 dBm				Freq Offse
8						

Antenna C

Page No: 533 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3







Antenna A




Antenna C

Page No: 534 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1










Antenna C





Antenna D

Page No: 535 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







center Freq 9.01	5000000 GHZ PN0: Fast IFGain:Low		Avg Type: Log	-Pwr TRACE		Frequency
Ref Offs	Auto Tun					
100 200 200						Center Fre 9.015000000 GH
400 500 600 m.h. h.s.s.s.s.	and the second second second	La African State In a straight	2 which representationed	mangane	A ³	Start Fre 30.000000 MH
70.0 60.0 81.0						Stop Fre
Start 30 MHz #Res BW 1.0 MHz	#VE	3W 3.0 MHz	Swe	Stop 18. eep 30.0 ms (1	001 pts)	CF Ste 1.797000000 GH
Res BW 1.0 MHz					THAT IS NOT	Auto Ma
MKR MODE TRC SCL	× 5.550 GHz	-57,54 dBm	PUNCTION FUNCTION	WIDTH FUNCTION	YALUE	-
MKR MODE TRC SCL			UNCTION FUNCTION	WIDTH FUNCTION	VALUE	Freq Offs 0
MKR MODE TRC SCL	6.550 GHz 11.080 GHz	-57.54 dBm -52.69 dBm	UNCTION BUNCTION	WIOTH FUNCTION		

Antenna C






Antenna D

Page No: 536 of 810




Conducted Spurs Peak, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3




cisco






Antenna C





Antenna D

Page No: 537 of 810



Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1

Antenna A

Antenna B

սիսիս cisco

Auto Tu


Start Fre

Stop Fre

CF Step

M

Page No: 538 of 810



սիսիս cisco

M

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

t 30 MHz 5 BW 1.0 MH

Ref Offset 13.89 dB Ref 0.00 dBm

Antenna B


Page No: 539 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A




Antenna C

Antenna B

Page No: 540 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A




Antenna C

Antenna B

Page No: 541 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna A



Antenna C

Page No: 542 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A

AL 500 Center Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	01:33/08 PM May 24, 2014 TRACE 12 4 F Type Wommon	Frequency Auto Tune		
Ref Offset 13.89 dB Mkr3 16.620 GHz 10 dB/div Ref 0.00 dBm -59.08 dBm							
09 100 200					Center Free 9.015000000 GH		
410 500	who and the way	الميلية ومروحيتهم ومرواري	and the second second	anter the state	Start Free 30,000000 MH		
70.2					Stop Fre 18.000000000 GH		
Start 30 MHz Res BW 1.0 MHz		N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma		
1 N 1 F 2 N 1 F 4 6 6 7 8 9 9 0	5,550 GHz 11,080 GHz 16,620 GHz	-60 29 dBm -53 82 dBm -59.08 dBm			Freq Offse 0 H		

Antenna C





Antenna D

Page No: 543 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2








Center Freq 9.015000		Trig: Free Run	Avg Type: Log-Pwr	12:42:21 PM May 24, 2014 TRACE 2:14 TYPE DUT P TO N / 10	Frequency
Ref Offset 13.89	dB.		IV	lkr3 16.620 GHz -62.44 dBm	Auto Tun
200					Center Fre 9.015000000 GH
218 510 610 710 Hours & Aland Marshar Al	unput the margin	n yan sila an	and an an and a second	manna and 3	Start Fre 30.000000 MH
71.0 					Stop Fre 18.00000000 GH
Start 30 MHz Res BW 1.0 MHz		/ 3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma
MARI MODE TRE SCL. 1 N 1 F 2 N 1 F 4 6 6 6 7 7 8 9 9 10 11	* 5.550 GHz 11.080 GHz 16.620 GHz	-59.41 dBm -64.94 dBm -62.44 dBm	FUNCTION WIDTH	FUNCTION VALUE	Freq Offs
			STAT		

Antenna C





Antenna D

Page No: 544 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3







Center Freq 9.01			Avg Type: Log-Pwr	12:08:36 PM May 24, 2014 TRACE 12:14 5 TYPE DOT P NO 10/01	Frequency
0 dB/div Ref 0.0	at 13.89 dB		M	kr3 16.620 GHz -62.63 dBm	Auto Tun
-09 (00 200 300					Center Fre 9.015000000 GH
416 910 810	and the second states	arty-carpertonesty and the	2	May surface 3	Start Fre 30.000000 MH
7000 					Stop Fre 18.00000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
AKR MODE TRC SCL	× 5.550 GHz 11.080 GHz	-53.41 dBm -53.38 dBm	UNCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Ma
N 1 1 4667	16.620 GHz	-62.63 dBm			Freq Offs
8 9 10					
12			-		

Antenna C





Antenna D

Page No: 545 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna B

Page No: 546 of 810




Conducted Spurs Peak, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



enter Freq 9.0150000	00 GHz		Avg Type: Log-P		Frequency
	PNO: Fast +	#Atten: 4 dB		DET PHURAN	Auto Tune
Ref Offset 13.89 (dB/div Ref 0.00 dBm	dB			Mkr3 16.620 GHz -62.54 dBm	
2.0					Center Free 9.015000000 GH
ED 10 ED 00 manufacture and a day	A A A A A A A A A A A A A A A A A A A	10-1-4445-1-10-10-10-10-10-10-10-10-10-10-10-10-1	multimenter	Sattinianation and the first state of the st	Start Free 30.000000 MH
60 10 i					Stop Free 18.00000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB\	W 3.0 MHz	Swee	Stop 18.000 GHz p 30.0 ms (1001 pts)	CF Step 1.797000000 GH Auto Mar
	5.550 GHz 11.080 GHz 16.620 GHz	-54.26 dBm -64.25 dBm -62.54 dBm	action Toletion is	The remaining these	Freq Offse
					OH
7 8 9 9					
a.			ST	ATUS	

Antenna A



Antenna C

Antenna B


Page No: 547 of 810

Conducted Spurs Peak, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1










Antenna C





Antenna D

Page No: 548 of 810



enter Freq 9.015000000 GHz Avg Type: Log-P ---- Trig: Free Run Auto Tun Ref Offset 13.7 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre 30.000000 N Stop Fre 18.00000000 GH CF Sto Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz 5 BW 1.0 MH W 3.0 MH M -47.34 dBn -62.47 dBn -58.74 dBn 5.560 GHz 11.120 GHz 16.680 GHz Freq Offse


Conducted Spurs Peak, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps

Antenna A

Page No: 549 of 810

սիսիս cisco











Page No: 550 of 810












eq 9.015000000 GHz Avg Type: Log-F Trig: Free Run Auto Tur Ref Offset 13.7 dB Ref 0.00 dBm Center Fre 9 0150000 Start Fre Stop Fr Stop 18.000 GH: Sweep 30.0 ms (1001 pts 30 MHz BW 1.0 MHz CF St #VBW 3.0 MHz 1.7970 Ma -55.65 dBm -64.33 dBm -61.08 dBm 5.560 GHz 11.120 GHz 16.680 GHz Freq Offse

Antenna C

Antenna B

Page No: 551 of 810




Conducted Spurs Peak, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps




enter Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	DB:02:27 PM May 24, 2014 TRACE 12 4 TYPE DOT P Not Action	Frequency
Ref Offset 13.7 0 dB/div Ref 0.00 dBn			M	kr3 16.680 GHz -61.90 dBm	Auto Tune
100 100 100 100					Center Free 9.015000000 GH
910 500 600	anarth have	an day markage biblic and pilo	plandrawylawylawylawy	athen the burning of a gently state	Start Fre 30.000000 MH
0.0					Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz		V 3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma
AR MODE TRC SCL.	8 5,560 GHz 11,120 GHz 16,680 GHz	57.62 dBm 53.25 dBm 51.90 dBm	INCTION FUNCTION WIGTH :	FUNCTION VALUE	Auto Ma
4 6 6 7 8 9 9					OH

Antenna C



cisco





Antenna D

Page No: 552 of 810

սիսիս cisco

Frequ

Auto Tu

Center Fre 9.01500000 GH

Start Fre

Stop Fre 18 000

CF Step

Freq Offse

M

1,7970

30.000000 MI

∆3

Stop 18.000 GHz Sweep 30.0 ms (1001 pts)

Avg Type: Log-P

-51.70 dB -63.95 dB -64.46 dB

ter Freq 9.015000000 GHz Vicaint uw Atten: 4 dB enter Freq 9.015000000 GHz Pho: Fast ---- Trig: Free Run Pho: Fast ---- Trig: Free Run Atten: 4 dB Avg Type: Log-F Auto Tun Ref Offset 13.7 dB Ref 0.00 dBm Ref Offset 13.7 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre 30.000000 M ∆² Stop Fre CF Step 1,797000000 GH Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz s BW 1.0 MH tart 30 MHz Res BW 1.0 MI W 3.0 MH #VBW 3.0 MHz Ma -52.62 dBr -64.10 dBr -63.98 dBr 5.560 GHz 11.120 GHz 16.680 GHz 5.560 GHz 11.120 GHz 16.680 GHz Freq Offse

Conducted Spurs Peak, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps

Antenna A



Page No: 553 of 810

Conducted Spurs Peak, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps




enter Freq 9.015	000000 GHz PNO: Fast + IFGainLow	Trig: Free Run #Atten: 4 dB	Avg Type: Log-P		Frequency
Ref Offset dB/div Ref 0.00	13.7 dB			Mkr3 16,680 GHz -63.56 dBm	Auto Tune
10 10 10					Center Fred 9.015000000 GH:
0 0 0 00000000000000000000000000000000	www.	n finger a where the start find and been	2 martine	utrate opening of a strategy	Start Free 30,000000 MH
10					Stop Free 18.000000000 GH
art 30 MHz Res BW 1.0 MHz	#VB	N 3.0 MHz	Swee	Stop 18.000 GHz p 30.0 ms (1001 pts)	CF Step 1.797000000 GH:
R MODE THE SOL	≫ 5.560 GHz	Y R. -55.45 dBm	INCTION FUNCTION WIE	TH FUNCTION VALUE	Auto Mar
2 N 1 F 3 N 1 F 4	11.120 GHz 16.680 GHz	-64.64 dBm -63.56 dBm			Freq Offse 0 Hi
				ATUS	

Antenna B

Center Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	07:29:06 PM May 24, 2014 TRACE 12 4 5 TYPE WARMAN	Frequency
Ref Offset 13.7 Ref Offset 13.7 Ref 0.00 dBr	dB m		Μ	kr3 16.680 GHz -62.96 dBm	Auto Tune
100 200					Center Free 9.015000000 GH
410 910 610	man	har for the second s	portion of the second second	nit, atomicistica, ³ adaine	Start Fre- 30,000000 MH
71.0 Luie					Stop Fre 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
MKR MODE TRC SCL	× 5.560 GHz	-55.08 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
	5.660 GHz 11.120 GHz 16.680 GHz	-64.38 dBm -62.96 dBm			Freq Offse 0 H
7 8 9 10 11					
12					

Antenna C

Page No: 554 of 810



Conducted Spurs Peak, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps




Antenna A

Center Freq 9.015000	000 GHz PN0: Fast IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	DB:02:27 PM May 24, 2014 TRACE 12 4 TYPE WWWWWW	Frequency
Ref Offset 13.7 10 dB/div Ref 0.00 dBr	Auto Tune				
200					Center Free 9.015000000 GH
200 500 100 100	another vare	en das medans biellerstade	2 molecular and a second second	the the large stands	Start Free 30.000000 MH
7110					Stop Fre 18.00000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VBV	/ 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Stej 1.797000000 GH
MKR MODE TRC SCL.	× 5.560 GHz	-57.62 dBm	UNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
	11.120 GHz 16.680 GHz	-63.25 dBm -61.90 dBm			Freq Offse 0 H
7 8					

Antenna C





Antenna D

Page No: 555 of 810



enter Freq 9.015000000 GHz Avg Type: Log-F ---- Trig: Free Run Auto Tun Ref Offset 13.7 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre **3** 30.000000 N Stop Fre Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CFSt 30 MHz BW 1.0 MH W 3.0 MH 1,79700 M -46.73 dBn -62.48 dBn -59.97 dBn 5.560 GHz 11.120 GHz Freq Offse


Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1

Antenna A

Page No: 556 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B

Page No: 557 of 810

Freq

Auto Tu

Center Fre 9.015000000 GH

Start Fre

30.000000 MI

Stop Fre

1,7970

CF Step

Freq Offse

M

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna B

tart 30 MHz Res BW 1.0 M

Ind Spectrum Analysis The State of the Stat

> Ref Offset 13.7 dB Ref 0.00 dBm

Avg Type: Log-P

2²


#VBW 3.0 MH


-47.34 dB -62.47 dB -63.16 dB

5.560 GHz 11.120 GHz 16.680 GHz Stop 18.000 GHz Sweep 30.0 ms (1001 pts)

Page No: 558 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna B

enter Freg 9.01500	0000 CH*	. INGENT	Ave	Type: Log-Pwr	01:42:36 AM May 25, 2014 TRACE DR 2014	Frequency
enter Freq 5.015000	PNO: Fast -> IFGain:Low	#Atten: 4 dB			DET P DUDROUT	
Ref Offset 13.7	dB m			M	4r3 16.680 GHz -62.69 dBm	Auto Tuni
00						Center Free 9.015000000 GH
ano 100 110 110 110	month	dyarahlaru afiliriya ya		بالمرينية المحمد الم	Augurytan galand	Start Fre- 30.000000 MH
0.0 1.0						Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBV	/ 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	1.12100000000
KR MODE TRC SCL	× 5.560 GHz	-54,33 dBm	UNCTION	EUNCTION WIDTH:	FUNCTION VALUE	Auto Ma
2 N 1 F 3 N 1 F 4	11.120 GHz 16.680 GHz	-63.94 dBm -62.69 dBm				Freq Offse 0 H
6 7 8 9 9						

Antenna C

Page No: 559 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna B

enter Freg 9.01500		. DAGE UNT	Avg Type: Log-Pu		Frequency
enter Preq 5.01500	PNO: Fast - IFGain:Low	#Atten: 4 dB		DET P REGINATION	
Ref Offset 13	.7 dB 3m			Mkr3 16.680 GHz -61.32 dBm	Auto Tun
0.0 (0.0 (1.0) (1.0)					Center Fre 9.015000000 GH
00 00	music man	Linish, so and the fairly failed and the second	2 2 2 2 2 2	and the second sec	Start Fre 30,000000 MH
700 					Stop Fre 18.00000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Swee	Stop 18.000 GHz p 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
AR MODE THE SEL	× 5.560 GHz 11.120 GHz	52.07 dBm -62.97 dBm	UNCTION EUNCTION WID	TH: FUNCTION VALUE	Auto Ma
3 N 1 F 4 6	16.680 GHz	-61.32 dBm			Freq Offse 0 H
7					
2					

Antenna C

Page No: 560 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3





Antenna B

enter Freq 9.0150000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	12/35/25 AM May 25, 2014 TRACE 2 4 TYPE ANALYSIC	Frequency
Ref Offset 13.7 d dB/div Ref 0.00 dBm	8		MI	kr3 16.680 GHz -62.95 dBm	Auto Tune
ag 00 00					Center Freq 9.015000000 GHz
TO TO TO TO TO Superformation of the second	walking	وبالدرزيات الإغار والم	And the second state of the second	Minikowa (1941 a minikowa wa w	Start Free 30.000000 MHz
0.0 0.0					Stop Fred 18.00000000 GH:
tart 30 MHz Res BW 1.0 MHz	#VBI	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHs
KR MODE TRC SCL.	5.560 GHz 11.120 GHz	-50.24 dBm -63.24 dBm	NCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Mar
	16.680 GHz	-62.95 dBm			Freq Offse 0 Ha
7					

Antenna C

Page No: 561 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1








Center Freq 9.015000			Avg Type: Log-Pwr	02:16:21 AM May 25, 2014 TRACE 2 4 5 TYPE 04 DUT P TO NO 19	Frequency
Ref Offset 13.7 Ref 0.00 dB	Auto Tune				
-09 (00 200 300					Center Free 9.015000000 GH:
ain Sio Bio	mar forman	Atus milindratin kaskadans	2 martin and the second	- Martin Martin California	Start Free 30,000000 MH:
7110 1010 1010					Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VBI	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL	× 5.560 GHz	-54.42 dBm	PUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
	11.120 GHz 16.680 GHz	-63.45 dBm -63.89 dBm			Freq Offse 0 H
7 8 9 10					

Antenna C





Antenna D

Page No: 562 of 810

Frequ

Auto Tu

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Avg Type: Log-P

ast +-- Trig: Free Run #Atten: 4 dB






Antenna C



Antenna D

ter Freq 9.015000000 GHz

Page No: 563 of 810









Antenna C






Antenna D

Page No: 564 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1

Antenna A

Antenna B

սիսիս cisco

Frequ

Auto Tu

Center Fre


Start Fre

Ma

Freq Offse

30.000000 MI

Page No: 565 of 810



սիսիս cisco

M

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

t 30 MHz s BW 1.0 MH

Antenna B

Page No: 566 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



enter Freq 9.01500000	PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	01:55:11 AM May 25, 2014 TRACE 12 2 4	Frequency
Ref Offset 13.7 dB	IFGain:Low	sAtten: 4 dB	М	kr2 11,120 GHz -62.05 dBm	Auto Tune
10 10					Center Free 9.015000000 GH
20 10 20 20 ptph/ptp/ptp/st/sytem/	er low me	unan marta station of the	2 http://www.aksturiumatination	an and the second second	Start Free 30,000000 MH:
10					Stop Free 18.00000000 GH
art 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.79700000 GH Auto Mar
	5.560 GHz 11.120 GHz 16.680 GHz	45.33 dBm 462 05 dBm 463 23 dBm			Freq Offse 0 H;
			STATU	5	-

Antenna A


	19 DC	. INSE INT	ALIGN CITE	01:59:25 AM May 25, 2014	Frequency
Center Freq 9.015	000000 GHZ PNO: Fast IFGain:Low	Trig: Free Run	Avg Type: Log-Pwr		Frequency
Ref Offset	13.7 dB		M	kr3 16.680 GHz -63.84 dBm	Auto Tune
.00 (00) (00) (00)					Center Free 9.015000000 GH
40.0 50.0	and and the second states of t	n gerlettet Metherstre		Markanlan Janana	Start Free 30.000000 MH
71.0 					Stop Free 18.000000000 GH
	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	1.797000000 GH
Res BW 1.0 MHz	×	.Y. F	Sweep		CF Step 1.797000000 GH Auto Mar
Start 30 MHz #Res BW 1.0 MHz #RMODE TRC SCL 1 N 1 f 2 N 1 f 3 N 1 f 6				30.0 ms (1001 pts)	1.797000000 GH
Res BW 1.0 MHz #R MODE TRC SCL 1 N 1 7 2 N 1 7 3 N 1 7	× 5.560 GHz 11.120 GHz	-56.60 dBm -64.31 dBm		30.0 ms (1001 pts)	1.797000000 GH Auto Ma Freq Offse

Antenna C

Antenna B


Page No: 567 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna B




Antenna C

Antenna A

Page No: 568 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna B

Center Freq 9.01500		Trig: Free Run #Atten: 4 dB	Avg	Type: Log-Pwr	12:35:25 AM May 25, 201- TRACE 12 14 E TYPE DT P NO 1474	Frequency
Ref Offset 13. IO dB/div Ref 0.00 dB	7 dB Im			MI	r3 16.680 GHz -62.95 dBm	Auto Tune
.00 00 00 30						Center Fred 9.015000000 GH:
สาว 500 610 711 1 	manthan	بهيالب ويتعدلو والمر ويراسبو	A2	16.2 methoda and and a state	Same and the second state	Start Free 30.000000 MHz
70.0 60.0 80.0						Stop Free 18.000000000 GH:
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz		Sweep 3	Stop 18.000 GHz 30.0 ms (1001 pts)	
MKR MODE TRC SCL	× 5.560 GHz	-50.24 dBm	FUNCTION	EUNCTION WIDTH :	FUNCTION VALUE	Auto Mar
2 N 1 F	11.120 GHz 16.680 GHz	-63.24 dBm -62.95 dBm				Freq Offset 0 Ha
7 8 9 10 11						
12			_	STATUS		

Antenna C

Antenna A

Page No: 569 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1








Center Freq 9.015000000 GHz	Fast Trig: Free Rur #Atten: 4 dB	Avg Type: Log-Pv		Frequency
Ref Offset 13.7 dB 10 dB/div Ref 0.00 dBm			Mkr2 11.120 GHz -62.08 dBm	Auto Tune
00 100 200				Center Fre 9.015000000 GH
400 500	1 Maggardamagar Maghrona	2	And motion (service and service and service and services)	Start Fre 30,000000 MH
71.0				Stop Fre
du 0				
Start 30 MHz #Res BW 1.0 MHz	#VBW 3.0 MHz	Swee	Stop 18.000 GHz p 30.0 ms (1001 pts)	18.00000000 GH CF Ste 1.79700000 GH
Start 30 MHz	9 GHz -57.93 dBm GHz -52.08 dBm		p 30.0 ms (1001 pts)	18.00000000 GH

Antenna C





Antenna D


Page No: 570 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2










Antenna C





Antenna D


Page No: 571 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3










Antenna C





Antenna D

Page No: 572 of 810


Conducted Spurs Peak, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1








Page No: 573 of 810



Conducted Spurs Peak, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



AL INF SUR DC		SENTENT	ALIGN OFF	12:48:03 AM May 25, 2014	Frequency
enter Freq 9.0150000	PNO: Fast ++	Trig: Free Run	Avg Type: Log-Pwr	TYPE WARMAN	requeitsy
Ref Offset 13.7 dB			М	kr3 16,680 GHz -62,59 dBm	Auto Tune
00 0.00 0.00 0.00 2.0					Center Freq 9.015000000 GHz
2.0 10 20 00	and them	mannaturali	Same and a second s	Martin harring 3	Start Free 30,000000 MHz
αο					Stop Free 18.00000000 GH2
tart 30 MHz Res BW 1.0 MHz KR HODE THE SOL X	0		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GH: Auto Mar
1 N 1 f 2 N 1 f 3 N 1 f 6 6 7 8 9 9	5.560 GHz 11.120 GHz 16.680 GHz	-52 27 dBm -63 73 dBm -62 59 dBm			Freq Offsel 0 Hz
8					

Antenna B

Senter Freq 5.01500	00000 GHz PNO: Fast - IFGain:Low	Trig: Free Run #Atten: 4 dB		pe: Log-Pwr	12:52:16 AM May 2 TRACE TYPE DET	Frequency
Ref Offset 13 Ref 0.00 dB	7 dB			MI	(r3 16.680 C -61.32 d	
100						Center Free 9.015000000 GH
400	minthe	lender and the second	Q ²	ale and the sec		Start Free 30,000000 MH:
70.0				ور بر بر بر بر بر بر بر میں بر		Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 30.0 ms (1001	
MKR MODE TRC SCL	× 5.560 GHz	-52.07 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
1 N 1 F	11.120 GHz	-62.97 dBm -61.32 dBm				FreqOffse
	16.680 GHz					0 H:

Antenna C


Page No: 574 of 810

Conducted Spurs Peak, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1









Antenna C






Antenna D

Page No: 575 of 810





Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps

Antenna A

Page No: 576 of 810

սիսիս cisco

Freq

Auto Tu

Center Fre 9.01500000 GH

Start Fre

Stop Fre 18.000

CF Step

Freq Offse

M

1,7970


30.000000 MI

Stop 18.000 GHz Sweep 30.0 ms (1001 pts)

Avg Type: Log-P

#VBW 3.0 MH

-46.98 dE -63.53 dE -61.36 dE




Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps

Antenna A



Page No: 577 of 810



Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps



cisco


Antenna A



Antenna C

Antenna B

Page No: 578 of 810




Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps










cisco





Antenna D

Page No: 579 of 810



enter Freq 9.015000000 GHz Avg Type: Log-F Trig: Free Run Auto Tun Ref Offset 13.82 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre 2 30.000000 N Stop Fre 18.00000000 GH Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CF St 30 MHz BW 1.0 MH W 3.0 MH 1,79700 M -44,77 dBn -64,20 dBn -65,11 dBn 5.690 GHz 11.320 GHz 16.980 GHz Freq Offse

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1

Antenna A

Page No: 580 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 581 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Page No: 582 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Antenna A

սիսիս cisco

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna B






Antenna C


Page No: 583 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna B



Antenna C


Page No: 584 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C

Page No: 585 of 810

nter Freq 9.015000000 GHz --- Trig: Free Run Auto Tun Ref Offset 13.82 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre ∆**2** 30.000000 M Stop Fre 19.00 Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CF Step 1.79700000 GH Start 30 MHz Res BW 1.0 MH N 3.0 MH Ma -50.50 dB -64.63 dB -63.46 dB 5.690 GHz 11.320 GHz 16.980 GHz Freq Offs 01








Antenna C





Antenna D

Page No: 586 of 810


This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1

nter Freq 9.015000000 GHz --- Trig: Free Run Auto Tun Ref Offset 13.82 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre ∆**2** 30.000000 M Stop Fre 19.00 Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CF Step 1.79700000 GH Start 30 MHz Res BW 1.0 MH N 3.0 MH Ma -50.50 dB -64.63 dB -63.46 dB 5.690 GHz 11.320 GHz 16.980 GHz Freq Offs OH







Antenna C






Antenna D


Page No: 587 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Spurs Peak, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Conducted Spurs Peak, 5690 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3



սիսիս cisco

Frequency

Auto Tu

Center Fre


Start Fre

Stop Fr

CF Ste

Freq Offse






Antenna C



Antenna D

Page No: 588 of 810



Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1

Antenna A


t 30 MHz 5 BW 1.0 MH

Antenna B

սիսիս cisco

M

Page No: 589 of 810



սիսիս cisco

M


Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

Antenna B

Page No: 590 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



enter Freg 9.01500000		L SENSESVIC	Avg Type: L	IN OFF	03-00:36 AM		Frequency
enter Fred 9.01500000	PNO: Fast +	Free Run	wall the r	A.A. au	TVFF	PHUNN	
Ref Offset 13.82 da	3			Mk	r3 16,98 -60.8	0 GHz 8 dBm	Auto Tune
1.0 2.0 2.0							Center Free 9.015000000 GH
EB 10 ED 20 metrikanskaphistorija Mende	Mary	4	2 Annu May	- sinam	and the state	al and a state	Start Free 30,000000 MH
100 000 000 116 0 000 000 000 000 000 000 000 000 00							Stop Free 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	S		Stop 18.0 0.0 ms (1	001 pts)	CF Step 1.797000000 GH
KR MODE THE SCL X	5.690 GHz 11.320 GHz	Y F -50.68 dBm -64.39 dBm	UNCTION FUNCTION	IN WIDTH .	FUNCTION	VALUE	Auto Mar
3 N 1 F 4 5 S	16.980 GHz	-60.88 dBm					Freq Offse
6 7 9 0							
2							

Antenna B


enter Freq 9.01500000	GHZ PNO: Fast -	Trig: Free Run	Avg	Type: Log-Pwr	03:03:33 AM Jun 17, 201 TRACE 1211	Frequency
Ref Offset 13.82 dB 0 dB/div Ref 0.00 dBm	IF Gain:Low	satten. 4 ub		MI	r3 16.980 GH -62.85 dBr	
09 000						Center Fred 9.015000000 GH
976 970 970	-un france	digition and and and		en ling a mul of failed a	heep-sheetsings	Start Free 30.000000 MH:
71.0 						Stop Free 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz ARR MODE TRC SCL ×	#VB	W 3.0 MHz	FUNCTION	Sweep :	Stop 18.000 GH 30.0 ms (1001 pts	CF Step 1.797000000 GH
	5.690 GHz 1.320 GHz 6.980 GHz	-54.31 dBm -54.26 dBm -52.85 dBm	EMPLITUR	Enclose work	EDUCTION ANDE	Freq Offse 0 H
6 7 8 9						

Antenna C


Page No: 591 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A




Antenna C

Antenna B


Page No: 592 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C

Antenna A

Page No: 593 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A

Center Freq 9.0150000	00 GHz PNO: Fast IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	03:27:44 AM Jun 17, 2014 TRACE 2 4 TYPE 041 P 10:010:011	Frequency Auto Tune	
Ref Offset 13.82 dB Mkr3 16.980 GHz 10 dB/div Ref 0.00 dBm -63.03 dBm						
00 200 300					Center Free 9.015000000 GH:	
200 500 800	anisan Aringan	ang balang the state of the sta	and the Alexandraman from	antitute for a loss of the state	Start Free 30.000000 MH:	
70.0					Stop Free 18.000000000 GH	
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH	
MKR MODE TRC SCL	× 5.690 GHz	-54,50 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar	
2 N 1 7 3 4 6 6	11.320 GHz 16.980 GHz	-63.34 dBm -63.03 dBm			Freq Offset 0 Hi	
7 8 9 10						

Antenna C





Antenna D

Page No: 594 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2








AL 590 Center Freq 9.01500		Trig: Free Run #Atten: 4 dB	Avg Type: Log-		Frequency
Ref Offset 13.0 0 dB/div Ref 0.00 dB				Mkr3 16.980 GHz -64.51 dBm	Auto Tune
000:					Center Free 9.015000000 GH
4010) 5010	mar all man	gerijanomersedistrefied	مر مود المرد مرد مرد مرد مرد مرد مرد مرد مرد مرد	muraly and and 3	Start Free 30,000000 MH
10.0 10.0					Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Swe	Stop 18.000 GHz ep 30.0 ms (1001 pts)	CF Step 1.797000000 GH
AKR MODE TRC SCL.	× 5.690 GHz	-51.61 dBm	UNCTION FUNCTION V	IDTH FUNCTION VALUE	Auto Mar
2 N 1 7 3 N 1 7 4 6	11.320 GHz 16.980 GHz	-65.20 dBm -64.51 dBm			Freq Offse 0 H
10			_	TADIS	

Antenna C





Antenna D


Page No: 595 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3










Antenna C





Antenna D

Page No: 596 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna B

Page No: 597 of 810




Conducted Spurs Peak, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C


Page No: 598 of 810

Conducted Spurs Peak, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1










Antenna C





Antenna D

Page No: 599 of 810





Conducted Spurs Peak, 5710 MHz, Non HT/VHT40, 6 to 54 Mbps

Antenna A

Page No: 600 of 810