


Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna B





Antenna A

Antenna C

Page No: 801 of 810



Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3

Antenna B






Antenna A

Antenna C

Page No: 802 of 810




Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A



Antenna B





Antenna C

Antenna D



Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna A



Antenna B




Antenna C

Antenna D



Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A



Antenna B





Antenna C

Antenna D



Conducted Bandedge Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



Conducted Bandedge Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna A

| Center | Freq | 5.415000000 GHz | Frequency | Freque

Antenna C

Page No: 807 of 810

Antenna B




Center Free

Freq Offs


Conducted Bandedge Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



Antenna A Antenna B



Antenna C Antenna D



Ref Offset 13.8 dB Ref 0.00 dBm #Avg Type: RMS Avg|Hold: 100/100





Appendix B: Test Equipment/Software Used to perform the test

Equip #	Manufacturer	Model	Description	Last Cal	Next Due
CIS-50721	Agilent	N9030A	PXA Spectrum Analyzer	4/7/2014	4/7/2015

Page No: 810 of 810