

## Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna B





## Antenna A

| Context | Section | Amelyses | Section | Sec

Antenna C

Page No: 801 of 810



## Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





## Antenna A

Antenna B




Antenna C



## Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





#### Antenna A



Antenna B



Antenna C

Antenna D



Auto Tun

Center Free

Freq Offs

## Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Ref Offset 13.8 dB Ref 0.00 dBm


Antenna B



Antenna A




Antenna C Antenna D




#Avg Type: RMS Avg[Hold: 100/100



## Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3






#### Antenna A



Antenna B





Antenna C

Antenna D



## Conducted Bandedge Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



## Conducted Bandedge Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





## Antenna A

Antenna C

Page No: 807 of 810

Antenna B



Center Free

Freq Offs

# Conducted Bandedge Average, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1




#### 9 10 11 12

Antenna B

## Antenna A



Antenna C Antenna D



#Avg Type: RMS Avg|Hold: 100/100

eq 5.415000000 GHz
PNO: Fast --- Trig: Free Run

Ref Offset 13.8 dB Ref 0.00 dBm





## Appendix B: Test Equipment/Software Used to perform the test

Equip #	Manufacturer	Model	Description	Last Cal	Next Due
CIS-50721	Agilent	N9030A	PXA Spectrum Analyzer	4/7/2014	4/7/2015

Page No: 810 of 810