






Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B




Antenna C




Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C




Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3




Antenna A



Antenna B



Antenna C




Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1




Antenna A




Antenna B




Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B




Antenna C



Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps




Antenna A



Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps




Antenna A




Antenna B




Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps




Antenna A



Antenna B




Peak Output Power / PSD, 5720 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A




Antenna B



Antenna C



Peak Output Power / PSD, 5720 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Antenna A



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2




Antenna A




Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A




Antenna B




Antenna C



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A




Antenna B



Antenna C



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Antenna C




Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2




Antenna A



Antenna B




Antenna C




Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1




Antenna A




Antenna B



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B




Antenna C



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A




Antenna B




Antenna C



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Antenna C




Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1




Antenna A




Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1




Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurious Emissions

15.407: For transmitters operating in the 5.25-5.35 and 5.47-5.725 GHz band: all emissions outside of the 5.25-5.35 and 5.47-5.725 GHz bands shall not exceed an EIRP of -27dBm/MHz.

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer).

| | |
|-----------------------|---------------|
| Span: | 30 MHz-40 GHz |
| Reference Level: | 20 dBm |
| Attenuation: | 10 dB |
| Sweep Time: | 10 s |
| Resolution Bandwidth: | 1 MHz |
| Video Bandwidth: | 3 MHz |
| Detector: | Peak |
| Trace: | Single |
| Marker: | Peak |

Record the marker waveform peak to spur difference

Note: Channels 116 and 132 are not supported in this system. This system will not transmit on channels that overlap the 5600-5650 MHz TDWR band. Therefore requirements of KDB 443999 are met.



| frequency (MHz) | Mode | Tx Paths | Correlated Antenna Gain (dBi) | Tx 1 Spur Power (dBm) | Tx 2 Spur Power (dBm) | Tx 3 Spur Power (dBm) | Tx 4 Spur Power (dBm) | Total Conducted Spur (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------------|---|----------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------|-------------|-------------|
| 5500 | Non HT/VHT20, 6 to 54 Mbps | 1 | 14 | -65.1 | | | | -51.1 | -41.25 | 9.9 |
| | Non HT/VHT20, 6 to 54 Mbps | 2 | 14 | -65.5 | -66.8 | | | -49.1 | -41.25 | 7.8 |
| | Non HT/VHT20, 6 to 54 Mbps | 3 | 14 | -67.5 | -67.0 | -67.3 | | -48.5 | -41.25 | 7.2 |
| | Non HT/VHT20, 6 to 54 Mbps | 4 | 14 | -67.3 | -68.0 | -67.3 | -66.6 | -47.3 | -41.25 | 6.0 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 2 | 14 | -67.3 | -66.9 | | | -50.1 | -41.25 | 8.8 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 3 | 17 | -67.3 | -68.0 | -67.3 | | -45.7 | -41.25 | 4.5 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 4 | 17 | -67.3 | -67.7 | -71.4 | -67.4 | -45.1 | -41.25 | 3.9 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 1 | 14 | -71.3 | | | | -57.3 | -41.25 | 16.1 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.1 | -66.7 | | | -49.9 | -41.25 | 8.6 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 2 | 14 | -71.4 | -71.4 | | | -54.4 | -41.25 | 13.1 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.2 | -66.9 | -67.4 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.1 | -66.7 | -67.4 | | -48.3 | -41.25 | 7.0 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.1 | -66.7 | -67.4 | | -48.3 | -41.25 | 7.0 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -67.5 | -67.3 | -66.0 | -47.0 | -41.25 | 5.7 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.2 | -66.9 | -67.4 | -66.2 | -46.9 | -41.25 | 5.6 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.2 | -66.9 | -67.3 | -66.2 | -46.9 | -41.25 | 5.6 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.2 | -66.9 | | | -50.0 | -41.25 | 8.8 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -71.4 | -71.4 | | | -54.4 | -41.25 | 13.1 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.3 | -67.5 | -67.3 | | -45.6 | -41.25 | 4.3 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.2 | -66.8 | -67.3 | | -48.3 | -41.25 | 7.1 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.1 | -66.7 | -67.4 | | -48.3 | -41.25 | 7.0 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.0 | -67.3 | -71.5 | -67.0 | -44.8 | -41.25 | 3.6 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.2 | -66.9 | -67.3 | -66.3 | -46.9 | -41.25 | 5.6 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.2 | -66.8 | -67.3 | -66.3 | -46.9 | -41.25 | 5.6 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -71.4 | -71.4 | | | -54.4 | -41.25 | 13.1 | |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.1 | -66.7 | -67.4 | | -48.3 | -41.25 | 7.0 | |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.2 | -66.9 | -67.4 | -66.2 | -46.9 | -41.25 | 5.6 | |
| 5510 | Non HT/VHT40, 6 to 54 Mbps | 1 | 14 | -71.5 | | | | -57.5 | -41.25 | 16.3 |
| | Non HT/VHT40, 6 to 54 Mbps | 2 | 14 | -65.2 | -64.1 | | | -47.6 | -41.25 | 6.4 |
| | Non HT/VHT40, 6 to 54 Mbps | 3 | 14 | -65.4 | -66.2 | -64.9 | | -46.7 | -41.25 | 5.4 |
| | Non HT/VHT40, 6 to 54 Mbps | 4 | 14 | -67.4 | -65.9 | -67.6 | -66.3 | -46.7 | -41.25 | 5.5 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 14 | -65.3 | | | | -51.3 | -41.25 | 10.1 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 14 | -65.2 | -63.5 | | | -47.3 | -41.25 | 6.0 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.2 | -63.5 | | | -47.3 | -41.25 | 6.0 |



| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|--------|--------|------|
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.3 | -65.1 | -67.2 | | -47.6 | -41.25 | 6.4 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.3 | -65.1 | -67.2 | | -47.6 | -41.25 | 6.4 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.3 | -65.1 | -67.2 | | -47.6 | -41.25 | 6.4 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 14 | -66.9 | -65.3 | -67.4 | -64.9 | -46.0 | -41.25 | 4.7 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.3 | -65.1 | -67.2 | -65.3 | -46.1 | -41.25 | 4.8 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.3 | -65.1 | -67.2 | -65.3 | -46.1 | -41.25 | 4.8 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.1 | -65.5 | | | -49.2 | -41.25 | 8.0 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.2 | -63.5 | | | -47.3 | -41.25 | 6.0 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.3 | -65.2 | -67.3 | | -44.7 | -41.25 | 3.5 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.3 | -65.1 | -67.2 | | -47.6 | -41.25 | 6.4 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.3 | -65.1 | -67.2 | | -47.6 | -41.25 | 6.4 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.2 | -66.1 | -67.2 | -64.8 | -43.2 | -41.25 | 1.9 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -66.9 | -65.3 | -67.4 | -64.9 | -46.0 | -41.25 | 4.7 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.3 | -65.1 | -67.2 | -65.3 | -46.1 | -41.25 | 4.8 |
| | HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -65.2 | -63.5 | | | -47.3 | -41.25 | 6.0 |
| | HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.3 | -65.1 | -67.2 | | -47.6 | -41.25 | 6.4 |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -65.1 | -67.2 | -65.3 | -46.1 | -41.25 | 4.8 | |
| 5530 | Non HT/VHT80, 6 to 54 Mbps | 1 | 14 | -64.5 | | | | -50.5 | -41.25 | 9.3 |
| | Non HT/VHT80, 6 to 54 Mbps | 2 | 14 | -64.5 | -71.4 | | | -49.7 | -41.25 | 8.4 |
| | Non HT/VHT80, 6 to 54 Mbps | 3 | 14 | -64.5 | -66.7 | -65.1 | | -46.6 | -41.25 | 5.3 |
| | Non HT/VHT80, 6 to 54 Mbps | 4 | 14 | -64.5 | -66.7 | -65.1 | -65.5 | -45.4 | -41.25 | 4.1 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 1 | 14 | -65.3 | | | | -51.3 | -41.25 | 10.1 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 2 | 14 | -66.9 | -66.9 | | | -49.9 | -41.25 | 8.6 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 2 | 14 | -66.9 | -66.9 | | | -49.9 | -41.25 | 8.6 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.1 | -67.2 | -67.1 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.1 | -67.2 | -67.1 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.1 | -67.2 | -67.1 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -68.3 | -67.5 | -67.3 | -47.6 | -41.25 | 6.3 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.3 | -68.3 | -67.5 | -67.3 | -47.6 | -41.25 | 6.3 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.3 | -68.3 | -67.5 | -67.3 | -47.6 | -41.25 | 6.3 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -66.9 | -66.9 | | | -49.9 | -41.25 | 8.6 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -66.9 | -66.9 | | | -49.9 | -41.25 | 8.6 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.2 | -68.3 | -67.9 | | -46.0 | -41.25 | 4.8 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.1 | -67.2 | -67.1 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.1 | -67.2 | -67.1 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.2 | -68.3 | -67.9 | -67.6 | -44.7 | -41.25 | 3.5 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.3 | -68.3 | -67.5 | -67.3 | -47.6 | -41.25 | 6.3 |
| HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.3 | -68.3 | -67.5 | -67.3 | -47.6 | -41.25 | 6.3 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -66.9 | -66.9 | | | -49.9 | -41.25 | 8.6 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.1 | -67.2 | -67.1 | | -48.4 | -41.25 | 7.1 | |



| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|--------|--------|------|
| | HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -68.3 | -67.5 | -67.3 | -47.6 | -41.25 | 6.3 |
| 5550 | Non HT/VHT40, 6 to 54 Mbps | 1 | 14 | -71.3 | | | | -57.3 | -41.25 | 16.1 |
| | Non HT/VHT40, 6 to 54 Mbps | 2 | 14 | -71.3 | -63.8 | | | -49.1 | -41.25 | 7.8 |
| | Non HT/VHT40, 6 to 54 Mbps | 3 | 14 | -65.4 | -65.1 | -65.0 | | -46.4 | -41.25 | 5.1 |
| | Non HT/VHT40, 6 to 54 Mbps | 4 | 14 | -67.2 | -65.5 | -67.2 | -65.0 | -46.1 | -41.25 | 4.8 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 14 | -71.6 | | | | -57.6 | -41.25 | 16.4 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 14 | -64.9 | -63.6 | | | -47.2 | -41.25 | 5.9 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 2 | 14 | -64.9 | -63.6 | | | -47.2 | -41.25 | 5.9 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.2 | -65.6 | -67.1 | | -47.8 | -41.25 | 6.5 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 3 | 14 | -71.4 | -65.6 | -66.9 | | -48.6 | -41.25 | 7.3 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 3 | 14 | -71.4 | -65.6 | -66.9 | | -48.6 | -41.25 | 7.3 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -65.1 | -67.0 | -64.9 | -45.9 | -41.25 | 4.7 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.2 | -65.6 | -67.1 | -64.6 | -46.0 | -41.25 | 4.7 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.2 | -65.6 | -67.1 | -64.6 | -46.0 | -41.25 | 4.7 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.2 | -65.6 | | | -49.3 | -41.25 | 8.1 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -64.9 | -63.6 | | | -47.2 | -41.25 | 5.9 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.1 | -65.9 | -67.3 | | -45.0 | -41.25 | 3.7 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.1 | -65.4 | -67.1 | | -47.7 | -41.25 | 6.4 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -71.4 | -65.6 | -66.9 | | -48.6 | -41.25 | 7.3 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.2 | -65.9 | -68.3 | -65.4 | -43.5 | -41.25 | 2.3 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.3 | -65.1 | -67.0 | -64.9 | -45.9 | -41.25 | 4.7 |
| HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.1 | -65.4 | -67.1 | -64.9 | -46.0 | -41.25 | 4.7 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -64.9 | -63.6 | | | -47.2 | -41.25 | 5.9 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -71.4 | -65.6 | -66.9 | | -48.6 | -41.25 | 7.3 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.2 | -65.6 | -67.1 | -64.6 | -46.0 | -41.25 | 4.7 | |
| 5560 | Non HT/VHT20, 6 to 54 Mbps | 1 | 14 | -65.3 | | | | -51.3 | -41.25 | 10.1 |
| | Non HT/VHT20, 6 to 54 Mbps | 2 | 14 | -67.4 | -67.2 | | | -50.3 | -41.25 | 9.0 |
| | Non HT/VHT20, 6 to 54 Mbps | 3 | 14 | -67.3 | -66.9 | -67.4 | | -48.4 | -41.25 | 7.2 |
| | Non HT/VHT20, 6 to 54 Mbps | 4 | 14 | -67.5 | -67.9 | -67.5 | -66.6 | -47.3 | -41.25 | 6.1 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 2 | 14 | -67.3 | -67.1 | | | -50.2 | -41.25 | 8.9 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 3 | 17 | -67.5 | -67.9 | -67.5 | | -45.9 | -41.25 | 4.6 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 4 | 17 | -67.8 | -67.8 | -68.2 | -67.0 | -44.7 | -41.25 | 3.4 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 1 | 14 | -71.7 | | | | -57.7 | -41.25 | 16.5 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.4 | -67.0 | | | -50.2 | -41.25 | 8.9 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.5 | -66.9 | | | -49.1 | -41.25 | 7.9 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.2 | -67.5 | -67.3 | | -48.6 | -41.25 | 7.3 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.6 | -66.6 | -67.3 | | -48.4 | -41.25 | 7.1 |
| HT/VHT20, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.4 | -67.0 | -67.4 | | -48.5 | -41.25 | 7.2 | |
| HT/VHT20, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.4 | -67.2 | -67.3 | -67.5 | -47.3 | -41.25 | 6.1 | |



| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|--------|--------|------|
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.2 | -66.8 | -67.2 | -66.5 | -46.9 | -41.25 | 5.6 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.0 | -66.9 | -67.4 | -66.2 | -46.8 | -41.25 | 5.6 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.6 | -66.6 | | | -50.1 | -41.25 | 8.8 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.5 | -66.9 | | | -49.1 | -41.25 | 7.9 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.4 | -67.2 | -67.3 | | -45.5 | -41.25 | 4.3 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.0 | -66.9 | -67.4 | | -48.3 | -41.25 | 7.1 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.4 | -67.0 | -67.4 | | -48.5 | -41.25 | 7.2 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.7 | -67.7 | -68.3 | -67.2 | -44.7 | -41.25 | 3.4 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.2 | -67.5 | -67.3 | -66.7 | -47.1 | -41.25 | 5.9 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.0 | -66.9 | -67.4 | -66.2 | -46.8 | -41.25 | 5.6 |
| | HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -65.5 | -66.9 | | | -49.1 | -41.25 | 7.9 |
| | HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.6 | -66.6 | -67.3 | | -48.4 | -41.25 | 7.1 |
| | HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.2 | -66.8 | -67.2 | -66.5 | -46.9 | -41.25 | 5.6 |
| 5690 | Non HT/VHT80, 6 to 54 Mbps | 1 | 14 | -72.1 | | | | -58.1 | -41.25 | 16.9 |
| | Non HT/VHT80, 6 to 54 Mbps | 2 | 14 | -72.0 | -71.9 | | | -54.9 | -41.25 | 13.7 |
| | Non HT/VHT80, 6 to 54 Mbps | 3 | 14 | -65.6 | -63.6 | -64.7 | | -45.8 | -41.25 | 4.5 |
| | Non HT/VHT80, 6 to 54 Mbps | 4 | 14 | -65.7 | -64.3 | -65.1 | -65.1 | -45.0 | -41.25 | 3.8 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 1 | 14 | -65.7 | | | | -51.7 | -41.25 | 10.5 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 2 | 14 | -65.6 | -66.7 | | | -49.1 | -41.25 | 7.9 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.6 | -66.7 | | | -49.1 | -41.25 | 7.9 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.7 | -67.0 | -66.4 | | -48.2 | -41.25 | 7.0 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.7 | -67.0 | -66.4 | | -48.2 | -41.25 | 7.0 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.7 | -67.0 | -66.4 | | -48.2 | -41.25 | 7.0 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -66.8 | -66.4 | -67.7 | -47.0 | -41.25 | 5.8 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.3 | -66.8 | -66.4 | -67.7 | -47.0 | -41.25 | 5.8 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.3 | -66.8 | -66.4 | -67.7 | -47.0 | -41.25 | 5.8 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.3 | -66.8 | | | -50.0 | -41.25 | 8.8 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.6 | -66.7 | | | -49.1 | -41.25 | 7.9 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.6 | -67.6 | -67.4 | | -45.8 | -41.25 | 4.5 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.6 | -66.3 | -66.6 | | -48.0 | -41.25 | 6.8 |
| | HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.7 | -67.0 | -66.4 | | -48.2 | -41.25 | 7.0 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.8 | -67.6 | -67.0 | -72.2 | -45.2 | -41.25 | 4.0 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.4 | -67.1 | -66.5 | -67.6 | -47.1 | -41.25 | 5.9 |
| HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.6 | -66.3 | -66.6 | -67.9 | -47.0 | -41.25 | 5.8 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -65.6 | -66.7 | | | -49.1 | -41.25 | 7.9 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.7 | -67.0 | -66.4 | | -48.2 | -41.25 | 7.0 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -66.8 | -66.4 | -67.7 | -47.0 | -41.25 | 5.8 | |



| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|--------|--------|------|
| 5710 | Non HT/VHT40, 6 to 54 Mbps | 1 | 14 | -66.3 | | | | -52.3 | -41.25 | 11.1 |
| | Non HT/VHT40, 6 to 54 Mbps | 2 | 14 | -66.5 | -64.3 | | | -48.3 | -41.25 | 7.0 |
| | Non HT/VHT40, 6 to 54 Mbps | 3 | 14 | -67.9 | -66.1 | -67.9 | | -48.4 | -41.25 | 7.2 |
| | Non HT/VHT40, 6 to 54 Mbps | 4 | 14 | -67.9 | -65.5 | -67.9 | -66.6 | -46.8 | -41.25 | 5.6 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 14 | -66.3 | | | | -52.3 | -41.25 | 11.1 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 14 | -66.2 | -64.6 | | | -48.3 | -41.25 | 7.1 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 2 | 14 | -66.2 | -64.6 | | | -48.3 | -41.25 | 7.1 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.9 | -66.0 | -68.0 | | -48.4 | -41.25 | 7.2 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.9 | -66.0 | -68.0 | | -48.4 | -41.25 | 7.2 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.9 | -66.0 | -68.0 | | -48.4 | -41.25 | 7.2 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.9 | -66.4 | -67.8 | -66.5 | -47.1 | -41.25 | 5.8 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 4 | 14 | -68.0 | -66.2 | -67.9 | -66.6 | -47.1 | -41.25 | 5.8 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 4 | 14 | -68.0 | -66.2 | -67.9 | -66.6 | -47.1 | -41.25 | 5.8 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -68.0 | -66.2 | | | -50.0 | -41.25 | 8.7 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -66.2 | -64.6 | | | -48.3 | -41.25 | 7.1 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -67.9 | -66.8 | -71.5 | | -46.5 | -41.25 | 5.3 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.9 | -66.1 | -68.0 | | -48.5 | -41.25 | 7.2 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.9 | -66.0 | -68.0 | | -48.4 | -41.25 | 7.2 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -67.8 | -66.8 | -71.4 | -67.3 | -45.0 | -41.25 | 3.7 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.6 | -66.2 | -67.9 | -66.6 | -47.0 | -41.25 | 5.7 |
| HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.9 | -66.1 | -68.0 | -66.4 | -47.0 | -41.25 | 5.7 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -66.2 | -64.6 | | | -48.3 | -41.25 | 7.1 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.9 | -66.0 | -68.0 | | -48.4 | -41.25 | 7.2 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -68.0 | -66.2 | -67.9 | -66.6 | -47.1 | -41.25 | 5.8 | |
| 5720 | Non HT/VHT20, 6 to 54 Mbps | 1 | 14 | -66.3 | | | | -52.3 | -41.25 | 11.1 |
| | Non HT/VHT20, 6 to 54 Mbps | 2 | 14 | -67.3 | -67.6 | | | -50.4 | -41.25 | 9.2 |
| | Non HT/VHT20, 6 to 54 Mbps | 3 | 14 | -67.5 | -68.1 | -68.4 | | -49.2 | -41.25 | 8.0 |
| | Non HT/VHT20, 6 to 54 Mbps | 4 | 14 | -68.2 | -68.4 | -68.3 | -66.9 | -47.9 | -41.25 | 6.6 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 2 | 14 | -67.7 | -67.5 | | | -50.6 | -41.25 | 9.3 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 3 | 17 | -68.2 | -68.4 | -68.3 | | -46.5 | -41.25 | 5.3 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 4 | 17 | -67.8 | -68.2 | -68.4 | -67.4 | -44.9 | -41.25 | 3.7 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 1 | 14 | -66.4 | | | | -52.4 | -41.25 | 11.2 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.5 | -67.4 | | | -50.4 | -41.25 | 9.2 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.7 | -67.5 | | | -49.5 | -41.25 | 8.2 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.3 | -68.0 | -68.3 | | -49.1 | -41.25 | 7.8 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.7 | -67.5 | -67.6 | | -48.8 | -41.25 | 7.6 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.5 | -67.4 | -67.6 | | -48.7 | -41.25 | 7.5 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 4 | 14 | -68.2 | -68.2 | -71.5 | -66.9 | -48.4 | -41.25 | 7.1 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.3 | -68.0 | -68.3 | -67.5 | -47.7 | -41.25 | 6.5 |
| HT/VHT20, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.7 | -67.5 | -67.6 | -66.5 | -47.3 | -41.25 | 6.0 | |



| | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|--------|-----|
| HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -67.7 | -67.5 | | | -50.6 | -41.25 | 9.3 |
| HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -65.7 | -67.5 | | | -49.5 | -41.25 | 8.2 |
| HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -68.2 | -68.2 | -71.5 | | -47.3 | -41.25 | 6.0 |
| HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -67.8 | -67.8 | -67.6 | | -49.0 | -41.25 | 7.7 |
| HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -67.5 | -67.4 | -67.6 | | -48.7 | -41.25 | 7.5 |
| HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -68.0 | -68.1 | -68.4 | -67.4 | -44.9 | -41.25 | 3.7 |
| HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -67.8 | -68.0 | -68.3 | -67.5 | -47.9 | -41.25 | 6.6 |
| HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -67.8 | -67.8 | -67.6 | -66.5 | -47.4 | -41.25 | 6.1 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -65.7 | -67.5 | | | -49.5 | -41.25 | 8.2 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -67.7 | -67.5 | -67.6 | | -48.8 | -41.25 | 7.6 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -67.3 | -68.0 | -68.3 | -67.5 | -47.7 | -41.25 | 6.5 |



| Frequency (MHz) | Mode | Tx Paths | Correlated Antenna Gain (dBi) | Tx 1 Spur Power (dBm) | Tx 2 Spur Power (dBm) | Tx 3 Spur Power (dBm) | Tx 4 Spur Power (dBm) | Total Conducted Spur (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------------|---|----------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------|-------------|-------------|
| 5500 | Non HT/VHT20, 6 to 54 Mbps | 1 | 14 | -62.9 | | | | -48.9 | -27 | 21.9 |
| | Non HT/VHT20, 6 to 54 Mbps | 2 | 14 | -61.5 | -63.1 | | | -45.2 | -27 | 18.2 |
| | Non HT/VHT20, 6 to 54 Mbps | 3 | 14 | -61.8 | -61.7 | -62.0 | | -43.1 | -27 | 16.1 |
| | Non HT/VHT20, 6 to 54 Mbps | 4 | 14 | -63.0 | -63.4 | -62.2 | -62.5 | -42.7 | -27 | 15.7 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 2 | 14 | -62.2 | -63.7 | | | -45.9 | -27 | 18.9 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 3 | 17 | -63.0 | -63.4 | -62.2 | | -41.1 | -27 | 14.1 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 4 | 17 | -63.0 | -63.5 | -62.6 | -62.4 | -39.8 | -27 | 12.8 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 1 | 14 | -62.3 | | | | -48.3 | -27 | 21.3 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 2 | 14 | -60.8 | -60.3 | | | -43.5 | -27 | 16.5 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 2 | 14 | -63.4 | -62.2 | | | -45.7 | -27 | 18.7 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 3 | 14 | -63.6 | -61.9 | -62.3 | | -43.8 | -27 | 16.8 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 3 | 14 | -60.8 | -60.3 | -63.1 | | -42.5 | -27 | 15.5 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 3 | 14 | -60.8 | -60.3 | -63.1 | | -42.5 | -27 | 15.5 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 4 | 14 | -61.4 | -62.1 | -63.5 | -63.3 | -42.5 | -27 | 15.5 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 4 | 14 | -63.6 | -61.9 | -62.3 | -61.3 | -42.2 | -27 | 15.2 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 4 | 14 | -61.5 | -62.4 | -61.6 | -62.0 | -41.8 | -27 | 14.8 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.5 | -62.4 | | | -44.9 | -27 | 17.9 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -63.4 | -62.2 | | | -45.7 | -27 | 18.7 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -61.4 | -62.1 | -63.5 | | -40.5 | -27 | 13.5 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.9 | -61.6 | -63.8 | | -43.6 | -27 | 16.6 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -60.8 | -60.3 | -63.1 | | -42.5 | -27 | 15.5 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -63.2 | -61.1 | -62.3 | -60.7 | -38.7 | -27 | 11.7 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -63.0 | -63.1 | -62.6 | -62.6 | -42.8 | -27 | 15.8 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -61.9 | -61.6 | -63.8 | -63.1 | -42.5 | -27 | 15.5 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -63.4 | -62.2 | | | -45.7 | -27 | 18.7 | |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -60.8 | -60.3 | -63.1 | | -42.5 | -27 | 15.5 | |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -63.6 | -61.9 | -62.3 | -61.3 | -42.2 | -27 | 15.2 | |
| 5510 | Non HT/VHT40, 6 to 54 Mbps | 1 | 14 | -62.1 | | | | -48.1 | -27 | 21.1 |
| | Non HT/VHT40, 6 to 54 Mbps | 2 | 14 | -64.1 | -61.2 | | | -45.4 | -27 | 18.4 |
| | Non HT/VHT40, 6 to 54 Mbps | 3 | 14 | -62.9 | -62.1 | -63.4 | | -44.0 | -27 | 17.0 |
| | Non HT/VHT40, 6 to 54 Mbps | 4 | 14 | -62.9 | -62.7 | -64.3 | -62.5 | -43.0 | -27 | 16.0 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 14 | -62.7 | | | | -48.7 | -27 | 21.7 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.4 | -63.2 | | | -45.2 | -27 | 18.2 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 2 | 14 | -61.4 | -63.2 | | | -45.2 | -27 | 18.2 |



| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|-------|------|------|
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.1 | -61.8 | -63.0 | | -43.5 | -27 | 16.5 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 3 | 14 | -62.1 | -61.8 | -63.0 | | -43.5 | -27 | 16.5 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 3 | 14 | -62.1 | -61.8 | -63.0 | | -43.5 | -27 | 16.5 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 14 | -60.9 | -62.4 | -62.1 | -63.7 | -42.1 | -27 | 15.1 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 4 | 14 | -62.1 | -61.8 | -63.0 | -62.9 | -42.4 | -27 | 15.4 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.1 | -61.8 | -63.0 | -62.9 | -42.4 | -27 | 15.4 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.3 | -61.0 | | | -44.6 | -27 | 17.6 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -61.4 | -63.2 | | | -45.2 | -27 | 18.2 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -62.7 | -62.7 | -61.7 | | -40.6 | -27 | 13.6 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -62.1 | -61.8 | -63.0 | | -43.5 | -27 | 16.5 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -62.1 | -61.8 | -63.0 | | -43.5 | -27 | 16.5 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -62.2 | -61.8 | -64.0 | -63.6 | -39.8 | -27 | 12.8 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -60.9 | -62.4 | -62.1 | -63.7 | -42.1 | -27 | 15.1 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.1 | -61.8 | -63.0 | -62.9 | -42.4 | -27 | 15.4 |
| | HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.4 | -63.2 | | | -45.2 | -27 | 18.2 |
| | HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.1 | -61.8 | -63.0 | | -43.5 | -27 | 16.5 |
| | HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.1 | -61.8 | -63.0 | -62.9 | -42.4 | -27 | 15.4 |
| | | | | | | | | | | |
| 5530 | Non HT/VHT80, 6 to 54 Mbps | 1 | 14 | -62.6 | | | | -48.6 | -27 | 21.6 |
| | Non HT/VHT80, 6 to 54 Mbps | 2 | 14 | -62.6 | -62.3 | | | -45.4 | -27 | 18.4 |
| | Non HT/VHT80, 6 to 54 Mbps | 3 | 14 | -63.9 | -60.4 | -61.7 | | -43.0 | -27 | 16.0 |
| | Non HT/VHT80, 6 to 54 Mbps | 4 | 14 | -63.9 | -60.4 | -61.7 | -62.1 | -41.8 | -27 | 14.8 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 1 | 14 | -62.4 | | | | -48.4 | -27 | 21.4 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 2 | 14 | -63.5 | -60.9 | | | -45.0 | -27 | 18.0 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 2 | 14 | -63.5 | -60.9 | | | -45.0 | -27 | 18.0 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 3 | 14 | -61.9 | -63.3 | -62.0 | | -43.6 | -27 | 16.6 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.9 | -63.3 | -62.0 | | -43.6 | -27 | 16.6 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 3 | 14 | -61.9 | -63.3 | -62.0 | | -43.6 | -27 | 16.6 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.9 | -63.5 | -63.4 | -62.0 | -42.9 | -27 | 15.9 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 4 | 14 | -62.9 | -63.5 | -63.4 | -62.0 | -42.9 | -27 | 15.9 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.9 | -63.5 | -63.4 | -62.0 | -42.9 | -27 | 15.9 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -63.5 | -60.9 | | | -45.0 | -27 | 18.0 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -63.5 | -60.9 | | | -45.0 | -27 | 18.0 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -61.3 | -62.3 | -62.4 | | -40.2 | -27 | 13.2 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.9 | -63.3 | -62.0 | | -43.6 | -27 | 16.6 |
| | HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -61.9 | -63.3 | -62.0 | | -43.6 | -27 | 16.6 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -61.3 | -62.3 | -62.4 | -61.5 | -38.8 | -27 | 11.8 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -62.9 | -63.5 | -63.4 | -62.0 | -42.9 | -27 | 15.9 |
| HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.9 | -63.5 | -63.4 | -62.0 | -42.9 | -27 | 15.9 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -63.5 | -60.9 | | | -45.0 | -27 | 18.0 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -61.9 | -63.3 | -62.0 | | -43.6 | -27 | 16.6 | |



| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|-------|------|------|
| | HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.9 | -63.5 | -63.4 | -62.0 | -42.9 | -27 | 15.9 |
| 5550 | Non HT/VHT40, 6 to 54 Mbps | 1 | 14 | -62.6 | | | | -48.6 | -27 | 21.6 |
| | Non HT/VHT40, 6 to 54 Mbps | 2 | 14 | -61.6 | -62.5 | | | -45.0 | -27 | 18.0 |
| | Non HT/VHT40, 6 to 54 Mbps | 3 | 14 | -62.4 | -62.7 | -60.7 | | -43.1 | -27 | 16.1 |
| | Non HT/VHT40, 6 to 54 Mbps | 4 | 14 | -60.9 | -62.8 | -63.4 | -62.3 | -42.2 | -27 | 15.2 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 14 | -61.8 | | | | -47.8 | -27 | 20.8 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 14 | -59.4 | -60.3 | | | -42.8 | -27 | 15.8 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 2 | 14 | -59.4 | -60.3 | | | -42.8 | -27 | 15.8 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.8 | -62.4 | -62.4 | | -43.8 | -27 | 16.8 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 3 | 14 | -59.9 | -63.2 | -59.1 | | -41.6 | -27 | 14.6 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 3 | 14 | -59.9 | -63.2 | -59.1 | | -41.6 | -27 | 14.6 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.5 | -62.2 | -63.3 | -62.1 | -42.5 | -27 | 15.5 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 4 | 14 | -62.8 | -62.4 | -62.4 | -62.2 | -42.4 | -27 | 15.4 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.8 | -62.4 | -62.4 | -62.2 | -42.4 | -27 | 15.4 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.8 | -62.4 | | | -45.6 | -27 | 18.6 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -59.4 | -60.3 | | | -42.8 | -27 | 15.8 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -62.3 | -61.4 | -63.3 | | -40.5 | -27 | 13.5 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.8 | -61.9 | -62.5 | | -43.3 | -27 | 16.3 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -59.9 | -63.2 | -59.1 | | -41.6 | -27 | 14.6 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -60.2 | -62.0 | -62.1 | -63.1 | -38.7 | -27 | 11.7 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -62.5 | -62.2 | -63.3 | -62.1 | -42.5 | -27 | 15.5 |
| HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -61.8 | -61.9 | -62.5 | -63.9 | -42.4 | -27 | 15.4 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -59.4 | -60.3 | | | -42.8 | -27 | 15.8 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -59.9 | -63.2 | -59.1 | | -41.6 | -27 | 14.6 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.8 | -62.4 | -62.4 | -62.2 | -42.4 | -27 | 15.4 | |
| 5560 | Non HT/VHT20, 6 to 54 Mbps | 1 | 14 | -62.3 | | | | -48.3 | -27 | 21.3 |
| | Non HT/VHT20, 6 to 54 Mbps | 2 | 14 | -62.9 | -61.6 | | | -45.2 | -27 | 18.2 |
| | Non HT/VHT20, 6 to 54 Mbps | 3 | 14 | -61.3 | -62.7 | -62.5 | | -43.4 | -27 | 16.4 |
| | Non HT/VHT20, 6 to 54 Mbps | 4 | 14 | -62.3 | -62.6 | -61.5 | -61.2 | -41.8 | -27 | 14.8 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 2 | 14 | -61.3 | -61.7 | | | -44.5 | -27 | 17.5 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 3 | 17 | -62.3 | -62.6 | -61.5 | | -40.3 | -27 | 13.3 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 4 | 17 | -61.5 | -63.2 | -62.8 | -62.7 | -39.5 | -27 | 12.5 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 1 | 14 | -62.0 | | | | -48.0 | -27 | 21.0 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.5 | -59.9 | | | -44.0 | -27 | 17.0 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 2 | 14 | -62.8 | -62.0 | | | -45.4 | -27 | 18.4 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 3 | 14 | -63.9 | -62.2 | -63.3 | | -44.3 | -27 | 17.3 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.8 | -62.9 | -63.4 | | -43.9 | -27 | 16.9 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 3 | 14 | -62.5 | -59.9 | -62.1 | | -42.6 | -27 | 15.6 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.1 | -62.9 | -64.2 | -63.0 | -43.0 | -27 | 16.0 |



| | | | | | | | | | | |
|---------------------------------------|---|----|-------|-------|-------|-------|-------|-------|------|------|
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 4 | 14 | -63.7 | -63.1 | -61.9 | -61.3 | -42.4 | -27 | 15.4 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.6 | -62.9 | -63.5 | -65.1 | -43.4 | -27 | 16.4 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.8 | -62.9 | | | -45.3 | -27 | 18.3 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -62.8 | -62.0 | | | -45.4 | -27 | 18.4 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -62.1 | -62.9 | -64.2 | | -41.2 | -27 | 14.2 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -62.6 | -62.9 | -63.5 | | -44.2 | -27 | 17.2 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -62.5 | -59.9 | -62.1 | | -42.6 | -27 | 15.6 |
| | HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -60.6 | -60.9 | -61.4 | -63.9 | -38.5 | -27 | 11.5 |
| | HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -63.9 | -62.2 | -63.3 | -63.3 | -43.1 | -27 | 16.1 |
| | HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.6 | -62.9 | -63.5 | -65.1 | -43.4 | -27 | 16.4 |
| | HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.8 | -62.0 | | | -45.4 | -27 | 18.4 |
| | HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -61.8 | -62.9 | -63.4 | | -43.9 | -27 | 16.9 |
| | HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -63.7 | -63.1 | -61.9 | -61.3 | -42.4 | -27 | 15.4 |
| | | | | | | | | | | |
| 5690 | Non HT/VHT80, 6 to 54 Mbps | 1 | 14 | -62.5 | | | | -48.5 | -27 | 21.5 |
| | Non HT/VHT80, 6 to 54 Mbps | 2 | 14 | -64.0 | -63.5 | | | -46.7 | -27 | 19.7 |
| | Non HT/VHT80, 6 to 54 Mbps | 3 | 14 | -62.3 | -60.6 | -62.6 | | -43.0 | -27 | 16.0 |
| | Non HT/VHT80, 6 to 54 Mbps | 4 | 14 | -62.8 | -63.2 | -64.3 | -63.3 | -43.3 | -27 | 16.3 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 1 | 14 | -64.3 | | | | -50.3 | -27 | 23.3 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.6 | -60.9 | | | -44.7 | -27 | 17.7 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 2 | 14 | -62.6 | -60.9 | | | -44.7 | -27 | 17.7 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 3 | 14 | -61.1 | -61.0 | -63.0 | | -42.8 | -27 | 15.8 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.1 | -61.0 | -63.0 | | -42.8 | -27 | 15.8 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 3 | 14 | -61.1 | -61.0 | -63.0 | | -42.8 | -27 | 15.8 |
| | HT/VHT80, M0 to M7, M0.1 to M9.1 | 4 | 14 | -63.9 | -63.0 | -64.2 | -62.4 | -43.3 | -27 | 16.3 |
| | HT/VHT80, M8 to M15, M0.2 to M9.2 | 4 | 14 | -63.9 | -63.0 | -64.2 | -62.4 | -43.3 | -27 | 16.3 |
| | HT/VHT80, M16 to M23, M0.3 to M9.3 | 4 | 14 | -63.9 | -63.0 | -64.2 | -62.4 | -43.3 | -27 | 16.3 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -63.9 | -63.0 | | | -46.4 | -27 | 19.4 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -62.6 | -60.9 | | | -44.7 | -27 | 17.7 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -61.5 | -63.2 | -63.5 | | -40.9 | -27 | 13.9 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -63.9 | -64.0 | -62.3 | | -44.6 | -27 | 17.6 |
| | HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -61.1 | -61.0 | -63.0 | | -42.8 | -27 | 15.8 |
| | HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -62.5 | -63.2 | -61.2 | -61.0 | -38.9 | -27 | 11.9 |
| | HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -61.0 | -63.3 | -62.8 | -63.0 | -42.4 | -27 | 15.4 |
| | HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -63.9 | -64.0 | -62.3 | -63.5 | -43.3 | -27 | 16.3 |
| | HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.6 | -60.9 | | | -44.7 | -27 | 17.7 |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -61.1 | -61.0 | -63.0 | | -42.8 | -27 | 15.8 | |
| HT/VHT80 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -63.9 | -63.0 | -64.2 | -62.4 | -43.3 | -27 | 16.3 | |




| | | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|-------|------|------|
| 5710 | Non HT/VHT40, 6 to 54 Mbps | 1 | 14 | -61.9 | | | | -47.9 | -27 | 20.9 |
| | Non HT/VHT40, 6 to 54 Mbps | 2 | 14 | -62.0 | -61.4 | | | -44.7 | -27 | 17.7 |
| | Non HT/VHT40, 6 to 54 Mbps | 3 | 14 | -62.7 | -64.4 | -61.4 | | -43.9 | -27 | 16.9 |
| | Non HT/VHT40, 6 to 54 Mbps | 4 | 14 | -61.9 | -62.3 | -63.5 | -62.7 | -42.5 | -27 | 15.5 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 1 | 14 | -62.3 | | | | -48.3 | -27 | 21.3 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.4 | -60.8 | | | -44.1 | -27 | 17.1 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 2 | 14 | -61.4 | -60.8 | | | -44.1 | -27 | 17.1 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.1 | -60.6 | -61.6 | | -42.6 | -27 | 15.6 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 3 | 14 | -62.1 | -60.6 | -61.6 | | -42.6 | -27 | 15.6 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 3 | 14 | -62.1 | -60.6 | -61.6 | | -42.6 | -27 | 15.6 |
| | HT/VHT40, M0 to M7, M0.1 to M9.1 | 4 | 14 | -60.3 | -62.8 | -60.2 | -60.5 | -40.8 | -27 | 13.8 |
| | HT/VHT40, M8 to M15, M0.2 to M9.2 | 4 | 14 | -61.2 | -61.5 | -62.7 | -61.2 | -41.6 | -27 | 14.6 |
| | HT/VHT40, M16 to M23, M0.3 to M9.3 | 4 | 14 | -61.2 | -61.5 | -62.7 | -61.2 | -41.6 | -27 | 14.6 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.2 | -61.5 | | | -44.3 | -27 | 17.3 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -61.4 | -60.8 | | | -44.1 | -27 | 17.1 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -61.7 | -63.1 | -61.4 | | -40.2 | -27 | 13.2 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -61.5 | -62.7 | -63.2 | | -43.6 | -27 | 16.6 |
| | HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -62.1 | -60.6 | -61.6 | | -42.6 | -27 | 15.6 |
| | HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -61.6 | -58.8 | -62.0 | -61.8 | -37.8 | -27 | 10.8 |
| | HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -61.5 | -61.5 | -62.1 | -61.8 | -41.7 | -27 | 14.7 |
| HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -61.5 | -62.7 | -63.2 | -61.7 | -42.2 | -27 | 15.2 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.4 | -60.8 | | | -44.1 | -27 | 17.1 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.1 | -60.6 | -61.6 | | -42.6 | -27 | 15.6 | |
| HT/VHT40 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -61.2 | -61.5 | -62.7 | -61.2 | -41.6 | -27 | 14.6 | |
| 5720 | Non HT/VHT20, 6 to 54 Mbps | 1 | 14 | -62.1 | | | | -48.1 | -27 | 21.1 |
| | Non HT/VHT20, 6 to 54 Mbps | 2 | 14 | -61.1 | -62.1 | | | -44.6 | -27 | 17.6 |
| | Non HT/VHT20, 6 to 54 Mbps | 3 | 14 | -61.3 | -62.4 | -62.9 | | -43.4 | -27 | 16.4 |
| | Non HT/VHT20, 6 to 54 Mbps | 4 | 14 | -63.4 | -63.0 | -64.2 | -62.4 | -43.2 | -27 | 16.2 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 2 | 14 | -61.6 | -60.6 | | | -44.1 | -27 | 17.1 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 3 | 17 | -63.4 | -63.0 | -64.2 | | -41.7 | -27 | 14.7 |
| | Non HT/VHT20 Beam Forming, 6 to 54 Mbps | 4 | 17 | -60.8 | -62.6 | -62.1 | -63.5 | -39.1 | -27 | 12.1 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 1 | 14 | -62.7 | | | | -48.7 | -27 | 21.7 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 2 | 14 | -60.2 | -63.0 | | | -44.4 | -27 | 17.4 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 2 | 14 | -61.6 | -63.5 | | | -45.4 | -27 | 18.4 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.2 | -62.4 | -62.4 | | -43.6 | -27 | 16.6 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 3 | 14 | -62.1 | -62.8 | -62.4 | | -43.7 | -27 | 16.7 |
| | HT/VHT20, M16 to M23, M0.3 to M9.3 | 3 | 14 | -60.2 | -63.0 | -63.4 | | -43.2 | -27 | 16.2 |
| | HT/VHT20, M0 to M7, M0.1 to M9.1 | 4 | 14 | -63.5 | -61.9 | -62.8 | -60.1 | -41.9 | -27 | 14.9 |
| | HT/VHT20, M8 to M15, M0.2 to M9.2 | 4 | 14 | -62.2 | -62.4 | -62.4 | -62.2 | -42.3 | -27 | 15.3 |
| HT/VHT20, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.1 | -62.8 | -62.4 | -62.1 | -42.3 | -27 | 15.3 | |



| | | | | | | | | | |
|---|---|----|-------|-------|-------|-------|-------|-----|------|
| HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 2 | 14 | -62.1 | -62.8 | | | -45.4 | -27 | 18.4 |
| HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 2 | 14 | -61.6 | -63.5 | | | -45.4 | -27 | 18.4 |
| HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 3 | 17 | -63.5 | -61.9 | -62.8 | | -40.9 | -27 | 13.9 |
| HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 3 | 14 | -62.9 | -62.6 | -62.0 | | -43.7 | -27 | 16.7 |
| HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 3 | 14 | -60.2 | -63.0 | -63.4 | | -43.2 | -27 | 16.2 |
| HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1 | 4 | 17 | -62.6 | -62.3 | -63.4 | -63.2 | -39.8 | -27 | 12.8 |
| HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2 | 4 | 14 | -61.4 | -61.5 | -61.4 | -62.8 | -41.7 | -27 | 14.7 |
| HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3 | 4 | 14 | -62.9 | -62.6 | -62.0 | -61.0 | -42.0 | -27 | 15.0 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 2 | 14 | -61.6 | -63.5 | | | -45.4 | -27 | 18.4 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 3 | 14 | -62.1 | -62.8 | -62.4 | | -43.7 | -27 | 16.7 |
| HT/VHT20 STBC, M0 to M7, M0.1 to M9.1 | 4 | 14 | -62.2 | -62.4 | -62.4 | -62.2 | -42.3 | -27 | 15.3 |



Conducted Spurs, All Antennas





Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps



Antenna A



Antenna B




Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A




Antenna B




Antenna C



Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C




Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C




Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C




Antenna D



Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B



Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A




Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C




Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A




Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A




Antenna B



Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B




Antenna C



Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps



Antenna A