



Antenna A

Page No: 501 of 810








Antenna B

Page No: 502 of 810







cisco

Antenna A



Antenna C

Antenna B

Page No: 503 of 810





00000 GHz		Avg Type: Log-Pwr	TRACE 2 4 5 TYPE CET P ROTATION	Frequency
		MI	r3 16.500 GHz -61.72 dBm	Auto Tune
				Center Fred 9.015000000 GH
and they	and the section of the second street	and Carlow March sydness resulting	Aline weberen	Start Free 30,000000 MH
				Stop Fred 18.00000000 GH:
				CF Step 1.797000000 GH: Auto Mar
5,530 GHz 11,000 GHz 16,500 GHz	52,41 dBm 54,20 dBm 51.72 dBm	POINCTOR WIDTH	200 CTOR VALUE	Freq Offse
	#GaisLow 3.8 dB Bm #VB #VB	Bit Content     Trig: Free Run #Gainet.ow     Trig: Free Run #Atten: 4 dB       Bit Bit     #     #     #       #     #     #     #     #       #     #     #     #     #     #       #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #     #	Avg Type: Log-Pwr File Cate: Low Arg Type: Log-Pwr File Cate: Low Arg Type: Log-Pwr Argen: Log Argent Ar	Bit Convertient Trig: Free Run Auter: 4 dB Avg Type: Log-Bwr Type: Log-Bwr Mtkr3 18, 500 GHz er Trig: Free Run Bur er   Bit Bit State: Free Run Auter: 4 dB Mtkr3 18, 500 GHz er Stop 18, 500 GHz er   Bit Bit State: Free Run Auter: 4 dB 2   Free Run Bit State: Free Run Auter: 4 dB 2   Free Run Bit State: Free Run Auter: 4 dB 2   Free Run Bit State: Free Run Auter: 4 dB Stop 18,000 GHz Free Run Auter: 4 dB   Stop 18,000 GHz State: Free Run Bit State: Free Run Bit State: Free Run Auter: 4 dB

Antenna C



cisco





Antenna D

Page No: 504 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A

Page No: 505 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B

Page No: 506 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna A

Antenna B

Page No: 507 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



enter Freq 9.01500000	GHZ PNO: Fast ++	Trig: Free Run #Atten: 4 dB		ALISAN CAR Type: Log-Pwr	01:09:25 AM May 24, 2014 TRACE 22 A	Frequency
Ref Offset 13.8 dB	IFGain:Low	setten: 4 db		M	kr2 11.000 GHz -63.27 dBm	Auto Tune
00 100 20						Center Freq 9.015000000 GHz
EG 10 10 10 10 10 10 10 10 10 10 10 10 10	-	ntagetteringent	wiewie gray	مرور مرور ارور ارور ارور ارور ارور ارور	3	Start Freq 30.000000 MHz
760						Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHz
KR MODE TRE SOL 🛛 🛪	5.530 GHz	-61_91 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Man
2 N 1 f 1 3 N 1 r 1 4 6 7	1.000 GHz 6.500 GHz	-63.27 dBm -63.91 dBm				Freq Offset 0 Ha
iG.				STATU	5	

Antenna B


enter Freg 9.015000	000 GHz	LENGE UNT	Avg	Type: Log-Pwr	TRACI		Frequency
	PNO: Fast -	#Atten: 4 dB			DE	PROMA	6
Ref Offset 13.8 dB Mkr3 16.500 GHz dB/div Ref 0.00 dBm -61.95 dBm							Auto Tune
00 10 0 11 0 11 0							Center Free 9.015000000 GH:
210	we when a the work	مىر يەردىي <sup>ر</sup> ەريىلىنچىزى	And and	ung est de la gabant de san a	Actor	3	Start Free 30,000000 MH:
							Stop Free 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBV	N 3.0 MHz		Sweep 3	Stop 18. 30.0 ms (1	000 GHz 1001 pts)	CF Step 1.797000000 GH
A MODE THE SEL	× 5.530 GHz	-63.17 dBm	INCTION	FUNCTION WIDTH :	FUNCTION	4 YALUE	Auto Ma
2 N 1 f	11.000 GHz 16.500 GHz	-64.34 dBm -61.95 dBm					Freq Offse 0 H
3 N 1 Y							

Antenna C

Page No: 508 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



enter Freq 9.01500000		- Trig: Free Run		ype: Log-Pwr	01:09:25 AM May 24, 2014 TRACE 12 A TVPE V	Frequency
Ref Offset 13.8 dB		Friddin 4 65		Μ	kr2 11,000 GHz -63.27 dBm	Auto Tune
og 10.0 10.0 12.0						Center Freq 9.015000000 GHz
EG SIQ EQ TO C MARTINETHINGTON MULTING	and then	ntapolismi	preserver apage	1.000 - 1.000 - 1.000	A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Start Free 30,000000 MHz
700 <b></b> R.G						Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz		/ 3.0 MHz	FUNCTION		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHz Auto Man
1 N 1 f 2 N 1 f	5.530 GHz 11.000 GHz 16.500 GHz	-61.91 dBm -63.27 dBm -63.91 dBm		FUNCTION WIDTH		Freq Offset 0 Hz
a.			_	STATUS		-

Antenna B

Center Freq 9.01	15000000 GHZ PN0: Fast IFGain:Low		Avg Type: Log-Pw		Frequency		
	Ref Offset 13.8 dB Mkr3 16.500 GHz dB/div Ref 0.00 dBm -61.95 dBm						
00 00 00 00					Center Fred 9.015000000 GH:		
116 50 0 50 0	and marked theme	ر. مەربەيدىنى <sup>ر</sup> ەتدىنى بەتدىنى بەتدىنى بەتدى	And Contracting the state of the	an - 4 64 millioner Trys Level March	Start Free 30,000000 MHz		
71.0 <b>4</b> 9.0					Stop Free 18.000000000 GH:		
start 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH		
AR MODE TRC SCL.	× 5.530 GHz 11.000 GHz 16.500 GHz	463.17 dBm 464.34 dBm 461.95 dBm	NETION FUNCTION WIDT	FUNCTION VALUE	Auto Mar		
	16.300 GHZ	-01.30 dbm			Freq Offse 0 H		

Antenna C

Page No: 509 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3



Center Freq 9.01500000		Trig: Free Run #Atten: 4 dB		e: Log-Pwr	01:09:25 AM May 24, 2014 TRACE 9 2 4 TYPE WARMAN	Frequency
Ref Offset 13.8 dB				M	r2 11.000 GHz -63.27 dBm	Auto Tune
900 10.0 20.0 20.0						Center Freq 9.015000000 GHz
ED 10 10 10 10 10 10 10 10 10 10 10 10 10	m	elayellessatorites	2 and a particular	in the states	and the second	Start Freq 30,000000 MHz
80.6 90.6						Stop Freq 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz KR HODE TRE SOL X			UNCTION FU	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GHz Auto Man
3 N 1 F 46 67 7 89 9	5.530 GHz 11.000 GHz 16.500 GHz	-61.91 dBm -63.27 dBm -63.91 dBm				Freq Offset 0 Hz
				STATUS		

Antenna A

enter Fre		0000 GHz PN0: Fast - IFGain:Low			Type: Log-Pwr	01:16:25 AM May 24, 2014 TRACE 1214 E TYPE 001 P 10:001	Frequency
	Ref Offset 13; Ref 0.00 dE				M	kr3 16.500 GHz -61.95 dBm	Auto Tune
000 300 500							Center Free 9.015000000 GH
40 6 50 0 60 0	فالمروسيور	a south a free of the south	2014,244,0014,0014,0019,044	um rail ort	wanterighter	and the second second second	Start Free 30.000000 MH
7110 <b>4 </b>							Stop Fre 18.000000000 GH
start 30 MH Res BW 1.		#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
ACR MODE TRC	sa	× 5.530 GHz	-63.17 dBm	FUNCTION	FUNCTION WIDTH :	FUNCTION VALUE	Auto Ma
2 N 1 3 N 1 4 5		11.000 GHz 16.500 GHz	-64.34 dBm -61.95 dBm				Freq Offse 0 H
7 8 9 10							
12							

Antenna C

Antenna B

Page No: 510 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1










Antenna C






Antenna D

Page No: 511 of 810

# cisco

#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2








Center Freq 9.01500000			Avg Type: Log-Pw		Frequency			
Ref Offset 13.8 dB 10 dB/div Ref 0.00 dBm								
200					Center Free 9.015000000 GH			
418 510 610	- Maryaca	Malonnolawa	2 Number of the second second second	an ingenting the surger and	Start Free 30.000000 MH:			
-73.0					Stop Free 18.000000000 GH			
Start 30 MHz #Res BW 1.0 MHz		N 3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH			
3 N 1 7 46 66 7	5.530 GHz 11.000 GHz 16.500 GHz	-52.21 dBm -63.38 dBm -64.47 dBm	FUNCTION BUNCTION WOT	H FUNCTION VALUE	Auto Mai Freq Offse 0 H			
8 9 10 11 12 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15			ATE					

Antenna C





Antenna D

Page No: 512 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3








Center Freq 9.01500000			Avg Type: Log-Pw		Frequency
Ref Offset 13.8 dB 0 dB/div Ref 0.00 dBm			Ņ	/kr2 11.000 GHz -63.38 dBm	Auto Tune
00 000					Center Free 9.015000000 GH
4376 500 600	- Mar press	بعلمله فاستعمله	2 Number of the second of the second	an interest of the hour for the	Start Free 30,000000 MH
70.0 44-44-44-44-44-44-44-44-44-44-44-44-44-					Stop Fre 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL. X	5.530 GHz	-62 21 dBm	FUNCTION EUNCTION WIDT	H FUNCTION VALUE	Auto Mar
3 N 1 7	11.000 GHz 16.500 GHz	-63.38 dBm -64.47 dBm			Freq Offse 0 H
6 7 8 9 10 11					
12	_		TATE	and a	11


Antenna C





Antenna D

Page No: 513 of 810



Antenna A

Antenna B

cisco

Frequ

Auto Tu

Center Fre 9.015000000 GH

Start Fre

CF Step

Freq Offse

M


30.000000 MI

Stop Fre

1,7970

Page No: 514 of 810

## Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

Antenna B

cisco

Frequ

Auto Tu

Center Fre 9.015000000 GH

Start Fre

CF Step

Freq Offse

M

30.000000 MI

Stop Fre

1,7970

Page No: 515 of 810

## cisco

#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



enter Freq 9.01500000	0 GHz PNO: Fast	Trig: Free Run	Avg Type: Log-Pwr	02:05:29 AM May 24, 2014 TRACE 12:04 TVPE 000000000000000000000000000000000000	Frequency
Ref Offset 13.8 dB	FGainclow	Sector 4 40	М	kr2 11.000 GHz -62.25 dBm	Auto Tune
99 0.0 1.0					Center Fred 9.015000000 GH:
10 10 10	man providential	and the second	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	Lever Marine	Start Free 30.000000 MH:
2.0 <b></b>					Stop Free 18.00000000 GH:
tart 30 MHz Res BW 1.0 MHz		3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GH3 Auto Mar
3 N 1 F 4 5 6 7 7 8 9 9	5.530 GHz 11.000 GHz 16.500 GHz	-63.11 dBm -62.26 dBm -63.57 dBm			Freq Offsel 0 Hz
0 1 2 a			STATU	s'	

Antenna A

	15000000 GHz PN0: Fast IFGain:Low	Trig: Free Run	Avg Type: Log-Pwr	D2:12:30 AM May 24, 2014 TRACE 12 A E TYPE WOMAN	Frequency Auto Tune			
Ref Off 0 dB/div Ref 0.	Ref 0/fiset 13.8 dB Mkr3 16.500 GHz B/div Ref 0.00 dBm -62.36 dBm							
00 00 00					Center Free 9.015000000 GH			
00 00 00	man manufalla	موجاز (مومواته مرافقه مرور مرور مرور مرور المرور مرور مرور مرور مرور مرور مرور مرور	un 2 martin sur martin tomat	3 	Start Free 30.000000 MH:			
71.0 +444-0444444 10:0 11.0					Stop Free 18.000000000 GH			
tart 30 MHz Res BW 1.0 MH	z #VE	BW 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH			
KA MODE THE SEL	8		UNCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Mar			
	5.530 GHz 11.000 GHz 16.500 GHz	-63.99 dBm -65.24 dBm -62.36 dBm			Freq Offse 0 Hi			
0			STATU		<u></u>			


Antenna C

Antenna B

Page No: 516 of 810

## cisco

#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

enter Freq 9.01500	0000 GHz PN0: Fast - IFGain:Low	Trig: Free Run	Avg Type: Log-		Frequency
Ref Offset 13; 0 dB/div Ref 0.00 dB	8 dB	Printen. 4 db		Mkr3 16.500 GH2 -61.95 dBm	
09 100 100 100					Center Fre 9.015000000 GH
416 510	and the free	المراجع والمرابعة المترابية	ก.ค.มี <sup>2</sup>	lever - destright arministic arministic	Start Fre 30.000000 MH
					Stop Fre 18.00000000 GF
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Swe	Stop 18.000 GHz ep 30.0 ms (1001 pts	
AT MODE THE SEL	× 5.530 GHz	-63.17 dBm	PUNCTION FUNCTION W	IDTH FUNCTION VALUE	Auto Ma
2 N 1 f 3 N 1 f 4 6	11,000 GHz 16.500 GHz	-64.34 dBm -61.95 dBm			Freq Offse 0 H
2					


Antenna C

Antenna B

Page No: 517 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3



enter Freq 9.0150000		Trig: Free Run #Atten: 4 dB	Avg	Type: Log-Pwr	01:09:26 AM May 24, 2014 TRACE 12 14 TVFE DET P N 11 AUTO	Frequency
Ref Offset 13.8 dt	3			M	kr2 11.000 GHz -63.27 dBm	Auto Tune
80 80 80						Center Freq 9.015000000 GHz
EB 10 ED 700 NARHUNDARIAN MARK	an many march	-	2			Start Freq 30,000000 MHz
866						Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHz
1 N 1 F 2 N 1 F 3 N 1 F	5,530 GHz 11,000 GHz 16,500 GHz	-61.91 dBm -63.27 dBm -63.91 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Mar Freq Offset
6 67 8 9 9 0 1						UH:
sg.			_	STATU		-

Antenna A

		. DASE INT	Avg Type: Log-Pwr	01:16:25 AM May 24, 2014 TRACE	Frequency
Center Freq 9.01500	PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg type. Logiewi	DATE PRONTER	
Ref Offset 13 Ref 0.00 d			M	kr3 16.500 GHz -61.95 dBm	Auto Tuni
00 100 100					Center Free 9.015000000 GH
00 00 00	and the former	بەر رەم دەر بەر باردار الم	And Rockward and galant form	Acureto articolar al Marin	Start Fre- 30.000000 MH
					Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBV	/ 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
ACH MODE THE SEL	8 5.530 GHz 11.000 GHz	463.17 dBm 464.34 dBm	NCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
	16.500 GHz	-61.95 dBm			Freq Offse 0 H
2					

Antenna C

Antenna B

Page No: 518 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A

Center Freq 9.01500	DC DODOO CHa	STARE INT	Avg Type: Log-Pwr	02:12:30 AM May 24, 2014 TRACE DE COLOR	Frequency
center Freq 5.01500	PNO: Fast - IFGain:Low	#Atten: 4 dB		DET P NONON	
Ref Offset 13 10 dB/div Ref 0.00 dl	.8 dB Bm		М	kr3 16.500 GHz -62.36 dBm	Auto Tun
-09 (00)					Center Fre 9.015000000 GH
406 500 600	Curley Martin Strauban	,ell	and James and a stranger and a		Start Fre 30,000000 MH
71.0 4494 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 - 249 -					Stop Fre 18.00000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
MKR MODE TRC SCL	× 5.530 GHz	Y -63.99 dBm	PUNCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Ma
	11.000 GHz 16.500 GHz	-65.24 dBm -62.36 dBm			Freq Offse 0 H
8 9 10 11					

Antenna C





Antenna D

Page No: 519 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna A

Center Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	01:44:23 AM May 24, 2014 TRACE 24 4 Type Cet P Notation	Frequency
Ref Offset 13.8 10 dB/div Ref 0.00 dB	dB m		M	kr2 11.000 GHz -63.38 dBm	Auto Tun
200					Center Fre 9.015000000 GH
400 600 600	mar mar	angertronnetenered	2 Aurite Agence and All Marcheller	and a start of the	Start Fre- 30,000000 MH
700 0 000 000 000 000 000 000 000 000 0					Stop Fre 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
MKR MODE TRC SCL.	× 5.530 GHz	-62.21 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
2 N 1 1 3 N 1 1	11.000 GHz 16.500 GHz	-63.38 dBm -64.47 dBm			Freq Offse 0 H
7 8 9 10					
12					

Antenna C





Antenna D

Page No: 520 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3








0 GHz				Frequency
			Mkr2 11.000 GHz -63.38 dBm	
				Center Fre 9.015000000 GH
- Mar press	الوغاد مالا والم	2 Warnistowenderwar	War any desperied of the start of the start	Start Fre 30.000000 MH
				Stop Fre 18.00000000 GH
5.530 GHz 11.000 GHz	52 21 dBm 53 38 dBm 54.47 dBm	UNCTON FUNCTION	WICHY FUNCTION ANOT	Freq Offse
	#VB\	0 GHz     Trig Free Run Blaint ew     Trig Free Run Atten: 4 dB       #Uten: 4 dB     #Atten: 4 dB       #VBW 3.0 MHz     #VBW 3.0 MHz       \$530 GHz     423 gBm       \$530 GHz     423 gBm	0. GHz HGaintow     Trig:Free Run #Aten: 4 dB     Arg Type: Log       PID:Fait     Trig: Free Run #Aten: 4 dB     2       #WBW 3.0 MHz     Sw       #VBW 3.0 MHz     Sw       \$530 DH1     \$522 dHm       \$530 DH1     \$523 dHm	O GHz Bloc Fuel (Galaction)     Trig Free Run (Trig Free Run (Atten: 4 dB)       Mkr 21 10.00 GHz (Atten: 4 dB)     Mkr 21 10.00 GHz (Atten: 4 dB)     Mkr 21 10.00 GHz (Atten: 4 dB)     Mkr 21 10.00 GHz (Atten: 4 dB)       #VEW 3.0 MHz     Stop 18.000 GHz (Atten: 4 dB)     Stop 18.000 GHz (Bancton)     Stop 18.000 GHz (Atten: 4 dB)       #VEW 3.0 MHz     Sweep 30.0 ms (1001 pts)     Factors work     Factors work       5580 GHz     4 dB 23 dB)     Factors work     Factors work

Antenna C






Antenna D

Page No: 521 of 810



#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 522 of 810

## cisco

#### Conducted Spurs Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



Center Freq 9.0150000		L SENSESVIC	Avg Type: L		25 AM May 24, 2014 TRACE	Frequency
	PNO: Fast ++	Trig: Free Run #Atten: 4 dB		-	DET P HUTHAN	
Ref Offset 13.8 dB 0 dB/div Ref 0.00 dBm	k)			Mkr2 1* -6	1.000 GHz 3.27 dBm	Auto Tune
10 10 20						Center Freq 9,015000000 GHz
EG 10 20 0 0 h harden and and a failed	and the	ntagetterrighter	2 60-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	د ورو مرود و اور ار مرود مرود ار مرود ار مرود ار مرود ار مرود مرود مرود مرود مرود مرود مرود مرو	<sup>3</sup>	Start Free 30.000000 MHz
860 <b></b> Ré ∉Ó						Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz	s	Stop weep 30.0 m	18.000 GHz s (1001 pts)	CF Step 1.797000000 GHz
KR MODE THE SOL >	5.530 GHz	-61.91 dBm	UNCTION FUNCTION	IN WIDTH . FUN	CRONVALUE	Auto Man
2 N 1 f 3 N 1 f 4 6	11.000 GHz 16.500 GHz	-63 27 dBm -63 91 dBm				Freq Offset 0 Hz
7						
2						

Antenna A

enter Freq 9.01500000	00 GHz PNO: Fast	Trig: Free Run	Avg	Type: Log-Pwr	DL:16:25 AM May 24, 201 TRACE 12 A TYPE DUT PINONO	Frequency
Ref Offset 13.8 dB				MI	r3 16.500 GH: -61.95 dBm	
						Center Fre 9.015000000 GH
00 10 10	and the second	ور بالعروف و المراجع المحاصر	2	on the state of the sector	Heating Source The August Martin	Start Fre 30,000000 MH
1.0 <b>4</b> 0.0						Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep 3	Stop 18.000 GH: 30.0 ms (1001 pts	
KR MODE TRC SCL. X			TUNCTION	EUNCTION WIDTH	FUNCTION VALUE	Auto Ma
1 N 1 F 2 N 1 F 3 N 1 F	5.530 GHz 11.000 GHz 16.500 GHz	-63.17 dBm -64.34 dBm -61.95 dBm				Freq Offse
						OH

Antenna C

Antenna B

Page No: 523 of 810

# cisco

### Conducted Spurs Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1










Antenna C






Antenna D

Page No: 524 of 810





Antenna A

Page No: 525 of 810



Freq

Auto Tu

Center Fre 9.015000000 GH

Start Fre

CF Step

Freq Offse

M

30.000000 MI

Stop Fre

1,7970

### Conducted Spurs Peak, 5550 MHz, Non HT/VHT40, 6 to 54 Mbps





Antenna B

tart 30 MHz Res BW 1.0 M

ent section August Televice State State enter Freq 9.015000000 GHz PRO: Fast Har-H Gainst eve Atten: 4 dB


#VBW 3.0 MHz

5.550 GHz 11.080 GHz 16.620 GHz -59.21 dB -64.17 dB -62.49 dB

Ref Offset 13.89 dB Ref 0.00 dBm Avg Type: Log-P

Stop 18.000 GHz Sweep 30.0 ms (1001 pts)


Page No: 526 of 810





cisco

Antenna A



Antenna C

Antenna B

Page No: 527 of 810





Center Freq 9.015000		Trig: Free Run	Avg Type: Log-Pwr	DB:10:28 AM May 24, 2014 TRACE 12 4 5 TYPE COMPANY	Frequency
Ref Offset 13.8 Ref 0.00 dBr			M	kr3 16,620 GHz -63,35 dBm	Auto Tune
100					Center Fre 9.015000000 GH
47.6 60.0 67.0 70.0 449.34924-94.491491-49241,0	are provident of	utilized microstation	2	and the second	Start Fre 30.000000 MH
70.0 60.0 93.0					Stop Fre 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB\	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma
1 N 1 F 2 N 1 F 3 4 5 6 7	5,550 GHz 11,060 GHz 16,620 GHz	-60.67 dBm -64.11 dBm -63.36 dBm			Freq Offse 0 H
8 9 10 11 12					

Antenna C



cisco





Antenna D

Page No: 528 of 810



#### enter Freq 9.015000000 GHz Pho: Fast ---- Trig: Free Run Pho: Fast ---- Trig: Free Run Matten: 4 dB Avg Type: Log-F Auto Tun Ref Offset 13.89 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre <mark>^</mark>2 3 30.000000 N Stop Fre 18.00000000 GH Stop 18.000 GHz Sweep 30.0 ms (1001 pts) 30 MHz BW 1.0 MH CF St W 3.0 MH 1,79700 M -55.32 dBn -61.81 dBn -63.90 dBn 5.550 GHz 11.080 GHz 16.620 GHz Freq Offse

Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1


Antenna A

Page No: 529 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1





Antenna B

Page No: 530 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Antenna A



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2





Antenna B


Page No: 531 of 810

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Antenna A



### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



	10 00	SENIE:NT		JON OFF	01:45:53 PM May 24, 2014	Frequency
enter Freq 9.015	000000 GHz PNO: Fast + IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: L	.og-Pwr	TVPE WITHIN	
Ref Offset Bidly Ref 0.00	13.89 dB dBm			M	r3 16.620 GHz -62.35 dBm	Auto Tune
09 100 100						Center Fred 9.015000000 GH:
2.9 10 20	un meren of from the		he Q <sup>2</sup>	NUNTRA	hereniga destanta	Start Free 30.000000 MHz
60						Stop Fred 18.000000000 GH:
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	5	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
KR MODE THE SOL	× 5.550 GHz 11.080 GHz	-58.71 dBm -62.47 dBm	FUNCTION FUNCT	ON WETH	FUNCTION VALUE	Auto Mar
3 N 1 F 4 6 6 7	16.620 GHz	-62.35 dBm				Freq Offse 0 H:
8 9 0 1 2						
6				STATUS	-	-

Antenna B

Frequency	01:50:09 PM May 24, 2014 TRACE 21 4 5 TYPE DET PROTOTO	Type: Log-Pwr		Trig: Free Run #Atten: 4 dB		015000000	eq 9		en
Auto Tun	kr3 16.620 GHz -62.38 dBm	MI		satten. 4 up	IFGam:Low	ffset 13.89 dB 0.00 dBm			0 di
Center Free 9.015000000 GH									00 100 200
Start Free 30.000000 MH	Agine Spin and Arizonthi	1011 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 101 - 10	n na	بالمعادية والمعاد	and the states	kayen with way			40.0 50.0 60.0
Stop Free								Lysbeyni	70.0 0.0
18.00000000 GH								30 M	
CF Step 1.797000000 GH	Stop 18.000 GHz 30.0 ms (1001 pts)	Sweep		/ 3.0 MHz	#VB	1z			
CF Step		Sweep :	FUNCTION	-60.47 dBm	5.550 GHz	Ŕ	sa.	IODE TRO	0(A )
CF Step 1.797000000 GH	30.0 ms (1001 pts)		FUNCTION	.4		×	sa.	N 1	1 2 3 4 5 6 7 8

Antenna C

Page No: 532 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2



enter Freq 9.015000000	GHZ PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	01:28:53 PM May 24, 2014 TRACE 12 74 C TVPE DET P MULLIN	Frequency
Ref Offset 13.89 dB	1 Sundan		M	kr3 16,620 GHz -63,24 dBm	Auto Tune
10 10 10					Center Freq 9.015000000 GHz
10 10 10	manun	المعارجة والمراجعة	Martin and the fat	and a sub-section of the section of	Start Free 30,000000 MHz
an and a state of the state of					-
LG					
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	Stop Freq 18.00000000 GHz CF Step 1.797000000 GHz
art 30 MHz Res BW 1.0 MHz GR MODE THE SC. X	#VBW 5.550 GHz 1.080 GHz 6.620 GHz		Sweep Retriger Functions with the	30.0 ms (1001 pts)	18.00000000 GH2

Antenna A

enter Freq 9.01500	00000 GHz	ING SMEL		e: Log-Pwr	01:33:00 PM Ma TRACE	y24,2014	Frequency
	PNO: Fast - IFGain:Low	#Atten: 4 dB			DUT P	nonan	
Ref Offset 13 0 dB/div Ref 0.00 d	8.89 dB Bm			M	kr3 16.620 -59.08		Auto Tun
00 100 200							Center Fre 9.015000000 GH
สาย 300 510 710 <b>เอานัยงเกม การเป็น การเป็นประ</b>	anter and Sultan a	ويعالم ومدود المساولة المساولة والمساولة والمساولة والمساولة والمساولة والمساولة والمساولة والمساولة والمساولة	22 mar	1 Mary Martin	ustreet passed	3	Start Fre 30.000000 MH
0.0							Stop Fre
i1.0							18.00000000 GH
tart 30 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.00 30.0 ms (100		18.00000000 GF CF Ste 1.797000000 GF
tart 30 MHz Res BW 1.0 MHz	× 5,550 GHz	-60 29 dBm	PUNCTION PU	Sweep		01 pts)	CF Ste
aut 30 MHz Res BW 1.0 MHz RM MODE TRC SCL. 1 N 1 f 2 N 1 f 3 N 1 f 4 S	×	Ч	FUNCTION FU		30.0 ms (100	01 pts)	CF Ste 1.797000000 GH
tart 30 MHz Res BW 1.0 MHz RR MODE TRC SCL. 1 N 1 f 2 N 1 f 4	* 5,550 GHz 11,080 GHz	-60.29 dBm -63.82 dBm	function fu		30.0 ms (100	01 pts)	CF Ste 1.797000000 GH Auto Ma

Antenna C

Antenna B

Page No: 533 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



enter Freq 9.01500000	PNO: Fast +++	Trig: Free Run		Type: Log-Pwr	01/28:53 PM May 24, 2014 TRACE 22 4 TVPE	Frequency
Ref Offset 13.89 dE	IFGain:Low	sAtten: 4 dB		M	kr3 16.620 GHz -63.24 dBm	Auto Tune
20						Center Fred 9.015000000 GH;
50 10 10	white and	18 mar of the state with	wmhal mar	nynywdy,bewy/hite	and the second	Start Free 30.000000 MH
6.0						Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH:
KR HODE THE SOL X	5.550 GHz	-60.68 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
2 N 1 f 3 N 1 f 4 6	11.080 GHz 16.620 GHz	-63.64 dBm -63.24 dBm				Freq Offse 0 H
9 9 1						
G				STATU	5	-

Antenna A

RL Center Freq 9.	015000000 GHz PN0: Fast IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pw	01:33:08 PM May 24, 2014 TRACE TYPE DET P TRANKING	Frequency
R# Offset 13.89 dB Mkr3 16.620 GHz 0-9 dBidw Ref 0.00 dBm -59.08 dBm -59.08 dBm					
100 200 200					Center Free 9.015000000 GH:
40.0) 50.0	www.	محاليا فرود المحاوية فسويا مؤقاتهم	wind Competence	3 (Mystreet) magnified	Start Free 30.000000 MH:
70.0 60.0 61.0					Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 M	Hz #V	BW 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL	× 5.550 GHz	-60.29 dBm	FUNCTION EUNCTION WIDT	H FUNCTION VALUE	Auto Mar
2 N 1 1	5,500 GHz 11,080 GHz 16,620 GHz	-63.82 dBm -63.82 dBm -59.08 dBm			Freq Offset 0 Hi
7 8 9 10 11					
50			STAT	and lead	11

Antenna C


Antenna B

Page No: 534 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna A

Center Freq 9.0150000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	102-40-53 PM May 24, 2014 TRACE 12 14 E TYPE WARMAN	Frequency Auto Tune
Ref Offset 13.89 dB Mkr3 16.620 GHz 0 dBidly Ref 0.00 dBm - 63.30 dBm - 63.30 dBm					
100 210 210					Center Free 9.015000000 GH
ero	and the second	Jan Martin Contractor	remainstration	and the state of the	Start Free 30.000000 MH
71.0					Stop Free 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz	#VBV	V 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Avto Ma
N     1     7       2     N     1     7       3     N     1     7       4     6     6     6       7     8     9     9       9     10     10     10	5,550 GHz 11,080 GHz 16,620 GHz	-61.79 dBm -64.04 dBm -63.30 dBm	946.104 YOR.104 WO'H	YOR, ION YAOE	Freq Offse 0 H
11					

Antenna C





Antenna D

Page No: 535 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2








Center Freq 9.015000			Avg Type: Log-Pwr	01:50:09 PM May 24, 2014 TRACE 24 4 TYPE 24 4 DOT P NO 14/0	Frequency
Ref Offset 13.89 dB Mkr3 16.620 GHz 10 d5/div Ref 0.00 dBm -62.38 dBm					
200					Center Fre 9.015000000 GH
410 510	man	يوار المصرفة والزوانية والمردانية والم	2 And a state of the state of t	aguersia and mento	Start Fre 30,000000 MH
70.0					Stop Fre- 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
MKR MODE TRC SCL	× 5.550 GHz	-60,47 dBm	EUNCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Ma
2 N 1 f 3 N 1 f 4 6	11.080 GHz 16.620 GHz	-62.92 dBm -62.38 dBm			Freq Offse 0 H
7 8 9 10 11					
12			STATLE		-


Antenna C





Antenna D

Page No: 536 of 810



### Conducted Spurs Peak, 5550 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3




cisco



Center Freq 9.0150000			Avg Type: Log-Pwr	01:50:09 PM May 24, 2014 TRACE 2 4 TYPE CET P 10:01000	Frequency		
	Ref Offset 13.89 dB Mkr3 16.620 GHz dR/div. Ref 0.00 dBm52.38 dBm52.38 dBm						
100					Center Free 9.015000000 GH		
210 510	mound	مرد رامط الإراد المراجع المراجع	2	-	Start Free 30.000000 MH		
71.0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4					Stop Free 18.000000000 GH		
Start 30 MHz #Res BW 1.0 MHz		N 3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH		
MKR MODE TRC SCL	× 6.550 GHz	-60,47 dBm	UNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar		
2 N 1 F N 1 F	11.080 GHz 16.620 GHz	-62.92 dBm -62.38 dBm			Freq Offse 0 H		
7 8 9 10							
12		-	STAT	a'	U		


Antenna C





Antenna D

Page No: 537 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1

Antenna A

Antenna B

cisco

Frequ

Auto Tu

Center Fre 9.015000000 GH

Start Fre

30.000000 MI


Stop Fre

CF Step

Freq Offse

M

Page No: 538 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

t 30 MHz s BW 1.0 MH

W 3.0 MH

5.550 GHz 11.080 GHz 16.620 GHz -59.54 dBr -63.94 dBr -59.44 dBr

Ref Offset 13.89 dB Ref 0.00 dBm

Antenna B

Page No: 539 of 810

#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1



Center Freq 9.015000000	CHZ PNO: Fast	Trig: Free Run #Atten: 4 dB		Type: Log-Pwr	02:53:38 PM May 24, 2014	Frequency
Ref Offset 13.89 dB				Μ	kr3 16.620 GHz -61.43 dBm	Auto Tune
10.5 3.0 2.0						Center Freq 9.015000000 GHz
11.0 11.0 11.0 11.0 11.0 11.0 11.0 11.0	maline	Ar. 1945 Britmanny	Awalina plans	9:1780.04 m.19	around states	Start Free 30.000000 MHz
76.0						Stop Freq 18.00000000 GHz
start 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHz
KR MODE THE SOL X	5.550 GHz	-62.42 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Man
2 N 1 f 1 3 N 1 f 16 4 5 6	1.080 GHz 6.620 GHz	-63.68 dBm -61.43 dBm				Freq Offset 0 Ha
7 8 9 10 11						
9G				STATU	5	-

Antenna A

Auto Tuni Center Free 9.01500000 GH: Start Free 30.00000 MH:
Center Free 9.015000000 GH: Start Free
9.015000000 GH
<b>*</b>
Stop Fre 18.000000000 GH
Hz CF Ste (5) 1.797000000 GH
Auto Ma
Freq Offse 0 H

Antenna C

Antenna B

Page No: 540 of 810

#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2



enter Freq 9.015000000	GHZ PNO: Fast ++	Trig: Free Run #Atten: 4 dB	Avg Ty	ALIAN OF	TRA	PM May 24, 2014 CE 12 4 PE PH 14 14 14 DET PH 14 14 14	Frequency
Ref Offset 13.89 dB dB/div Ref 0.00 dBm				М		520 GHz 95 dBm	Auto Tune
99 10 10							Center Fred 9.015000000 GHz
CO CO CO CO CO MILLIAN MORE MARKANINA MILLIAN MORE MARKANINA MILLIANA MILLIANA MILLIAN MORE MARKANINA MILLIAN MORK	and the second	kenen anter the article of the second	and a trug		displays	7 al 1 apr - 4 Aug	Start Free 30,000000 MH:
16 10							Stop Fred 18.00000000 GH:
art 30 MHz Res BW 1.0 MHz R MODE THE SOL X	#VBW	/ 3.0 MHz	UNCTION F	Sweep	30.0 ms	8.000 GHz (1001 pts)	CF Step 1.797000000 GH Auto Mar
N 1 7	.550 GHz	-60.07 dBm	Jac non 1	Unchole elector	- Horiton	OIS TREAS	
2 N 1 F 11 N 1 F 16	.080 GHz 620 GHz	-64.57 dBm -61.95 dBm					Freq Offse

Antenna A

enter Freq 9.01500000		Trig: Free Run	Avg Ty	pe: Log-Pwr	02:07:04 PM May 24, 2014 TRACE 21.4 E TYPE W	Frequency
Ref Offset 13.89 d		BAtten: 4 db		Mk	r3 16.620 GHz -62.54 dBm	Auto Tune
99 00 10						Center Fre 9.015000000 GH
10 10 10 10 annorth trigtown with	e and free and	hand allow from the		Ingernal Stephens Ste	and the second second second	Start Fre 30.000000 MH
						Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep 3	Stop 18.000 GHz 80.0 ms (1001 pts)	CF Ste 1.797000000 GH
	:		UNCTION	UNCTION WIDTH	FUNCTION VALUE	Auto Ma
1 N 1 F 2 N 1 F 8 N 1 F	5.550 GHz 11.080 GHz 16.620 GHz	-60.90 dBm -63.88 dBm -62.54 dBm				Freq Offse 0 H

Antenna C

Antenna B

Page No: 541 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3



enter Freq 9.01500000		Trig: Free Run #Atten: 4 dB	Avg T	ALISN OF	01:28:53 PM May 24, 201- TRACE	Frequency
Ref Offset 13.89 d dB/div Ref 0.00 dBm	8			Μ	kr3 16.620 GHz -63.24 dBm	
200 0.0 0.0						Center Freq 9.015000000 GHz
10 10 10	and the server	10 mar for the address		rjuh day <sup>kake</sup>	3 000,000,000,000,000,000,000,000,000,00	Start Free 30,000000 MH
aa ay a						Stop Fred 18.000000000 GH:
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	1.797000000 GH
KR MORE FRE SQ. ≫ 1 N 1 F 2 N 1 F 4 F 6 6 6 6 7 8 8 9 0 0 1 2	5.550 GHz 11.080 GHz 16.620 GHz	Y -60,68 dBm -63,64 dBm -63,24 dBm	FUNCTION	UNCTION WIDTH	FUNCTION VALUE	Auto Mar Freq Offset 0 Hz

Antenna A

	30.9 DC		JUNE INT		ALK31 CITE	01:33:08 PM M	lay 24, 2014	Frequency
senter Fr	req 9.0150000	PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg	Type: Log-Pwr	TRACE TYPE DET	2145	Frequency
0 dB/div	Ref Offset 13.89 c Ref 0.00 dBm	iB			MI	kr3 16.620 -59.08		Auto Tune
00 100 200								Center Free 9.015000000 GH
40.01 50.0 60.0	more and some free	anon Riterin	لاين درونغور مرياني درونغ	wind 2	****	warman and	3-	Start Free 30,000000 MH
-7130 <b>- 101-9</b> -83.0 -83.0								Stop Fre 18.000000000 GH
		40.001	W 3.0 MHz		Sweep	Stop 18.0		CF Step 1.797000000 GH
	1.0 MHz	#VD				30.0 m3 (10	· · · · · · · · · · · · · · · · · · ·	
Start 30 M #Res BW	ic sa.	8		PUNCTION	FUNCTION WIDTH	FUNCTION V	_	Auto Mar
Res BW MKR MODE TR 1 N 1 2 N 1 3 N 1 4 5	ic sa.			PUNCTION			_	
Res BW	ic sa.	5.550 GHz 11.080 GHz	-60.29 dBm -63.82 dBm	PUNCTION			_	Auto Ma Freq Offse

Antenna C

Antenna B

Page No: 542 of 810

#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1








Center Fre	q 9.01500(		Trig: Free Run #Atten: 4 dB	Avg Ty	pe: Log-Pwr	03:14:45 PM May 24, 2014 TRACE 214 5 Type 017 P 10:0110	Frequency
0 dB/div	Ref Offset 13.8 Ref 0.00 dB				Auto Tune		
000							Center Free 9.015000000 GH
000	And Market Market	warman	in more thank and generate	2 hidron drough	K. W.	and an an and a strength of the	Start Free 30,000000 MH
							Stop Fre 18.000000000 GH
Start 30 MH Res BW 1.		#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
KR MODE TRC	SCL.	× 5.550 GHz	-60.82 dBm	NUNCTION F	FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
2 N 1 3 4 6 6	1	5,550 GHz 11,060 GHz 16,620 GHz	-62.12 dBm -63.41 dBm				Freq Offse 0 H
7 8 9 10							
					STATUS		11

Antenna C





Antenna D

Page No: 543 of 810

#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2








enter Freq 9.0150	000000 GHz PN0: Fast - IFGain:Low		Avg Type: Log-Pwr	D2-40:53 PM May 24, 2014 TRACE 24 TYPE DUT P TO DATA	Frequency		
Ref Offset 1 dB/div Ref 0.00 c			Mkr3 16.620 GHz -63.30 dBm				
00 00 00					Center Fre 9.015000000 GH		
ano no no <mark>upartiki da Andajek</mark>	mannan	مر من مر المر المر المر المر المر المر المر ا	remainstration	and way and a general	Start Fre- 30,000000 MH		
					Stop Fre 18.000000000 GH		
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH		
NI     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I     I	× 5.550 GHz 11.080 GHz 16.620 GHz	4.04 dBm 44.04 dBm 63.30 dBm	EUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma Freq Offse 0 H		

Antenna C





Antenna D

Page No: 544 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna A

Center Freq 9.01500		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	D2:07:04 PM May 24, 2014 TRACE 24 4 TYPE WARNAGE DET P NOTAGE	Frequency
Ref Offset 13 0 dB/div Ref 0.00 dl	.89 dB Bm		М	kr3 16.620 GHz -62.54 dBm	Auto Tune
00 00 00 30					Center Free 9.015000000 GH
40.0 50.0 60.0 70.0 <b>4.0 10 10 10 10 10 10 10 10</b>	ter marin	at Land Brand	2 Martington and provided	uphone and a start and	Start Free 30.000000 MH
71.0 (0.0 (1.0					Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz	#VBI	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL	× 5.550 GHz	-60.90 dBm	UNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mai
	11.080 GHz 16.620 GHz	-63.88 dBm -62.54 dBm			Freq Offse
7 8 9 10 11					
12					

Antenna C





Antenna D

Page No: 545 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 546 of 810



#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



enter Freq 9.015000000	PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	01:28:53 PM May 24, 2014 TRACE 12 74 TVFE WARDEN R	Frequency
Ref Offset 13.89 dB			Μ	kr3 16,620 GHz -63,24 dBm	Auto Tune
0.6 1.0 2.6					Center Freq 9.015000000 GHz
E.G. 10 20	and have an	pinor drjate - Alicane	My Carrier na right being hat	anan an	Start Free 30,000000 MHz
noosenteriorio Ré ≷Ó					Stop Free 18.000000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHz Auto Man
2 N 1 1	5.550 GHz 1.080 GHz 6.620 GHz	Y FU -60.68 dBm -63.64 dBm -63.24 dBm	FUNCTION WIDTH	FUNCTION VALUE	Freq Offset 0 Hz
and the second se					

Antenna B

enter Freq 9.015000		Trig: Free Run	Avg Ty	pe: Log-Pwr	01:33:08 PM TRACE TYPE DET		Frequency
Ref Offset 13.89 dB Mkr3 16.620 GH							Auto Tune
00 00 00							Center Fred 9.015000000 GH:
00 00	whome the work	his you get a g	and 2	the many of the Part	utain pate	3 Mughter	Start Free 30.000000 MHz
u) no Lio							Stop Free 18.00000000 GH:
tart 30 MHz Res BW 1.0 MHz		N 3.0 MHz			Stop 18.0 30.0 ms (1	001 pts)	CF Step 1.797000000 GH: Auto Mar
KR MODE     TRC     SCL.       1     N     1     f       2     N     1     f       3     N     1     f       4     6     6     6	× 5.550 GHz 11.080 GHz 16.620 GHz	-60 29 dBm -63.82 dBm -59.08 dBm	UNCTION I	FUNCTION WIDTH	FUNCTION	VALUE	Auto Mar Freq Offset 0 Ha
6 7 8 9 0 1							
0				STATUS	-	_	1

Antenna C

Page No: 547 of 810

#### Conducted Spurs Peak, 5550 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1








Center Freq 9.015000000 GHz PNO: Fas IF Gaincle	Trig: Free Run	Avg Type: Log-Pwr	01:50:09 PM May 24, 2014 TRACE 24 4 TYPE DET P TRATAGON	Frequency
Ref Offset 13.89 dB 10 dB/div Ref 0.00 dBm		M	kr3 16.620 GHz -62.38 dBm	Auto Tune
200 				Center Free 9.015000000 GH
	الرواد المحاولة والمراجع والمراجع		Agine Salar, an a his portan	Start Free 30.000000 MH:
70.0 <b></b>				Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz #\	'BW 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL X 1 N 1 7 5.550 GHz	-60,47 dBm	INCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
2 N 1 f 11,080 GHz 3 N 1 f 16,620 GHz 4 6 6 7	-62.92 dBm -62.38 dBm			Freq Offse 0 H
8				

Antenna C





Antenna D

Page No: 548 of 810



#### Avg Type: Log-F Auto Tun Ref Offset 13.7 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre 2 ∆3 30.000000 N Stop Fre 18.00000000 GH Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz 5 BW 1.0 MH CF St W 3.0 MH 1,79700 M -53 26 dBr -62 33 dBr -64 36 dBr 5.560 GHz 11.120 GHz 16.680 GHz Freq Offse


Conducted Spurs Peak, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps


Antenna A

Page No: 549 of 810




### Conducted Spurs Peak, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps







Page No: 550 of 810



### Conducted Spurs Peak, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps




Avg Type: Log-P

սիսիս cisco

Freq

Antenna A



Antenna C

Antenna B

Page No: 551 of 810




### Conducted Spurs Peak, 5560 MHz, Non HT/VHT20, 6 to 54 Mbps






Antenna C



cisco







Antenna D

Page No: 552 of 810



#### Conducted Spurs Peak, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps





Antenna B

Page No: 553 of 810



#### Conducted Spurs Peak, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps



enter Freq 9.	015000000 G		Trig: Free Run		e: Log-Pwr	09:21:47 PM May 24, 201 TRACE 2 2 4 TVPE	Frequency
dBidiy Ref (	fiset 13.7 dB 0.00 dBm	FGain:Low	satten: 4 0D		M	4r3 16.680 GHz -62.64 dBm	
29 0.0 1.0 1.0							Center Fred 9.015000000 GH:
20 10 50		1 Martin and	magnet and a star	A2	wheel we	wheelesterner to pitte	Start Free 30,000000 MH;
60							Stop Free 18.00000000 GH:
tart 30 MHz Res BW 1.0 MH	×	#VBV	V 3.0 MHz Y )	UNCTION FL	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts FUNCTION VALUE	
2 N 1 F N 1 F	11.1 16.0	120 GHz 880 GHz	-65 29 dBm -62 64 dBm				Freq Offset 0 Ha
7							
<b>z</b>	_				STATUS	0	1 <u> </u>

Antenna A

Center Freq 9.01500		. INSE INT	Avg	pe: Log-Pwr	09:26:01 PM May	Frequen	сy
center Pred 5.01500	PNO: Fast - IFGain:Low	#Atten: 4 dB			TYPE WAT	C.R.C.M	
Ref Offset 13 Ref 0.00 d	3.7 dB Bm			M	kr3 16.680 -61.55 (		Tun
00 00 200 300						Center 9.01500000	
40.0	American for the former	s-helle here	half personality	abover and the	hope of the state of the	Stari 30.00000	
70.0							-
91.0 						18.00000000	
Start 30 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 30.0 ms (100	18.00000000	0 GH
start 30 MHz Res BW 1.0 MHz	× 5.560 GHz	Y.	FUNCTION	Sweep		18.00000000 GHz CF 1 pts) 1.79700000	Ste
Start 30 MHz Res BW 1.0 MHz WH MODE THC SCL 1 N 1 F 3 N 1 F 4 5	×	W 3.0 MHz 	FUNCTION		30.0 ms (100	18.00000000 GHz CF 1 pts) 1.79700000	Ste 0 GH Ma
tart 30 MHz Res BW 1.0 MHz RFM MOE TRC SCL 1 N 1 f 2 N 1 f 3 N 1 f	× 6.560 GHz 11.120 GHz	7 -58.24 dBm -52.91 dBm	EUNCTION		30.0 ms (100	18.0000000 GHz 1.79700000 Æ Auto	Ste O GH Ma

Antenna C

Antenna B

Page No: 554 of 810



#### Conducted Spurs Peak, 5560 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps





Antenna A

Center Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	09:42:41 PM May 24, 2014 TRACE 24 4 TYPE 001 4 Cet P 10:01 10:01	Frequency
Ref Offset 13.7	dB h		Μ	kr3 16.680 GHz -62.78 dBm	Auto Tune
200					Center Free 9.015000000 GH:
	1 Lydnath 1 Lynn yn hydrogen	nie wystad yw dan y san	2 Norise and and a start and a start and a start and a start a st	an survivant special and	Start Free 30.000000 MH:
70.0					Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MER MODE THE SEL	×	-60.07 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
	5.560 GHz 11.120 GHz 16.680 GHz	-63.12 dBm -62.78 dBm			Freq Offset 0 Hz
7 8 9 10 11					
150			STATU		11

Antenna C





Antenna D

Page No: 555 of 810



#### Alter Freq 9.015000000 GHz Pho: Fast ---- Trig: Free Run Pho: Fast ---- Add Avg Type: Log-F Auto Tun Ref Offset 13.7 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre ¢<sup>3</sup> 30.000000 N Stop Fre Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz 5 BW 1.0 MH CFSt W 3.0 MH 1,79700 M 53.78 dBr 64.05 dBr 62.01 dBr 5.560 GHz 11.120 GHz 16.680 GHz Freq Offse

Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1


Antenna A

Page No: 556 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna A


Antenna B

Page No: 557 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna B

Page No: 558 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



enter Freq 9.015000000	GHz PNO: Fast ++	Trig: Free Run	Avg	Type: Log-Pwr	03:36:21 AM May 25, 2014 TRACE 1 2 4 TVPE DET PARTIELE	Frequency
Ref Offset 13.7 dB dB/div Ref 0.00 dBm	I OUNLEW			Μ	kr3 16.680 GHz -62.24 dBm	Auto Tune
20						Center Fred 9.015000000 GH:
С.6 10 20 10	and the second	Lallan 15,1% August	¢ <sup>2</sup>	alien server	and the state of t	Start Free 30,000000 MH;
nog por sveri vice No						Stop Free 18.00000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBW	/ 3.0 MHz	FUNCTION	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH Auto Mar
	5.560 GHz 1.120 GHz 5.680 GHz	50 29 dBm -62 76 dBm -62 24 dBm				Freq Offse 0 H:
<b>2</b>			-	STATU	5	-

Antenna B

ter Fre

nt Fre

p Fre

Frequ	UM May 25, 2014 CE	TRAC	Log-Pwr				12 NO: Fast -+	0000 GH	9.01500		enter
AL	20 GHz 29 dBm		MI			JANGEN.	Tall:COW	7 dB	f Offset 13. of 0.00 dB	R	0 dB/d
Cer 9.01500											09 100 200
S1 30,00	3	Newsymphony	all a line to	2 A Photosoft	Mary Mary	the state of the second	Q.	Married	فالخيامولير		40.6 50.0 50.0
S 18.00000										and and a	11.0 A
1.79700 Auto	8.000 GHz (1001 pts)	30.0 ms (	Sweep 3	TION FU	FU	3.0 MHz		×		W 1.0	Res E
Fre					3m	-61.20 d -63.29 d -63.74 d	0 GHz 0 GHz 0 GHz	11.120		1	1 N N N N N N N

Antenna C

Page No: 559 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



enter Freq 9.01500000	0 GHZ PNO: Fast ++ IFGain:Low	Trig: Free Run #Atten: 4 dB		ALISA CHE	02:45:48 AM May 25, 2014 TRACE 12 2 4 TVPE DET P NULLENT	Frequency
dB/div Ref 0.00 dBm				М	kr3 16.680 GHz -62.88 dBm	
0						Center Fred 9.015000000 GH
10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	mare 2 miles	Art grant war and a strategy and a s			htermore And Antomic	Start Free 30,000000 MH
(6 						Stop Free 18.00000000 GH
art 30 MHz tes BW 1.0 MHz		V 3.0 MHz	arton t		Stop 18.000 GHz 30.0 ms (1001 pts)	1.797000000 GH
R MODE THE SOL X	5.560 GHz	Y F	UNCTION FI	Sweep		1.797000000 GH
tes BW 1.0 MHz R MODE FRE SCL X N 1 F N 1 F		Y F	UNCTION FI		30.0 ms (1001 pts)	1.797000000 GH
tes BW 1.0 MHz R Hobe FRE SOL X N 1 F N 1 F N 1 F	5.560 GHz	-58.40 dBm -62.90 dBm	UNCTION FI		30.0 ms (1001 pts)	1.797000000 GH: Auto Mar Freq Offse
R MORE FILE SCL. X: N T F N T F N T F N T F	5.560 GHz	-58.40 dBm -62.90 dBm	UNCTION FI		30.0 ms (1001 pts)	1.797000000 GH: Auto Mar Freq Offse

Antenna B


	DC	. BASEINT	ALIGN OFF	02:50:00 AM May 25, 2014	Frequency
enter Freq 9.01500	PNO: Fast -	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr		
Ref Offset 13.7 0 dB/div Ref 0.00 dB	7 dB Sm		M	kr3 16.680 GHz -63.39 dBm	Auto Tune
000 100 200					Center Free 9.015000000 GH:
27.0 200 200 71.0 <b>1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1.1 (1-1)</b>	1	an and a state of the second second	2 unin darf denim med your start	a January and the part of the start of the s	Start Free 30,000000 MH
in 0					Stop Fre 18.00000000 GH
31.0					
Start 30 MHz	#VBV	V 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	1.797000000 GH
Start 30 MHz Res BW 1.0 MHz KR MODE TRC SCL	#VBV		Sweep		CF Step 1.797000000 GH Auto Mai
Start 30 MHz Res BW 1.0 MHz 49 MODE TRC SCL 1 N 1 f 3 N 1 f 4 6	×	.Y. B		30.0 ms (1001 pts)	1.797000000 GH
tart 30 MHz Res BW 1.0 MHz RR MODE TRC SCL 1 N 1 f 2 N 1 f 3 N 1 f	× 5.560 GHz 11,120 GHz	7 P. 57.83 dBm -63.91 dBm		30.0 ms (1001 pts)	1.797000000 GH Auto Ma Freq Offse

Antenna C


Page No: 560 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



enter Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg	Type: Log-Pwr	02:29:01 AM May 25, 2014 TRACE 12 4 TVPE W	Frequency
Ref Offset 13.7 0 dB/div Ref 0.00 dBn				Μ	kr3 16,680 GHz -59.87 dBm	Auto Tune
00 10.5 2.0						Center Freq 9.015000000 GHz
2.0 4.0 5.0 5.0 5.0 5.0	and the for the star	ور والمالية المالية والمالية المالية ا		will be growing the option	maneterent of a second	Start Freq 30.000000 MHz
no transference and tra						Stop Freq 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GHz
KR MODE THE SOL	× 5.560 GHz 11,120 GHz	-58.17 dBm -63.01 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Man
3 N 1 F 4 5 6 7 8 9 9 00	16.690 GHz	59.87 dBm				Freq Offset 0 Hz
2 <b>1</b>				STATU		



Antenna C

Antenna A


Antenna B

Page No: 561 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1








Center Freq 9.015000000 GHz PND: Fast IFGainst.ow		Avg Type: Log-Pwr	03:57:32 AM May 25, 2014 TRACE 2 4 5 TYPE 01 7 NO NO 10	Frequency
Ref Offset 13,7 dB 10 dB/div Ref 0.00 dBm		M	kr3 16.680 GHz -64.22 dBm	Auto Tune
200				Center Free 9.015000000 GH
478	un provinsion and an an	mall manufally ma	cheller Victoria art and	Start Free 30,000000 MH:
//////////////////////////////////////				Stop Free 18.000000000 GH
	3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MCR MODE THC SLL X 1 N 1 7 5560 GHz 2 N 1 7 11.120 GHz 3 N 1 7 16.680 GHz 4 6	-62.06 dBm -65.15 dBm -64.22 dBm	NCTION EUNICTION WIOTH	FUNCTION VALUE	Auto Mai Freq Offse 0 H
7 8 9 9 10 11 12				

Antenna C





Antenna D

Page No: 562 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna A

Center Freq 9.015	000000 GHz PN0: Fast IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	03:23:42 AM May 25, 2014 TRACE 12 4 F SYRE WANNAW	Frequency
Ref Offset 0 dB/div Ref 0.00			M	kr3 16.680 GHz -61.90 dBm	Auto Tune
ου μο μο εου					Center Free 9.015000000 GH:
-27.0 -20.0 -70.0 Harry General Angles	a for a second and a second and a second	The second allow the house Arise	2 artificially artificially artificially artificially artificially artificially artificial artifici	nat yel reast after a to be the	Start Free 30.000000 MH:
-70.0 40.0 					Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VBI	V 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL.	× 5.560 GHz	-58.67 dBm	NCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Mar
2 1 1 1	11.120 GHz 16.680 GHz	-63.48 dBm -61.90 dBm			Freq Offse
3 1 1 1 5 6					
3 N 1 1					


Antenna C






Antenna D

Page No: 563 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3




cisco



enter Freq 9.015	000000 GHz PN0: Fast - IFGainclow		Avg Type: Log-Pwr	03:06:48 AM May 25, 2014 TRACE 2 4 E TYPE CET P NO NO 10	Frequency
Reformset 13.7 dB Mkr3 16.680 GHz o dB/dlv Ref 0.00 dBm - 63.46 dBm					
00 100 100 100					Center Free 9.015000000 GH:
916 300	and want for a farmer	helly by provident and the second	m 2	unstraineristand	Start Free 30.000000 MH:
no					Stop Free 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
KR MODE TRC SCL	× 5.560 GHz	-57.30 dBm	UNCTION EUNCTION WIDTH	FUNCTION VALUE	Auto Mar
	11.120 GHz 16.680 GHz	-63.46 dBm			Freq Offse 0 H
7					


Antenna C





Antenna D

Page No: 564 of 810



### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1

Antenna A

Antenna B

սիսիս cisco

Frequ

Auto Tu

Center Fre 9.01500000 GH

Start Fre

30.000000 MI

Stop Fre


CF Step

Freq Offse

M

3

Page No: 565 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

t 30 MHz 5 BW 1.0 MH

Antenna B

սիսիս cisco

Frequ

Auto Tu

Center Fre 9.01500000 GH

Start Fre

30.000000 MI

Stop Fre

CF Step

Freq Offse

M

Page No: 566 of 810

#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



enter Freq 9.0150000	00 GHz PNO: Fast ++	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	03:53:18 AM May 25, 2014 TRACE 12 4 TVPE WARDEN	Frequency
Ref Offset 13.7 d Bidly Ref 0.00 dBm	8		N	1kr3 16.680 GHz -62.93 dBm	Auto Tune
200 0.0 0.0 2.0					Center Fred 9.015000000 GH
20 10 10 10 10 10 10 10 10 10 10 10 10 10	and the strandard	hund marine strategic	and 2	3 174-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Start Free 30.000000 MH:
ο.ο. μ					Stop Fred 18.00000000 GHz
	×		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GH: Auto Mar
1 N 1 F 2 N 1 F 3 N 1 F 4 6 6	5.560 GHz 11.120 GHz 16.680 GHz	-60.41 dBm -65.49 dBm -62.93 dBm			Freq Offse 0 H:
9 9 1					
a			STAT	15	-

Antenna A

center Freq 9.0150000	00 GHz PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-P		Frequency
Ref Offset 13.7 dE 0 dB/div Ref 0.00 dBm	3			Mkr3 16.680 GH -64.22 dBn	
09 000 010 000					Center Free 9.015000000 GH
are ac no	ungel man	lpanet and solve the sol	2 martin	madallar balantan	Start Free 30,000000 MH
70.0 0000000000000000000000000000000000					Stop Fre 18.000000000 GH
tart 30 MHz	#VBV	V 3.0 MHz	Swee	Stop 18.000 GH p 30.0 ms (1001 pts	1.797000000 GH
Res BW 1.0 MHz					
AKR MODE TRC SCL	8		UNCTION EUNCTION WI	DTH: FUNCTION VALUE	Auto Mai
Res BW 1.0 MHz       KR MODE TRC SCL     3       1     N     1       2     N     1       3     N     1       4     5     5	× 5.560 GHz 11.120 GHz 16.680 GHz	7 52.06 dBm -85.15 dBm -64.22 dBm	UNCTION FUNCTION W	OTH FUNCTION VALUE	Freq Offse


Antenna C

Antenna B

Page No: 567 of 810

#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A

	00 00 000	. DASE INT	Avg Type: Log-Pwr	03:06:48 AM May 25, 2014 TRACE	Frequency	
enter Freq 9.015	PNO: Fast - IFGain:Low	#Atten: 4 dB	Avg type: cogewi	DET P RECEIPTE		
Ref Offset	13.7 dB dBm		Mkr3 16.680 GHz -63.46 dBm			
00 100 200					Center Fre 9.015000000 GH	
ara Sio 200	and way but Interne	and a first second second	2 manusause	numpring and a	Start Fre 30,000000 MH	
no					Stop Fre 18.00000000 GH	
tart 30 MHz Res BW 1.0 MHz	#VE	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH	
A MODE TRC SCL.	5.560 GHz	-57,30 dBm	UNCTION FUNCTION WIDT	H FUNCTION VALUE	Auto Ma	
2 N 1 7 3 N 1 7 4	11.120 GHz 16.680 GHz	-64.28 dBm -63.46 dBm			Freq Offse	
7						

Antenna C

Antenna B

Page No: 568 of 810

#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A

	100	50.9 DC		. MENT		ALIGN OFF	02:33:13 AM May 25, 2014	Frequency
senter	r Freq 9	.015000000	PNO: Fast - IFGain:Low	Trig: Free Run	Avg	Type: Log-Pwr	TRACE 2 4 E	Frequency
10 dB/div Ref 0.00 dBm -62.0						kr2 11.120 GHz -62.08 dBm	Auto Tuni	
09 100 200 200								Center Free 9.015000000 GH
410 500 600	wanter	and the former of	and many	-	2	hall souther the first	mbidengs and a	Start Free 30.000000 MH
71.0								Stop Fre 18.000000000 GH
					_		Stop 18.000 GHz	
	0 MHz 3W 1.0 N	IHz	#VB	W 3.0 MHz		Sweep	30.0 ms (1001 pts)	1.797000000 GH
#Res E	SW 1.0 N	8		.Y.	FUNCTION	Sweep FUNCTION WIDTH		CF Step 1.797000000 GH Auto Mar
Res E	3W 1.0 N F TRC SOL	Ř	#VB 5,560 GHz 1,120 GHz 6,680 GHz	W 3.0 MHz -57.93 dBm -52.08 dBm -63.40 dBm	FUNCTION		30.0 ms (1001 pts)	1.797000000 GH
Res E	SW 1.0 N	Ř	5.560 GHz 1.120 GHz	-57.93 dBm -52.08 dBm	FUNCTION		30.0 ms (1001 pts)	1.797000000 GH <u>Auto</u> Ma Freq Offse

Antenna C

Antenna B

Page No: 569 of 810

#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A

000 GHz	. INGE UNIT	Avg Type: Log-Pwr	D4:14:20 AM May 25, 2014 TRACE	Frequency		
	#Atten: 4 dB		DET P TUTNITAT	Auto Tun		
dB m		Mkr3 16.680 GHz -61.44 dBm				
				Center Fre 9.015000000 GH		
1	etrado generated Maria	2 marter and and and and and and	Weileruper Harriste	Start Fre 30.000000 MH		
				Stop Fre 18.00000000 GH		
#VB	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH		
X		FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma		
11.120 GHz 16.680 GHz	-63.11 dBm -61.44 dBm			Freq Offse 0 H		
	0000 CHz Pilot Fast If Galact.ew dB m 	11122 CH2 PHIC: Inter	0000 GHZ FILD Fail and the Trig: Free Run Braind owner 4 dB Arg Type: Log-Per Manual Arg Type: Log-Per Manua Arg Type: Log-Per Manual Arg Type: Log-Per Manual Arg Typ	U000 GHz Pritic Fail		

Antenna C





Antenna D

Page No: 570 of 810

#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2







Center Freq 9.01500000			Avg Type: Log-Pwr	03:40:36 AM May 25, 2014 TRACE 2 4 F TYPE 04 AM May 25, 2014	Frequency	
Ref Offset 13,7 dB 10 dB/div Ref 0.00 dBm	3		Mkr2 11.120 GHz -63.29 dBm			
100					Center Fre 9.015000000 GH	
200 200 600	and all and	ally to be the many to make the second	Sector 2	arvas ponerto anticarried	Start Fre- 30,000000 MH	
70.0 60.0 60.0					Stop Fre 18.000000000 GH	
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH	
MRI MOGE THC SCL. 3 2 N 1 7 3 N 1 7 4 6 6 7 8 8 9 9 10 11	6.560 GHz 11.120 GHz 16.680 GHz	420 dBm 5329 dBm 53.74 dBm	FUNCTION WOTH	PERCTION VALUE	<u>Auto</u> Ma FreqOffse 0 H	
			STAT			

Antenna C





Antenna D

Page No: 571 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3






Antenna A

Center Freq 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	03:05:48 AM May 25, 2014 TRACE 2014 TYPE WAR	Frequency Auto Tune		
Ref Offset 13.7 0 dB/div Ref 0.00 dB/			Mkr3 16.680 GHz -63.46 dBm				
009 100 200 200					Center Free 9.015000000 GH		
270 510 610	way to a tomas	والمستقر والمراجع	A2 And for an an all of the	an sprainerand 3	Start Free 30.000000 MH		
m.o. 0.0 10.0					Stop Free 18.000000000 GH		
Start 30 MHz #Res BW 1.0 MHz	#VB	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH		
NKR MODE TRC SCL	× 5,560 GHz	-57 30 dBm	UNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Mar		
2 N 1 f 3 N 1 f 4 6	11.120 GHz 16.680 GHz	-64.28 dBm -63.46 dBm			Freq Offse 0 H		
7 8 9 10 11							
12			STATLE		<u> </u>		

Antenna C






Antenna D

Page No: 572 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B

Page No: 573 of 810



#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



enter Freq 9.01500000	0 GHz PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	02:45:48 AM May 25, 2014 TRACE 12 4 TYPE DET P MULTIN	Frequency
Ref Offset 13.7 dB			Μ	kr3 16,680 GHz -62,88 dBm	Auto Tune
2.0					Center Freq 9.015000000 GHz
E.G. d.Q. SO Destroyed of the second of t	were 2 hours	n gerywrai a waa a a a a a a a a a a a a a a a a	and any way was the state	arternance programmings	Start Free 30,000000 MHz
800					Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz KR MODE TRE SCL X		-58.40 dBm	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GHz Auto Man
2 N 1 F 3 N 1 F 4 4 6 6 7 7 8 9 9 9 0 1	11.120 GHz 16.680 GHz	-62.90 dBm -62.98 dBm			Freq Offset 0 Hz
2 <b>2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 </b>			STATU		

Antenna B

enter Freq 9.015000000 GHz PNO: Fast IFGain:Low		Trig: Free Run		Type: Log-Pwr	02:50:00 AM May 25, 201- TRACE 2 4 4 TYPE OUT P 12:01/17	Frequency
Ref Offset 13.7 d Ref 0.00 dBm				MI	r3 16.680 GHz -63.39 dBm	
09 100						Center Fred 9.015000000 GH:
are ac are no wayleyntrogramwyddiad	1 wywww.listowany	6413800000012800128001	2	nit man and a start stort a	3	Start Free 30,000000 MHz
70.0						Stop Free 18.000000000 GH:
Start 30 MHz #Res BW 1.0 MHz		N 3.0 MHz			Stop 18.000 GHz 30.0 ms (1001 pts	
MCR MODE TRC SCL 1 N 1 7 2 N 1 7 3 N 1 7 4 6 6	5.560 GHz 11.120 GHz 16.680 GHz	57.83 dBm 53.91 dBm 53.39 dBm	UNCTION	FUNCTION WIDTH	FUNCTION VALUE	Freq Offset 0 Ha
7						

Antenna C


Page No: 574 of 810

#### Conducted Spurs Peak, 5560 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1










Antenna C





Antenna D

Page No: 575 of 810



#### enter Freq 9.015000000 GHz Avg Type: Log-P Fast ---- Trig: Free Run Auto Tun Ref Offset 13.82 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre 30.000000 M ∆2 Stop Fre 18.000 Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CFSt 30 MHz BW 1.0 MH W 3.0 MH 1,79700 M -50.71 dBn -65.02 dBn -62.51 dBn 5.690 GHz 11.320 GHz 16.980 GHz Freq Offse

### Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps


Antenna A

Page No: 576 of 810




սիսիս

### Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps





Page No: 577 of 810



### Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps



cisco

Antenna A

enter Freq 9.01500	0000 GHz PNO: Fast - IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Ty	pe: Log-Pwr	11:12:12 AM May 27, 2 TRACE 2 4 TYPE 001	Frequency
Ref Offset 13.	92 dB Sm			M	(r3 16.980 GH -62.60 dB	
00 00 00 00						Center Free 9.015000000 GH
aa io aa aa aa	may May	يد ويونونه المربي المربي الم	2	Anthone Preserve	7/10.00 <sup>3</sup> /1.500 <sup>3</sup> /1.500 <sup>3</sup>	Start Fre 30,000000 MH
						Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 Gi 30.0 ms (1001 pt	
IN T T	× 5.690 GHz	-54,76 dBm	UNCTION	UNCTION WIDTH	FUNCTION VALUE	Auto Ma
2 N 1 1	11.320 GHz 16.980 GHz	-63.25 dBm -62.60 dBm				Freq Offse
3 N 1 f 4 5						

Antenna C


Antenna B

Page No: 578 of 810



### Conducted Spurs Peak, 5690 MHz, Non HT/VHT80, 6 to 54 Mbps






Antenna C



cisco

Antenna B



Antenna D

Page No: 579 of 810



#### Avg Type: Log-F Auto Tun Ref Offset 13.82 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre ∆2 30.000000 M Stop Fre Stop 18.000 GHz Sweep 30.0 ms (1001 pts) CFSt 30 MHz BW 1.0 MH W 3.0 MH 1,7970 M -51.16 dB -65.18 dB -64.34 dB 5.690 GHz 11.320 GHz 16.980 GHz Freq Offse

Antenna A


Page No: 580 of 810


This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1






Antenna B

Page No: 581 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna B

Page No: 582 of 810

Antenna A



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Frequency	03:24:47 AM Jun 17, 2014 TRACE 2 2 4 TVPE W	Type: Log-Pwr	Avg	Trig: Free Run #Atten: 4 dB	GHZ PNO: Fast	0000000		r Fre	nte
Auto Tune	r3 16.980 GHz -60.97 dBm	MI				13.82 dB dBm	ef Offset ef 0.00		dB/d
Center Free 9.015000000 GH									10 10 10
Start Free 30,000000 MH	and all well and the second second second	- The way of the state	$\Delta^2$		m 2 men	rigent all bergent			0 0 0
Stop Free 18.00000000 GH									0 😽
CF Step 1.797000000 GH Auto Mar	Stop 18.000 GHz 0.0 ms (1001 pts) FUNCTION VALUE	Sweep :	UNCTION		1.10.11	×	0 MHz	e tre	es
Freq Offse 0 H				54.22 dBm 64.63 dBm -60.97 dBm	690 GHz 320 GHz 980 GHz	11.	f l		
		STATUS							1.

Antenna A

	q 9.0150000		Trig: Free Run #Atten: 4 dB		De: Log-Pwr	03:27:44 AMOun 17, 2014 TRACE 2 4 TYPE 24 DET P IN GIRMON	Frequency
0 dB/div	Ref Offset 13.82 c Ref 0.00 dBm	iB			MI	r3 16.980 GHz -63.03 dBm	Auto Tune
100 200 200							Center Free 9.015000000 GH
476 900		enter Alteren	ur fild a the state of the state of the		Million of Marine	and the sport of large gradest	Start Free 30.000000 MH
7340 <b></b>							Stop Fre 18.000000000 GH
Start 30 MH Res BW 1.0		#VB	W 3.0 MHz		Sweep :	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
MAR MODE THE	sa.	5.690 GHz	-54,50 dBm	UNCTION E	INCTION WIDTH	FUNCTION VALUE	Auto Mai
2 N 1 4 6 6	1	11.320 GHz 16.980 GHz	-63.34 dBm -63.03 dBm				Freq Offse 0 Hi
7 8 9 10							
10					STATUS	_	18


Antenna C

Antenna B

Page No: 583 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Frequency	03:24:47 AM Jun 17, 2014 TKACE 2 2 4 TVRE WOMMANN DET P HULLIN M	Type: Log-Pwr	Avg	Trig: Free Run #Atten: 4 dB	GHZ PNO: Fast	500 00	Freq 9.0			
Auto Tune	r3 16,980 GHz -60,97 dBm	Mkr3 16.980 GHz -60.97 dBm				Ref Offset 13.82 dB Bldiv Ref 0.00 dBm				
Center Freq 9.015000000 GHz										
Start Free 30.000000 MHz	3		*****	41.118	mal men	Martin	Marson april			
Stop Free 18.00000000 GH:							Ange Ser Class of C			
CF Step 1.797000000 GHz Auto Mar	Stop 18.000 GHz 0.0 ms (1001 pts)	Sweep :	FUNCTION	3.0 MHz	#VBV	Iz	MHz W 1.0 MH;			
FreqOffse	ramuna VALUE	- UNUT OF VED.17	range sign	54.22 dBm -64.63 dBm -60.97 dBm	690 GHz 320 GHz 980 GHz					
Freq Offset 0 Hz				-60.97 dBm	980 GHz					

Antenna B

	9.015000000				Type: Log-Pwr	03:27:44 AM Jun 17, 2 TRACE 2 4 TYPE 01	Frequency
dB/div Re	f Offset 13.82 dB f 0.00 dBm						
00 00 00 00							Center Fred 9.015000000 GH:
10 10	- ALANA ANIA	Al way	~*************************************	And a star	and the second and	3	Start Free 30.000000 MH:
10 <b>141/668-4</b> 8 10							Stop Free 18.000000000 GH
tart 30 MHz Res BW 1.0	MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 Gi 30.0 ms (1001 pi	s) 1.797000000 GH
A MODE THE SE		690 GHz	-54,50 dBm	FUNCTION	EUNCTION WIDTH	FUNCTION VALUE	Auto Mar
	11 16	.320 GHz 980 GHz	-63.34 dBm -63.03 dBm				Freq Offse 0 H
				_	STATU		

Antenna C

Page No: 584 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3



enter Freq 9.01500000	PNO: Fast ++	Trig: Free Run		ALISN OF	03:24:47 AM Jun 17, 2014 TRACE 2 4 TVPE W	Frequency
Ref Offset 13.82 dB	IFGain:Low	BAtten: 4 dB		Μ	kr3 16.980 GHz -60.97 dBm	Auto Tune
9 0 0						Center Fred 9.015000000 GH:
C Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	and and there are	1010-1014 - 101-101-101-101-101-101-101-101-101-1	A2.	hansigirtente	and de Miller and Starting	Start Free 30,000000 MH
in <b>1997 - 1997 - 1997 - 1997 - 1997</b> 16						Stop Free 18.00000000 GH
art 30 MHz tes BW 1.0 MHz R MODE THE SCL XX	#VBV	V 3.0 MHz	UNCTION FI	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH Auto Mar
N 1 f	5,690 GHz 1,320 GHz 6,980 GHz	-54.22 dBm -64.63 dBm -60.97 dBm				Freq Offse 0 Hi
				STATUS		

Antenna A

enter Freq 9.0150			Avg T	ype: Log-Pwr	03:27:44 AM 3un 17, 2014 TRACE 2 4 TYPE WWWWWWWW	Frequency
Ref Offset 1 0 dB/div Ref 0.00 d	13.82 dB dBm			MI	r3 16.980 GHz -63.03 dBm	Auto Tune
00 00 00						Center Free 9.015000000 GH
00 00 00	mension from	an Mala Madala Marana	and a star	with the second second	anti-tana jugar sa Jawa	Start Fre- 30.000000 MH
u) <b></b>						Stop Fre 18.00000000 GF
tart 30 MHz Res BW 1.0 MHz	#VE	3W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
KA MODE TRC SCL	×	. У	FUNCTION	FUNCTION WIDTH :	FUNCTION VALUE	Auto Ma
	5.690 GHz 11.320 GHz 16.980 GHz	-54,50 dBm -63,34 dBm -63,03 dBm				Freq Offse 0 H
6 7 8 9 9 0						
2				STATUS	-	

Antenna C


Antenna B

Page No: 585 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1








enter Freq 9.0150			Avg Type: Log-Pwr	03:09:31 AM Jun 17, 2014 TRACE 244 TYPE 041 DUT P TUDINO II	Frequency		
Ref Offset 13 dB/div Ref 0.00 d			Mkr3 16.980 GHz -64.20 dBm				
00 00 00					Center Free 9.015000000 GH		
00	man makeral	man for the state of the state	2 mlapholidy	Francisco and a start a	Start Free 30.000000 MH		
					Stop Fre 18.000000000 GH		
tart 30 MHz Res BW 1.0 MHz	#VB	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH		
RA MODE TRC SCL	× 5.690 GHz 11.320 GHz 16.980 GHz	7 65.87 dBm 54.23 dBm 54.20 dBm	UNCTION PRANCTION WIDTH	FUNCTION VALUE	Auto Mar Freq Offse 0 H		

Antenna C





Antenna D

Page No: 586 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna A

ffset 13.82 dB 0.00 dBm	A1.			MI	(r3 16.98 -64.2	80 GHz 0 dBm	Auto Tune Center Freq 9.01500000 GHz
	<u>^1</u> .						
about the stander	hours	minister	restrony has	gh an strater	martheligh	Ner Shorts	Start Fre 30.000000 MH
							Stop Fre 18.000000000 GH
łz	#VB	N 3.0 MHz		Sweep		001 pts)	CF Ste 1.797000000 GH
8	SO CHA	7 55.97 dBm	FUNCTION FUN	CTION WIDTH :	FUNCTION	YALUE	Auto Ma
11.3	20 GHz	-64.23 dBm -64.20 dBm					Freq Offse 0 H
	5.6 11.3		×	X 7 FUNCTION FU 5.690 GHz -55.87 dBm 11.320 GHz -54.23 dBm	<sup>12</sup> 5920 GHz 54 67 28m 11 320 GHz 54 27 28m 16 380 GHz 64 20 dBm	Hz #VBW 3.0 MHz Sweep 30.0 ms (1 X Y FUNCTION FUNCTION WOTH EXECTION 5 690 GHz 5587 dBm 11 320 GHz 5423 dBm 11 320 GHz	2 5690 GH2 5697 dBm 1 320 GH2 5697 dBm 1 320 GH2 42 30 dBm 16 390 GH2 44 00 dBm


Antenna C






Antenna D

Page No: 587 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3




cisco



				MI							
				Ref 0ffset 13.92 dB Mkr3 16.980 GHz o dB/div Ref 0.00 dBm -64.20 dBm -64.20 dBm							
						Center Free 9.015000000 GH					
a water of the state of the	An and a second	man	all and a straight for	ghan an a faithe		Start Free 30.000000 MH:					
						Stop Free 18.000000000 GH					
MHz	#VB	W 3.0 MHz		Sweep :	Stop 18.000 G 30.0 ms (1001 p	1.797000000 GH					
8	COO 0115	.Y	FUNCTION FU	NCTION WIDTH :	FUNCTION VALUE	Auto Mar					
11	320 GHz	-56,87 dBm -64,23 dBm -64,20 dBm				Freq Offse 0 H					
	MH2 61	MHz #VB	MHz #VBW 3.0 MHz × 400 GHz 5 690 GHz 11 320 GHz × 423 dBm 13 320 GHz	MHz #VBW 3.0 MHz 5 690 GHz - 5567 dBm 11 320 CHz - 654 23 dBm	MHz #VBW 3.0 MHz Sweep 3 8 Y FIACTER VERW 5 690 GHz 45 67 6Bm 11 330 GHz 44 23 6Bm	WHz     #VBW 3.0 MHz     Stop 18.000 G       V     Sweep 30.0 ms (1001 p       5 690 GHz     46.67 dBm       11330 GHz     44.23 dBm       16 590 GHz     44.23 dBm					


Antenna C





Antenna D

Page No: 588 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1

Antenna A

Antenna B

cisco

Frequ

Auto Tu

Center Fre 9.015000000 GH

Start Fre

30.000000 MI


Stop Fre

CF Step

Freq Offse

Ma

Page No: 589 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna A

t 30 MHz s BW 1.0 MH

W 3.0 MH

5.690 GHz 11.320 GHz 16.980 GHz -54.20 dB -64.51 dB -62.60 dB

Ref Offset 13.82 dB Ref 0.00 dBm

Antenna B

Page No: 590 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



enter Freq 9.015000000	CHZ PNO: Fast	Trig: Free Run #Atten: 4 dB		Type: Log-Pwr	TRAC	M Jun 17, 2014	Frequency
Ref Offset 13.82 dB				М	kr3 16,9 -63.1	80 GHz 15 dBm	Auto Tune
200 0.0 0.0 2.0							Center Fred 9.015000000 GH
CO	mu Andrews		al and the second	and a strange of the state	annertan	aprice april and	Start Free 30,000000 MHz
noo Ré ≝ó							Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Sweep	Stop 18 30.0 ms (		CF Step 1.797000000 GH:
KR MODE THE SOL	.690 GHz	-58.24 dBm	FUNCTION	FUNCTION WIDTH	FUNCTIO	NVALUE	Auto Man
2 N 1 F 11 3 N 1 F 16 4 5	320 GHz 980 GHz	-64.26 dBm -63.15 dBm					Freq Offset 0 Ha
6 7 9 0 1 2							
a				STATU	5		

Antenna A

		Dg DC	112	I I ME IN		ALIGI CH	04:27:21 AM Jun 17,	2014 Frequency
Senter F	req 9.015	000000 GHz PNO: IF Gain	Fast	Trig: Free Run #Atten: 4 dB	Avs	Type: Log-Pwr	TRACE 12 TYPE WANNO DET P 12 0	The second second
0 dB/div	Ref Offset Ref 0.00					M	(r3 16.980 G -63.48 df	
09 100 200								Center Fre 9.015000000 GH
4010 5010	. Justine	wything with all	1 belowpoin	(*).hatloner-hariter	2 <sup>2</sup>	Network National Participation	1-4-2-1-1-4-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	Start Fre- 30,000000 MH
70-0 <b></b> 60.0 61.9								Stop Fre- 18.000000000 GH
Start 30	MHz / 1.0 MHz		#VBW	3.0 MHz		Sweep	Stop 18.000 ( 30.0 ms (1001	1.797000000 GH
MUR MODE T	TRC SCL	× 5.690 G		-59.02 dBm	FUNCTION	EUNCTION WIDTH :	FUNCTION VALUE	Auto Ma
	1 1	11.320 G 16.980 G	Hz	-63.70 dBm -63.48 dBm				Freq Offse
3 N 4 6								UH
3 N								U.

Antenna C

Antenna B

Page No: 591 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2



enter Freq 9.		CHZ PNO: Fast	Trig: Free Run #Atten: 4 dB		e: Log-Pwr	03:49:34 AM Jun 17, 2 TRACE TYPE TYPE DET P MULTI	Frequency
	ffset 13.82 dB 0.00 dBm				M	4r3 16.980 GH -64.03 dB	
10 10							Center Fred 9.015000000 GH
2.9 4.0 2.0	Wangen a strends	m how	way home by Marqueech	dues Seators	uput of the star	man and a start of the start of	Start Free 30,000000 MH
60 <b></b>							Stop Fred 18.00000000 GHz
tart 30 MHz Res BW 1.0 MI	×			FUNCTION FL	Sweep	Stop 18.000 Gl 30.0 ms (1001 pl FUNCTION VALUE	
1 N 1 f 2 N 1 f 3 N 1 f 4 6 6 7	11.	690 GHz 320 GHz 980 GHz	-56.19 dBm -64.41 dBm -64.03 dBm				Freq Offset 0 Hz
7 8 9 0 1 2							
6					STATUS		

Antenna A

0 dB/div R	9.015000000	PNO: Fast -	Trig: Free Run				
0 dB/div			#Atten: 4 dB			DET P NON	
	tef Offset 13.82 dB tef 0.00 dBm				MI	kr3 16.980 GH -62.31 dBr	
00 100 200 200							Center Fre 9.015000000 GH
40.0 90.0 90.0	neters of the states	mal mar	Challenger der Maria anderen		Antherine	have may the state of the	Start Fre 30,000000 MH
11.0 <b>MANERS</b>							Stop Fre 18.00000000 GH
tart 30 MH Res BW 1.0		#VB	W 3.0 MHz		Sweep	Stop 18.000 GH 30.0 ms (1001 pts	s) 1.797000000 GH
KR MODE TRC S		5.690 GHz	γ -54.85 dBm	FUNCTION	EUNCTION WIDTH :	FUNCTION VALUE	Auto Ma
2 N 1 3 N 1 4	f 1	1.320 GHz 6.980 GHz	-63.92 dBm -62.31 dBm				Freq Offse 0 H
6 7 8 9 10							


Antenna C

Antenna B

Page No: 592 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3



RL RF 50'Q DC		SENIE:W		ALISN OF		M Jun 17, 2014	Frequency
enter Freq 9.01500000	PNO: Fast +	Trig: Free Run #Atten: 4 dB	Avg	Type: Log-Pwr	TVE	PHUNN	requirey
Ref Offset 13.82 dE				M	kr3 16.9 -60.9	80 GHz 97 dBm	Auto Tune
20 0.0 1.0							Center Free 9.015000000 GH
00 10 00 00 000000000000000000000000000	ant all surger		attended and a star	-arginan an an ar an an	-	adread Surria	Start Free 30,000000 MH
5.0							Stop Free 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	#VB	V 3.0 MHz		Sweep	Stop 18 30.0 ms (	000 GHz 1001 pts)	CF Step 1.797000000 GH
CR MODE THE SOL X	5.690 GHz	¥ -54.22 dBm	FUNCTION	FUNCTION WEATH	FUNCTIO	VALUE	Auto Ma
2 N 1 f 3 N 1 f 4 6 6	11.320 GHz 16.980 GHz	-64.63 dBm -60.97 dBm					Freq Offse 0 H

Antenna B

		5000000 GH2		Trig: Free	Run		be: Log-Pwr	TRU	AM 3.m 17, 2014 AE 2 4 5 AFE 74 10 10 10 10 10 10 10 10 10 10 10 10 10	Frequency
10 dB/div	Ref Offset Ref 0.00	t 13.82 dB	III.LOW				M		980 GHz 03 dBm	Auto Tune
100 200										Center Fred 9.015000000 GH:
40.0 50.0 60.0			1 hours	Mar Month M	-	+	WHAT WALL	and have been	3	Start Freq 30.000000 MHz
70.0 <b></b>										Stop Fred 18.000000000 GH:
Start 30 M #Res BW			#VBV	/ 3.0 MHz			Sweep		8.000 GHz (1001 pts)	CF Step 1.797000000 GH
MKR MODE TR	SCL.	× 5.690		-54,50 dBi	n	NCTION FI	INCTION WIDTH	FUNCT	ON YALUE	Auto Man
2 N 1 3 4 6 6	1	11.320 16.980	GHz GHz	-63.34 dB -63.03 dB	n n					Freq Offset 0 Hz
7 8 9										
11										

Antenna C

Page No: 593 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1








Center Freq 9.01500000		Trig: Free Run		e: Log-Pwr	04:39:08 AM 3.m TRACE TYPE OUT PL		Frequency
Ref Offset 13.82 dB				M	kr2 11.320 -61.19 (		Auto Tun
100 210 210							Center Fre 9.015000000 GH
400 200 200 200 70.0	mathiers	an the state of th	2 were that had you as	al work	~~~	3	Start Fre 30.000000 MH
70.0							Stop Fre
91.0							18.00000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 30.0 ms (100	GHz	CF Ste 1.797000000 GH
Start 30 MHz #Res BW 1.0 MHz #R# MODE TRC ScL X			UNICTION FL	Sweep		) GHz 1 pts)	CF Ste 1.79700000 GH
Start 30 MHz Res BW 1.0 MHz Res MOSt TAC St. X 1 N 1 f 3 N 1 f 4 6			UNCTION FU		30.0 ms (100	) GHz 1 pts)	CF Ste 1.79700000 GH
Start 30 MHz Res BW 1.0 MHz MR MODE TRC SCL X 1 N 1 7 2 N 1 7 3 N 1 7	5.690 GHz	-58.96 dBm -51.19 dBm	UNCTION FU		30.0 ms (100	) GHz 1 pts)	CF Ste 1.797000000 GH wto Ma

Antenna C






Antenna D

Page No: 594 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2








Center Freq 9	0.015000000 0	PNO: Fast -	Trig: Free Run #Atten: 4 dB		pe: Log-Pwr	04:15:06 AM 3un 17, 2014 TRACE 2 4 TYPE WARD	Frequency
0 dB/div Ref	Offset 13.82 dB 0.00 dBm				MI	r3 16.980 GHz -62.79 dBm	Auto Tune
00							Center Free 9.015000000 GH
40 0 50 0 60 0	washing the grant	n almon	and the second	رو بالد الدو الم	410013005 (14110)	3 1-2-44	Start Free 30.000000 MH
70.0 60.0 93.0							Stop Free 18.000000000 GH
Start 30 MHz Res BW 1.0 N	ЛНz	#VB	W 3.0 MHz		Sweep :	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TRC SCL	8	690 GHz	-57.44 dBm	UNCTION F	UNCTION WIDTH :	FUNCTION VALUE	Auto Mar
	11.	690 GHz 320 GHz 980 GHz	-67 44 05m -64.35 dBm -62.79 dBm				Freq Offse 0 Hi
7 8 9 10 11							
2		_			STATUS		

Antenna C





Antenna D

Page No: 595 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3








Center Fr		00000 GHz PNO: Fast - IFGain:Low	Trig: Free Run #Atten: 4 dB		e: Log-Pwr	0351:30 AM Jun 17, 2014 TRACE 214 5 TYPE 04101111	Frequency	
0 dB/div	Ref Offset 1 Ref 0.00 c	3.82 dB IBm		Mkr3 16.980 GHz -62.31 dBm				
000							Center Free 9.015000000 GH:	
40.6 50.0	and and a start of the	prover all and	Olymogenia Maria		Very and Market Bar		Start Free 30.000000 MH	
70-0 <b>441 441</b> 80:0 83:0							Stop Free 18.000000000 GH	
Start 30 M Res BW		#VB	W 3.0 MHz		Sweep :	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH	
MKR MODE TRI	C SOL	× 5.690 GHz	-54.85 dBm	UNCTION EU	NCTION WIDTH :	FUNCTION VALUE	Auto Mar	
2 N 1 3 4 6 6	f	11 320 GHz 16 980 GHz	-63.92 dBm -62.31 dBm				Freq Offse 0 H	
7 8 9 10 11								
10					STATUS		-	

Antenna C






Antenna D

Page No: 596 of 810



#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B

Page No: 597 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



enter Freq 9.01500000	PNO: Fast ++	Trig: Free Run #Atten: 4 dB	Avg Type: L		324947 AM Jun 17, 2014 TRACE 12 TA TVPE DET P NULLDAR	Frequency
Ref Offset 13.82 dE	5			Mkr3	16,980 GHz -60.97 dBm	Auto Tune
10 10 10						Center Freq 9.015000000 GHz
53 10 50 50 <mark>1001/101/101/101/101/101/101/101/101/10</mark>	ant and mary	warted the state of the	2.	V. A. W. Character	3	Start Free 30.000000 MHz
50						Stop Free 18.00000000 GH:
tart 30 MHz Res BW 1.0 MHz	#VBV	/ 3.0 MHz		Sweep 30.0	op 18.000 GHz ) ms (1001 pts)	CF Step 1.797000000 GHz Auto Man
CRIMODE TRE SOL X	5.690 GHz	-54.22 dBm	UNCTION FUNCT	ON WIDTH .	FUNCTION VALUE	ADIO
3 N 1 F 4 5	11.320 GHz 16.980 GHz	-64.63 dBm -60.97 dBm				Freq Offset 0 Ha
6 7 8 9 9						

Antenna A

enter Freq 9.01500	DOODO GHZ PNO: Fast - IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pw		Frequency
Ref Offset 13 0 dB/div Ref 0.00 d	3.82 dB Bm			Mkr3 16.980 GHz -63.03 dBm	Auto Tune
00 00 200 200					Center Free 9.015000000 GH
976 970 970	mentin	wifeld the states of the states of the	white white a grad man and a grad of the	an and designed and grand	Start Fre- 30.000000 MH
7110 <b></b>					Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
KR MODE TRC SCL	× 5.690 GHz	-54,50 dBm	UNCTION EUNCTION WIDT	H FUNCTION VALUE	Auto Ma
	11.320 GHz 16.980 GHz	-63.34 dBm -63.03 dBm			Freq Offse 0 H
7					

Antenna C

Antenna B

Page No: 598 of 810

#### Conducted Spurs Peak, 5690 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1








Center Fr	eq 9.01500		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pv		Frequency
0 dB/div	Ref Offset 13 Ref 0.00 de				Mkr3 16.980 GHz -64.20 dBm	Auto Tune
00 100 200						Center Free 9.015000000 GH
4010 5010 6010	a a data salimperinta	-	line for the second second	augunter and a second	New Autor Marting and Autor Te	Start Free 30.000000 MH
7110 <b>1.57 20</b> 60 0 6110						Stop Free 18.000000000 GH
Start 30 M #Res BW		#VB	W 3.0 MHz	Swee	Stop 18.000 GHz p 30.0 ms (1001 pts)	CF Step 1.797000000 GH
MKR MODE TR		×		UNCTION FUNCTION WID	TH: FUNCTION VALUE	Auto Mar
	: ·	5.690 GHz 11.320 GHz 16.980 GHz	-55.87 dBm -64.23 dBm -64.20 dBm			Freq Offset 0 Hi
6 7 8 9 10 11						
50				37.	ATUS	

Antenna C





Antenna D

Page No: 599 of 810

Conducted Spurs Peak, 5710 MHz, Non HT/VHT40, 6 to 54 Mbps



#### enter Freq 9.015000000 GHz Avg Type: Log-F Trig: Free Run Auto Tun Ref Offset 13.75 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre 30.000000 N Stop Fre 18.000 Stop 18.000 GHz Sweep 30.0 ms (1001 pts) 30 MHz BW 1.0 MH CFSt W 3.0 MH 1,79700 M -45.33 dBr -62.20 dBr -61.89 dBr 5.710 GHz 11.400 GHz 17.100 GHz Freq Offse

Antenna A

Page No: 600 of 810