



Conducted Bandedge Peak, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B

Page No: 703 of 810



Conducted Bandedge Peak, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna A Antenna B



Antenna C



Conducted Bandedge Peak, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna A Antenna B





Antenna C Antenna D





Antenna A







Antenna A Antenna B









Antenna C







Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna A Antenna B



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2







Antenna A Antenna B



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1







Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2







Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3







Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A Antenna B




Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A Antenna B



Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A Antenna B



Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A Antenna B



Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna A Antenna B






Antenna C Antenna D



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna A Antenna B



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1








Antenna C



Conducted Bandedge Peak, 5530 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1





Antenna A Antenna B





Antenna C Antenna D



Conducted Bandedge Average

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Be sure to enter all losses between the transmitter output and the spectrum analyzer.

Reference Level: 10 dBm Attenuation: 4 dB Sweep Time: Coupled Resolution Bandwidth: 1MHz

Video Bandwidth: 100 Hz for average

Detector: Peak

Save 2 plots: Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV @3m)

Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands.

The "measure-and-sum technique" is used for measuring in-band transmit power of a device. In the measure-and-sum approach, the conducted emission level is measured at each antenna port. The measured results at the various antenna ports are then summed mathematically to determine the total emission level from the device. Summing is performed in linear power units.

This report represents the worst case data for all supported operating modes and antennas.

Page No: 730 of 810



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
	Non HT/VHT20, 6 to 54 Mbps	1	14	-58.0				-44.0	-41.25	2.8
	Non HT/VHT20, 6 to 54 Mbps	2	14	-60.8	-63.8			-45.0	-41.25	3.8
	Non HT/VHT20, 6 to 54 Mbps	3	14	-64.6	-63.7	-64.1		-45.3	-41.25	4.1
	Non HT/VHT20, 6 to 54 Mbps	4	14	-66.4	-66.8	-67.4	-65.1	-46.3	-41.25	5.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	14	-63.0	-63.5			-46.2	-41.25	5.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	17	-66.4	-66.8	-67.4		-45.1	-41.25	3.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	17	-69.1	-69.1	-68.0	-65.4	-44.6	-41.25	3.3
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	14	-58.8				-44.8	-41.25	3.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	14	-63.2	-62.5			-45.8	-41.25	4.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	14	-60.2	-59.1			-42.6	-41.25	1.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	14	-64.2	-63.4	-63.8		-45.0	-41.25	3.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	14	-63.2	-62.5	-64.4		-44.5	-41.25	3.3
0	HT/VHT20, M16 to M23, M0.3 to M9.3	3	14	-63.2	-62.5	-64.4		-44.5	-41.25	3.3
5500	HT/VHT20, M0 to M7, M0.1 to M9.1	4	14	-66.4	-67.6	-68.0	-65.0	-46.6	-41.25	5.3
υ,	HT/VHT20, M8 to M15, M0.2 to M9.2	4	14	-64.2	-63.4	-63.8	-62.9	-43.5	-41.25	2.3
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	14	-63.2	-63.1	-63.1	-62.6	-43.0	-41.25	1.7
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	14	-63.2	-63.1			-46.1	-41.25	4.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	14	-60.2	-59.1			-42.6	-41.25	1.4
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	17	-66.4	-67.6	-68.0		-45.5	-41.25	4.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	14	-63.7	-63.1	-63.6		-44.7	-41.25	3.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	14	-63.2	-62.5	-64.4		-44.5	-41.25	3.3
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	17	-68.5	-68.3	-68.9	-65.4	-44.5	-41.25	3.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	14	-65.8	-64.0	-64.1	-63.4	-44.2	-41.25	3.0
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	14	-63.7	-63.1	-63.6	-63.1	-43.3	-41.25	2.1
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	14	-60.2	-59.1			-42.6	-41.25	1.4
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	14	-63.2	-62.5	-64.4		-44.5	-41.25	3.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	14	-64.2	-63.4	-63.8	-62.9	-43.5	-41.25	2.3
	Non HT/VHT40, 6 to 54 Mbps	1	14	-57.5				-43.5	-41.25	2.3
	Non HT/VHT40, 6 to 54 Mbps	2	14	-60.3	-59.4			-42.8	-41.25	1.6
10	Non HT/VHT40, 6 to 54 Mbps	3	14	-61.7	-61.4	-61.2		-42.7	-41.25	1.4
5510	Non HT/VHT40, 6 to 54 Mbps	4	14	-65.4	-64.1	-64.6	-62.9	-44.1	-41.25	2.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	14	-57.3				-43.3	-41.25	2.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	14	-60.3	-59.2			-42.7	-41.25	1.5

Page No: 731 of 810



F	HT/VHT40, M8 to M15, M0.2 to M9.2	2	4.4	60.0	E0 3			40 7	44 05	
_			14	-60.3	-59.2			-42.7	-41.25	1.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	14	-63.6	-62.7	-62.7		-44.2	-41.25	3.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	14	-61.2	-62.7	-62.0		-43.2	-41.25	1.9
H	HT/VHT40, M16 to M23, M0.3 to M9.3	3	14	-61.2	-62.7	-62.0		-43.2	-41.25	1.9
ŀ	HT/VHT40, M0 to M7, M0.1 to M9.1	4	14	-64.9	-64.1	-64.3	-63.3	-44.1	-41.25	2.8
ŀ	HT/VHT40, M8 to M15, M0.2 to M9.2	4	14	-63.6	-62.7	-62.7	-62.5	-42.8	-41.25	1.6
H	HT/VHT40, M16 to M23, M0.3 to M9.3	4	14	-63.6	-62.7	-62.7	-62.5	-42.8	-41.25	1.6
H	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	14	-63.6	-62.7			-46.1	-41.25	4.9
ŀ	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	14	-60.3	-59.2			-42.7	-41.25	1.5
H	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	17	-66.9	-67.1	-67.3		-45.3	-41.25	4.1
H	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	14	-63.5	-63.0	-63.4		-44.5	-41.25	3.3
H	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	14	-61.2	-62.7	-62.0		-43.2	-41.25	1.9
H	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	17	-68.5	-68.0	-68.3	-65.3	-44.3	-41.25	3.0
H	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	14	-64.9	-64.1	-64.3	-63.3	-44.1	-41.25	2.8
H	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	14	-63.5	-63.0	-63.4	-63.1	-43.2	-41.25	2.0
H	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	14	-60.3	-59.2			-42.7	-41.25	1.5
H	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	14	-61.2	-62.7	-62.0		-43.2	-41.25	1.9
H	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	14	-63.6	-62.7	-62.7	-62.5	-42.8	-41.25	1.6
١	Non HT/VHT80, 6 to 54 Mbps	1	14	-56.8				-42.8	-41.25	1.6
١	Non HT/VHT80, 6 to 54 Mbps	2	14	-58.5	-61.1			-42.6	-41.25	1.3
١	Non HT/VHT80, 6 to 54 Mbps	3	14	-63.2	-62.0	-62.7		-43.8	-41.25	2.6
١	Non HT/VHT80, 6 to 54 Mbps	4	14	-63.2	-62.0	-62.7	-62.8	-42.6	-41.25	1.4
H	HT/VHT80, M0 to M7, M0.1 to M9.1	1	14	-55.8				-41.8	-41.25	0.6
ŀ	HT/VHT80, M0 to M7, M0.1 to M9.1	2	14	-59.0	-58.7			-41.8	-41.25	0.6
ŀ	HT/VHT80, M8 to M15, M0.2 to M9.2	2	14	-59.0	-58.7			-41.8	-41.25	0.6
ŀ	HT/VHT80, M0 to M7, M0.1 to M9.1	3	14	-61.0	-60.1	-60.8		-41.8	-41.25	0.6
ŀ	HT/VHT80, M8 to M15, M0.2 to M9.2	3	14	-61.0	-60.1	-60.8		-41.8	-41.25	0.6
ŀ	HT/VHT80, M16 to M23, M0.3 to M9.3	3	14	-61.0	-60.1	-60.8		-41.8	-41.25	0.6
5530	HT/VHT80, M0 to M7, M0.1 to M9.1	4	14	-62.9	-62.6	-63.1	-62.3	-42.7	-41.25	1.4
55	HT/VHT80, M8 to M15, M0.2 to M9.2	4	14	-62.9	-62.6	-63.1	-62.3	-42.7	-41.25	1.4
ŀ	HT/VHT80, M16 to M23, M0.3 to M9.3	4	14	-62.9	-62.6	-63.1	-62.3	-42.7	-41.25	1.4
ŀ	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	14	-59.0	-58.7			-41.8	-41.25	0.6
ŀ	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	14	-59.0	-58.7			-41.8	-41.25	0.6
ŀ	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	17	-65.0	-64.4	-65.0		-43.0	-41.25	1.8
ŀ	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	14	-61.0	-60.1	-60.8		-41.8	-41.25	0.6
ŀ	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	14	-61.0	-60.1	-60.8		-41.8	-41.25	0.6
ŀ	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	17	-65.0	-64.4	-65.0	-64.6	-41.7	-41.25	0.5
ŀ	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	14	-62.9	-62.6	-63.1	-62.3	-42.7	-41.25	1.4
ŀ	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	14	-62.9	-62.6	-63.1	-62.3	-42.7	-41.25	1.4
ŀ	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	14	-59.0	-58.7			-41.8	-41.25	0.6

Page No: 732 of 810

Custom EMC Test Report No: EDCS - 1435253



HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	14	-61.0	-60.1	-60.8		-41.8	-41.25	0.6
HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	14	-62.9	-62.6	-63.1	-62.3	-42.7	-41.25	1.4


Page No: 733 of 810






Antenna A








Antenna A

Antenna B






Antenna A

Antenna C

Page No: 736 of 810

Antenna B






Antenna A



Antenna C






Antenna D



Conducted Bandedge Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps





Antenna A Antenna B



Conducted Bandedge Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps




Antenna A

| Start Freq | S77000000 GHz | Stop Freq | S.4600000 GHz | Stop Freq | S.46000000 GHz | Stop Freq | S.46000000 GHz | Stop Freq | S.46000000 GHz | Stop Freq | S.4600000 GHz | Stop Freq | S.460000 GHz | Stop Freq | S.46000 GHz | S.46000 GHz | Stop Freq | S.46000 GHz | Stop Freq | S.46000 GHz | S.460

Antenna C



Conducted Bandedge Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps






Antenna C




Antenna B



Antenna D



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1





Antenna A

Page No: 741 of 810



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna A Antenna B



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna A


Antenna C

Page No: 744 of 810



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2





Antenna B



Antenna C



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



| Section | Sect

Antenna A

Antenna C

Page No: 746 of 810



Conducted Bandedge Average, 5500 MHz, HT/VHT20, MO to M7, M0.1 to M9.1



Antenna B Antenna A



Antenna C






Antenna D

Page No: 747 of 810



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C

Antenna D



Conducted Bandedge Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3






Antenna C




Antenna B



Antenna D



Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A Antenna B



Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



| Applied Sections Analyzes | Section | Sectio

Antenna A


| Ref Offset 13 8 ds | Ref -10.00 dBm |


Antenna C

Page No: 752 of 810



Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna A

Antenna C



Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna B



Antenna C




Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C


Antenna D



Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C

Antenna D




Conducted Bandedge Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



Conducted Bandedge Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna B



Antenna C



Conducted Bandedge Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna C




Antenna B



Antenna D





Antenna A

Page No: 761 of 810








Antenna B






| Section | Sect

Antenna A

Antenna C

Page No: 763 of 810








Antenna C




Antenna B



Antenna D



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1




Antenna A

Page No: 765 of 810



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna A Antenna B



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2






Antenna A


Antenna C

Page No: 769 of 810



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3





Antenna A


| Center | Freq 5.415000000 GHz | Freq Ran | Freq Part | Freq Part

Antenna C

Page No: 770 of 810




Conducted Bandedge Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Ref Offset 133 dB Ref 0.00 dBm -04.053 dBm

#Avg Type: RMS Avg|Hold: 100/100



Antenna B




Antenna C

Antenna D




Conducted Bandedge Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna B



Antenna C

Antenna D



Conducted Bandedge Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3




Antenna A Ant



Antenna C



Antenna B




......



Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B



Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2








Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B





Antenna C



Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2

Antenna B





Antenna A

| Center | Section | Addition | Section | Sect

Antenna C

Page No: 777 of 810




Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3





Antenna B




Antenna C



Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D




Auto Tun

Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2





#Avg Type: RMS Avg[Hold: 100/100



Antenna B





Antenna C


Antenna D




Conducted Bandedge Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D




Conducted Bandedge Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1









Conducted Bandedge Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna B




Antenna C



Center Free

Freq Offs


Conducted Bandedge Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Ref Offset 13.8 dB Ref 0.00 dBm #Avg Type: RMS Avg|Hold: 100/100




Antenna B



Antenna C

Antenna D






Antenna A


Page No: 785 of 810











| Content | Frequency | Content | Co


Antenna A


| Activation | Act

Antenna C


Antenna B








Antenna C




Antenna B



Antenna D



Conducted Bandedge Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1




Antenna A

Page No: 789 of 810




Conducted Bandedge Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1








Conducted Bandedge Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2








Conducted Bandedge Average, 5530 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1






Antenna B




Antenna C



Conducted Bandedge Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna B




Antenna C



Conducted Bandedge Average, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3





Antenna A

| Center | Freq | 5.415000000 GHz | Frequency | Freque

Antenna C


Page No: 794 of 810

Antenna B



Conducted Bandedge Average, 5530 MHz, HT/VHT80, MO to M7, M0.1 to M9.1






Antenna C Antenna D



Antenna B



Page No: 795 of 810



Center Free

Freq Offs

Conducted Bandedge Average, 5530 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



Antenna A Antenna B



Antenna C Antenna D



Ref Offset 13.8 dB Ref -10.00 dBm #Avg Type: RMS Avg|Hold: 100/100



Conducted Bandedge Average, 5530 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3






Antenna C



Antenna B




Antenna D



Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1







Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B



Conducted Bandedge Average, 5530 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna B



Antenna C