





Conducted Spurs Peak, 2462 MHz, HT-20, M0 to M7




Antenna A



Conducted Spurs Peak, 2462 MHz, HT-20, M0 to M7




Antenna A




Antenna B



Conducted Spurs Peak, 2462 MHz, HT-20, M8 to M15




Antenna A




Antenna B




Conducted Spurs Peak, 2462 MHz, HT-20, M0 to M7



Antenna A




Antenna B



Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20, M8 to M15



Antenna A




Antenna B




Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20, M16 to M23



Antenna A




Antenna B




Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20, M0 to M7




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Spurs Peak, 2462 MHz, HT-20, M8 to M15




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Spurs Peak, 2462 MHz, HT-20, M16 to M23




Antenna A



Antenna B




Antenna C




Antenna D



Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M0 to M7




Antenna A




Antenna B



Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M8 to M15




Antenna A




Antenna B




Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M8 to M15



Antenna A




Antenna B




Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M16 to M23



Antenna A




Antenna B




Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M0 to M7




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M8 to M15




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Spurs Peak, 2462 MHz, HT-20 Beam Forming, M16 to M23




Antenna A



Antenna B




Antenna C




Antenna D



Conducted Spurs Peak, 2462 MHz, HT-20 STBC, M0 to M7




Antenna A




Antenna B




Conducted Spurs Peak, 2462 MHz, HT-20 STBC, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Spurs Peak, 2462 MHz, HT-20 STBC, M0 to M7




Antenna A



Antenna B



Antenna C



Antenna D



Conducted Bandedge

15.205: Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

Use the procedures in 558074 D01 DTS Meas Guidance v03r02..

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Be sure to enter all losses between the transmitter output and the spectrum analyzer.

Reference Level:	10 dBm
Attenuation:	4 dB
Sweep Time:	Coupled
Resolution Bandwidth:	1MHz
Video Bandwidth:	100 Hz for average
Detector:	Peak

Save 2 plots: Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV/m @3m)

Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands.

The "measure-and-sum technique" is used for measuring in-band transmit power of a device. In the measure-and-sum approach, the conducted emission level is measured at each antenna port. The measured results at the various antenna ports are then summed mathematically to determine the total emission level from the device. Summing is performed in linear power units.

This report represents the worst case data for all supported operating modes and antennas.




Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
2412	CCK, 1 to 11 Mbps	1	5	-51.4				-46.4	-41.25	5.2
	CCK, 1 to 11 Mbps	2	5	-51.4	-61.7			-46.0	-41.25	4.8
	CCK, 1 to 11 Mbps	3	5	-51.4	-61.7	-61.8		-45.7	-41.25	4.4
	CCK, 1 to 11 Mbps	4	5	-51.4	-61.7	-61.8	-61.6	-45.3	-41.25	4.1
	Non HT-20, 6 to 54 Mbps	1	5	-46.8				-41.8	-41.25	0.5
	Non HT-20, 6 to 54 Mbps	2	5	-47.8	-54.1			-41.9	-41.25	0.6
	Non HT-20, 6 to 54 Mbps	3	5	-47.8	-54.1	-55.8		-41.4	-41.25	0.1
	Non HT-20, 6 to 54 Mbps	4	5	-49.1	-55.5	-56.2	-55.2	-41.9	-41.25	0.6
	Non HT-20 Beam Forming, 6 to 54 Mbps	2	8	-51.1	-54.6			-41.5	-41.25	0.2
	Non HT-20 Beam Forming, 6 to 54 Mbps	3	10	-54.5	-59.0	-61.2		-42.7	-41.25	1.5
	Non HT-20 Beam Forming, 6 to 54 Mbps	4	11	-56.4	-61.3	-63.4	-60.9	-42.7	-41.25	1.4
	HT-20, M0 to M7	1	5	-47.0				-42.0	-41.25	0.8
	HT-20, M0 to M7	2	5	-48.1	-55.7			-42.4	-41.25	1.2
	HT-20, M8 to M15	2	5	-48.1	-55.7			-42.4	-41.25	1.2
	HT-20, M0 to M7	3	5	-48.1	-55.7	-55.8		-41.8	-41.25	0.6
	HT-20, M8 to M15	3	5	-48.1	-55.7	-55.8		-41.8	-41.25	0.6
	HT-20, M16 to M23	3	5	-48.1	-55.7	-55.8		-41.8	-41.25	0.6
	HT-20, M0 to M7	4	5	-48.1	-55.7	-55.8	-55.4	-41.3	-41.25	0.0
	HT-20, M8 to M15	4	5	-48.1	-55.7	-55.8	-55.4	-41.3	-41.25	0.0
	HT-20, M16 to M23	4	5	-48.1	-55.7	-55.8	-55.4	-41.3	-41.25	0.0
	HT-20 Beam Forming, M0 to M7	2	8	-51.8	-56.9			-42.6	-41.25	1.4
	HT-20 Beam Forming, M8 to M15	2	5	-48.1	-55.7			-42.4	-41.25	1.2
	HT-20 Beam Forming, M0 to M7	3	10	-53.5	-59.0	-60.4		-42.0	-41.25	0.7
	HT-20 Beam Forming, M8 to M15	3	7	-50.2	-55.6	-55.2		-41.3	-41.25	0.1
	HT-20 Beam Forming, M16 to M23	3	5	-48.1	-55.7	-55.8		-41.8	-41.25	0.6
	HT-20 Beam Forming, M0 to M7	4	11	-55.4	-61.0	-62.7	-61.3	-42.0	-41.25	0.8
	HT-20 Beam Forming, M8 to M15	4	8	-53.5	-59.0	-60.4	-59.2	-43.1	-41.25	1.8
	HT-20 Beam Forming, M16 to M23	4	6	-51.8	-56.9	-58.0	-56.7	-42.9	-41.25	1.6
	HT-20 STBC, M0 to M7	2	5	-48.1	-55.7			-42.4	-41.25	1.2
	HT-20 STBC, M0 to M7	3	5	-48.1	-55.7	-55.8		-41.8	-41.25	0.6
HT-20 STBC, M0 to M7	4	5	-48.1	-55.7	-55.8	-55.4	-41.3	-41.25	0.0	
246 2	CCK, 1 to 11 Mbps	1	5	-57.3				-52.3	-41.25	11.1
	CCK, 1 to 11 Mbps	2	5	-57.3	-58.5			-49.8	-41.25	8.6



CCK, 1 to 11 Mbps	3	5	-57.3	-58.5	-55.0		-46.9	-41.25	5.7
CCK, 1 to 11 Mbps	4	5	-57.3	-58.5	-55.0	-56.3	-45.6	-41.25	4.3
Non HT-20, 6 to 54 Mbps	1	5	-48.5				-43.5	-41.25	2.3
Non HT-20, 6 to 54 Mbps	2	5	-50.1	-50.9			-42.5	-41.25	1.2
Non HT-20, 6 to 54 Mbps	3	5	-51.8	-51.7	-52.2		-42.1	-41.25	0.9
Non HT-20, 6 to 54 Mbps	4	5	-54.7	-53.9	-54.8	-54.6	-43.5	-41.25	2.2
Non HT-20 Beam Forming, 6 to 54 Mbps	2	8	-54.7	-53.9			-43.3	-41.25	2.0
Non HT-20 Beam Forming, 6 to 54 Mbps	3	10	-56.7	-55.6	-56.9		-41.8	-41.25	0.5
Non HT-20 Beam Forming, 6 to 54 Mbps	4	11	-58.7	-57.6	-58.8	-58.4	-41.3	-41.25	0.1
HT-20, M0 to M7	1	5	-47.0				-42.0	-41.25	0.8
HT-20, M0 to M7	2	5	-51.1	-52.3			-43.6	-41.25	2.4
HT-20, M8 to M15	2	5	-51.1	-52.3			-43.6	-41.25	2.4
HT-20, M0 to M7	3	5	-51.1	-52.3	-52.8		-42.2	-41.25	1.0
HT-20, M8 to M15	3	5	-51.1	-52.3	-52.8		-42.2	-41.25	1.0
HT-20, M16 to M23	3	5	-51.1	-52.3	-52.8		-42.2	-41.25	1.0
HT-20, M0 to M7	4	5	-53.0	-53.9	-54.5	-54.4	-42.9	-41.25	1.6
HT-20, M8 to M15	4	5	-53.0	-53.9	-54.5	-54.4	-42.9	-41.25	1.6
HT-20, M16 to M23	4	5	-53.0	-53.9	-54.5	-54.4	-42.9	-41.25	1.6
HT-20 Beam Forming, M0 to M7	2	8	-53.0	-53.9			-42.4	-41.25	1.2
HT-20 Beam Forming, M8 to M15	2	5	-51.1	-52.3			-43.6	-41.25	2.4
HT-20 Beam Forming, M0 to M7	3	10	-56.2	-56.4	-58.3		-42.3	-41.25	1.0
HT-20 Beam Forming, M8 to M15	3	7	-53.0	-53.9	-54.5		-42.2	-41.25	0.9
HT-20 Beam Forming, M16 to M23	3	5	-51.1	-52.3	-52.8		-42.2	-41.25	1.0
HT-20 Beam Forming, M0 to M7	4	11	-60.5	-60.1	-61.4	-60.7	-43.6	-41.25	2.4
HT-20 Beam Forming, M8 to M15	4	8	-55.1	-55.8	-56.3	-56.0	-41.8	-41.25	0.5
HT-20 Beam Forming, M16 to M23	4	6	-53.0	-53.9	-54.5	-54.4	-41.7	-41.25	0.4
HT-20 STBC, M0 to M7	2	5	-51.1	-52.3			-43.6	-41.25	2.4
HT-20 STBC, M0 to M7	3	5	-51.1	-52.3	-52.8		-42.2	-41.25	1.0
HT-20 STBC, M0 to M7	4	5	-53.0	-53.9	-54.5	-54.4	-42.9	-41.25	1.6




Conducted Bandedge Average, 2412 MHz, CCK, 1 to 11 Mbps




Antenna A



Conducted Bandedge Average, 2412 MHz, CCK, 1 to 11 Mbps




Antenna A




Antenna B




Conducted Bandedge Average, 2412 MHz, CCK, 1 to 11 Mbps



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2412 MHz, CCK, 1 to 11 Mbps




Antenna A



Antenna B




Antenna C



Antenna D




Conducted Bandedge Average, 2412 MHz, Non HT-20, 6 to 54 Mbps



Antenna A



Conducted Bandedge Average, 2412 MHz, Non HT-20, 6 to 54 Mbps




Antenna A



Antenna B



Conducted Bandedge Average, 2412 MHz, Non HT-20, 6 to 54 Mbps



Antenna A




Antenna B




Antenna C



Conducted Bandedge Average, 2412 MHz, Non HT-20, 6 to 54 Mbps




Antenna A



Antenna B




Antenna C




Antenna D



Conducted Bandedge Average, 2412 MHz, Non HT-20 Beam Forming, 6 to 54 Mbps




Antenna A




Antenna B



Conducted Bandedge Average, 2412 MHz, Non HT-20 Beam Forming, 6 to 54 Mbps



Antenna A




Antenna B




Antenna C



Conducted Bandedge Average, 2412 MHz, Non HT-20 Beam Forming, 6 to 54 Mbps




Antenna A



Antenna B




Antenna C



Antenna D




Conducted Bandedge Average, 2412 MHz, HT-20, M0 to M7



Antenna A



Conducted Bandedge Average, 2412 MHz, HT-20, M0 to M7




Antenna A




Antenna B



Conducted Bandedge Average, 2412 MHz, HT-20, M8 to M15




Antenna A




Antenna B




Conducted Bandedge Average, 2412 MHz, HT-20, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2412 MHz, HT-20, M8 to M15



Antenna A




Antenna B




Antenna C



Conducted Bandedge Average, 2412 MHz, HT-20, M16 to M23



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2412 MHz, HT-20, M0 to M7




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2412 MHz, HT-20, M8 to M15




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2412 MHz, HT-20, M16 to M23



Antenna A



Antenna B




Antenna C



Antenna D



Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M0 to M7




Antenna A



Antenna B



Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M8 to M15




Antenna A



Antenna B



Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M0 to M7



Antenna A




Antenna B




Antenna C



Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M8 to M15



Antenna A




Antenna B



Antenna C




Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M0 to M7




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M8 to M15




Antenna A



Antenna B



Antenna C




Antenna D




Conducted Bandedge Average, 2412 MHz, HT-20 Beam Forming, M16 to M23




Antenna A



Antenna B




Antenna C



Antenna D



Conducted Bandedge Average, 2412 MHz, HT-20 STBC, M0 to M7




Antenna A




Antenna B




Conducted Bandedge Average, 2412 MHz, HT-20 STBC, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2412 MHz, HT-20 STBC, M0 to M7



Antenna A



Antenna B




Antenna C



Antenna D




Conducted Bandedge Average, 2462 MHz, CCK, 1 to 11 Mbps




Antenna A



Conducted Bandedge Average, 2462 MHz, CCK, 1 to 11 Mbps




Antenna A




Antenna B




Conducted Bandedge Average, 2462 MHz, CCK, 1 to 11 Mbps



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, CCK, 1 to 11 Mbps




Antenna A



Antenna B




Antenna C



Antenna D




Conducted Bandedge Average, 2462 MHz, Non HT-20, 6 to 54 Mbps




Antenna A



Conducted Bandedge Average, 2462 MHz, Non HT-20, 6 to 54 Mbps




Antenna A




Antenna B




Conducted Bandedge Average, 2462 MHz, Non HT-20, 6 to 54 Mbps



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, Non HT-20, 6 to 54 Mbps




Antenna A



Antenna B




Antenna C




Antenna D



Conducted Bandedge Average, 2462 MHz, Non HT-20 Beam Forming, 6 to 54 Mbps




Antenna A




Antenna B




Conducted Bandedge Average, 2462 MHz, Non HT-20 Beam Forming, 6 to 54 Mbps



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, Non HT-20 Beam Forming, 6 to 54 Mbps




Antenna A



Antenna B




Antenna C



Antenna D




Conducted Bandedge Average, 2462 MHz, HT-20, M0 to M7




Antenna A



Conducted Bandedge Average, 2462 MHz, HT-20, M0 to M7




Antenna A




Antenna B



Conducted Bandedge Average, 2462 MHz, HT-20, M8 to M15




Antenna A




Antenna B




Conducted Bandedge Average, 2462 MHz, HT-20, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20, M8 to M15



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20, M16 to M23



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20, M0 to M7




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2462 MHz, HT-20, M8 to M15




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2462 MHz, HT-20, M16 to M23




Antenna A



Antenna B




Antenna C




Antenna D



Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M0 to M7




Antenna A




Antenna B



Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M8 to M15




Antenna A




Antenna B




Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M8 to M15



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M16 to M23



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M0 to M7




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M8 to M15




Antenna A



Antenna B




Antenna C




Antenna D




Conducted Bandedge Average, 2462 MHz, HT-20 Beam Forming, M16 to M23




Antenna A



Antenna B




Antenna C




Antenna D



Conducted Bandedge Average, 2462 MHz, HT-20 STBC, M0 to M7




Antenna A




Antenna B




Conducted Bandedge Average, 2462 MHz, HT-20 STBC, M0 to M7



Antenna A




Antenna B




Antenna C




Conducted Bandedge Average, 2462 MHz, HT-20 STBC, M0 to M7




Antenna A



Antenna B



Antenna C



Antenna D



Conducted Test Setup



Appendix B: Test Equipment/Software Used to perform the test

Equip #	Manufacturer	Model	Description	Last Cal	Next Due
CIS-50378	Agilent	N9030A	PXA Spectrum Analyzer	2/27/2014	1/17/2015