


Peak Output Power / PSD, 5290 MHz, VHT80 Beam Forming, M0 to M9 2ss









Antenna B



Antenna C

Antenna D




Peak Output Power / PSD, 5290 MHz, VHT80 Beam Forming, M0 to M9 3ss





Antenna B



Antenna C



Peak Output Power / PSD, 5290 MHz, VHT80 Beam Forming, M0 to M9 3ss







Antenna B



Antenna C

Antenna D



Peak Output Power / PSD, 5290 MHz, VHT80 Beam Forming, M0 to M9 4ss





#### Antenna A



#VBW 3 MHz

Power Spectral Density

-66.62 dBm /Hz



-66.48 dBm /Hz

Antenna C

12.17 dBm / 75.66 MF


Antenna D

12.31 dBm / 75.66 MF

Antenna B



Peak Output Power / PSD, 5290 MHz, VHT80 STBC, M0 to M9 2ss





Antenna A Antenna B



Peak Output Power / PSD, 5290 MHz, VHT80 STBC, M0 to M9 2ss






Antenna B




Antenna C




Peak Output Power / PSD, 5290 MHz, VHT80 STBC, M0 to M9 2ss







Antenna B



Antenna C

Antenna D













Antenna A Antenna B









Antenna B




Antenna C










Antenna B




Antenna C


Antenna D












Antenna A Antenna B









Antenna B



Antenna C










Antenna B




Antenna C

Antenna D








Antenna A Antenna B







Antenna B



Antenna C











Antenna B



Antenna C


Antenna D







Antenna B




Antenna C










Antenna B



Antenna C


Antenna D




Peak Output Power / PSD, 5310 MHz, VHT40, M0 to M9 4ss








Antenna B



Antenna C

Antenna D









Antenna A Antenna B









Antenna B



Antenna C










Antenna B



Antenna C

Antenna D



Peak Output Power / PSD, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A Antenna B



Peak Output Power / PSD, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss






Antenna B





Antenna C




Peak Output Power / PSD, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss







Antenna B




Antenna C

Antenna D



Peak Output Power / PSD, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna B




Antenna C




Peak Output Power / PSD, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss







Antenna B



Antenna C

Antenna D




Peak Output Power / PSD, 5310 MHz, VHT40 Beam Forming, M0 to M9 4ss







Antenna B



Antenna C

Antenna D



Peak Output Power / PSD, 5310 MHz, HT/VHT40 STBC, M0 to M7





Antenna A Antenna B




Peak Output Power / PSD, 5310 MHz, HT/VHT40 STBC, M0 to M7






Antenna B




Antenna C




Peak Output Power / PSD, 5310 MHz, HT/VHT40 STBC, M0 to M7







Antenna B




Antenna C

Antenna D









Antenna A



## Peak Output Power / PSD, 5320 MHz, 6 to 54 Mbps









Antenna B



## Peak Output Power / PSD, 5320 MHz, 6 to 54 Mbps






Antenna C



Antenna B



### Peak Output Power / PSD, 5320 MHz, 6 to 54 Mbps




#### Antenna A



Antenna C




#### Antenna B




Antenna D



Peak Output Power / PSD, 5320 MHz, 6 to 54 Mbps Beam Forming







Antenna A Antenna B




Peak Output Power / PSD, 5320 MHz, 6 to 54 Mbps Beam Forming






Antenna B




Antenna C




Peak Output Power / PSD, 5320 MHz, 6 to 54 Mbps Beam Forming








Antenna B




Antenna C

Antenna D













Antenna A Antenna B









Antenna B




Antenna C











Antenna B




Antenna C

Antenna D








Antenna A Antenna B








Antenna B



Antenna C










Antenna B



Antenna C


Antenna D








Antenna B



Antenna C










Antenna B




Antenna C

Antenna D




Peak Output Power / PSD, 5320 MHz, VHT20, M0 to M9 4ss












Antenna C

Antenna D









Antenna A Antenna B








Antenna B




Antenna C














Antenna C

Antenna D



Peak Output Power / PSD, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss






Antenna A Antenna B




Peak Output Power / PSD, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss






Antenna B




Antenna C




Peak Output Power / PSD, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss







Antenna B




Antenna C

Antenna D




Peak Output Power / PSD, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna B



Antenna C



Peak Output Power / PSD, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





#### Antenna A



-58.89 dBm /Hz

Antenna B




Antenna C


13.56 dBm / 17.58 MF


Antenna D




Peak Output Power / PSD, 5320 MHz, VHT20 Beam Forming, M0 to M9 4ss







Antenna B




Antenna C

Antenna D



Peak Output Power / PSD, 5320 MHz, HT/VHT20 STBC, M0 to M7





Antenna A Antenna B

Page No: 160 of 636




Peak Output Power / PSD, 5320 MHz, HT/VHT20 STBC, M0 to M7





Antenna B



Antenna C




Peak Output Power / PSD, 5320 MHz, HT/VHT20 STBC, M0 to M7











Antenna C

Antenna D



# **Conducted Spurious Emissions**

15.407: For transmitters operating in the 5.25-5.35 and 5.47-5.725 GHz band: all emissions outside of the 5.25-5.35 and 5.47-5.725 GHz bands shall not exceed an EIRP of -27dBm/MHz.

As specified in § 15.407(b), emissions above 1000 MHz that are outside of the restricted bands are subject to a maximum emission limit of -27 dBm/MHz (or -17 dBm/MHz as specified in § 15.407(b)(4)). However, an out-of-band emission that complies with both the peak and average limits of § 15.209 is not required to satisfy the -27 dBm/MHz or -17 dBm/MHz maximum emission limit.

Use the procedures in 789033 D02 General UNII Test Procedures New Rules v01 to substitute conducted measurements in place of radiated measurements.

- 1) Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV @3m)
- 2) Peak plot (Vertical and Horizontal), Limit = -21.25 dBm eirp (74dBuV @3m)

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer).

Span: 18 GHz-40 GHz/ 30 MHz-18 GHz

Reference Level: 20 dBm Attenuation: 10 dB Sweep Time: 10 s Resolution Bandwidth: 1 MHz

Video Bandwidth: 1 kHz for Average, 3MHz for Peak

Detector: Peak
Trace: Single
Marker: Peak

Record the marker waveform peak to spur difference

Page No: 163 of 636



**Conducted Spurious Emissions-Average** 

	John Goria Grand	_								
Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
	6 to 54 Mbps	1	6	-69.8				-63.8	-41.25	22.6
	6 to 54 Mbps	2	6	-69.8	-69.7			-60.7	-41.25	19.5
	6 to 54 Mbps	3	6	-69.8	-69.8	-69.7		-59.0	-41.25	17.7
	6 to 54 Mbps	4	6	-69.8	-69.8	-69.7	-70.0	-57.8	-41.25	16.6
	6 to 54 Mbps Beam Forming	2	9	-69.8	-69.7			-57.7	-41.25	16.5
	6 to 54 Mbps Beam Forming	3	11	-69.8	-69.8	-69.7		-54.2	-41.25	12.9
	6 to 54 Mbps Beam Forming	4	12	-69.8	-69.8	-69.7	-70.0	-51.8	-41.25	10.6
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-69.9				-63.9	-41.25	22.7
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-69.9	-69.8			-60.8	-41.25	19.6
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-69.8	-69.7	-69.9		-59.0	-41.25	17.8
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-69.7	-69.6	-69.8	-69.8	-57.7	-41.25	16.5
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-69.9	-69.8			-60.8	-41.25	19.6
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-69.8	-69.8	-69.8		-59.0	-41.25	17.8
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-69.9	-69.9	-69.8	-69.8	-57.8	-41.25	16.6
5260	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-69.9	-69.8	-69.8		-59.1	-41.25	17.8
г	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-69.8	-69.8	-69.8	-69.7	-57.8	-41.25	16.5
	VHT20, M0 to M9 4ss	4	6	-69.9	-69.8	-69.8	-69.8	-57.8	-41.25	16.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.9	-69.8			-57.8	-41.25	16.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-69.8	-69.7	-69.9		-54.2	-41.25	13.0
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-69.7	-69.6	-69.8	-69.8	-51.7	-41.25	10.5
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.9	-69.8			-60.8	-41.25	19.6
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-69.8	-69.8	-69.8		-57.2	-41.25	16.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-69.9	-69.9	-69.8	-69.8	-54.8	-41.25	13.6
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.9	-69.8	-69.8		-59.1	-41.25	17.8
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-69.8	-69.8	-69.8	-69.7	-56.6	-41.25	15.3
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-69.9	-69.8	-69.8	-69.8	-57.8	-41.25	16.6
	HT/VHT20 STBC, M0 to M7	2	6	-69.9	-69.8			-60.8	-41.25	19.6
	HT/VHT20 STBC, M0 to M7	3	6	-69.8	-69.8	-69.8		-59.0	-41.25	17.8
	HT/VHT20 STBC, M0 to M7	4	6	-69.9	-69.9	-69.8	-69.8	-57.8	-41.25	16.6

Page No: 164 of 636



-			-	_	_			_	-	_
	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-70.0				-64.0	-41.25	22.8
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-70.0	-69.9			-60.9	-41.25	19.7
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-69.7	-69.8	-69.9		-59.0	-41.25	17.8
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-69.7	-69.8	-69.8	-69.6	-57.7	-41.25	16.5
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-69.9				-63.9	-41.25	22.7
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-69.9	-69.9			-60.9	-41.25	19.6
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-69.8	-69.7	-69.8		-59.0	-41.25	17.7
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-69.8	-69.7	-69.9	-69.9	-57.8	-41.25	16.6
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-69.9	-69.9			-60.9	-41.25	19.6
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-69.9	-69.9	-69.6		-59.0	-41.25	17.8
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-69.9	-69.9	-69.6	-69.6	-57.7	-41.25	16.5
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-69.9	-69.9	-69.6		-59.0	-41.25	17.8
5270	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-69.9	-69.9	-69.6	-69.6	-57.7	-41.25	16.5
52	VHT40, M0 to M9 4ss	4	6	-69.9	-69.9	-69.6	-69.6	-57.7	-41.25	16.5
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.9	-69.9			-57.9	-41.25	16.6
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-69.8	-69.7	-69.9		-54.2	-41.25	13.0
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-69.8	-69.9	-69.9	-69.8	-51.8	-41.25	10.6
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.9	-69.9			-60.9	-41.25	19.6
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-69.9	-69.9	-69.6		-57.2	-41.25	16.0
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-69.8	-69.7	-69.8	-69.5	-54.7	-41.25	13.4
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.9	-69.9	-69.6		-59.0	-41.25	17.8
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-69.9	-69.9	-69.6	-69.6	-56.5	-41.25	15.3
	VHT40 Beam Forming, M0 to M9 4ss	4	6	-69.9	-69.9	-69.6	-69.6	-57.7	-41.25	16.5
	HT/VHT40 STBC, M0 to M7	2	6	-69.9	-69.9			-60.9	-41.25	19.6
	HT/VHT40 STBC, M0 to M7	3	6	-69.9	-69.9	-69.6		-59.0	-41.25	17.8
	HT/VHT40 STBC, M0 to M7	4	6	-69.9	-69.9	-69.6	-69.6	-57.7	-41.25	16.5
		_	-	<u>-</u>	<del>-</del>	_	_	_	-	_
	Non HT80 Duplicate, 6 to 54 Mbps	1	6	-69.7				-63.7	-41.25	22.5
	Non HT80 Duplicate, 6 to 54 Mbps	2	6	-69.7	-69.7			-60.7	-41.25	19.4
	Non HT80 Duplicate, 6 to 54 Mbps	3	6	-69.8	-69.8	-69.7		-59.0	-41.25	17.7
	Non HT80 Duplicate, 6 to 54 Mbps	4	6	-69.9	-69.8	-69.7	-69.8	-57.8	-41.25	16.5
	VHT80, M0 to M9 1ss	1	6	-69.7				-63.7	-41.25	22.5
	VHT80, M0 to M9 1ss	2	6	-69.8	-69.8			-60.8	-41.25	19.5
5290	VHT80, M0 to M9 1ss	3	6	-69.6	-69.6	-69.6		-58.8	-41.25	17.6
5	VHT80, M0 to M9 1ss	4	6	-69.6	-69.6	-69.6	-69.7	-57.6	-41.25	16.4
	VHT80, M0 to M9 2ss	2	6	-69.8	-69.8			-60.8	-41.25	19.5
	VHT80, M0 to M9 2ss	3	6	-69.6	-69.6	-69.6		-58.8	-41.25	17.6
	VHT80, M0 to M9 2ss	4	6	-69.6	-69.6	-69.6	-69.7	-57.6	-41.25	16.4
	VHT80, M0 to M9 3ss	3	6	-69.6	-69.6	-69.6		-58.8	-41.25	17.6
	VHT80, M0 to M9 3ss	4	6	-69.6	-69.6	-69.6	-69.7	-57.6	-41.25	16.4

Page No: 165 of 636



VHT80, M0 to M9 4ss       4       6       -69.6       -69.6       -69.6       -69.7       -57.6         VHT80 Beam Forming, M0 to M9 1ss       2       9       -69.6       -69.6       -57.6         VHT80 Beam Forming, M0 to M9 1ss       3       11       -69.8       -69.8       -69.8       -54.2	-41.25 -41.25	16.4
	-41.25	
VHT80 Beam Forming, M0 to M9 1ss 3 11 -69.8 -69.8 -69.8 -54.2		16.3
	-41.25	13.0
VHT80 Beam Forming, M0 to M9 1ss 4 12 -69.8 -69.7 -69.8 -69.5 -51.7	-41.25	10.4
VHT80 Beam Forming, M0 to M9 2ss         2         6         -69.8         -69.8         -60.8	-41.25	19.5
VHT80 Beam Forming, M0 to M9 2ss         3         8         -69.9         -69.7         -69.8         -57.2	-41.25	16.0
VHT80 Beam Forming, M0 to M9 2ss 4 9 -69.7 -69.8 -69.8 -69.7 -54.7	-41.25	13.5
VHT80 Beam Forming, M0 to M9 3ss 3 6 -69.6 -69.6 -69.6 -58.8	-41.25	17.6
VHT80 Beam Forming, M0 to M9 3ss 4 7 -69.9 -69.7 -69.8 -69.8 -56.6	-41.25	15.3
VHT80 Beam Forming, M0 to M9 4ss 4 6 -69.6 -69.6 -69.6 -69.7 -57.6	-41.25	16.4
VHT80 STBC, M0 to M9 2ss 2 6 -69.8 -69.8 -60.8	-41.25	19.5
VHT80 STBC, M0 to M9 2ss 3 6 -69.6 -69.6 -69.6 -58.8	-41.25	17.6
VHT80 STBC, M0 to M9 2ss 4 6 -69.6 -69.6 -69.6 -69.7 -57.6	-41.25	16.4
Non HT40 Duplicate, 6 to 54 Mbps 1 6 -69.9 -63.9	-41.25	22.7
Non HT40 Duplicate, 6 to 54 Mbps 2 6 -69.9 -69.9 -60.9	-41.25	19.6
Non HT40 Duplicate, 6 to 54 Mbps 3 6 -69.8 -69.9 -70.0 -59.1	-41.25	17.9
Non HT40 Duplicate, 6 to 54 Mbps 4 6 -69.8 -69.8 -69.9 -69.9 -57.8	-41.25	16.6
HT/VHT40, M0 to M7, M0 to M9 1ss 1 6 -69.8 -63.8	-41.25	22.6
HT/VHT40, M0 to M7, M0 to M9 1ss 2 6 -69.8 -69.8 -60.8	-41.25	19.5
HT/VHT40, M0 to M7, M0 to M9 1ss 3 6 -69.8 -69.9 -69.9 -59.1	-41.25	17.8
HT/VHT40, M0 to M7, M0 to M9 1ss 4 6 -69.9 -69.8 -69.6 -69.9 -57.8	-41.25	16.5
HT/VHT40, M8 to M15, M0 to M9 2ss 2 6 -69.8 -69.8 -60.8	-41.25	19.5
HT/VHT40, M8 to M15, M0 to M9 2ss 3 6 -69.8 -69.8 -69.9 -59.1	-41.25	17.8
HT/VHT40, M8 to M15, M0 to M9 2ss 4 6 -69.8 -69.9 -69.9 -69.5 -57.8	-41.25	16.5
HT/VHT40, M16 to M23, M0 to M9 3ss 3 6 -69.8 -69.8 -69.9 -59.1	-41.25	17.8
CHT/VHT40, M16 to M23, M0 to M9 3ss     4     6     -69.8     -69.9     -69.9     -69.5     -57.8       VHT40, M0 to M9 4ss     4     6     -69.8     -69.9     -69.9     -69.5     -57.8	-41.25	16.5
WHT40, M0 to M9 4ss     4     6     -69.8     -69.9     -69.9     -69.5     -57.8	-41.25	16.5
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 2 9 -69.8 -69.9 -57.8	-41.25	16.6
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 3 11 -70.0 -70.0 -69.8 -54.4	-41.25	13.1
HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss 4 12 -69.8 -69.9 -69.8 -69.7 -51.8	-41.25	10.5
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 2 6 -69.8 -69.8 -60.8	-41.25	19.5
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 3 8 -69.8 -69.9 -69.9 -57.3	-41.25	16.0
HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss 4 9 -69.8 -70.0 -69.9 -69.9 -54.9	-41.25	13.6
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 3 6 -69.8 -69.8 -69.9 -59.1	-41.25	17.8
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss 4 7 -69.9 -69.8 -69.8 -69.8 -56.6	-41.25	15.4
VHT40 Beam Forming, M0 to M9 4ss         4         6         -69.8         -69.9         -69.9         -69.5         -57.8	-41.25	16.5
HT/VHT40 STBC, M0 to M7 2 6 -69.8 -69.8 -60.8	-41.25	19.5
HT/VHT40 STBC, M0 to M7 3 6 -69.8 -69.8 -69.9 -59.1	-41.25	17.8
HT/VHT40 STBC, M0 to M7 4 6 -69.8 -69.9 -69.9 -69.5 -57.8	-41.25	16.5

Page No: 166 of 636



	6 to 54 Mbps	1	6	-69.2				-63.2	-41.25	22.0
	6 to 54 Mbps	2	6	-69.2	-69.4			-60.3	-41.25	19.0
	6 to 54 Mbps	3	6	-69.7	-69.8	-69.8		-59.0	-41.25	17.7
	6 to 54 Mbps	4	6	-69.7	-69.6	-69.8	-69.8	-57.7	-41.25	16.5
	6 to 54 Mbps Beam Forming	2	9	-69.2	-69.4			-57.3	-41.25	16.0
	6 to 54 Mbps Beam Forming	3	11	-69.7	-69.8	-69.8		-54.2	-41.25	12.9
	6 to 54 Mbps Beam Forming	4	12	-69.7	-69.6	-69.8	-69.8	-51.7	-41.25	10.5
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-69.0				-63.0	-41.25	21.8
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-69.0	-69.4			-60.2	-41.25	18.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-69.6	-69.7	-69.9		-59.0	-41.25	17.7
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-69.8	-69.8	-69.5	-69.8	-57.7	-41.25	16.5
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-69.0	-69.4			-60.2	-41.25	18.9
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-69.5	-69.5	-69.7		-58.8	-41.25	17.5
0	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-69.7	-69.9	-69.9	-69.7	-57.8	-41.25	16.5
5320	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-69.0	-69.4	-69.8		-58.6	-41.25	17.4
<b>u</b> ,	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-69.5	-69.5	-69.7	-69.7	-57.6	-41.25	16.3
	VHT20, M0 to M9 4ss	4	6	-69.0	-69.4	-69.8	-69.7	-57.4	-41.25	16.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.0	-69.4			-57.2	-41.25	15.9
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-69.6	-69.7	-69.9		-54.2	-41.25	12.9
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-69.8	-69.8	-69.5	-69.8	-51.7	-41.25	10.5
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.0	-69.4			-60.2	-41.25	18.9
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-69.5	-69.5	-69.7		-57.0	-41.25	15.7
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-69.7	-69.9	-69.9	-69.7	-54.8	-41.25	13.5
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.0	-69.4	-69.8		-58.6	-41.25	17.4
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-69.5	-69.5	-69.7	-69.7	-56.4	-41.25	15.1
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-69.0	-69.4	-69.8	-69.7	-57.4	-41.25	16.2
	HT/VHT20 STBC, M0 to M7	2	6	-69.0	-69.4			-60.2	-41.25	18.9
	HT/VHT20 STBC, M0 to M7	3	6	-69.5	-69.5	-69.7		-58.8	-41.25	17.5
	HT/VHT20 STBC, M0 to M7	4	6	-69.7	-69.9	-69.9	-69.7	-57.8	-41.25	16.5

Page No: 167 of 636



# **Conducted Spurious Emissions-Peak**

	Gondacted Opan									
Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
	6 to 54 Mbps	1	6	-59.6				-53.6	-21.25	32.4
	6 to 54 Mbps	2	6	-59.6	-60.3			-50.9	-21.25	29.7
	6 to 54 Mbps	3	6	-58.7	-60.9	-60.5		-49.2	-21.25	27.9
	6 to 54 Mbps	4	6	-59.5	-59.9	-61.1	-59.8	-48.0	-21.25	26.8
	6 to 54 Mbps Beam Forming	2	9	-59.6	-60.3			-47.9	-21.25	26.7
	6 to 54 Mbps Beam Forming	3	11	-58.7	-60.9	-60.5		-44.4	-21.25	23.1
	6 to 54 Mbps Beam Forming	4	12	-59.5	-59.9	-61.1	-59.8	-42.0	-21.25	20.8
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-59.3				-53.3	-21.25	32.1
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-59.3	-60.7			-50.9	-21.25	29.7
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-60.3	-60.9	-59.8		-49.5	-21.25	28.3
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-62.0	-60.7	-60.2	-59.9	-48.6	-21.25	27.4
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-59.3	-60.7			-50.9	-21.25	29.7
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-60.4	-60.3	-61.2		-49.8	-21.25	28.6
0	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-59.8	-59.1	-60.9	-61.7	-48.2	-21.25	27.0
5260	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-59.3	-60.7	-60.5		-49.4	-21.25	28.1
Δ,	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-60.4	-60.3	-61.2	-60.6	-48.6	-21.25	27.3
	VHT20, M0 to M9 4ss	4	6	-59.3	-60.7	-60.5	-62.0	-48.5	-21.25	27.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-59.3	-60.7			-47.9	-21.25	26.7
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-60.3	-60.9	-59.8		-44.7	-21.25	23.5
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-62.0	-60.7	-60.2	-59.9	-42.6	-21.25	21.4
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-59.3	-60.7			-50.9	-21.25	29.7
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-60.4	-60.3	-61.2		-48.0	-21.25	26.8
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-59.8	-59.1	-60.9	-61.7	-45.2	-21.25	24.0
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-59.3	-60.7	-60.5		-49.4	-21.25	28.1
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-60.4	-60.3	-61.2	-60.6	-47.4	-21.25	26.1
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-59.3	-60.7	-60.5	-62.0	-48.5	-21.25	27.2
	HT/VHT20 STBC, M0 to M7	2	6	-59.3	-60.7			-50.9	-21.25	29.7
	HT/VHT20 STBC, M0 to M7	3	6	-60.4	-60.3	-61.2		-49.8	-21.25	28.6
	HT/VHT20 STBC, M0 to M7	4	6	-59.8	-59.1	-60.9	-61.7	-48.2	-21.25	27.0

Page No: 168 of 636



	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-59.5				-53.5	-21.25	32.3
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-59.5	-61.5			-51.4	-21.25	30.1
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-60.2	-61.1	-60.6		-49.8	-21.25	28.6
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-60.5	-60.9	-60.2	-60.6	-48.5	-21.25	27.3
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-60.0				-54.0	-21.25	32.8
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-60.0	-61.0			-51.5	-21.25	30.2
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-60.0	-60.6	-62.1		-50.0	-21.25	28.8
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-60.6	-61.1	-59.6	-60.7	-48.4	-21.25	27.2
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-60.0	-61.0			-51.5	-21.25	30.2
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-60.0	-61.0	-61.6		-50.0	-21.25	28.8
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-60.0	-61.0	-61.6	-60.2	-48.6	-21.25	27.4
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-60.0	-61.0	-61.6		-50.0	-21.25	28.8
5270	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-60.0	-61.0	-61.6	-60.2	-48.6	-21.25	27.4
52	VHT40, M0 to M9 4ss	4	6	-60.0	-61.0	-61.6	-60.2	-48.6	-21.25	27.4
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-60.0	-61.0			-48.5	-21.25	27.2
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-60.6	-61.1	-59.6		-44.8	-21.25	23.6
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-60.6	-57.1	-59.3	-61.8	-41.3	-21.25	20.1
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-60.0	-61.0			-51.5	-21.25	30.2
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-60.0	-61.0	-61.6		-48.2	-21.25	27.0
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-61.6	-61.4	-60.1	-58.7	-45.3	-21.25	24.0
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-60.0	-61.0	-61.6		-50.0	-21.25	28.8
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-60.0	-61.0	-61.6	-60.2	-47.4	-21.25	26.2
	VHT40 Beam Forming, M0 to M9 4ss	4	6	-60.0	-61.0	-61.6	-60.2	-48.6	-21.25	27.4
	HT/VHT40 STBC, M0 to M7	2	6	-60.0	-61.0			-51.5	-21.25	30.2
	HT/VHT40 STBC, M0 to M7	3	6	-60.0	-61.0	-61.6		-50.0	-21.25	28.8
	HT/VHT40 STBC, M0 to M7	4	6	-60.0	-61.0	-61.6	-60.2	-48.6	-21.25	27.4
	Non HT80 Duplicate, 6 to 54 Mbps	1	6	-59.7				-53.7	-21.25	32.5
	Non HT80 Duplicate, 6 to 54 Mbps	2	6	-59.7	-60.4			-51.0	-21.25	29.8
	Non HT80 Duplicate, 6 to 54 Mbps	3	6	-60.1	-60.3	-60.4		-49.5	-21.25	28.2
	Non HT80 Duplicate, 6 to 54 Mbps	4	6	-60.6	-59.4	-63.2	-60.7	-48.8	-21.25	27.5
	VHT80, M0 to M9 1ss	1	6	-60.8				-54.8	-21.25	33.6
0	VHT80, M0 to M9 1ss	2	6	-62.4	-61.1			-52.7	-21.25	31.4
5290	VHT80, M0 to M9 1ss	3	6	-60.8	-60.6	-60.4		-49.8	-21.25	28.6
<b>L</b> )	VHT80, M0 to M9 1ss	4	6	-60.8	-60.6	-60.4	-62.3	-48.9	-21.25	27.7
	VHT80, M0 to M9 2ss	2	6	-62.4	-61.1			-52.7	-21.25	31.4
	VHT80, M0 to M9 2ss	3	6	-60.8	-60.6	-60.4		-49.8	-21.25	28.6
	VHT80, M0 to M9 2ss	4	6	-60.8	-60.6	-60.4	-62.3	-48.9	-21.25	27.7
	VHT80, M0 to M9 3ss	3	6	-60.8	-60.6	-60.4		-49.8	-21.25	28.6
	VHT80, M0 to M9 3ss	4	6	-60.8	-60.6	-60.4	-62.3	-48.9	-21.25	27.7

Page No: 169 of 636



	VHT80, M0 to M9 4ss	4	6	-60.8	-60.6	-60.4	-62.3	-48.9	-21.25	27.7
	VHT80 Beam Forming, M0 to M9 1ss	2	9	-60.8	-60.6			-48.7	-21.25	27.4
	VHT80 Beam Forming, M0 to M9 1ss	3	11	-61.0	-61.4	-60.3		-45.3	-21.25	24.1
	VHT80 Beam Forming, M0 to M9 1ss	4	12	-63.1	-59.0	-60.2	-61.4	-42.6	-21.25	21.4
	VHT80 Beam Forming, M0 to M9 2ss	2	6	-62.4	-61.1			-52.7	-21.25	31.4
	VHT80 Beam Forming, M0 to M9 2ss	3	8	-61.4	-58.4	-60.7		-47.4	-21.25	26.1
	VHT80 Beam Forming, M0 to M9 2ss	4	9	-60.3	-61.8	-61.9	-62.2	-46.5	-21.25	25.2
	VHT80 Beam Forming, M0 to M9 3ss	3	6	-60.8	-60.6	-60.4		-49.8	-21.25	28.6
	VHT80 Beam Forming, M0 to M9 3ss	4	7	-61.4	-58.4	-60.7	-60.2	-46.8	-21.25	25.6
	VHT80 Beam Forming, M0 to M9 4ss	4	6	-60.8	-60.6	-60.4	-62.3	-48.9	-21.25	27.7
	VHT80 STBC, M0 to M9 2ss	2	6	-62.4	-61.1			-52.7	-21.25	31.4
	VHT80 STBC, M0 to M9 2ss	3	6	-60.8	-60.6	-60.4		-49.8	-21.25	28.6
	VHT80 STBC, M0 to M9 2ss	4	6	-60.8	-60.6	-60.4	-62.3	-48.9	-21.25	27.7
	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-60.2				-54.2	-21.25	33.0
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-60.2	-60.7			-51.4	-21.25	30.2
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-59.4	-59.9	-61.7		-49.5	-21.25	28.2
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-60.1	-60.9	-60.2	-61.7	-48.7	-21.25	27.4
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-61.5				-55.5	-21.25	34.3
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-61.5	-60.3			-51.8	-21.25	30.6
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-61.3	-59.7	-58.8		-49.0	-21.25	27.8
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-60.7	-59.7	-59.1	-61.1	-48.1	-21.25	26.8
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-61.5	-60.3			-51.8	-21.25	30.6
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-61.5	-60.3	-60.5		-50.0	-21.25	28.7
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-61.3	-59.7	-58.8	-62.1	-48.3	-21.25	27.0
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-61.5	-60.3	-60.5		-50.0	-21.25	28.7
5310	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-61.3	-59.7	-58.8	-62.1	-48.3	-21.25	27.0
53	VHT40, M0 to M9 4ss	4	6	-61.3	-59.7	-58.8	-62.1	-48.3	-21.25	27.0
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-61.3	-59.7			-48.4	-21.25	27.2
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-61.1	-61.0	-59.7		-45.0	-21.25	23.7
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-61.4	-61.4	-59.5	-60.7	-42.7	-21.25	21.4
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-61.5	-60.3			-51.8	-21.25	30.6
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-61.3	-59.7	-58.8		-47.2	-21.25	26.0
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-61.2	-60.1	-58.8	-61.1	-45.2	-21.25	23.9
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-61.5	-60.3	-60.5		-50.0	-21.25	28.7
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-60.9	-60.2	-59.0	-61.1	-47.0	-21.25	25.7
	VHT40 Beam Forming, M0 to M9 4ss	4	6	-61.3	-59.7	-58.8	-62.1	-48.3	-21.25	27.0
	HT/VHT40 STBC, M0 to M7	2	6	-61.5	-60.3			-51.8	-21.25	30.6
	HT/VHT40 STBC, M0 to M7	3	6	-61.5	-60.3	-60.5		-50.0	-21.25	28.7
	HT/VHT40 STBC, M0 to M7	4	6	-61.3	-59.7	-58.8	-62.1	-48.3	-21.25	27.0

Page No: 170 of 636



		-						-		
	6 to 54 Mbps	1	6	-60.4				-54.4	-21.25	33.2
	6 to 54 Mbps	2	6	-60.4	-61.5			-51.9	-21.25	30.7
	6 to 54 Mbps	3	6	-61.1	-61.8	-61.5		-50.7	-21.25	29.4
	6 to 54 Mbps	4	6	-61.6	-60.7	-62.4	-60.7	-49.3	-21.25	28.0
	6 to 54 Mbps Beam Forming	2	9	-60.4	-61.5			-48.9	-21.25	27.7
	6 to 54 Mbps Beam Forming	3	11	-61.1	-61.8	-61.5		-45.9	-21.25	24.6
	6 to 54 Mbps Beam Forming	4	12	-61.6	-60.7	-62.4	-60.7	-43.3	-21.25	22.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-60.3				-54.3	-21.25	33.1
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-60.3	-62.4			-52.2	-21.25	31.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-61.5	-59.6	-60.4		-49.7	-21.25	28.4
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-62.0	-60.5	-60.8	-60.7	-48.9	-21.25	27.7
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-60.3	-62.4			-52.2	-21.25	31.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-58.3	-59.9	-57.9		-47.8	-21.25	26.6
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-61.4	-61.8	-61.5	-61.8	-49.6	-21.25	28.4
5320	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-60.3	-62.4	-62.6		-50.9	-21.25	29.6
L)	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-58.3	-59.9	-57.9	-60.6	-47.0	-21.25	25.8
	VHT20, M0 to M9 4ss	4	6	-60.3	-62.4	-62.6	-62.5	-49.8	-21.25	28.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-60.3	-62.4			-49.2	-21.25	28.0
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-61.5	-59.6	-60.4		-44.9	-21.25	23.6
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-62.0	-60.5	-60.8	-60.7	-42.9	-21.25	21.7
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-60.3	-62.4			-52.2	-21.25	31.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-58.3	-59.9	-57.9		-46.0	-21.25	24.8
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-61.4	-61.8	-61.5	-61.8	-46.6	-21.25	25.4
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-60.3	-62.4	-62.6		-50.9	-21.25	29.6
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-58.3	-59.9	-57.9	-60.6	-45.8	-21.25	24.6
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-60.3	-62.4	-62.6	-62.5	-49.8	-21.25	28.6
	HT/VHT20 STBC, M0 to M7	2	6	-60.3	-62.4			-52.2	-21.25	31.0
	HT/VHT20 STBC, M0 to M7	3	6	-58.3	-59.9	-57.9		-47.8	-21.25	26.6
	HT/VHT20 STBC, M0 to M7	4	6	-61.4	-61.8	-61.5	-61.8	-49.6	-21.25	28.4

Page No: 171 of 636




Conducted Spurs, All Antennas






## Conducted Spurs Average, 5260 MHz, 6 to 54 Mbps




Antenna A



## Conducted Spurs Average, 5260 MHz, 6 to 54 Mbps









Antenna B




## Conducted Spurs Average, 5260 MHz, 6 to 54 Mbps





Antenna C



Antenna B