

Conducted Spurs Average, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss






Antenna A

Antenna B

Page No: 536 of 1013

Conducted Spurs Average, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A

RL RF 50 R DC enter Freq 9.015000000 (GHz PNO: Fast IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Ty	ALIGN OFF pe: Log-Pwr	11:49:17 PMFeb 27, 2015 TRACE 23:45 0 THPE 000000000000000000000000000000000000	Frequency
Ref Offset 13.67 dB dB/div Ref 0.00 dBm				Μ	kr2 11.650 GHz -69.74 dBm	Auto Tun
			_			Center Fre 9.015000000 GP
	 		2 ⁻			Start Fre 30.000000 Mi
0.0			~~~			Stop Fro 18.000000000 G
art 30 MHz Res BW 1.0 MHz IR MODE TRC SOL X	#VB\ 825 GHz	V 1.0 kHz	FUNCTION F	Sweet	Stop 18.000 GHz 14.0 s (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GH Auto Ma
2 N 1 f 11 3 N 1 f 17 6 6 7	650 GHz 475 GHz	69.74 dBm -69.58 dBm				Freq Offs 01
9						

Antenna C

Antenna B

Page No: 537 of 1013

Conducted Spurs Average, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss





Center Freq 9.		Hz PNO: Fast →	Trig: Free Run #Atten: 4 dB	Avg T	ALIGN OFF	12:48:35 AM Feb 28, 20 TRACE 23:44 TVPE 000000000000000000000000000000000000	Frequency
Ref C 10 dB/div Ref	0ffset 13.67 dB 0.00 dBm				М	kr2 11.650 GH -70.29 dBr	Auto Tun
-10.0							Center Fre 9.015000000 GH
-40.0 -50.0 -60.0		¢1		2			Start Fre 30.000000 MH
-70.0 -80.0 -90.0		•~4~~~~		······			Stop Fre 18.000000000 GH
Start 30 MHz #Res BW 1.0 M	Hz	#VBV	¥ 1.0 kHz	FUNCTION	Swee	Stop 18.000 GH 14.0 s (1001 pt PUNCTION VALUE	
1 N 1 F 2 N 1 F 3 N 1 F 4 5	5.8 11.6	25 GHz 50 GHz 75 GHz	467,83 dBm -70,29 dBm 468,48 dBm	FUNCTION	FORCH ON WID IN	POINTION VALUE	Freq Offse
6 7 8 9 10							
12					STATU	8	

Antenna C



Antenna B


enter Freq 9.015000000	GHz PNO: Fast	Trig: Free Run		ALIGN OFF Type: Log-Pwr	12:53:32 AM Feb 28, 2015 TRACE 23:4 5 6 TYPE DET P 14 N N N	Frequency
Ref Offset 13,67 dB dB/div Ref 0.00 dBm	IFGain:Low	Million, 4 db		MI	r2 11.650 GHz -70.46 dBm	Auto Tune
			_			Center Fre 9.015000000 GH
				2	L	Start Free 30.000000 MH
						Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz		W 1.0 kHz	FUNCTION	Sweep FUNCTION WIDTH	Stop 18.000 GHz 14.0 s (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GH Auto Ma
2 N 1 F 1	5.825 GHz 1.650 GHz 7.475 GHz	-69.58 dBm -70.46 dBm -69.36 dBm				Freq Offse 0 H
9 9						


Antenna D

Page No: 538 of 1013



Conducted Spurs Average, 5825 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna A

RL RF 50 0 DC enter Freq 9.015000000 C	SHZ PNO: Fast → IFGain:Low	Trig: Free Run #Atten: 4 dB		ALIGN OFF	11:29:34 PMFeb 27, 2019 TRACE 2 3:4 5 TYPE 000000000000000000000000000000000000	Frequency
Ref Offset 13.67 dB	0			М	kr2 11.650 GHz -69.31 dBm	Auto Tun
						Center Fre 9.015000000 GH
			2		↓	Start Fre 30,000000 MH
	- U/					Stop Fre 18.00000000 GF
art 30 MHz Res BW 1.0 MHz IF MODE TRC SOL X	#VB\ 825 GHz	4 1.0 kHz	FUNCTION FUR	Sweep ICTION WIDTH	Stop 18.000 GHz 14.0 s (1001 pts FUNCTION VALUE	CF Ste 1.797000000 GH Auto Ma
2 N 1 F 11	850 GHz 475 GHz	69.31 dBm 69.43 dBm				Freq Offs 0 F


Antenna C

Antenna B

Page No: 539 of 1013



Conducted Spurs Average, 5825 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





RL RF SO Center Freq 9.0150		Trig: Free Run #Atten: 4 dB		ALIGN OFF	12:09:03 AMFeb 28, 2015 TRACE 2 3 4 5 6 TYPE AMANA A	Frequency
RefOffset	13.67 dB			M	kr2 11.650 GHz -69.95 dBm	Auto Tun
20.0 30.0						Center Fre 9.015000000 GH
40.0			2		↓	Start Fre 30.000000 MH
70.0 80.0 90.0	_and when					Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz	# V I	BW 1.0 kHz	FUNCTION FUR	Sweep	Stop 18.000 GHz 14.0 s (1001 pts)	CF Ste 1.797000000 GH Auto Ma
1 N 1 f 2 N 1 f 3 N 1 f 4 5	5.825 GHz 11.650 GHz 17.476 GHz	-66,80 dBm -69,96 dBm -69,58 dBm				Freq Offse 0 F
7 8 9 10						
12				STATUS		

Antenna C




Antenna B


enter Freq 9.015	000000 GHz PNO: Fast IFGain:Low	Trig: Free Run	Avg Type: Log-Pwr	12:14:02 AM Feb 28, 2015 TRACE 2 3 4 5 6 TIPE DET P 0000000	Frequency
Ref Offset	13.67 dB	Provence and	Μ	kr2 11.650 GHz -70.37 dBm	Auto Tun
20.0					Center Fre 9.015000000 GH
			2		Start Fre 30.000000 MH
70.0 60.0 60.0	- marine un	~~~~~	······································		Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz	×		SW00	Stop 18.000 GHz p 14.0 s (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GH <u>Auto</u> Ma
1 N 1 F 2 N 1 F 3 N 1 F 4 5	5.825 GHz 11.650 GHz 17.476 GHz	-67.12 dBm -70.37 dBm -69.47 dBm			Freq Offse 0 H
7 8 9 10					

Antenna D

Page No: 540 of 1013

Conducted Spurs Average, 5825 MHz, VHT20 Beam Forming, M0 to M9 4ss





Antenna A

RL BF 50 R DC Senter Freq 9.015000000	GHz PNO: Fast → IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: L	.og-Pwr	TRACE	WALKARD	Frequency
Ref Offset 13.67 dB 0 dB/div Ref 0.00 dBm				M	kr2 11.68 -69.7	50 GHz '4 dBm	Auto Tur
							Center Fre 9.015000000 GH
			2				Start Fre 30.000000 Mi
70.0 10.0 10.0	un press						Stop Fre 18.000000000 GP
itart 30 MHz Res BW 1.0 MHz	#VB\	V 1.0 kHz	UNCTION FUNCT	Sweep	Stop 18. 14.0 s (1	001 pts)	CF Ste 1.797000000 GH Auto Ma
2 N 1 f 11	.825 GHz .650 GHz .475 GHz	-66.02 dBm -69.74 dBm -69.58 dBm					Freq Offs 01
7 8 9 0 1							
10				STATUS			

Antenna C






Antenna D

Page No: 541 of 1013

Conducted Spurs Average, 5825 MHz, HT/VHT20 STBC, M0 to M7





Antenna A

Antenna B

Page No: 542 of 1013

Conducted Spurs Average, 5825 MHz, HT/VHT20 STBC, M0 to M7



enter Freq 9.015000000	PNO: Fast ==	Trig: Free Run	Avg T	MALIGN OFF ype: Log-Pwr	11:24:39 PMFeb 27, 201 TRACE 2 3 4 5 TYPE DET P N N N N	Frequency
Ref Offset 13.67 dB dB/div Ref 0.00 dBm	IFGain:Low	#Atten: 4 dB		MI	(r2 11.650 GHz -69.89 dBm	Auto Tune
						Center Free 9.015000000 GH
	 (^1		2			Start Free 30.000000 MH
			····			Stop Free 18.000000000 GH
Res BW 1.0 MHz	#VB	W 1.0 kHz	UNCTION	Sweep	Stop 18.000 GH2 14.0 s (1001 pts	CF Ster 1.797000000 GH Auto Ma
1 N 1 F 2 N 1 F 1 F 1 T 1 F 1 T 1 F 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T 1 T	5.825 GHz 1.650 GHz 7.475 GHz	-65,53 dBm -69,89 dBm -69,44 dBm	SHE TON		TONE TON WEDE	Freq Offse 0 H
9						

Antenna A

glient Spectrum Analyzer - Swept SA RL BF ISOR DC Center Freq 9.015000000 (CHZ PNO: Fast → IFGain:Low	Trig: Free Rus	Avg	ALIGN OFF Type: Log-Pwr	11:29:34 PMFeb 27, 2015 TRACE 2 3 4 5 6 TYPE DET P NININI	Frequency
Ref Offset 13.67 dB	0			М	kr2 11.650 GHz -69.31 dBm	Auto Tune
						Center Fred 9.015000000 GH
				2	↓	Start Free 30,000000 MH
80.0	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					Stop Free 18.000000000 GH
Start 30 MHz #Res BW 1.0 MHz #KR MODE TRC SCL X		/ 1.0 kHz	FUNCTION	Sweet FUNCTION WIDTH	Stop 18.000 GHz 14.0 s (1001 pts) FUNCTION VALUE	CF Step 1.797000000 GH Auto Mar
2 N 1 F 11.	825 GHz 850 GHz 475 GHz	-65.33 dBm -69.31 dBm -69.43 dBm				Freq Offse 0 H
10 11 12				STATUS		

Antenna C

Antenna B

Page No: 543 of 1013

Conducted Spurs Average, 5825 MHz, HT/VHT20 STBC, M0 to M7






Antenna A

enter Fro	eq 9.01500000		Trig: Free Run #Atten: 4 dB		ALIGN OFF ype: Log-Pwr	11:49:17 PMFeb 27, 2015 TRACE 2 3 4 5 6 TVPE 001 P N N N N	Frequency
0 dB/div	Ref Offset 13.67 d Ref 0.00 dBm	8			М	kr2 11.650 GHz -69.74 dBm	Auto Tun
0 0 10.0 10.0 10.0							Center Fre 9.015000000 GH
10 0 50 0 50 0						↓	Start Fre 30.000000 MH
10.0 10.0 10.0				~~~			Stop Fre 18.000000000 GF
tart 30 M Res BW 1	.0 MHz		V 1.0 kHz	FUNCTION	Sweep FUNCTION WIDTH	Stop 18.000 GHz 14.0 s (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GF <u>Auto</u> Ma
1 N 1 2 N 1 3 N 1 5 6		5.825 GHz 11.850 GHz 17.475 GHz	-66.02 dBm -69.74 dBm -69.58 dBm				Freq Offs 0 F
7 8 9 0 1							
6					STATUS		

Antenna C





Antenna D

Page No: 544 of 1013

uluilu cisco


Avg Type: Log-Pa 9.015) GHz Trig: Free Run Auto Tur Ref Offset 13.81 dB Ref 0.00 dBm Center Fre 9.015000000 GH Start Fre Stop Fre 18.00 Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz s BW 1.0 MH CFS #VBW 3.0 MHz 1.79700 5.745 GHz 11.490 GHz 17.235 GHz -57.19 dBm -62.46 dBm -61.24 dBm Freq Offs 01


Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps

Antenna A

Page No: 545 of 1013

Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps





Antenna B

Page No: 546 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps





Center Freq 9.015000000	PNO: Fast Trig: Free Run	Avg Type: Log-Pwr	07:48:37 AM Feb 25, 2015 TRACE 2 3 4 5 6 TriPE	Frequency
Ref Offset 13.81 dB 0 dB/div Ref 0.00 dBm	IFGain:Low #Atten: 4 dB	М	kr3 17.235 GHz -59.56 dBm	Auto Tun
•99 10.0 20.0 30.0				Center Fre 9.015000000 GH
40.0 50.0 60.0 70.0	all Valmaslance spanlakopura	And and a state of the state of	and and the source of the sour	Start Fre 30.000000 MH
80.0 90.0				Stop Fre 18.000000000 GH
Start 30 MHz Res BW 1.0 MHz MR MODE TRC SCL X		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GH Auto Ma
2 N 1 f 11	5.745 GHz 57.54 dBm 1.490 GHz 61.28 dBm 7.235 GHz 59.56 dBm			Freq Offse 0 H

Antenna C

ef Offset 13.8 tef 0.00 dB	i1 dB				DET P N N N N	
				М	kr3 17.235 GHz -60.52 dBm	
						Center Freq 9.015000000 GHz
	hand the former	ning successfront and and a	2°	المعادل ورواحا ورا	4.1hul-autor	Start Freq 30.000000 MHz
						Stop Free 18.00000000 GHz
z) MHz		W 3.0 MHz	FUNCTION		30.0 ms (1001 pts)	CF Step 1.797000000 GH: Auto Man
	5.745 GHz 11.490 GHz 17.235 GHz	-57,15 dBm -61,58 dBm -60,52 dBm			TONCTION PROF	Freq Offset 0 Hz
	MHz	MHz #VBI	MHz #VBW 3.0 MHz		MHz #VBW 3.0 MHz Sweep 21 X Y Plactice Plactice	Stop 18.000 CHz Stop 18.000 CHz MHz #VEW 3.0 MHz Sweep 30.0 ms (1001 pts) 21 X 57.45 GHz 67.15 gHm 11430 GHz 65.68 Bm 51.65 GHm

cisco

Antenna B

Page No: 547 of 1013


Avg Type: Log-Pr Trig: Free Run Auto Tur Ref Offset 13.81 dB Ref 0.00 dBm 61.68 Center Fre 9.015000000 GH Start Fre 30.000000 M Stop Fre 18.00 CF Ste Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz sBW 1.0 MH #VBW 3.0 MHz 1.7970 5.745 GHz 11.490 GHz 17.235 GHz -57.64 dBr -62.50 dBr -61.68 dBr Freq Offs 01

Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps




RL Center Fre	eq 9.01500		Trig: Free Run #Atten: 4 dB		ALIGN OFF e: Log-Pwr	08:08:14 AMFe TRACE TYPE DET		equency
	Ref Offset 13. Ref 0.00 dB				М	kr3 17.235 -59.52	GHZ	Auto Tur
20.0								enter Fre
40.0 50.0 60.0	ryanyahanya ge	no-spender higheringer	underfament of the second	rant de altrage de	Poplar alexiste	lar or you also have	3 30	Start Fre
70.0 (1976) 60.0 90.0							18.000	Stop Fre
Res BW 1	.0 MHz	#VB	W 3.0 MHz	FUNCTION FU	Sweep	Stop 18.00 30.0 ms (10	01 pts) 1.791	CF St 0000000 G M
1 N 1 2 N 1 3 N 1 4 5	1	5.745 GHz 11.490 GHz 17.235 GHz	-57.60 dBm -61.51 dBm -59.52 dBm					Freq Offs 01
7 8 9								
1								

Antenna C



cisco






Antenna D

Page No: 548 of 1013

Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps Beam Forming






Antenna A

Antenna B

Page No: 549 of 1013

Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps Beam Forming





Antenna A

enter Freq 9.015000000	GHz	EINT AUGN Avg Type: Log-		Frequency
	PNO: Fast Trig: Free IFGain:Low #Atten: 4 d		DET PINNNN	Auto Tun
Ref Offset 13.81 dB			Mkr3 17.235 GHz -60.47 dBm	
24 0.0 0.0 0.0				Center Fre 9.015000000 GH
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	en Brance represent	mentre and a strategy	mehetinginianstructure	Start Fre 30.000000 MH
				Stop Fre 18.00000000 GH
tart 30 MHz Res BW 1.0 MHz	#VBW 3.0 MHz	Swe	Stop 18.000 GHz ep 30.0 ms (1001 pts)	CF Ste 1.797000000 GF
	745 GHz -60.55 dBr		ADTH FUNCTION VALUE	Auto Ma
2 N 1 f 11. 3 N 1 f 17. 4 5	.490 GHz -61.71 dBr 235 GHz -60.47 dBr	n		Freq Offs 01
7				

Antenna C

Antenna B

Page No: 550 of 1013




Conducted Spurs Peak, 5745 MHz, 6 to 54 Mbps Beam Forming




	req 9.015	5000000 GHz	ast Trig: Fre	e Run	ALIGN OFF	10:04:50 AM Feb 25, 20 TRACE 23:34 TriPE DET P N N N	Frequency
0 dB/div	Ref Offse Ref 0.00	t 13.81 dB	LUN Priceir		Μ	lkr2 11.490 GH -59.42 dBr	
-09 10.0 20.0 30.0							Center Fre 9.015000000 Gi
40.0 50.0 60.0	الانتخاب	rey manana an di di	ا «دارد)ارچاندوه رود-رو	renangratige (trustific, a	2 progetingle generative	ant in a spin for the spin of	Start Fre 30.000000 Mi
70.0 Hallers 60.0	-WINN -						Stop Fre 18.000000000 G
Res BW	1.0 MHz	×	#VBW 3.0 MH	FUNCTION	Sweep FUNCTION WIDTH	Stop 18.000 GH 30.0 ms (1001 pt FUNCTION VALUE	CF St 5) 1.797000000 G Auto M
1 N 1 2 N 1 3 N 1 5 5	1	5.745 G 11.490 G 17.236 G	1z -59,42 d	Bm Bm			Freq Offs
7 8 9 10 11							

Antenna C



uluilu cisco





Antenna D

Page No: 551 of 1013






Antenna A

Page No: 552 of 1013







Antenna A

Antenna B

Page No: 553 of 1013



RL		R DC		SENS			ALIGN OFF		PMFeb 25, 2015	Frequen	ev
enter F	req 9.0150	P	NO: Fast H Sain:Low	Trig: Free F #Atten: 4 di	Run	wg i ype	. Log-r ar	T	PE WANNANANAN PE PINNINN N		
) dB/div	Ref Offset 1 Ref 0.00 (13.81 dB dBm					M		235 GHz 00 dBm	Auto	Tune
0.0 0.0 0.0										Center 9.01500000	
0.0	al and the second second	and the stand of the stand	S. March		Hullowylewski	2 	ر مەلەلچىرىيەت	مراورا رومالي	3- 	Star 30.00000	
0.0										Stop 18.00000000	
tart 30 M Res BW	MHz 1.0 MHz		#VB	N 3.0 MHz			Sweep		8.000 GHz (1001 pts)	CF 1.79700000	Step 0 GH
KR MODE T	f I	× 5.74	5 GHz 0 GHz	7 -58.55 dBn -62.12 dBn	n	4 FUN	CTION WIDTH	FUNCTI	ON VALUE	Auto	Mar
2	1 f										ffee
		17.23	5 GHz	-58.00 dBn						Freq	0 H

Antenna A

enter F		000000 GHz PNO: F IFGain:	ast Trig: Free R	Avg	ALIGN OFF Type: Log-Pwr	11:36:38 PMFeb 25, 2015 TRACE 23 4 5 6 THPE 000 P NN NN N	Frequency
0 dB/div	Ref Offset Ref 0.00	13.81 dB			М	kr3 17.235 GHz -60.11 dBm	Auto Tun
-og 10.0 20.0 30.0							Center Fre 9.015000000 GH
40.0 50.0 50.0	L. St. A. ST. ALLING	mar mar and a	المحمد المحمد ومحمد المحمد محمد المحمد محمد محمد المحمد محمد المحمد محمد محمد محمد محمد محمد محمد محمد	and a state of the	2	-Hertenserer	Start Fre 30.000000 MH
70.0							Stop Fre 18.000000000 GH
tart 30 P Res BW	NHZ 1.0 MHZ		#VBW 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GF
KR MODE T	RC SCL	× 5.745 Gł		FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
2 N 4		11.490 GH 17.235 GH	lz -61.34 dBm lz -60.11 dBm				Freq Offs 0 F
7							
9							

Antenna C

Antenna B


Page No: 554 of 1013






Center Freq 9.01500	DC SPREINT D0000 GHZ PNO: Fast IFGain:Low #Atten: 4 dB	Aug Type: Log-Pwr	11:56:14 PMFeb 25, 2015 TRACE 2 3 4 5 0 TYPE 000 0 P N N N N N	Frequency
RefOffset 13/ 10 dB/div Ref0.00 dB	81 dB	М	kr3 17.235 GHz -59.59 dBm	Auto Tun
-10.0 -20.0 -30.0				Center Fre 9.015000000 GH
-40.0 -50.0 -60.0	1	town pillon Adoption and	-yenneritansia andishalarineen	Start Fre 30.000000 MH
-70.0 Balan Indiana (1997) (1997) (1997) -80.0				Stop Fre 18.000000000 GH
Start 30 MHz			Stop 18.000 GHz	
#Res BW 1.0 MHz	#VBW 3.0 MHz	Sweep FUNCTION FUNCTION WIDTH	30.0 ms (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GH Auto Ma
Start 50 WH2 RRes BW 1.0 MHz WR MODE TRC SCL 1 N 2 N 3 N 4 5 6 7			30.0 ms (1001 pts)	1.797000000 GH
Res BW 1.0 MHz MKR MODE TRC SCL 1 N 2 N 3 N 4 5	× Y 5.745 GHz 59.96 dBm 11.490 GHz 62.80 dBm		30.0 ms (1001 pts)	1.797000000 G Auto N Freq Offs

Antenna C



uluulu cisco






Antenna D

Page No: 555 of 1013







Antenna A

Antenna B

Page No: 556 of 1013



RL RL	rum Analyzer	SD Q DC		SENSE	INT	ALIGN OFF	11:31:45 PMReb 25, 201	<
		5000000 G	PNO: Fast -	Trig: Free R	Avg	Type: Log-Pur	TRACE 2345	Frequency
0 dB/div	Ref Offs Ref 0.0	et 13.81 dB	FGain:Low	#Atten: 4 dE		Μ	kr3 17.235 GH -58.00 dBn	Auto Tune
00 00 00 00								Center Fred 9.015000000 GH
10 0 50 0 10 0		****	and and and		www.www.	2	م مرونيمارايولسمورورونيو	Start Free 30.000000 MH:
0.0								Stop Fred 18.000000000 GH:
tart 30 P Res BW	VIHz 1.0 MHz		#VB	W 3.0 MHz		Sweep	Stop 18.000 GH 30.0 ms (1001 pts	1.797000000 GH:
KR MODE T	1	11.	745 GHz 190 GHz 235 GHz	7 -59.55 dBm -62.12 dBm -59.00 dBm		FUNCTION WIDTH	FUNCTION VALUE	Auto Mar Freq Offse
4 5 7 8 9 10 11								0 H


Antenna A

Center Fi	req 9.01500	P	12 NO: Fast - Gain:Low		e:INT Run B		LIGN OFF	TRAC	MFeb 25, 2015 E 2 3 4 5 6 E 2 1 4 5 6 P N N N N N	Frequency
10 dB/div	Ref Offset 13 Ref 0.00 d	1.81 dB Bm					M	kr3 17.2 -60.1	35 GHz 11 dBm	Auto Tuni
-10.0 -20.0 -30.0										Center Fre 9.015000000 GH
-40.0 -50.0 -60.0	يەلىدىدى. 1941-1940-1941-1941-	Marian	1 mar	المحارب والمحالي	www.wisijawi	0 ²	-	-147-44(45-81	ang pangada da da	Start Fre 30,000000 MH
-70.0										Stop Fre 18.00000000 GH
Start 30 N #Res BW	1.0 MHz	×	#VB	W 3.0 MHz	FUNCT	ON DI	Sweep	Stop 18 30.0 ms (CF Ste 1.797000000 GH Auto Ma
1 N 1 2 N 1 3 N 1 4 5 6 7		5.74 11.49	15 GHz 0 GHz 15 GHz	-59.52 dBi -61.34 dBi -60.11 dBi	n			PORCING	N WEDE	Freq Offse 0 H
8 9 10 11 12										

Antenna C

Antenna B


Page No: 557 of 1013





Center Free	s 50 Ω q 9.015000		SENSE IN Trig: Free Run #Atten: 4 dB	Avg Typ	ALIGN OFF e: Log-Pwr		Feb 25, 2015	Frequency
	Ref Offset 13.8 Ref 0.00 dB	1 dB			М	kr3 17.23 -59.5	35 GHz 9 dBm	Auto Tur
-20.0								Center Fre 9.015000000 GH
-40.0 -50.0 -60.0	Mar Marchaeld	mand and Services	putrante and an	atomating a strange	Mar Martin	-yhend a yiheesseed	3-	Start Fre 30.000000 Mi
80.0 90.0								
Start 30 MH Res BW 1.	0 MHz	#VE	BW 3.0 MHz	FUNCTION FU	Sweep	Stop 18. 30.0 ms (1	001 pts)	18.00000000 GI CF Sta 1.797000000 G
CO.0 Start 30 MH #Res BW 1.1 HKR MODE TRC 1 N 1 2 N 1 3 N 1 4 5	0 MHz SOL F		3W 3.0 MHz -58.96 dBm -62.80 dBm -69.59 dBm	FUNCTION FU		30.0 ms (1	001 pts)	Stop Fro 18.00000000 Gi CF Sto 1.79700000 Gi Auto M Freq Offs 0 I
Start 30 MH #Res BW 1. MKR MODE TRC 1 1 N 1 2 N 1 3 N 1 4	0 MHz SOL F	× 5.745 GHz 11.490 GHz	Y -59.96 dBm -62.60 dBm	FUNCTION FU		30.0 ms (1	001 pts)	18.00000000 Gi CF Ste 1.79700000 Gi <u>Auto</u> M Freq Offs

Antenna C



uluilu cisco






Antenna D

Page No: 558 of 1013







Antenna B

RL	RF	50 g DC		SB	ISE:INT		ALIGN OFF		MFeb 25, 2015	Frequency
enter F	req 9.0	1500000	PNO: Fast	Trig: Free	Run dB	Avg Typ	e: Log-Pur	THE	E 23456 E WARDEN	
0 dB/div	Ref Of Ref 0.	fset 13.81 d .00 dBm	в				М		35 GHz 11 dBm	Auto Tu
09 10.0 20.0 30.0										Center Fr 9.015000000 G
10 0 50 0 50 0	No. Barry	autor. 14	and low	الهليد لمصري والمس	haren ya ana	2 ²	-tracella and		ana para ana da	Start Fr 30.000000 M
70.0										Stop Fr 18.000000000 (
tart 30 M Res BW		z	#V	/BW 3.0 MHz			Sweep	Stop 18 30.0 ms (.000 GHz 1001 pts)	CF St 1.797000000 (
KRI MODE TR	RC SOL	>	5,745 GHz	, -59.52 dE	m	ICTION FU	NCTION WIDTH	FUNCTIO	N VALUE	Auto I
	1		11.490 GHz 17.235 GHz	-61.34 dE -60.11 dE	im Im					Freq Off C
7 8 9										
1										

Antenna C

Page No: 559 of 1013







Antenna A

Center Freq 9.0150000	DO GHz PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg T	ALIGN OFF	11:56:14 PMFeb 25, 2015 TRACE 2 3:4 5 6 THPE WANNER	Frequency
Ref Offset 13.81 c IO dB/div Ref 0.00 dBm	1B			M	kr3 17.235 GHz -59.59 dBm	Auto Tur
200						Center Fre 9.015000000 Gi
40.0 50.0 60.0	and the second	analy and a second	transport of the second	ar product and a	3-	Start Fre 30,000000 Mi
70.0 AAIe-HallAadie-Yallaanie 80.0 90.0						Stop Fr 18.000000000 G
	I					
Start 30 MHz #Res BW 1.0 MHz		3.0 MHz	FUNCTION		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GI Auto M
Res BW 1.0 MHz	#VBW 5.745 GHz 11.490 GHz 17.236 GHz	Y 59.96 dBm 62.60 dBm 69.59 dBm	FUNCTION	Sweep :	Stop 18.000 GHZ 30.0 ms (1001 pts) PUNCTION VALUE	1.797000000 G

Antenna C





Antenna D

Page No: 560 of 1013


Conducted Spurs Peak, 5745 MHz, VHT20, M0 to M9 4ss






Center Freq 9.0150	PNO: Fast *	Trig: Free Run #Atten: 4 dB	Avg	ALIGN OFF Type: Log-Pwr	11/56:14 PMFeb 25, TRACE 2 3 TYPE	Frequency
Ref Offset 13 IQ dB/div Ref 0.00 d		#Atten: 4 dB		М	kr3 17.235 G -59.59 dE	Auto Tun
-og 10.0 20.0 30.0						Center Fre 9.015000000 GH
40.0 50.0 60.0 70.0	an and for the second	and the second	anna an the	2 Nadar Malant Made	-penanganase matahah	3- 30,000000 MH
70.0 404 100 100 100 100 100 100 100 100 10						Stop Fre 18.000000000 Gi
Start 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz			Stop 18.000 G 30.0 ms (1001 p	1.797000000 G
MKR MODE TRC SCL 1 N 1 F 2 N 1 F 3 N 1 F 4 5	× 5.745 GHz 11.490 GHz 17.235 GHz	Y -59.96 dBm -62.80 dBm -69.59 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Ma Freq Offs
7 8 9 10						
50				STATU	9	

Antenna C




cisco





Antenna D

Page No: 561 of 1013



Antenna A

Antenna B

cisco

Page No: 562 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss





Antenna A

0 GHz PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	12:35:08:4M Feb 26, 2015 TRACE 2 3:4 5 0 TYPE 4444000000000000000000000000000000000	Frequency
3		N	1kr3 17.235 GHz -58.86 dBm	Auto Tun
				Center Fre 9.015000000 GH
يليبنديكم الملسو	مى مەللەردار رومەر بەر مەللەرمەر	here with the second second	A A A A A A A A A A A A A A A A A A A	Start Fre 30.000000 MH
				Stop Fre 18.000000000 Gi
	Y			CF Sto 1.797000000 GI Auto M
5.745 GHz 11.490 GHz 17.235 GHz	-58.95 dBm -60.85 dBm -58.86 dBm			Freq Offs 01
	PN0: Fast IFGain:Low 3 #VBW 5.745 GHz	#VBW 3.0 MHz #VBW 3.0 MHz #VBW 3.0 MHz	O CH2 Trig: Free Run H Cain: Low Avg Type: Log-Pur 3 Mater: 4 dB Avg Type: Log-Pur 4 Mater: 4 dB Mater: 4 dB 3 Mater: 4 dB Mater: 4 dB #VBW 3.0 MHz Sweep 5745 DH4 59 5 00m 5745 DH4 59 5 00m	0 GHz HO GHz HC SainLow Trig: Free Run #Atten: 4 dB Avg Type: Log-Pur Type: Log-Pur Mice SainLow Trig: Store Type: Log-Pur Type: Log-Pur Mice SainLow 3 Micro 12, 22, 23, 64 -58, 86 dBm 4 Micro 12, 22, 23, 64 -58, 86 dBm 4 Store Run SainLow 5 Store Run SainLow 5 Figure Run SainLow <

Antenna C

Antenna B

Page No: 563 of 1013


Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss






Center Fi			PNO: Fast -	SEVEE II	Avs	ALIGN OFF Type: Log-Pur	TRA	MFeb 26, 2015	Frequency
10 dB/div	Ref Offset Ref 0.00	13.81 dB	FGain:Low	#Atten: 4 dB		Μ	kr2 11.4		Auto Tur
-10.0 -20.0 -30.0									Center Fr 9.015000000 G
-40.0	a Alverted	no and the second	1 Andrewe	uteria anglahaya	stand and a stand	2 Anytophinanethere	ndscharthe	Harlundan	Start Fr 30.000000 M
-90.0									Stop Fr 18.000000000 G
Start 30 N #Res BW	1.0 MHz	×	#VB	W 3.0 MHz	FUNCTION	Sweep	Stop 18 30.0 ms (CF St 1.797000000 G Auto N
1 N 1	1	5.7	45 GHz 90 GHz 35 GHz	-80.76 dBm -80.33 dBm -80.51 dBm	PUNCTION	PORCHON WOTH		N VALUE	Freq Offs 0
11									

Antenna C




Antenna B



Antenna D

Page No: 564 of 1013



Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss

Antenna A

Antenna B

cisco

Page No: 565 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss



RL RF 50.0		SENSE:INT	ALIGN OFF	11:51:21 PMFeb 25, 2015	Frequency
enter Freq 9.0150	IOOOOO GHZ PNO: Fast ~ IFGain:Low	Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	TRACE	
Ref Offset 1 0 dB/div Ref 0.00 d	3.81 dB 18m		M	kr3 17.235 GHz -59.08 dBm	Auto Tune
00					Center Fred 9.015000000 GH
0.0	LAN MARANA ANA ANA	nargunskynde stallkrydere om	2 Contraction of the second second	and appropriate of the state of	Start Free 30.000000 MHz
					Stop Freq 18.00000000 GHz
tart 30 MHz Res BW 1.0 MHz	#VB	V 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
KR MODE TRC SCL 1 N 1 f 2 N 1 f 3 N 1 f 4	× 5.745 GHz 11.490 GHz 17.235 GHz	Y FU -59,60 dBm -69,05 dBm -59,08 dBm	ICTION FUNCTION WIDTH	PUNCTION VALUE	Auto Mar Freq Offset 0 Ha
6 7 8 9 0 1					

Antenna A

Center Fi	⊮ 50 ₽ req 9.015000		Trig: Free Ru #Atten: 4 dB	Avg T	ALIGN OFF (pe: Log-Pwr	11:56:14 PMFeb 25, 2015 TRACE 2 3 4 5 6 THPE AMAIN N	Frequency
10 dB/div	Ref Offset 13.81 Ref 0.00 dBr	l dB N			M	kr3 17.235 GHz -59.59 dBm	Auto Tune
-10.0 -20.0 -30.0							Center Free 9.015000000 GH
-40.0 -50.0 -60.0	الم الم الم الم الم الم	-	41.41.41.41.41.41.41.41.41.41.41.41.41.4	atoma and	40 (79)	3-	Start Free 30,000000 MH
-70.0 (44-44 -80.0	ivingi (si yinganika)k ⁷						Stop Fre 18.000000000 GH
Start 30 M #Res BW	1.0 MHz	#VB	W 3.0 MHz	FUNCTION	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH Auto Ma
1 N 1 2 N 1 3 N 1 4 5 6 7		5.745 GHz 11.490 GHz 17.235 GHz	58,96 dBm 62,60 dBm 59,59 dBm				Freq Offse
9 10 11							

Antenna C

Antenna B

Page No: 566 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss






Antenna A

Center Fr	req 9.0150000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pur	12:35:08 AM Feb 26, 2015 TRACE 2 3:4 5 6 TYPE WARNAWA	Frequency
10 dB/div	Ref Offset 13.81 o Ref 0.00 dBm	1B		М	kr3 17.235 GHz -58.86 dBm	Auto Tun
-10.0 -20.0 -30.0						Center Fre 9.015000000 GH
40.0 50.0 60.0	the state of the s	North Strain	ana ang ang ang ang ang ang ang ang ang	2 Villing and the second second	3-	Start Fre 30.000000 MF
70.0						Stop Fre 18.000000000 GH
Start 30 M #Res BW	1.0 MHz	#VB\	V 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GF Auto Ma
						_
MKR MODE TR	1	5.745 GHz 11.490 GHz 17.235 GHz	-58,95 dBm -60,85 dBm -59,86 dBm			Freq Offs 0 F

Antenna C





Antenna D

Page No: 567 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna A

Agilent Spectrum Analyzer - Swept SA		SENSE:1		🔥 ALJISN OFF	11:36:38 PM Feb 25, 2015	Frequency
Center Freq 9.015000000	GHz PNO: Fast H	Trig: Free Ru		Type: Log-Pwr	TRACE 2 3 4 5 6 TYPE DET PINNNNN	Frequency
Ref Offset 13.81 dB 10 dB/div Ref 0.00 dBm	I CHILLOW			М	kr3 17.235 GHz -60.11 dBm	Auto Tune
-100 -200 -300						Center Freq 9.015000000 GHz
-40 0 -50 0 -60 0	w Vinant	nut mart about the	anter and a state	-		Start Free 30.000000 MHz
-70.0						Stop Fred 18.00000000 GH
Start 30 MHz #Res BW 1.0 MHz	#VBV	4 3.0 MHz			Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH: Auto Mar
	5.745 GHz	ү -59.52 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
2 N 1 F 11 3 N 1 F 11 4 5 5	1.490 GHz 7.235 GHz	-61.34 dBm -60.11 dBm				Freq Offsel 0 Hz
7 8 9 10						
12				STATUS		

Antenna C

Antenna B

Page No: 568 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss






RL RF SOR Center Freq 9.01500		Trig: Free Run #Atten: 4 dB		LIGN OFF	12:15:39 AM Feb 26, 2 TRACE 2 3 4 TriPE	Frequency
Ref Offset 13	.81 dB	Millen, 4 db		М	kr2 11.490 GI -58.61 dB	12 Auto Tun m
-og 10.0 20.0 30.0						Center Fre 9.015000000 GF
40.0 50.0 60.0 70.0	proventing	aning stripped and general productions of the	2 Investor adaptor graph	and the Second		Start Fre 30.000000 MH
70.0 80.0 90.0						Stop Fre 18.000000000 Gi
Start 30 MHz #Res BW 1.0 MHz		¥ 3.0 MHz			Stop 18.000 G 30.0 ms (1001 p	Hz (S) CF Ste 1.797000000 GF Auto Mi
MKR MODE TRC SCL 1 N 1 F 2 N 1 F 3 N 1 F 4	× 5.745 GHz 11.490 GHz 17.235 GHz	460.43 dBm 459.61 dBm 459.67 dBm	FUNCTION FUN	ICTION WIDTH	FUNCTION VALUE	Freq Offs
6 7 8 9 10 11						
12				STATU		

Antenna C







Antenna D

Page No: 569 of 1013



Conducted Spurs Peak, 5745 MHz, VHT20 Beam Forming, M0 to M9 4ss




RL Center Fi	⊮ 50 Ω req 9.015000		Trig: Free Run #Atten: 4 dB		LIGN OFF	TRAC	MFeb 25, 2015	Frequency
0 dB/div	Ref Offset 13.8 Ref 0.00 dBr	1 dB			М	kr3 17.2 -59.5	35 GHz 59 dBm	Auto Tur
10.0 20.0 30.0								Center Fre 9.015000000 GR
40.0 50.0 50.0	المعود ومروحة المتحاولة	and the first of the state	and the second of the second	toward ground	all and a	-yhendres the safe	3-	Start Fr 30.000000 M
70.0 44 4 14 60.0 90.0								Stop Fre 18.000000000 Gi
itart 30 N		#VB	N 3.0 MHz		Sweep	Stop 18. 30.0 ms (*	.000 GHz 1001 pts)	CF Sto 1.797000000 G
Res BW	RC SOL	×	Y	FUNCTION FUN	CTION WIDTH	FUNCTIO	N VALUE	Auto M
Res BW (RR MODE TF 1 N 1 2 N 1 3 N 1 4 5	RC SCL F	× 5.745 GHz 11.490 GHz 17.235 GHz	Y -59,96 dBm -62,60 dBm -59,59 dBm	FUNCTION FUN	CTION WIDTH	FUNCTION	N VALUE	Auto M Freq Offs 0
Res BW 1 N 1 2 N 1 3 N 1	RC SCL F	5.745 GHz 11.490 GHz	-62.60 dBm	FUNCTION FUN	CTION WIDTH	PUNCTION	N VALUE	Freq Offs

Antenna C



uluilu cisco






Antenna D

Page No: 570 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 STBC, M0 to M7





Antenna A

Antenna B

Page No: 571 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 STBC, M0 to M7



RL	RF 50 Q DC		SENSE:		ALIGN OFF	11:31:45 PM Feb 25, 2015	Frequency
enter Fr	req 9.01500000	PNO: Fast ~ IFGain:Low	Trig: Free Ru	in Avg	Type: Log-Pwr	TRACE 23456 TYPE DET P NNNNN	· · · · · · · · · · · · · · · · · · ·
) dB/div	Ref Offset 13.81 di Ref 0.00 dBm		whiten: 4 db		М	kr3 17.235 GHz -58.00 dBm	Auto Tune
•9 0.0 0.0 0.0							Center Free 9.015000000 GH
	hand and a second and a second and a second a s	مىلىكى مەركى مەركى مەركى	and a state of the	where the second	and the state of the state	3 Angline (Japan mangara) (Urran	Start Free 30.000000 MH
							Stop Free 18.000000000 GH
	1.0 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
Res BW	1.0 MHz aciscu x		V 3.0 MHz -58.55 dBm -62.12 dBm -58.00 dBm	FUNCTION	SW00p FUNCTION WIDTH	Stop 18.000 GHz 30.0 ms (1001 pts) PUNCTION VALUE	1.797000000 GH Auto Mar Freq Offse
R MODE TR	1.0 MHz aciscu x	5.745 GHz 11.490 GHz	Y -58.55 dBm -62.12 dBm	FUNCTION		30.0 ms (1001 pts)	1.797000000 GH

Antenna A

enter Freq 9.015000	PNO: Fast	Trig: Free Run	Avg Type: Log-Pwr	11:36:33 PMFeb 25, 2015 TRACE 2 3 4 5 6 TIPE	Frequency
Ref Offset 13.8 dB/div Ref 0.00 dB	IFGain:Low 31 dB m	#Atten: 4 dB	Ν	1kr3 17.235 GHz -60.11 dBm	Auto Tun
29 0.0 0.0 0.0					Center Fre 9.015000000 GH
0.0 0.0 0.0 0.0 0.0 0.0	Marcan Comment	loge,marihaday' francos	1019 10 10 10 10 10 10 10 10 10 10 10 10 10	an-information and the state of	Start Fre 30.000000 MH
0.0					Stop Fre 18.000000000 Gi
tart 30 MHz Res BW 1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GF
R MODE TRC SCL	× 5.745 GHz	√ -59.52 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	Auto Ma
2 N 1 f 3 N 1 f 4 5	11.490 GHz 17.235 GHz	-61.34 dBm -60.11 dBm			Freq Offs 01
7 8 9 0					

Antenna C

Antenna B

Page No: 572 of 1013

Conducted Spurs Peak, 5745 MHz, HT/VHT20 STBC, M0 to M7





Antenna A

Center Fr	req 9.015000		Trig: Free Run #Atten: 4 dB	Avg Type: Log-Pwr	11:56:14 PMFeb 25, 2015 TRACE 2 3 4 5 6 TriPE DET P NIN N N	Frequency
10 dB/div	Ref Offset 13.8 Ref 0.00 dB			Ν	1kr3 17.235 GHz -59.59 dBm	Auto Tur
-10.0 -20.0 -30.0						Center Fre 9.015000000 GH
-40.0 -50.0 -60.0	ي. يومندم يحترو تحاولوهان	mant 1 Martine	ul Annaly Annaly	And a Dente million	3-	Start Fre 30.000000 MH
70.0 44 47 80.0 90.0						Stop Fre 18.000000000 Gi
Start 30 M #Res BW	1.0 MHz	#VB	W 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GF Auto Ma
1 N 1 2 N 1 3 N 1 4 5 6 7 8	1	5.745 GHz 11.490 GHz 17.235 GHz	-59,96 dBm -62.60 dBm -69.59 dBm			Freq Offs 0 F
10						

Antenna C





Antenna D

Page No: 573 of 1013






Antenna A

Page No: 574 of 1013





Antenna A

Antenna B

Page No: 575 of 1013



RL BF 50.0 D		SENSE:INT		ALISN OFF	01.52.09 PMFeb 25, 2015	
enter Freq 9.0150000		Trig: Free Run		pe: Log-Pwr	TRACE 2 3 4 5 6 TYPE WARDANA	Frequency
Ref Offset 13.81 dB/div Ref 0.00 dBm		#Atten: 4 dB		М	kr2 11.490 GHz -61.53 dBm	Auto Tune
29 0.0 0.0						Center Free 9.015000000 GH
0.0 0.0 0.0 0.0 0.0	warm Whener	nsonanongota	2 1000 - 1000 - 1000		Andread Alexandrate Angle	Start Free 30.000000 MH
						Stop Free 18.000000000 GH
art 30 MHz Res BW 1.0 MHz		N 3.0 MHz			Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH Auto Ma
I N 1 F I N 1 F I N 1 F I N 1 F I N 1 F I I I F I I I F I I I I I I I I	5.755 GHz 11.490 GHz 17.235 GHz	Y -60.29 dBm -61.53 dBm -63.65 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Freq Offse 0 H
3				STATUS		

Antenna A

	1	PNO: Fast -	Trig: Free			ALIGN OFF	TRA	TE MAAAAAAAAA	Freque		
						М			Aut	o Tun	
										er Fre 000 GH	
	the state of the second	1 Carrow	a-matropolesia	avered.	2. A	tugana (n-Andr	ولرروماولاروالم	3-		art Fre 000 MH	
										op Fre 000 GH	
1.0 MHz		#VB	W 3.0 MHz				30.0 ms (1001 pts)	1.797000		
1	5.7	90 GHz	-63,40 dB	n	TION FU	ACTION WIDTH	FUNCTIO	N VALUE	_	Ma Offs 0 H	
	Ref Offset Ref 0.00	Ref 0.00 dBm	If CainLow Ref Offset 13.81 dB Ref 0.00 dBm January January January Mitz 1.0 Mitz 5.756 GH2 f 1.1349 GH2	Trig: Free IF Galaction Trig: Free Xtten: 4 d Ref Offset 13.81 4B Ref 0.00 dBm Image: State 1.0 mm NHz State 1.0 mm 1.0 MHz #VBW 3.0 MHz 20 State 1.1 420 GHz State 2.1 5.2 dHz 1.1 420 GHz State 2.1 5.2 dHz	Pilo Far Trig Free Run If Calif.com Trig Free Run Ref Offnet 13.05 dB Ref Offnet 13.05 dB Ref Offnet 13.05 dB Ref Offnet 13.05 dB Ref Offnet 13.05 dB Ref Offnet 13.05 dB NHz State of the state of t	Biological and the second se	Pilo: Fast - Trig: Free Run If CainLow Trig: Free Run Mitsin: 4 dB Mit Ref Offset 13.81 dB Mitsin: 4 dB Mitsin: 4 dB Mitsin: 4 dB Note: The second data of t	Bit Create Trigs Free Run Trigs Free Run <th free<="" td="" trigs=""><td>Number #VEW John Free Run Free</td><td>Ref 0.00 S000000 GHZ The Free Run Not Type Legrent The Free Run Ref 0.00 dBm File Ref Run 4 dB Mkr3 17,235 GHZ Aut Ref 0.00 dBm -59,88 dBm 0.0150000000 GHZ Cent NHz -59,88 dBm 0.015000000 GHZ Stop 18,000 GHZ Stop 18,000 GHZ NHz -59,08 dBm -10 MHz Stop 18,000 GHZ 3.000000 GHZ 3.000000 GHZ NHz -59,08 dBm -10 MHz Stop 18,000 GHZ 3.000000 GHZ 3.000000 GHZ 1.0 MHz -575,642 GHZ -512 GBm -1000000 GHZ -1000000 GHZ 3.000000 GHZ 1.0000000 GHZ f -11420 GHZ -512 GBm -1000000 GHZ -1000000 GHZ -10000000 GHZ -10000000 GHZ -10000000 GHZ -10000000 GHZ -100000000 GHZ -1000000000000000000000000000000000000</td></th>	<td>Number #VEW John Free Run Free</td> <td>Ref 0.00 S000000 GHZ The Free Run Not Type Legrent The Free Run Ref 0.00 dBm File Ref Run 4 dB Mkr3 17,235 GHZ Aut Ref 0.00 dBm -59,88 dBm 0.0150000000 GHZ Cent NHz -59,88 dBm 0.015000000 GHZ Stop 18,000 GHZ Stop 18,000 GHZ NHz -59,08 dBm -10 MHz Stop 18,000 GHZ 3.000000 GHZ 3.000000 GHZ NHz -59,08 dBm -10 MHz Stop 18,000 GHZ 3.000000 GHZ 3.000000 GHZ 1.0 MHz -575,642 GHZ -512 GBm -1000000 GHZ -1000000 GHZ 3.000000 GHZ 1.0000000 GHZ f -11420 GHZ -512 GBm -1000000 GHZ -1000000 GHZ -10000000 GHZ -10000000 GHZ -10000000 GHZ -10000000 GHZ -100000000 GHZ -1000000000000000000000000000000000000</td>	Number #VEW John Free Run Free	Ref 0.00 S000000 GHZ The Free Run Not Type Legrent The Free Run Ref 0.00 dBm File Ref Run 4 dB Mkr3 17,235 GHZ Aut Ref 0.00 dBm -59,88 dBm 0.0150000000 GHZ Cent NHz -59,88 dBm 0.015000000 GHZ Stop 18,000 GHZ Stop 18,000 GHZ NHz -59,08 dBm -10 MHz Stop 18,000 GHZ 3.000000 GHZ 3.000000 GHZ NHz -59,08 dBm -10 MHz Stop 18,000 GHZ 3.000000 GHZ 3.000000 GHZ 1.0 MHz -575,642 GHZ -512 GBm -1000000 GHZ -1000000 GHZ 3.000000 GHZ 1.0000000 GHZ f -11420 GHZ -512 GBm -1000000 GHZ -1000000 GHZ -10000000 GHZ -10000000 GHZ -10000000 GHZ -10000000 GHZ -100000000 GHZ -1000000000000000000000000000000000000

Antenna C

Antenna B


Page No: 576 of 1013






enter Freq 9.01	PNO	East the Trig	SENSE:INT		LIGN OFF	TRA	MFeb 25, 2015 0E 2 3 4 5 6 PE 44 ET P 1 N N N N	Frequency
Ref Offs 0 dB/div Ref 0.0	et 13.81 dB	III.L UV9 Protect			М		90 GHz 87 dBm	Auto Tur
20.0								Center Fre 9.015000000 GR
40.0 50.0 60.0	and the second second	hunner	نىر- ب ايويورلىماروم	Man 2	4. Company	aften om Refer insjon		Start Fre 30.000000 Mi
70.0								
80.0								
Start 30 MHz Res BW 1.0 MHz	×	#VBW 3.0 M		NCTION FUN	Sweep	30.0 ms (3.000 GHz (1001 pts)	Stop Fri 18.00000000 G CF Ste 1.797000000 G Auto M
800 MHz Start 30 MHz Res BW 1.0 MHz Res BW 1.0 MHz 1.0 MHz 1 N 1 f 1.0 F 2 N 1 f 1.0 F 4 5 1.0 F		GHz -60.8 GHz -61.8		NCTION FUN		30.0 ms ((1001 pts)	18.00000000 GI CF Sta 1.797000000 G
80 0 start 30 MHz Res BW 1.0 MHz MODE TRC SCL 2 N 1 7 3 N 1 7	× 5.755 11.490	GHz -60.8 GHz -61.8	FU 14 dBm	NCTION FUR		30.0 ms ((1001 pts)	18.00000000 Gi CF Ste 1.797000000 Gi <u>Auto</u> M Freq Offs

Antenna C



uluilu cisco

Antenna B



Antenna D

Page No: 577 of 1013

cisco

Avg Type: Log-Pa ncv 0 GHz Trig: Free Run Auto Tur Ref Offset 13.81 dB Ref 0.00 dBm Center Fre 9.015000000 Gi Start Fr Stop Fre 18.00 Stop 18.000 GHz Sweep 30.0 ms (1001 pts) t 30 MHz s BW 1.0 MH CFS #VBW 3.0 MHz 1.7970 -63.02 dBr -61.78 dBr -60.59 dBr 5.755 GHz 11.490 GHz 17.235 GHz Freq Offs 01

Antenna A

Page No: 578 of 1013







Antenna A

Antenna B

Page No: 579 of 1013



RL	rum Analyzer - S	IR DC		SEVISE	INT	ALIGN OFF	05:01:43 AM Feb 26, 2015	
lenter F	req 9.0150	000000 GH	NO: Fast -		Avg	Type: Log-Pwr	TRACE 23456 THE CONTRACT	Frequency
0 dB/div	Ref Offset 1 Ref 0.00 (13.81 dB	Gain:Low	satten: 4 db		М	kr2 11.490 GHz -61.50 dBm	Auto Tune
0.0 0.0 0.0								Center Fred 9.015000000 GH
	under and the s	under and a state	w.	و معرفه المعرفة الم	annor	2	aleccaricalizer distance in the second	Start Free 30.000000 MH;
0.0								Stop Fred 18.00000000 GH
tart 30 P	MHZ 1.0 MHZ		#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH
KR(MODE) T	RC SOL	11.49	55 GHz 10 GHz 15 GHz	Y -62,54 dBm -61,59 dBm -61,59 dBm		PUNCTION WIDTH	FUNCTION VALUE	Auto Mar Freq Offse
KRI MODE TI 1 N 1 2 N 1	RC SOL	5.75	0 GHz	-61.50 dBm		FUNCTION WIDTH		Auto Mar


Antenna A

5000000 GHz PNO: Fast	Trig: Free Run			Frequency
et 13.81 dB 0 dBm	Prisen 4 dia		Mkr3 17.235 GHz -61.17 dBm	Auto Tun
				Center Fre 9.015000000 GH
and ward and	night of the section of the section of the	the second second	devideorgingtonegotionegotion	Start Fre 30.000000 MH
				Stop Fre 18.000000000 Gi
	3W 3.0 MHz			CF Ste 1.797000000 GF Auto Ma
* 5.755 GHz 11.490 GHz 17.235 GHz	-63.05 dBm -61.84 dBm -61.17 dBm	FUNCTION		Freq Offs 01
	PHO F at FGD-1 at	5000000 GHZ IFGainLow H 1301 dB 0 dBm # 1301 dB # 1300 dB #	5000000 GHz Arg Type: Log-P PIOF tas - PIOF tas -	5000000 GHz BrGainLow Trig: Free Run Mater: 4 dB Avg Type: Log-Per Mit 301 dB This: Dial at a trig: Free Run Mit 301 dB This: Dial at a trig: Free Run Adder: 4 dB Mit 301 dB

Antenna C

Antenna B


Page No: 580 of 1013






enter Fi			Z O: Fast H ain:Low	Trig: Free Ru #Atten: 4 dB	Av	ALISN OFF Type: Log-Pur	05:25:41.4M TRACE TYPE DET	Feb 26, 2015	Frequency
0 dB/div	Ref Offse Ref 0.00	t 13,81 dB				Μ	kr3 17.23 -61.7	35 GHz '8 dBm	Auto Tur
10.0 20.0 30.0									Center Fre 9.015000000 GH
40.0 50.0 50.0	here drafted	and subsections	Duringer		an proton and	2 Alantanalana	ورونور اور اور اور اور اور اور اور اور اور ا	atume Adv	Start Fre 30.000000 MH
70.0 80.0 80.0									Stop Fre 18.000000000 G
Res BW	1.0 MHz	×	#VB	W 3.0 MHz	FUNCTION	Sweep	Stop 18. 30.0 ms (1	001 pts)	CF Ste 1.797000000 Gi Auto M
1 N 1 2 N 1 3 N 1 4 5	9	5.756 11.490 17.236	GHz GHz GHz	-62.07 dBm -62.27 dBm -61.78 dBm					Freq Offs 01
7 8 9 10									
12									

Antenna C



uluilu cisco





Antenna D

Page No: 581 of 1013







Antenna A

Antenna B

Page No: 582 of 1013



RL		R DC		SENSE		ALIGN OFF	05:01:43 AM Feb 26, 201 TRACE	5 Frequency
enter Fi	req 9.0150		PNO: Fast H FGain:Low	Trig: Free Ri #Atten: 4 dB	an Avg	Type: Log-Par	TRACE 2345 TYPE DET PINNNI	
0 dB/div	Ref Offset Ref 0.00					М	kr2 11.490 GH -61.50 dBn	Auto Tune
0.0 0.0 0.0								Center Fred 9.015000000 GH
80.0 80.0 80.0	inclurer and the s	and the second	er Wanne		ant the second	2 Martinger	aleccaricalizer flatter fratter	Start Free 30.000000 MH
0.0								Stop Fred 18.00000000 GH
	1.0 MHz		#VB	N 3.0 MHz		Sweep	Stop 18.000 GH 30.0 ms (1001 pts	1.797000000 GH
	C SCL		755 GHz 190 GHz	-62.54 dBm -61.50 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Mar
3 N 1 4 6 7 8	Ŷ	172	235 GHz	-61.59 dBm				Freq Offse 0 H
9								
6						STATU	9	


Antenna A

enter Fr	⊮ 50 Ω req 9.015000		Trig: Free R #Atten: 4 dB	Avg	ALIGN OFF	05:06:29 AM Feb 26, 2015 TRACE 23:45 6 TYPE DET P NN NN N	Frequency
0 dB/div	Ref Offset 13.8 Ref 0.00 dB				М	kr3 17.235 GHz -61.17 dBm	Auto Tun
0 g 10 0 20 0 30 0							Center Fre 9.015000000 GH
40.0 50.0 50.0	فهيبهم	warden after	and the state of the	and the second	2		Start Fre 30.000000 MH
70.0 80.0 90.0							Stop Fre 18.000000000 GH
Res BW	1.0 MHz	×	BW 3.0 MHz	FUNCTION	Sweep FUNCTION WIDTH	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GF Auto Ma
1 N 1 2 N 1 3 N 1 4 5		5.755 GHz 11.490 GHz 17.235 GHz	-63.05 dBm -61.84 dBm -61.17 dBm				Freq Offs 0 F
7							
6					STATUS		

Antenna C

Antenna B

Page No: 583 of 1013






enter Freq 9.0150000	PNO: Fast Trig	SENSE:INT Avg Free Run en: 4 dB	ALIGN OFF Type: Log-Pur	05:25:41.4MFeb.26, 2015 TRACE 23:45:6 TYPE 44 DET PININN N	Frequency
Ref Offset 13.81 0 dB/div Ref 0.00 dBm			М	kr3 17.235 GHz -61.78 dBm	Auto Tun
200					Center Fre 9.015000000 GH
10 0 50 0 10 0 10 0 10 0	www.	ange ange an	2 الإنجام المحاول	watchanterstanters	Start Fre 30.000000 M⊢
000 000					Stop Fre 18.000000000 GH
tart 30 MHz Res BW 1.0 MHz KR MODE TRO SOL	#VBW 3.01	FUNCTION	Sweep FUNCTION WIDTH	Stop 18.000 GHz 30.0 ms (1001 pts) FUNCTION VALUE	CF Ste 1.797000000 GH Auto Ma
1 N 1 f 2 N 1 f 3 N 1 f 4 5 6 7	11.490 GHz -62.	07 dBm 27 dBm 78 dBm			Freq Offse 0 H
7					
10			STATUS		

Antenna C



uluilu cisco





Antenna D

Page No: 584 of 1013





RL RF	50 R DC	Olla	SENSE:1		ALIGN OFF Type: Log-Pwr	05:01:43 AM Feb 26 TRACE	2015 Frequency
enter Freq 9	.015000000	PNO: Fast * IFGain:Low	Trig: Free Ru #Atten: 4 dB	1	i jpe. Logi i ii	DET P N	
Ref (0 dB/div Ref	Offset 13.81 dB 0.00 dBm				М	kr2 11.490 G -61.50 d	Hz Auto Tune Bm
20.0							Center Fred 9.015000000 GH
	anthernant and state	n Quan	a participation of the second	and the second	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	siresonication of spatial sol	30.000000 MH
itart 30 MHz Res BW 1.0 M	IHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 30.0 ms (1001	pts) 1.797000000 GH
tart 30 MHz Res BW 1.0 M R MODE TRC SCL 1 N 1 f 2 N 1 f 3 N 1 f	×	#VB 5.755 GHz 1.490 GHz 7 235 GHz	W 3.0 MHz -62.54 dBm -61.50 dBm -61.59 dBm	FUNCTION	Sweep RUNCTION WIDTH		HZ CF Step 1.79700000 GH Auto Ma
tart 30 MHz Res BW 1.0 M R MODE TRC SCL 1 N 1 F	×	5.755 GHz 1.490 GHz	√ -62.54 dBm -61.50 dBm	FUNCTION		30.0 ms (1001	GHz CF Step 1.797000000 GH


Antenna A

enter Fi	req 9.01500000	PNO: Fast -	SENSE: IN	Avg	ALIGN OFF Type: Log-Pur	05:06:29 AM Feb 26, 201 TRACE 2 3 4 5 THPE	Frequency
0 dB/div	Ref Offset 13,81 d Ref 0.00 dBm	IFGain:Low	#Atten: 4 dB		М	kr3 17.235 GH2 -61.17 dBm	Auto Tu
20.0							Center Fr 9.015000000 G
40.0		and Street	heraftage for a self-stroke grade	ana para na Que	Manteres Altrice	wining and the second state	Start Fr 30.000000 M
70.0	and a state of the						Stop Fr 18.000000000 G
	1.0 MHz	#VB	W 3.0 MHz			Stop 18.000 GH 30.0 ms (1001 pts	1.797000000 0
1 N 1	1 1	5,755 GHz	√ -63.05 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto N
		11.490 GHz 17.235 GHz	-61.84 dBm -61.17 dBm				Freq Off
2 N 1 3 N 1 4 6							0
3 N 1							

Antenna C

Antenna B

Page No: 585 of 1013






enter Freq	9.015000000	GHz PNO: Fast	Trig: Free Run #Atten: 4 dB		ALIGN OFF	TRAC	M Feb 26, 2015 36 2 3 4 5 6 PE 000000000000000000000000000000000000	Frequency
	f Offset 13.81 dB f 0.00 dBm				M		35 GHz 78 dBm	Auto Tur
20.0								Center Fre 9.015000000 GH
40.0 50.0 60.0	and the second second second			n half you have a second	1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -	1. Augless	automore later	Start Fre 30.000000 Mi
70.0 80.0 90.0								Stop Fre 18.000000000 G
Res BW 1.0	L X		V 3.0 MHz	FUNCTION PL	Sweep	Stop 18 30.0 ms (.000 GHz 1001 pts) N VALUE	CF Ste 1.797000000 G Auto M
1 N 1 f 2 N 1 f	1	5.755 GHz 1.490 GHz 7.235 GHz	-62.07 dBm -62.27 dBm -61.78 dBm					Freq Offs
3 N 1 f								
4								

Antenna C



uluilu cisco

Antenna B



Antenna D

Page No: 586 of 1013


Conducted Spurs Peak, 5755 MHz, VHT40, M0 to M9 4ss






Center Freq 9.01500	PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg	ALIGN OFF Type: Log-Pwr	TRAC	MFeb 26, 2015	Frequency
Ref Offset 13/ 10 dB/div Ref 0.00 dB	IFGain:Low	satten: + db		Μ	kr3 17.2 -61.7	35 GHz 78 dBm	Auto Tun
-10.0 -20.0 -30.0							Center Fre 9.015000000 GH
-40 0 -50 0 -60 0 -70 0 particlustry of the state of the	Angenerated Dans	7.6 ₁ -161.61.61.61.61.61.61.61.61.61.61.61.61.		2 4[wiles#spigel=[1440]4	nst Augers	Laure Mar	Start Fre 30.000000 Mi
-70.0							Stop Fre 18.000000000 G
Start 30 MHz #Res BW 1.0 MHz	#VB	W 3.0 MHz			30.0 ms (CF Ste 1.797000000 GF
HKR MODE TRC SCL 1 N 1 F 2 N 1 F 3 N 1 F 4	× 5.755 GHz 11.490 GHz 17.235 GHz	Y -62.07 dBm -62.27 dBm -61.78 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION	N VALUE	Auto Ma Freq Offs 0 F
6 7 8 9 10							
12				STATU	9		

Antenna C




cisco





Antenna D

Page No: 587 of 1013



Antenna A

Antenna B

cisco

Page No: 588 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss



RL RF 50 0 DC enter Freq 9.015000000	Chin	SENSE:INT		ALIGN OFF	06:18:51 AM Feb 26, 2015 TRACE	Frequency
anter Fred 9.01500000	PNO: Fast	Trig: Free Run #Atten: 4 dB	AND IN	re. Log-r m	TYPE WWWWWWWW	
Ref Offset 13.81 dB				М	kr3 17.235 GHz -60.34 dBm	Auto Tune
29 00 00						Center Freq 9.015000000 GHz
00 00 00 00 00 00 00	An alman	ndahlannanan	where were	alaan sebelahada a	Hangh-and align and an	Start Free 30.000000 MHz
10						Stop Freq 18.00000000 GHz
art 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		· · ·	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH2
	5.755 GHz 1.490 GHz	-63.48 dBm -61.25 dBm	FUNCTION P	UNCTION WIDTH	FUNCTION VALUE	<u>Auto</u> Mar
N 1 f 1 6 5 5 5 7 8 9 9 0 1 2 1	7.236 GHz	-60.34 dBm				Freq Offset 0 Hz
3				STATU	3	

Antenna A

enter Fred	9.01500000	PNO: Fast -	Trig: Free Run #Atten: 4 dB	Avg T	ALIGN OFF ype: Log-Pwr	06:23:46 AM Feb 26, 2015 TRACE 2 3:4 E 6 TIPE WWWWWW DET PININNIN	Frequency
0 dB/div 🛛 🛛 R	ef Offset 13.81 dB ef 0.00 dBm				Μ	kr2 11.490 GHz -58.96 dBm	Auto Tun
0.0 0.0 0.0							Center Fre 9.015000000 GF
0.0 50.0 60.0	anoration at a line	and Sound	wet wet and the second	charghertan prints	an and a start and a start and a start	- and a second second	Start Fre 30.000000 MH
0.0							Stop Fre 18.000000000 Gi
tart 30 MHz Res BW 1.0	MHz	#VB	N 3.0 MHz			Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 G
KR MODE TRC S		5.755 GHz	-60.78 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto M
2 N 1 1 3 N 1		1.490 GHz 17.235 GHz	-59.96 dBm -60.34 dBm				Freq Offs 01
7 8 9 0							

Antenna C

Antenna B

Page No: 589 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss






Antenna A

IFGainLow	April and the second states	en per contraction de la		kr3 17.235 -60.53		Auto Tur Center Fre 9.015000000 GH Start Fre 30.000000 MH
an property wing	gen par mer da tra	anga tangang ding	2 Wander Michael an Andrea	a) sogerages and for	میر معرفی	9.015000000 GH
property of the second	the an strate and the star	ana	2 Winderstand Andread	al strategican a fig		
						Stop Fre 18.000000000 Gi
#Ve	SW 3.0 MHz	FUNCTION	Sweep	Stop 18.00 30.0 ms (10	01 pts)	CF Ste 1.797000000 GI
5.755 GHz 11.490 GHz 17.235 GHz	-63.80 dBm -62.81 dBm -60.53 dBm					Freq Offs 01


Antenna C





Antenna D

Page No: 590 of 1013



Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss

Antenna A

Antenna B

cisco

Page No: 591 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A

RL	RF 50 R DC eq 9.01500000		SBVSE10		ALIGN OFF	05:45:04 AM Reb 26, 2015 TRACE	Frequency
enter Fr	eq 9.01500000	PNO: Fast ~ IFGain:Low	Trig: Free Rus #Atten: 4 dB	1 11	rype. Log-rar	TIPE CONTRACTOR	
0 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm				М	kr3 17.235 GHz -59.95 dBm	Auto Tur
- 0 g 10.0 20.0 30.0							Center Fre 9.015000000 Gi
40.0 50.0 60.0	Anger and the second	maria	ele viteralistation	est and	الارميار مراجع (معار مراجع المراجع الم	an far de general an fry berekel.	Start Fre 30,000000 M
70.0							Stop Fr 18.000000000 G
Start 30 M Res BW		#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF St 1.797000000 G
IN 1	SOL X	5.755 GHz	-60.56 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto N
2 N 1 3 N 1 4 5	{	1.490 GHz 7.235 GHz	452.42 dBm 459.95 dBm				Freq Offs 0
7 9 10 11							
12							

Antenna C

Antenna B

Page No: 592 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss






Antenna A

Center Freq	9.015000000	Hz PNO: Fast H	Trig: Free Ru #Atten: 4 dB	Avg Ty	ALIGN OFF pe: Log-Pwr	06:04:24 AM Feb 26, 201 TRACE 2 3 4 F Trift With N	Frequency
10 dB/div Re	f Offset 13.81 dB f 0.00 dBm				М	kr3 17.235 GH: -60.47 dBm	
- 09 -10.0 -20.0 							Center Fre 9.015000000 GH
40.0 50.0 60.0	الايديو سقي بالمقصولين الم	many 1	استرد جا استراب المعدي (را، م	materitaria fran	for the state of the	east the system of the system	Start Fre 30,000000 MH
70.0 uras Antrif 80.0 90.0							Stop Fre 18.000000000 Gi
Start 30 MHz #Res BW 1.0		#VB\	N 3.0 MHz	FUNCTION	Sweep	Stop 18.000 GH2 30.0 ms (1001 pts	
1 N 1 f 2 N 1 f 3 N 1 f 5 6	5.	755 GHz 490 GHz 235 GHz	-59,48 dBm -62,48 dBm -60,47 dBm	1 March 1997	serve and WIDTH	Conversion of PERSON	Freq Offs 0 H

Antenna C





Antenna D

Page No: 593 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss



RL RF 50.0 DC					
enter Freg 9.01500000		SENSE:INT	Aug Type: Log-Pur	05:01:43 AM Feb 26, 2015 TRACE	Frequency
enter Fred 9.01500000	PNO: Fast IFGain:Low	Trig: Free Run #Atten: 4 dB	and the roll of	DET PINNINN	
Ref Offset 13.81 dE D dB/div Ref 0.00 dBm	3		М	kr2 11.490 GHz -61.50 dBm	Auto Tune
000 000 000					Center Freq 9.015000000 GHz
0.0 0.0 0.0 0.0 0.0 0 0 0 0 0 0 0 0 0 0		ng patrices and the	2	showing the states	Start Free 30.000000 MHz
0.0					Stop Free 18.000000000 GH2
tart 30 MHz Res BW 1.0 MHz	#VBW	3.0 MHz		Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH Auto Mar
1 N 1 F 2 N 1 F	5.755 GHz 11.490 GHz 17.235 GHz	-62.54 dBm -61.50 dBm -61.59 dBm	TION FORCIUM WIDTH	FUNCTION VALUE	Freq Offset 0 Hz
6					

Antenna A

enter Freq 9.015000	PNO: Fast - IFGain:Low	Trig: Free Run #Atten: 4 dB	ALIGN OFF Avg Type: Log-Pur	TRACE 2 3 4 5 6 TYPE DET P NNNN N	Frequency
Ref Offset 13.8 dBJdiv Ref 0.00 dBr	1 dB m		М	kr3 17.235 GHz -61.17 dBm	Auto Tun
•9 .0 .0					Center Fre 9.015000000 GF
00 00 00 00	v gysterne Streem	hall a lor and first provided	and an and a second		Start Fre 30.000000 MF
					Stop Fre 18.00000000 GF
art 30 MHz Res BW 1.0 MHz	#VB	N 3.0 MHz	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GH
R MODE TRC SOL	× 5.755 GHz	-63.05 dBm	FUNCTION FUNCTION WIDTH	FUNCTION VALUE	<u>Auto</u> Ma
	11.490 GHz 17.235 GHz	-61.84 dBm -61.17 dBm			Freq Offs 0 F

Antenna C

Antenna B

Page No: 594 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss







RL RF 50 R DC Center Freq 9.015000000	GHz PNO: Fast	Trig: Free Run #Atten: 4 dB	Avg Tr	ALIGN OFF	05:45:04 AM Feb 26, 2 TRACE 2 3 4 TYPE DET P 11 11	Frequency
Ref Offset 13.81 dB 0 dB/div Ref 0.00 dBm				М	kr3 17.235 GH -59.95 dB	
200						Center Fre 9.015000000 Gi
000 000 000	working	and the second second	And and a star	وی می میں میں معنی	an than de Parman an an trachar	Start Fr 30,000000 M
000						Stop Fr 18.000000000 G
itart 30 MHz Res BW 1.0 MHz	#VB	N 3.0 MHz	FUNCTION	Sweep	Stop 18.000 G 30.0 ms (1001 p	
1 N 1 F 2 N 1 F 1	5.755 GHz 1.490 GHz 7.235 GHz	-60.56 dBm -62.42 dBm -69.96 dBm		un mun multi fil (11)	CONCILIENT VIEDE	Freq Offs 01

Antenna C





Antenna D

Page No: 595 of 1013



Conducted Spurs Peak, 5755 MHz, VHT40 Beam Forming, M0 to M9 4ss



Center F	req 9.0150	F	IZ NO: Fast → Gain:Low	Trig: Free Ru	Avg	ALIGN OFF	TRA	M Feb 26, 2015 OE 23450 PE 4	Frequency
10 dB/div	Ref Offset 1 Ref 0.00 (3.81 dB	Contraction of the second			N	lkr3 17.2 -61.	235 GHz 78 dBm	Auto Tur
20.0 30.0									Center Fre 9.015000000 GH
40.0 50.0 60.0	مەردۇرە يېز مەيىلى	AND A COUNTRY	12inno	ily-test or you and	,	2 Frainterapation	unst Augters	Actional West	Start Fre 30.000000 Mi
70.0 80.0 90.0									Stop Fre 18.000000000 Gi
tart 30 M Res BW	AHZ 1.0 MHz		#VB	N 3.0 MHz		Sweep	Stop 18 30.0 ms (.000 GHz (1001 pts)	CF Ste 1.797000000 G
4 5 MODE TR		11.49	65 GHz 10 GHz 16 GHz	Y -62.07 dBm -62.27 dBm -61.78 dBm	FUNCTION	FUNCTION WIDTH	PUNCTIC	IN VALUE	Auto M Freq Offs 01
6 7 8 9 0									
2						STAT			

Antenna C



uluilu cisco

Antenna B



Antenna D

Page No: 596 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 STBC, M0 to M7



nter Fi		000000 GH	Z IO: Fast	SENSE	Avg	ALIGN OFF Type: Log-Pwr	04:42:14 AMFeb 26, 2015 TRACE 2 3 4 5 6 THEE	Frequency
dB/div	Ref Offset	13.81 dB	Sain:Low	#Atten: 4 dB		М	kr3 17.235 GHz -60.22 dBm	Auto Tune
								Center Freq 9.015000000 GHz
10 10 10		and the second	2 ¹		awter yr tawr		antiture and a second and a	Start Freq 30.000000 MHz
1.0 1.0 1.0								Stop Freq 18.00000000 GHz
art 30 N Res BW	1.0 MHz	×	#VB\	W 3.0 MHz	FUNCTION	Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Step 1.797000000 GH: Auto Mar
1 N 1 2 N 1 8 N 1 4 5 7 2 7		5.75	5 GHz 0 GHz 5 GHz	-59,25 dBm -60,75 dBm -60,22 dBm				Freq Offset 0 Hz
						STATU		

Antenna B

Page No: 597 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 STBC, M0 to M7



enter Fro	eq 9.01500						ype: Log-Pwr		VCE 23456	Frequen	
			NO: Fast 🗝	Trig: Free			16-1	D	TE WOMMAN		
		IFI	Sain:Low	#Atten: 4 d	8					Auto	Tun
	Ref Offset 13 Ref 0.00 dE						M		490 GHz .50 dBm	Plato	T CHT
а 1.0										Cente	r Fre
.0										9.01500000	
10											-
										Star	
		انتا که بنام را از او	Wannes	and the state of the state	n water	wayn	مىيەر بىلىرىدۇرىيەر بىر		3 4400 - 10 - 10 - 10 - 10 - 10 - 10 - 10	30.0000	IO MH
	-den from									Stor	Fre
										18.0000000	
								B 1 4			
art 30 Mi Res BW 1			#VB	W 3.0 MHz			Sweep	30.0 ms	8.000 GHz (1001 pts)	CF 1.79700000	Ste
R MODE TRO	SCL	×		Y	FUNC	TION	FUNCTION WIDTH	FUNCT	ON VALUE	Auto	Ma
		5.75	5 GHz	-62.54 dB -61.50 dB	n						
3 N 1		17.23	5 GHz	-61.59 dB	n					Freq	Offse
											0 H
8											
9			_		+						
0											

Antenna A

RL	Analyzer - Swept SA 8F 50 2 DC q 9.015000000	GHz PNO: Fast = IFGain:Low	Trig: Free Ru #Atten: 4 dB	Avg	ALIGN OFF Type: Log-Pwr	05:06:29 AM Feb 26, 2015 TRACE 2 3 4 5 6 TYPE 2 3 4 5 6 DET P NIN N.N.N	Frequency
0 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm				М	kr3 17.235 GHz -61.17 dBm	Auto Tun
20.0 30.0							Center Fre 9.015000000 GH
40.0	aller or second and the	-	and the set of the set	and the second	2		Start Fre 30.000000 MH
70.0 60.0 90.0							Stop Fre 18.000000000 Gi
tart 30 MH Res BW 1.	0 MHz	#VB	W 3.0 MHz		Sweep	Stop 18.000 GHz 30.0 ms (1001 pts)	CF Ste 1.797000000 GF
	f 11	5.755 GHz 1.490 GHz 1.235 GHz	Y -63.05 dBm -61.84 dBm -61.17 dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	Auto Ma Freq Offs
4 6 7 8 9 10							01
6					STATUS	1	

Antenna C

Antenna B

Page No: 598 of 1013

Conducted Spurs Peak, 5755 MHz, HT/VHT40 STBC, M0 to M7








RL RF 50 0 00 Center Freq 9.0150000		Trig: Free Run #Atten: 4 dB	Avg	ALIGN OFF Type: Log-Pur	05:25:41 AM Feb 26, 2 TRACE 2 3 4 TYPE DET P 7 111	Frequency
Ref Offset 13.81 o 0 dB/div Ref 0.00 dBm	18			М	kr3 17.235 GI -61.78 dB	Iz Auto Tun M
20.0						Center Fre 9.015000000 GH
40.0 50.0 60.0 70.0	and the second second	ليدارية مراجع العالية.	w.m.d	د در در میرود و میرود و میرود و میرود و میرود.	and the set of the set	Start Fre
20.0 80.0 90.0						Stop Fre 18.000000000 G
Start 30 MHz Res BW 1.0 MHz	#VB\	V 3.0 MHz	FUNCTION	Sweep	Stop 18.000 G 30.0 ms (1001 p	
1 N 1 F 2 N 1 F 3 N 1 F 4 5	5.755 GHz 11.490 GHz 17.235 GHz	-62.07 dBm -62.27 dBm -61.78 dBm				Freq Offs 01
7 8 9 9 10 11						
so				STATUS	1	_

Antenna C





Antenna D

Page No: 599 of 1013



Antenna A

Page No: 600 of 1013