

Antenna B

Center F	req 5.592500000	GHz PNO: Fast	Trig: Free #Atten: 6 d	E:INT Run B	Avg Type	Log-Pwr	03:30:06 AMM# 02, 2015 TRACE 1 2 3 4 8 0 TYPE 2 3 4 8 0 TYPE 2 3 4 9 0 Det P NNNNN	Frequency
10 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm					Mk	r2 5.715 0 GHz -39.83 dBm	Auto Tur
								Center Fre
-10.0								5.592500000 G
-20.0								Start Fr
-30.0								5.46000000 G
-40.0								Stop Fr
-50.0	and and an and a second second	anda kalidudi Antal	ulit en cita et		and the strends	og hel an a species	and a second and a second as a second a	5.725000000 G
-60.0	Pro-transfer dimension	karalista - stato cala						CF St
								26.500000 M Auto M
-70.0								
-80.0								Freq Offs 01
-90.0								
Start 5.46	00 GHz						Stop 5.7250 GHz	
#Res BW		#VBW	3.0 MHz			#Swee	p 5.00 s (601 pts)	

Antenna C

Page No: 886 of 1013









Antenna C






Antenna D

Page No: 887 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential





Antenna A

Page No: 888 of 1013







Page No: 889 of 1013







Antenna B


AI	πe	<u>nn</u>	a	Α



Antenna C

Page No: 890 of 1013









Antenna C





Antenna D

Page No: 891 of 1013







Antenna A

Antenna B

Page No: 892 of 1013





Antenna B

Center Freq 5.5	P	O:East	SENSE 7 Trig: Free Ru Matten: 6 dB	Ave Ty	<u>A</u> ALICALOFF pe: Log-Pwr	09:45:21 AM Mar 02, 201 TRACE 1 2 2 4 5 TYPE Det P NN N N	Frequency
0 dB/div Ref 0	fset 13.81 dB .00 dBm				Mk	r2 5.715 0 GH: -43.11 dBn	
10.0							Center Free 5.592500000 GHz
30.0							Start Free 5.460000000 GH
40.0	สระหุปสุขคระที่ชนุป			- terestlyrows	for a strategy of	www.whadhul 15th 22	Stop Free 5.725000000 GH
80.0	arcului Meanartaria	kitopenterior openyn.	helle and				CF Step 26,500000 MH Auto Mar
80.0							Freq Offse 0 H
start 5,4600 GHz						Stop 5.7250 GH	

Antenna C

Page No: 893 of 1013

Avg Type: Log-Py Frequ 0 GHz Trig: Free Run Auto Tur 5.715 0 G -41.10 dE Ref Offset 13.81 dB Ref 0.00 dBm Center Fre Start Fr Stop Fr CF S Freq Offs 0 F Stop 5.7250 GHz 5.4600 GHz BW 1.0 MH; #VBW 3.0 MHz








Antenna C





Antenna D

Page No: 894 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5755 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss





Antenna B


Ai	ite	nna	A	



Antenna C

Page No: 895 of 1013






#VBW 3.0 MHz

Antenna A



Antenna C





Stop 5.7250 GHz

Antenna D

Page No: 896 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5755 MHz, HT/VHT40, M16 to M23, M0 to M9 3ss



Conducted Bandedge Peak, 5755 MHz, VHT40, M0 to M9 4ss








Antenna C






Antenna D

Page No: 897 of 1013

Avg Type: Log-Py



սիսիս

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss Frequ






Antenna A

Page No: 898 of 1013

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss





Antenna A




Antenna C

Antenna B


Page No: 899 of 1013



April Department Analysis Processor April Department Analysis Processor Processo








Antenna C





Antenna D

Page No: 900 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss

Avg Type: Log-Py

Trig: Free Run



սիսիս cisco

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss Frequ

38.71 d

Stop 5.7250 GHz

#S1

Auto Tur

Center Fre

Start Fr

Stop Fr

CF S

Freq Offs 0 F



Ref Offset 13.81 dB Ref 0.00 dBm

Antenna A

Antenna B

Page No: 901 of 1013



Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna B

Frequency	10:01:26 AM Mar 02, 2015 TRACE 2 2 4 5 0 TYPE Det P NS NS N	Avg Type: Log-Pwr	Trig: Free Run	req 5.592500000 GHz PN0: Feat	
Auto Tur	r2 5.715 0 GHz -38.44 dBm	Mk	arment o up	Ref Offset 13.81 dB Ref 0.00 dBm	10 dBidiv
Center Fre 5.592500000 GH					-10.0
Start Fre 5.46000000 GF	2				-20.0
Stop Fre 5.725000000 GH	water has not the work of	an galant and the second day	um en elsestat turd	المطلومية من مراحة مناعمة من	-40.0
CF Ste 26.500000 MH Auto Ma			nalistellatelante ta uza a	ىمەلەم بايد يولى ئەرامىلەسىلەلە ^ر ا	-60.0
Freq Offs					-70.0
	-1200 @				-90.0
	Stop 5.7250 GHz p 5.00 s (601 pts)	#Swee	BW 3.0 MHz		Start 5.46 #Res BW

Antenna C

Page No: 902 of 1013



Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss









Antenna C



Antenna B



Antenna D

Page No: 903 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna A



Antenna C

Antenna B

Page No: 904 of 1013



Frequ

Auto Tu

Center Fre


Start Fr

Stop Fre

5.72

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss










Antenna C





Antenna D

Antenna B

Page No: 905 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential



Conducted Bandedge Peak, 5755 MHz, VHT40 Beam Forming, M0 to M9 4ss







Antenna C





Antenna D

Page No: 906 of 1013

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 STBC, M0 to M7





Antenna A

Antenna B

Page No: 907 of 1013

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 STBC, M0 to M7





Antenna B

Center F	req 5.592500000	GHz PNO: Fast	SENSE:INT Trig: Free Run #Atten: 6 dB	Avg Type: Log-Pwr	09:45:21 AMMar 02, 2015 TRACE 1 2 3:4 8 0 TYPE Det P NNNN N	Frequency
10 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm			М	kr2 5.715 0 GHz -43.11 dBm	Auto Tu
-10.0						Center Fr 5.592500000 G
-20.0					1	Start Fr 5.46000000 G
-40.0	HULL MANNA HANA	The and the second s		tool the second second second	The stand of the s	Stop F 5.725000000 (
-60.0						CF SI 26.500000 M Auto
-80.0						Freq Off 0
30.0 Start 5.46	00 GHz				1200 Stop 5.7250 GHz	

Antenna C

Page No: 908 of 1013




Algebra forestioner deviners Auge Total State Open State Frequency Center Freq 5.592500000 GHz If Caints.tw Trig: Free Run If Caints.tw Aug Type: Leg-Pur Type: Leg-Pur Trig: State Control Freq 5.492 State Contr





Antenna C



Antenna D

Page No: 909 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5755 MHz, HT/VHT40 STBC, M0 to M7







Page No: 910 of 1013





Antenna A

Antenna B

Page No: 911 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential





Antenna B

Center F	req 5.59250000	D GHz PNO: Fast Cp.	Trig: Free Run #Atten: 6 dB	Avg Type: Log-Pwr	05:05:38 AM Mar 02, 2015 TRACE 1 2 3 4 9 0 TYPE DET P NN NN N	Frequency
10 dB/div	Ref Offset 13.81 dE Ref 0.00 dBm	3		M	(r2 5.715 0 GHz -38.72 dBm	Auto Tune
-10.0						Center Free 5.592500000 GH:
-20.0						Start Free 5.460000000 GHz
-40.0				way water and the stand of the	and M. March and The	Stop Free 5.725000000 GH:
-60.0	and the second	1947.negistari	kellonien, ande			CF Step 26.500000 MHz Auto Mar
-/0.0						Freq Offse 0 H
-90.0					-150.00 45%	
Start 5.46	00 GHz 1.0 MHz		3.0 MHz		Stop 5.7250 GHz ep 5.00 s (601 pts)	

Antenna C

Page No: 912 of 1013









Antenna C





Antenna D

Page No: 913 of 1013



Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 1ss



Antenna A

Page No: 914 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 1ss





Antenna A

Antenna B

Page No: 915 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 1ss





Antenna B

Center F	req 5.592500000	GHz PNO: Fast	SEN		Avg Type	Log-Pwr	TRAJ TV	PE INCOMPANY	Frequency
		IFGain:Low	#Atten: 6	dB			-	et <mark>P.NNNNN</mark>	Auto Tur
10 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm					Mk	r2 5.71 -32.	0 9 GHz 17 dBm	Adto Tu
-10.0									Center Fr 5.592500000 G
-20.0								F,	Start Fr
-30.0									5.460000000 G
-40.0			1	a start of the start of	and the second second	netronth	planter.	μ-γ	Stop Fr 5.725000000 0
-60.0	wayna an a	ang day and a second of a	n-eg-10p-rit -oute	10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (CF St 26.500000 M
-70.0									Auto N
-80.0									Freq Off 0
-90.0								450.00.00	
Start 5.46	00 GHz 1.0 MHz		3.0 MHz				Stop 5.	7250 GHz (601 pts)	

Antenna C

Page No: 916 of 1013











Antenna C





Antenna D

Page No: 917 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 1ss

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 2ss





Antenna A

Antenna B

Page No: 918 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 2ss





Antenna B


Center F	req 5.592500000	GHz PNO: Fast		SE:3NT Run dB	Avg Type	LIGN OFF			Frequency
10 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm	. comesu				Mk	r2 5.71 -32.	0 9 GHz 17 dBm	Auto Tun
-10.0									Center Fre 5.592500000 GF
30.0								21	Start Fre 5.460000000 GH
40.0	6.3.544.1~0.186.46.46.47.~7	นะก่านการ	, mataneten	ي. پېرېدونې	Month	protrantil	gullenthigu gull	A _f tere.	Stop Fre 5.725000000 GH
70.0									CF Ste 26.500000 Mi Auto Mi
80.0									Freq Offs 01
Start 5.46	00 GHz 1.0 MHz		3.0 MHz				Stop 5.7	1000 en 250 GHz	

Antenna C

Page No: 919 of 1013



Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 2ss







Antenna C



Antenna D

Page No: 920 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 3ss





Antenna B

An	ιτe	nn	а	Α	

RL Center F	req 5.592500000	GHz PNO: Fast G	Trig: Free Run #Atten: 6 dB	Avg Type: Log-Pwr	11:54:17 AM Mar 02, 2015 TRACE 1 2 3 4 9 0 TYPE DET P N.N.N.N.N.	Frequency
0 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm	I Galitzew		Mk	r2 5.710 9 GHz -32.17 dBm	Auto Tune
10.0						Center Fred 5.592500000 GH:
30.0					21	Start Free 5.460000000 GH
40.0 60.0		ณะเป็นสำนาจในสา	and the second state of th	Heren and a stranger H	fold for the former	Stop Free 5.725000000 GH
20.0						CF Step 26.500000 MH Auto Ma
80.0						Freq Offse 0 H
start 5.46 Res BW		#VBW	2.0.5847	#5:00	Stop 5.7250 GHz	
Res DW	1.0 WH2	WVBVV	5.0 MH2	STATUS		

Antenna C

Page No: 921 of 1013











Antenna C





Antenna D

Page No: 922 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 3ss



Frequ

Auto Tu










Antenna C





Antenna D

Page No: 923 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5775 MHz, VHT80, M0 to M9 4ss



Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 1ss





Antenna A

Antenna B

Page No: 924 of 1013

Avg Type: Log-P Trig: Free Run Auto Tur Ref Offset 13.81 dB Ref 0.00 dBm -37.17 d Center Fre Start Fr - Article Put Stop F CF S Freq Offs 0 F Stop 5.7250 GHz #VBW 3.0 MHz Λ. ntonno A



Antenna B

AI	10	IIa	A



Antenna C

Page No: 925 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 1ss



Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 1ss





Antenna C







Antenna D

Page No: 926 of 1013



Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 2ss





Antenna A

Antenna B

Page No: 927 of 1013

Joint State Control Freq State Stat

Avg Type: Log-Pw

der th

Stop 5.7250 GHz #Sweep 5.00 s (601 pts) Frequency Auto Tu Center Fr

Start F

Stop Fre

Freq Offs

5.725000000 CF S



Antenna B

CM RL	RF 50.9 DC		SBNS
Center	Freq 5.59250000) GHz	
		PNO: Fast 😱 IFGain:Low	Trig: Free #Atten: 6 d
10 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm		

#VBW 3.0 MHz



Page No: 928 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 2ss




Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 2ss







Antenna C



Antenna D

Page No: 929 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 3ss





Antenna B

Center F	req 5.592500000	PNO: East In Trig	SENSE:NT Free Run en: 6 dB	Avg Type: Log-F		6 Frequency
10 dB/div	Ref Offset 13.81 dB Ref 0.00 dBm	I GAMESA			Mkr2 5.710 9 GH -32.17 dBr	
-10.0						Center Fr 5.592500000 G
-20.0					2 · · · · · · · · · · · · · · · · · · ·	Start Fr 5.460000000 G
-40.0	erent for the second program of the form		مة المحمود في و واري	and and a second	within the other and a factor	Stop F 5.725000000 0
-60.0	and share to a constrain a first series of	CARAD Manahanan Anan				CF St 26.500000 M Auto M
-80.0						Freq Off
-80.0 Start 5,46	00 GHz				Stop 5.7250 GH	z

Antenna C

Page No: 930 of 1013

Frequ

Auto Tur

Center Fre

Start Fr

Stop Fr

CF S


Freq Offs

Stop 5.7250 GHz

0 F



Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 3ss




Ref Offset 13.81 dB Ref 0.00 dBm





Antenna C





Avg Type: Log-P


Trig: Free Run #Atten: 6 dB

Antenna D

Page No: 931 of 1013



Conducted Bandedge Peak, 5775 MHz, VHT80 Beam Forming, M0 to M9 4ss








Antenna C





Antenna D

Page No: 932 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80 STBC, M0 to M9 2ss





Antenna A

Antenna B

Page No: 933 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80 STBC, M0 to M9 2ss





Antenna B

An	itei	nna	A F



Antenna C

Page No: 934 of 1013

Conducted Bandedge Peak, 5775 MHz, VHT80 STBC, M0 to M9 2ss










Antenna C



Antenna D

Page No: 935 of 1013



Conducted Bandedge Peak, 5795 MHz, Non HT40 Duplicate, 6 to 54 Mbps



Antenna A

Page No: 936 of 1013

Frequ

Auto Tur

Center Fre

Start Fr

Stop Fr

CF S

Freq Offs

Stop 7.7500 GHz

0 F

Avg Type: Log-Pw

Address See 1000 Control Freq C

#S

Conducted Bandedge Peak, 5795 MHz, Non HT40 Duplicate, 6 to 54 Mbps

Stop 7.7500 GHz p 5.00 s (601 pts)



#VBW 3.0 MHz



) GHz

Trig: Free Run #Atten: 10 dB

#VBW 3.0 MHz

Page No: 937 of 1013

Conducted Bandedge Peak, 5795 MHz, Non HT40 Duplicate, 6 to 54 Mbps






Antenna B

Antenna A	
-----------	--



Antenna C

Page No: 938 of 1013






Antenna A



Antenna C



Antenna D

Page No: 939 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5795 MHz, Non HT40 Duplicate, 6 to 54 Mbps



Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss



Antenna A

Page No: 940 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss Avg Type: Log-Pw Frequ Trig: Free Run GHz Auto Tur Ref Offset 13.79 dB Ref 10.00 dBm Center Fre Start Fr Stop F CF S Freq Offs 0 F Stop 7.7500 GHz p 5.00 s (601 pts) #VBW 3.0 MHz #S

Avg Type: Log-Py Frequ Trig: Free Run #Atten: 10 dB Auto Tur Ref Offset 13.79 dB Ref 10.00 dBm Center Fre Start Fr Stop Fr CF S Freq Offs 0 F Stop 7.7500 GHz #VBW 3.0 MHz #S

Antenna B

Page No: 941 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Antenna A

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss





Antenna B

	6.800000000 G	Hz PNO: Fast G		Run dB	Avg Type	Log-Pwr	TRAC		Frequency
0 dB/div Re	f Offset 13.79 dB ef 10.00 dBm	FGaintLow				N		60 GHz 82 dBm	Auto Tur
.									Center Fr 6.80000000 G
0.0									Start Fr 5.850000000 G
0.0 <mark>2</mark>								3452.00	Stop Fr 7.750000000 0
0.0	and a stand of the state of the	มะที่ประการเกาะ	bardalasan yan ya	pportug	وفلرصور فرقده	and the second	والمتعادية والمعالي	والعدر ديبرا _{ر خلا} ي وا	CF St 190.000000 M Auto M
0.0									Freq Off 0
tart 5.8500	ЗНz						Stop 7.7	-1200 Cm	


Antenna C

Page No: 942 of 1013




Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss





Antenna C







Antenna D

Page No: 943 of 1013

Frequ

Auto Tur

Center Fre

Start Fr

Stop Fr

CF S

Freq Offs

Stop 7.7500 GHz

#S

0 F

Avg Type: Log-Py

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss








GHz

Ref Offset 13.79 dB Ref 10.00 dBm Trig: Free Run

Antenna B


Page No: 944 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss





Antenna A



Antenna C

Antenna B


Page No: 945 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss









Antenna C





Antenna D

Page No: 946 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M16 to M23, M0 to M9 3ss





Antenna B

Frequ	05:15:28 PM Mar 02, 2015 TRACE 2 2 3 4 5 0 TYPE NUMBER DET P NUMBER	LIGN OFF	Avg Type	e Run 10 dB		SHz PNO: Fast G		≋ 5 eq 6.800	
AL	/kr2 5.860 GHz -34.82 dBm	N						Ref Offset Ref 10.0	10 dB/div
Cer 6.80000									0.00
S1 5.85000									-10.0
S 7.75000	-34.52 dBn								30.0 <mark>2</mark> -
190.00 <u>Auto</u>	و مارو دورو روم و مارو دو مارو دو مارو دو مارو دو مارو دورو و م	and a state of the second	hope-algering-solds.	ware	aller Mald (Serve)	mathernan	alle and and and	and the second second	800
Fre									70.0
									80.0

#VBW 3.0 MHz

Stop 7.7500 GHz #Sweep 5.00 s (601 pts)

Antenna C

Page No: 947 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40, M16 to M23, M0 to M9 3ss







Antenna C








Antenna D


Page No: 948 of 1013



Applied Septement Analyzer Stock Prill Auto Tume Auto Tume Auto Tume Auto Tume Auto Tume Auto Tume Center Freq Stock Prill Stock Prill Stock Prill Center Freq Stock Prill Stock P



Antenna A



Antenna C





Antenna D

Page No: 949 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5795 MHz, VHT40, M0 to M9 4ss





Conducted Bandedge Peak, 5795 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss

Antenna A



Trig: Free Run

Antenna B

Page No: 950 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss






Antenna B

Antenna A	

Ref Offset 13.79 dl 0 dB/div Ref 0.00 dBm	IFGain:Lew AAtten: 6		Mkr2 5.860 (-36.92 d	GHz Auto Tune
10.0				
20.0				6.80000000 GH
2				Start Free 5.850000000 GH:
800 X				Stop Free 7.750000000 GH
000 000 000 000 000 000 000 000 000 00	het han stand were with germanismed	en and the and the second s	ana ana ang kana ang kana ang kana ang kana ng	دانۍ, 190,000000 MH: <u>Auto</u> Mar
80.0				Freq Offse 0 Hi
³⁰⁰ Start 5.8500 GHz #Res BW 1.0 MHz	#VBW 3.0 MHz		Stop 7.7500 #Sweep 5.00 s (601	GHz

Antenna C

Page No: 951 of 1013



Conducted Bandedge Peak, 5795 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss





enter Freq 6.8000	R DC S	Avg Type ree Run	ALIGN OFF 05:4 : Log-Pwr	C 48 PM Mar 02, 2015 TMACE 2 2 3 4 8 0 TYPE 20000000 Det P NNLNNN	Frequency
Ref Offset 1 0 dB/div Ref 0.00 c			Mkr2	5.860 GHz 36.90 dBm	Auto Tur
					Center Fr 6.800000000 G
0.0 2					Start Fr 5.850000000 G
0.0 1 00 1 000 1 00 					Stop Fr 7.750000000 G
0.0	in Annamilia weithing Inparated	(Second all all and an and all and all all and all all all all all all all all all al	- Alberton		CF St 190.000000 M Auto M
0.0					Freq Off 0
tart 5.8500 GHz Res BW 1.0 MHz	#VBW 3.0 MH		Stop #Sweep 5.1	p 7.7500 GHz	
10			STATUS		

Antenna C





Antenna D

Page No: 952 of 1013









Antenna B

Page No: 953 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential



Conducted Bandedge Peak, 5795 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna A




Antenna C

Antenna B

Page No: 954 of 1013



Conducted Bandedge Peak, 5795 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss









Antenna C





Antenna D

Page No: 955 of 1013

սիսիս cisco

Conducted Bandedge Peak, 5795 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss







Antenna C


Antenna B

Page No: 956 of 1013










Antenna C








Antenna D

Page No: 957 of 1013





Antenna A



Antenna C



Antenna D

Page No: 958 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5795 MHz, VHT40 Beam Forming, M0 to M9 4ss

Conducted Bandedge Peak, 5795 MHz, HT/VHT40 STBC, M0 to M7





Antenna A

Antenna B

Page No: 959 of 1013

Conducted Bandedge Peak, 5795 MHz, HT/VHT40 STBC, M0 to M7






Antenna B


Antenna A	۱
-----------	---



Antenna C

Page No: 960 of 1013





Antenna A



Antenna C



Antenna D

Page No: 961 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5795 MHz, HT/VHT40 STBC, M0 to M7



Bits Residence Bits Re

Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps

Antenna A

Page No: 962 of 1013



Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps

Antenna A



cisco


Antenna B

Page No: 963 of 1013




Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps





Antenna C



cisco

Antenna B

Page No: 964 of 1013



Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps






Antenna C



cisco





Antenna D

Page No: 965 of 1013




#VBW 3.0 MHz

Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps Beam Forming

Stop 7.7500 GHz p 5.00 s (601 pts)


#S




Antenna A

Antenna B

Page No: 966 of 1013



Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps Beam Forming



Antenna B

Antenna A



Antenna C

Page No: 967 of 1013



Conducted Bandedge Peak, 5825 MHz, 6 to 54 Mbps Beam Forming



Antenna A

23450 Frequency	12:30:58 AM Mar 03, 2015 TRACE 2 3 4 5 4 TYPE Det P N S N S N	ALIGN OFF pe: Log-Pwr		Run		Hz PNO: Fast C.	000000	eq 6.8000	
GHz Auto Tu dBm	/kr2 5.860 GHz -40.99 dBm	N		40	armen. v	FGam.cow	13.67 dB	Ref Offset 1 Ref 0.00 (dB/div
Center Fr 6.800000000 G									
Start Fr 5.850000000 G									1.0
5000 Stop Fr 7.750000000 G	41-20-406							Witz	10 × 2
Auto N	and a long of the second s	and an all and an all and an all and an all and	la _{er} arese	eller for the da		hora	4~24*+++44+-3*	Televille	1.0
Freq Offs 0									
0 GHz	Stop 7.7500 GHz	#Swee			3.0 MHz	#VBW			tart 5.850 Res BW
)	Stop 7.750 p 5.00 s (60	#Swee			3.0 MHz	#VBW			

Antenna C



Antenna D


Page No: 968 of 1013





Antenna A

Page No: 969 of 1013





Antenna B

Page No: 970 of 1013








Antenna B

RL RF 509 DC enter Freq 6.800000000	CHz PNO: Fast Free Run IFGain:Low Atten: 10 dB	Avg Type: Log-Pwr	01:37:31 AM Mar 03, 2015 TRACE 1 2 3 4 5 0 TYPE DOMINIST DET P NINNINN	Frequency
Ref Offset 13.67 dB 0 dB/div Ref 10.00 dBm		N	/kr2 5.860 GHz -33.69 dBm	Auto Tun
0.00				Center Fre 6.80000000 GF
800				Start Fre 5.850000000 Gi
800 <mark>2</mark>			34.78.664	Stop Fre 7.750000000 Gi
20.0 The second se	เสลรมีมีครามสุดของสมใหญ่สุดสุดรูสุดรูสุดรูสุดรูสุด	Kerbergenerater die sone geste	hallmarkelin lither and a market and a second s	CF Sto 190.000000 Mi Auto M
70.0				Freq Offs 01
			Stop 7.7500 GHz	

Antenna C

Page No: 971 of 1013







Antenna C








Antenna D

Page No: 972 of 1013






Antenna B

Page No: 973 of 1013








Antenna B

Antenna	Α
---------	---



Antenna C

Page No: 974 of 1013








Antenna C








Antenna D

Page No: 975 of 1013





Antenna B

~''	lei	ma	~

Center Freq 6.800000000	PNO: Fast 💭 Trig: Free Run	Avg Type: Log-Pwr	01:37:31 AM Mar 03, 2015 TRACE 2 2 3 4 5 0 TYPE	Frequency
Ref Offset 13.67 dB 0 dB/div Ref 10.00 dBm	IFGain:Low #Atten: 10 dB	Ν	1kr2 5.860 GHz -33.69 dBm	Auto Tune
0.00				Center Fred 6.800000000 GH:
20.0				Start Free 5.850000000 GH
800 <mark>?</mark>			-34.79.664	Stop Free 7.750000000 GH
50.0 The strategy of the second secon	Hanaf Herrich and the state of	NY ANGLANG AND	had Production of the second	CF Step 190.000000 MH Auto Mar
70.0				Freq Offse 0 H
*** Start 5.8500 GHz Res BW 1.0 MHz	#VBW 3.0 MHz		Stop 7.7500 GHz	


Antenna C

Page No: 976 of 1013

սիսիս cisco

. 00 G

Stop 7.7500 GHz #Sweep 5.00 s (601 pts)










Antenna C



#VBW 3.0 MHz


Antenna D

Antenna B

Page No: 977 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5825 MHz, HT/VHT20, M16 to M23, M0 to M9 3ss









Antenna C





Antenna D


Page No: 978 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5825 MHz, VHT20, M0 to M9 4ss









Antenna A

Antenna B

Page No: 979 of 1013

Conducted Bandedge Peak, 5825 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss





Antenna A




Antenna C

Antenna B

Page No: 980 of 1013



Bit were stand adapter. Support in the stand of the s








Antenna C





Antenna D

Page No: 981 of 1013

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version. Cisco Systems, Inc. Company Confidential

Conducted Bandedge Peak, 5825 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss



Frequ

Auto Tur

Center Fre

Start Fr

Stop Fr

CF S

Freq Offs

Stop 7.7500 GHz p 5.00 s (601 pts)

#S1

0 F

Avg Type: Log-Pw

Trig: Free Run

#VBW 3.0 MHz

Avg Type: Log-Pw Frequ GHz Trig: Free Run Auto Tur Ref Offset 13.67 dB Ref 10.00 dBm 36.19 d Center Fre Start Fr Stop F CF S Freq Offs 0 F Stop 7.7500 GHz p 5.00 s (601 pts) #VBW 3.0 MHz #S

Conducted Bandedge Peak, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss



Ref Offset 13.67 dB Ref 10.00 dBm

Antenna A

Page No: 982 of 1013



Conducted Bandedge Peak, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss





Antenna B


	req 6.800000000	PNO: Fast C Trig: Free	Run	Avg Type	Log-Pwr	TVE	2 1 2 3 4 5 6 E MANANAN T P NNNNN	Frequency
0 dB/div	Ref Offset 13.67 dB Ref 0.00 dBm	IFGain:Low #Atten: 6	dB		N	/kr2 5.8	60 GHz 05 dBm	Auto Tur
10.0								Center Fre 6.800000000 Gi
20.0 30.0 <mark>2</mark>							-34.87 dDm	Start Fre 5.850000000 Gi
40.0 The second second	A 4							Stop Fre 7.750000000 Gi
e0.0 70.0	hand you and a second	^{na} liker validerteraletateraletateraletate	al the for the las	ىلىرىلىمىيەر يەرىپەر يە	ميلو <u>يين پر</u> ي هما	har transformer of t		CF Ste 190.000000 Mi Auto M
80.0								Freq Offs 01
start 5.85	00 GHz					Stop 7.7	500 GHz	


Antenna C

Page No: 983 of 1013



Conducted Bandedge Peak, 5825 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss









Antenna C






Antenna D

Page No: 984 of 1013

Conducted Bandedge Peak, 5825 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss





Antenna B

Antenna A	



Antenna C

Page No: 985 of 1013