



Document Number 95-14167-01
Revision A0
Originator CK KHO
Dept CENBU

SPEC CALABRIA COMPLIANCE LABEL PRINTING INSTRUCTIONS

Modification History:

Rev	ECO #	Date	Originator	Comments
01		05/02/12	CK Kho	Initial Release
02		05/03/12	Toan Chau	Update table in section 4
03		05/14/12	Toan Chau	Update table in section 4 COO label
A0	E108943	06/04/12	CK Kho	Production Release


1.0 Introduction

- 1.1. This specification provides printing instructions to Cisco Compliance Label 47-24585-XX for all CENBU Calabria FAN

2.0 Scope

- 2.1. This specification applies to all products produced for or by Cisco Systems. The information in this specification is considered a Cisco standard and shall be followed by all Cisco divisions, personnel and suppliers.

3.0 Label Format and Characteristics



A printed version of this document is an uncontrolled copy

4.0 Label Informations

Note: Width manipulation of the text is allowable for the human readable portion as long as the first article samples are approved by the NPIE/SBE for the appropriate program. Please refer to the reference drawing (62) for label location.

Label #	Portion Label Description	Required to apply?	Printing Requirement	Note/ Sample
1	US Compliance Label	YES	Print ""CGR1120" as shown Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
2	Caution Label	YES	N/A	
3	ANATEL Label	No	Print ""xxxx-xx-xxxx" as shown Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
4	PCT Label	No	Print ""XXXXX" as shown Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
5	KCC Label	No	Print ""TNY-XXXXXXXX-XXX" as shown Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
6	Wifi b,g & N label	No	Print as shown below: FCC ID: LDKCALAB0676 IC: 2461B-CALAB0676 SCT: XXXXXXXXXXXX Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be left justified in respect to the length of the texts as shown	
7	Telepermit Label	No	Print ""PTCXXXXXXXX" as shown Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
8	BLANK	NO	TBD	

9	PID VID Label	YES	Barcode: 128 @ 0.10" (2.5mm) height, X-Dim 0.005" Justified: The barcode is to be center justified in respect to the length of the label Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
10	TAN (Top Assy No) Label	YES	Barcode: 128 @ 0.10" (2.5mm) height, X-Dim 0.005" Justified: The barcode is to be center justified in respect to the length of the label Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
11	COO (Country of Origin) Label	NO	Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	This label will be printed and applied at DF site using 471-00027-01
12	SN (Serial No) Label	YES	Barcode: 128 @ 0.10" (2.5mm) height, X-Dim 0.005" Justified: The barcode is to be center justified in respect to the length of the label Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
13	ELMECH (Electro Mechanical) Label	YES	Barcode: 128 @ 0.10" (2.5mm) height, X-Dim 0.005" Justified: The barcode is to be center justified in respect to the length of the label Text Font: Arial Bold or equivalent Size: 5 pt @ 100% horizontal Justified: Text is to be center justified in respect to the length of the label	
14	BLANK	NO	TBD	
15	BLANK	NO	TBD	
16	BLANK	NO	TBD	
17	BLANK	NO	TBD	
18	BLANK	NO	TBD	