



FCC PART 15.407  
 LP0002-2018  
 TEST REPORT



For

**Cisco Systems, Inc.**

125 W Tasman Drive

San Jose, CA 95134, USA

**FCC ID: LDKAX5122118**

|   |  |
|---|--|
| <b>Report Type:</b><br>Original Report  | <b>Product type:</b><br>Cisco Catalyst C9130AX Series<br>Wi-Fi 6 Access Points       |
| <b>Prepared By:</b> <u>Sehni Hu</u><br>Test Engineer  |  |
| <b>Report Number:</b> <u>R1906171-12</u>  |  |
| <b>Report Date:</b> <u>2019-09-02</u>   |  |
| <b>Reviewed By:</b> <u>Simon Ma</u><br>RF Supervisor  |  |
| Bay Area Compliance Laboratories Corp. (Taiwan)<br>70, Lane 169, Sec. 2, Datong Road, Xizhi Dist.,<br>New Taipei City 22183, Taiwan, R.O.C.<br>Tel: +886 (2) 2467-6898<br>Fax: +886 (2) 2647-6895 |  |

**Note:** This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Taiwan)

## TABLE OF CONTENTS

|          |  |           |
|----------|--|-----------|
| <b>1</b> | <b>GENERAL DESCRIPTION.....</b>  | <b>5</b>  |
| 1.1      | PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT).....                                      | 5         |
| 1.2      | OBJECTIVE.....   | 5         |
| 1.3      | RELATED SUBMITTAL(S)/GRANT(S) .....  | 5         |
| 1.4      | TEST METHODOLOGY .....   | 5         |
| 1.5      | MEASUREMENT UNCERTAINTY .....  | 6         |
| 1.6      | TEST FACILITY REGISTRATIONS .....  | 6         |
| <b>2</b> | <b>EUT TEST CONFIGURATION.....</b>   | <b>7</b>  |
| 2.1      | JUSTIFICATION.....   | 7         |
| 2.2      | EUT EXERCISE SOFTWARE.....   | 7         |
| 2.3      | DUTY CYCLE CORRECTION FACTOR.....  | 7         |
| 2.4      | EQUIPMENT MODIFICATIONS.....   | 8         |
| 2.5      | LOCAL SUPPORT EQUIPMENT .....  | 8         |
| 2.6      | SUPPORT EQUIPMENT .....  | 8         |
| 2.7      | INTERFACE PORTS AND CABLING .....  | 8         |
| <b>3</b> | <b>SUMMARY OF TEST RESULTS .....</b>   | <b>9</b>  |
| <b>4</b> | <b>FCC §15.203, &amp; LP0002-2018 §2.2 - ANTENNA REQUIREMENTS.....</b>                       | <b>10</b> |
| 4.1      | APPLICABLE STANDARDS .....   | 10        |
| 4.2      | ANTENNA LIST .....   | 10        |
| <b>5</b> | <b>FCC §2.1091, §15.407(F), &amp; LP0002-2018 §5.20.2 - RF EXPOSURE .....</b>                | <b>11</b> |
| 5.1      | APPLICABLE STANDARDS .....   | 11        |
| 5.2      | MPE PREDICTION .....   | 11        |
| 5.3      | MPE RESULTS FOR FCC.....   | 12        |
| <b>6</b> | <b>FCC §15.407(E), &amp; LP0002-2018 §4.7 - 6 DB, 26 DB, AND 99% OCCUPIED BANDWIDTH.....</b> | <b>18</b> |
| 6.1      | APPLICABLE STANDARDS .....   | 18        |
| 6.2      | MEASUREMENT PROCEDURE .....  | 18        |
| 6.3      | TEST EQUIPMENT LIST AND DETAILS .....  | 18        |
| 6.4      | TEST ENVIRONMENTAL CONDITIONS.....   | 18        |
| 6.5      | TEST RESULTS .....   | 18        |
| <b>7</b> | <b>FCC §407(A), &amp; LP0002-2018 §4.7 - OUTPUT POWER .....</b>                              | <b>19</b> |
| 7.1      | APPLICABLE STANDARDS .....   | 19        |
| 7.2      | MEASUREMENT PROCEDURE .....  | 20        |
| 7.3      | TEST EQUIPMENT LIST AND DETAILS .....  | 20        |
| 7.4      | TEST ENVIRONMENTAL CONDITIONS.....   | 21        |
| 7.5      | TEST RESULTS .....   | 21        |
| <b>8</b> | <b>FCC §15.407(A), &amp; LP0002-2018 §4.7 - POWER SPECTRAL DENSITY.....</b>                  | <b>22</b> |
| 8.1      | APPLICABLE STANDARDS .....   | 22        |
| 8.2      | MEASUREMENT PROCEDURE .....  | 23        |
| 8.3      | TEST EQUIPMENT LIST AND DETAILS .....  | 23        |
| 8.4      | TEST ENVIRONMENTAL CONDITIONS.....   | 24        |
| 8.5      | TEST RESULTS .....   | 24        |
| <b>9</b> | <b>FCC §15.407(B), &amp; LP0002-2018 §4.7 - OUT OF BAND EMISSIONS .....</b>                  | <b>25</b> |
| 9.1      | APPLICABLE STANDARDS .....   | 25        |
| 9.2      | MEASUREMENT PROCEDURE .....  | 25        |
| 9.3      | TEST EQUIPMENT LIST AND DETAILS .....  | 26        |
| 9.4      | TEST ENVIRONMENTAL CONDITIONS.....   | 26        |

---

---

|           |   |           |
|-----------|---|-----------|
| 9.5       | TEST RESULTS .....                                      | 26        |
| <b>10</b> | <b>APPENDIX (NORMATIVE) - EUT PHOTOGRAPHS .....</b>     | <b>27</b> |
| <b>11</b> | <b>ANNEX – TEST RESULTS AND MEASUREMENT PLOTS .....</b> | <b>28</b> |

### DOCUMENT REVISION HISTORY

| Revision Number | Report Number | Description of Revision | Date of Revision |
|-----------------|---------------|-------------------------|------------------|
| 0               | R1906171-12   | Original Report         | 2019-09-02       |

---

## 1 General Description

---

### 1.1 Product Description for Equipment under Test (EUT)

This test and measurement report was prepared on behalf of *Cisco Systems, Inc.*, and their product model: *C9130AXI-B, C9130AXI-T (Taiwan)*, FCC ID: LDKAX5122118, or the “EUT” as referred to in this report. The product is an 802.11ax Access Point.

### 1.2 Objective

This report is prepared on behalf of *Cisco Systems, Inc.* in accordance with FCC CFR47 §15.407, and LP0002-2018.

The objective is to determine compliance with FCC Part 15.407, and LP0002-2018 rules for Output Power, Antenna Requirements, AC Line Conducted Emissions, Emission Bandwidth, Power spectral density, Conducted and Radiated Spurious Emissions.

### 1.3 Related Submittal(s)/Grant(s)

Equipment Class: DTS

### 1.4 Test Methodology

All measurements contained in this report were conducted in accordance with ANSI C63.10-2013, American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the range of 9 kHz to 40 GHz, and FCC KDB 789033 D02 General UNII Test Procedure New Rules v02r01.

## 1.5 Measurement Uncertainty

All measurements involve certain levels of uncertainties, especially in the field of EMC. The factors contributing to uncertainties are spectrum analyzer, cable loss, antenna factor calibration, antenna directivity, antenna factor variation with height, antenna phase center variation, antenna factor frequency interpolation, measurement distance variation, site imperfections, mismatch (average), and system repeatability

| Parameter                         | Measurement uncertainty |
|-----------------------------------|-------------------------|
| Occupied Channel Bandwidth        | 34kHz                   |
| RF output power, conducted        | 4.84 dB                 |
| Power Spectral Density, conducted | 1.69 dB                 |
| Unwanted Emissions, conducted     | 4.84dB                  |
| All emissions, radiated           | 5.18 dB                 |
| AC power line Conducted Emission  | 4.22 dB                 |
| Temperature                       | $\pm 2$ ° C             |
| Humidity                          | $\pm 5$ %               |
| DC and low frequency voltages     | $\pm 1.0$ %             |
| Time                              | $\pm 2$ %               |
| Duty Cycle                        | $\pm 3$ %               |

## 1.6 Test Facility Registrations

The Test site used by Bay Area Compliance Laboratories Corp. (Taiwan) to collect test data is located on  70, Lane 169, Sec. 2, Datong Road, Xizhi Dist., New Taipei City 22183, Taiwan, R.O.C.  68-3, Lane 169, Sec. 2, Datong Road, Xizhi Dist., New Taipei City 22183, Taiwan, R.O.C.

Bay Area Compliance Laboratories Corp. (Taiwan) Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code: 3180) and the FCC designation No.TW3180 under the Mutual Recognition Agreement (MRA) in FCC Test. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.10.

The Federal Communications Commission has the reports on file and is listed under FCC Registration No.: 974454. The test site has been approved by the FCC for public use and is listed in the FCC Public Access Link (PAL) database.

## 2 EUT Test Configuration

### 2.1 Justification

The EUT was configured for testing according to ANSI C63.10-2013 and FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01.

The EUT was tested in a testing mode to represent worst-case results during the final qualification test.

The worst-case data rates are determined by measuring the average power, peak power and PPSD across all data rates bandwidths, and modulations.

### 2.2 EUT Exercise Software

The test software used was Tera Term. The software is compliant with the standard requirements being tested against.

### 2.3 Duty Cycle Correction Factor

According to KDB 789033 D02 General UNII Test Procedures New Rules v02r01 section B:

All measurements are to be performed with the EUT transmitting at 100% duty cycle at its maximum power control level; however, if 100% duty cycle cannot be achieved, measurements of duty cycle, x, and maximum-power transmission duration, T, are required for each tested mode of operation.

| Radio Mode | On Time (ms) | Period (ms) | Duty Cycle (%) | DCCF* (dB) | DCCF* (dB) |
|------------|--------------|-------------|----------------|------------|------------|
| Non HT20   | 1.43         | 1.55        | 92             | 0.36       | 0.72       |
| Non HT40   | 1.44         | 1.56        | 92             | 0.36       | 0.72       |
| Non HT80   | 1.43         | 1.55        | 92             | 0.36       | 0.72       |
| HT/VHT20   | 5.42         | 5.73        | 95             | 0.22       | 0.44       |
| HT/VHT40   | 5.38         | 5.72        | 94             | 0.27       | 0.54       |
| HT/VHT80   | 5.38         | 5.71        | 94             | 0.27       | 0.54       |
| HE20       | 5.43         | 1.56        | 95             | 0.22       | 0.44       |
| HE40       | 5.375        | 1.55        | 94             | 0.27       | 0.54       |
| HE80       | 5.42         | 1.55        | 95             | 0.22       | 0.54       |

Note\*: DCCF = Duty Cycle Correction Factor =  $10 \cdot \log(1/\text{duty cycle})$ , when power averaging was applied in average measurement; DCCF =  $20 \cdot \log(1/\text{duty cycle})$ , when voltage averaging was applied in average measurement.

## 2.4 Equipment Modifications

None.

## 2.5 Local Support Equipment

| Manufacturer | Description | Model |
|--------------|-------------|-------|
| Dell         | NB          | E6410 |

## 2.6 Support Equipment

None

## 2.7 Interface Ports and Cabling

| Cable Description | Length (m) | To           | From         |
|-------------------|------------|--------------|--------------|
| Cat5e             | ~1         | EUT          | POE Injector |
| Cat5e             | ~1         | POE Injector | NB           |



### 3 Summary of Test Results

| FCC and LP0002-2018 Rules  | Description of Test                     | Result            |
|--|---|-------------------|
| FCC §2.1091, §15.407(f),<br>LP0002-2018 §5.20.2                                | RF Exposure                             | Compliant         |
| FCC §15.203<br>LP0002-2018 §2.2  | Antenna Requirement                     | Compliant         |
| FCC §15.207<br>LP0002-2018 §2.3  | AC Power Line Conducted Emissions       | Note <sup>1</sup> |
| FCC §2.1053, §15.205,<br>§15.209, 15.407(b)<br>LP0002-2018 §2.7, §2.8,<br>§4.7 | Spurious Radiated Emissions             | Note <sup>1</sup> |
| FCC §15.407(e)<br>LP0002-2018 §4.7   | Emission Bandwidth                      | Compliant         |
| FCC §407(a)<br>LP0002-2018 §4.7  | Output Power                            | Compliant         |
| FCC §2.1051, §15.407(b)<br>LP0002-2018 §4.7                                    | Band Edges                              | Compliant         |
| FCC §15.407(a)<br>LP0002-2018 §4.7   | Power Spectral Density                  | Compliant         |
| FCC §2.1051, §15.407(b)<br>LP0002-2018 §4.7                                    | Spurious Emissions at Antenna Terminals | Compliant         |
| FCC §15.407(h)<br>LP0002-2018 §4.7   | Dynamic Frequency Selection (DFS)       | N/A               |

Note<sup>1</sup>: compliance test data was recorded in a seaprate report, please refer to Test Report: RLK190621001-00C.

## 4 FCC §15.203, & LP0002-2018 §2.2 - Antenna Requirements

### 4.1 Applicable Standards

According to FCC §15.203:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this Section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

And according to FCC §15.247 (b) (4), if transmitting antennas of directional gain greater than 6 dBi are used the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 4.2 Antenna List

| Radio     | Item               | Manufacturer | Antenna Type     | Antenna Gain |
|-----------|--------------------|--------------|------------------|--------------|
| BLE       | BLE                | Cisco        | Internal antenna | 4 dBi        |
| XOR       | Wi-Fi 2.4G Chain 0 | Cisco        | Internal antenna | 4 dBi        |
|           | Wi-Fi 2.4G Chain 1 | Cisco        | Internal antenna | 4 dBi        |
|           | Wi-Fi 2.4G Chain 2 | Cisco        | Internal antenna | 4 dBi        |
|           | Wi-Fi 2.4G Chain 3 | Cisco        | Internal antenna | 4 dBi        |
|           | Wi-Fi 5G Chain 0   | Cisco        | Internal antenna | 6 dBi        |
|           | Wi-Fi 5G Chain 1   | Cisco        | Internal antenna | 6 dBi        |
|           | Wi-Fi 5G Chain 2   | Cisco        | Internal antenna | 6 dBi        |
|           | Wi-Fi 5G Chain 3   | Cisco        | Internal antenna | 6 dBi        |
| Regular   | Wi-Fi 5G Chain 4   | Cisco        | Internal antenna | 6 dBi        |
|           | Wi-Fi 5G Chain 5   | Cisco        | Internal antenna | 6 dBi        |
|           | Wi-Fi 5G Chain 6   | Cisco        | Internal antenna | 6 dBi        |
|           | Wi-Fi 5G Chain 7   | Cisco        | Internal antenna | 6 dBi        |
| Chillwave | Wi-Fi 2.4G         | Cisco        | Internal antenna | 5 dBi        |
|           | Wi-Fi 5G           | Cisco        | Internal antenna | 6 dBi        |

*The EUT has an internal antenna arrangement, which was permanently attached, fulfill the requirement of this section.*

## 5 FCC §2.1091, §15.407(f), & LP0002-2018 §5.20.2 - RF Exposure

### 5.1 Applicable Standards

According to FCC §15.247(i), §15.407(f) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

#### Limits for General Population/Uncontrolled Exposure

| Frequency Range (MHz)                               | Electric Field Strength (V/m) | Magnetic Field Strength (A/m) | Power Density (mW/cm <sup>2</sup> ) | Averaging Time (minutes) |
|---|-------------------------------|-------------------------------|-------------------------------------|--------------------------|
| Limits for General Population/Uncontrolled Exposure |                               |                               |                                     |                          |
| 0.3-1.34  | 614                           | 1.63                          | * (100)                             | 30                       |
| 1.34-30   | 824/f                         | 2.19/f                        | * (180/f <sup>2</sup> )             | 30                       |
| 30-300  | 27.5                          | 0.073                         | 0.2                                 | 30                       |
| 300-1500  | /                             | /                             | f/1500                              | 30                       |
| 1500-100,000  | /                             | /                             | 1.0                                 | 30                       |

f = frequency in MHz

\* = Plane-wave equivalent power density

### 5.2 MPE Prediction

Predication of MPE limit at a given distance, Equation from OET Bulletin 65, Edition 97-01

$$S = PG/4\pi R^2$$

Where: S = power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

### 5.3 MPE Results for FCC

#### BLE:

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>5.27</u>   |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>3.37</u>   |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>2402</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>4.00</u>   |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>2.51</u>   |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.0007</u> |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

#### 2.4 GHz XOR Wi-Fi (4x4):

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>23.70</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>234.42</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>2437</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>10.00</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>10.00</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.21</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

#### 2.4 GHz ChillWave Wi-Fi (SISO):

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>20.10</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>102.33</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>2437</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>5.00</u>   |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>3.16</u>   |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.03</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz XOR Wi-Fi (4x4)-5.2 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>20.70</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>117.49</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5200</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.17</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz XOR Wi-Fi (4x4)-5.3 GHz band:**

|   |              |
|---|--------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>17.28</u> |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>53.46</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u> |
| <u>Prediction frequency (MHz):</u>  | <u>5270</u>  |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u> |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u> |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.08</u>  |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>  |

**5 GHz XOR Wi-Fi (4x4)-5.6 GHz band:**

|   |              |
|---|--------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>17.95</u> |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>62.37</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u> |
| <u>Prediction frequency (MHz):</u>  | <u>5550</u>  |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u> |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u> |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.09</u>  |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>  |

**5 GHz XOR Wi-Fi (4x4)-5.8 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>22.62</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>182.81</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5775</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.26</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz Regular Wi-Fi (4x4)-5.2 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>21.63</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>145.55</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5230</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.20</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz Regular Wi-Fi (4x4)-5.3 GHz band:**

|   |              |
|---|--------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>18.44</u> |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>69.82</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u> |
| <u>Prediction frequency (MHz):</u>  | <u>5270</u>  |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>10.77</u> |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>11.94</u> |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.07</u>  |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>  |

**5 GHz Regular Wi-Fi (4x4)-5.6 GHz band:**

|   |              |
|---|--------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>17.32</u> |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>53.95</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u> |
| <u>Prediction frequency (MHz):</u>  | <u>5670</u>  |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u> |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u> |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.08</u>  |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>  |

**5 GHz Regular Wi-Fi (4x4)-5.8 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>21.21</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>132.13</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5755</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.19</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz Wi-Fi (8x8)-5.2 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>23.23</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>210.38</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5200</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>12.02</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>15.92</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.30</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz Wi-Fi (8x8)-5.3 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>23.14</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>206.06</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5270</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>6.58</u>   |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>4.55</u>   |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.08</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz Wi-Fi (8x8)-5.6 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>23.08</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>203.24</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5510</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>6.58</u>   |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>4.55</u>   |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.08</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz Wi-Fi (8x8)-5.8 GHz band:**

|   |               |
|---|---------------|
| <u>Maximum average output power at antenna input terminal (dBm):</u>                        | <u>25.74</u>  |
| <u>Maximum average output power at antenna input terminal (mW):</u>                         | <u>374.97</u> |
| <u>Prediction distance (cm):</u>  | <u>30.00</u>  |
| <u>Prediction frequency (MHz):</u>  | <u>5785</u>   |
| <u>Maximum Antenna Gain, typical (dBi):</u>   | <u>10.26</u>  |
| <u>Maximum Antenna Gain (numeric):</u>  | <u>10.62</u>  |
| <u>Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>):</u>                | <u>0.35</u>   |
| <u>FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>):</u> | <u>1.00</u>   |

**5 GHz ChillWave Wi-Fi (SISO)-5.2 GHz band:**

Maximum average output power at antenna input terminal (dBm): 19.70  
Maximum average output power at antenna input terminal (mW): 93.33  
Prediction distance (cm): 30.00  
Prediction frequency (MHz): 5240  
Maximum Antenna Gain, typical (dBi): 6.00  
Maximum Antenna Gain (numeric): 3.98  
Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>): 0.03  
FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>): 1.00

**5 GHz ChillWave Wi-Fi (SISO)-5.3 GHz band:**

Maximum average output power at antenna input terminal (dBm): 20.20  
Maximum average output power at antenna input terminal (mW): 104.71  
Prediction distance (cm): 30.00  
Prediction frequency (MHz): 5300  
Maximum Antenna Gain, typical (dBi): 6.00  
Maximum Antenna Gain (numeric): 3.98  
Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>): 0.04  
FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>): 1.00

**5 GHz ChillWave Wi-Fi (SISO)-5.6 GHz band:**

Maximum average output power at antenna input terminal (dBm): 20.10  
Maximum average output power at antenna input terminal (mW): 102.33  
Prediction distance (cm): 30.00  
Prediction frequency (MHz): 5560  
Maximum Antenna Gain, typical (dBi): 6.00  
Maximum Antenna Gain (numeric): 3.98  
Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>): 0.04  
FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>): 1.00

**5 GHz ChillWave Wi-Fi (SISO)-5.8 GHz band:**

Maximum average output power at antenna input terminal (dBm): 20.20  
Maximum average output power at antenna input terminal (mW): 104.71  
Prediction distance (cm): 30.00  
Prediction frequency (MHz): 5745  
Maximum Antenna Gain, typical (dBi): 6.00  
Maximum Antenna Gain (numeric): 3.98  
Power density of prediction frequency at 30.0 cm (mW/cm<sup>2</sup>): 0.04  
FCC MPE limit for uncontrolled exposure at prediction frequency (mW/cm<sup>2</sup>): 1.00



**Radio Co-location**

| Case | Standalone MPE (mW/cm <sup>2</sup> ) |                   |                 |             |           |               |           | Total MPE Ratio | Limit |
|------|--------------------------------------|-------------------|-----------------|-------------|-----------|---------------|-----------|-----------------|-------|
|      | BLE                                  | 2.4 GHz ChillWave | 5 GHz ChillWave | 2.4 GHz XOR | 5 GHz XOR | 5 GHz Regular | 5 GHz 8x8 |                 |       |
| 1    | 0.0007                               | 0.03              | -               | 0.21        | 0.26      | 0.20          | -         | 0.701           | 1     |
| 2    | 0.0007                               | -                 | 0.04            | 0.21        | 0.26      | 0.20          | -         | 0.711           | 1     |
| 3    | 0.0007                               | 0.03              | -               | -           | -         | -             | 0.35      | 0.381           | 1     |
| 4    | 0.0007                               | -                 | 0.04            | -           | -         | -             | 0.35      | 0.391           | 1     |

**Conclusion**

The device is compliant with the requirement MPE limit for uncontrolled exposure. All transceiver modules must be installed with a separation distance of no less than **30** cm from all persons.

## 6 FCC §15.407(e), & LP0002-2018 §4.7 - 6 dB, 26 dB, and 99% Occupied Bandwidth

### 6.1 Applicable Standards

As per FCC §15.407(e): for equipment operating in the band 5725 – 5850 MHz, the minimum 6 dB bandwidth of U-NII devices shall be 500 kHz.

### 6.2 Measurement Procedure

1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
2. Position the EUT without connection to measurement instrument. Turn on the EUT and connect it to measurement instrument. Then set it to any one convenient frequency within its operating range. Set a reference level on the measuring instrument equal to the highest peak value.
3. Measure the frequency difference of two frequencies that were attenuated 6 or 26 dB from the reference level. Record the frequency difference as the minimum emission or emission bandwidth.
4. Repeat above procedures until all frequencies measured were complete.

### 6.3 Test Equipment List and Details

| Manufacturer    | Description       | Model No. | Serial No.    | Calibration Date | Calibration Due |
|-----------------|-------------------|-----------|---------------|------------------|-----------------|
| Rohde & Schwarz | Spectrum Analyzer | FSV40     | 101140        | 2018/11/22       | 2019/11/21      |
| MINI-CIRCUITS   | Attenuator        | BW-S9W5+  | N/A           | 2019/03/07       | 2020/03/07      |
| WOKEN           | Cable             | SFL402    | S02-160323-07 | 2019/02/11       | 2020/02/10      |

*Statement of Traceability: BACL Corp. attests that all of the calibrations on the equipment items listed above were traceable to the SI System of Units via the R.O.C. Center for Measurement Standards of the Electronics Testing Center, Taiwan (ETC) or to another internationally recognized National Metrology Institute (NMI), and were compliant with the current Taiwan Accreditation Foundation (TAF) requirements.*

### 6.4 Test Environmental Conditions

|                    |          |
|--------------------|----------|
| Temperature:       | 25 °C    |
| Relative Humidity: | 58 %     |
| ATM Pressure:      | 1010 hPa |

*The testing was performed by Boris Kao on 2019-06-21~2019-09-02.*

### 6.5 Test Results

Please refer to Annex for test results and plots

## 7 FCC §407(a), & LP0002-2018 §4.7 - Output Power

### 7.1 Applicable Standards

According to FCC §15.407(a):

(1) For the band 5.15-5.25 GHz.

(i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(iv) For client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(2) For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or  $11 \text{ dBm} + 10 \log B$ , where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(3) For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. However, fixed point-to-point U-NII devices operating in this band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

Note to paragraph (a)(3): The Commission strongly recommends that parties employing U-NII devices to provide critical communications services should determine if there are any nearby Government radar systems that could affect their operation.

(4) The maximum conducted output power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage.

(5) The maximum power spectral density is measured as a conducted emission by direct connection of a calibrated test instrument to the equipment under test. If the device cannot be connected directly, alternative techniques acceptable to the Commission may be used. Measurements in the 5.725-5.85 GHz band are made over a reference bandwidth of 500 kHz or the 26 dB emission bandwidth of the device, whichever is less. Measurements in the 5.15-5.25 GHz, 5.25-5.35 GHz, and the 5.47-5.725 GHz bands are made over a bandwidth of 1 MHz or the 26 dB emission bandwidth of the device, whichever is less. A narrower resolution bandwidth can be used, provided that the measured power is integrated over the full reference bandwidth.

## 7.2 Measurement Procedure

1. Place the EUT on a bench and set it in transmitting mode.
2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to a spectrum analyzer.

## 7.3 Test Equipment List and Details

| Manufacturer  | Description  | Model No. | Serial No.    | Calibration Date | Calibration Due |
|---------------|--------------|-----------|---------------|------------------|-----------------|
| KEYSIGHT      | Power Sensor | U2021XA   | MY54080018    | 2019/03/06       | 2020/03/05      |
| MINI-CIRCUITS | Attenuator   | BW-S9W5+  | N/A           | 2019/03/07       | 2020/03/07      |
| WOKEN         | Cable        | SFL402    | S02-160323-07 | 2019/02/11       | 2020/02/10      |

**Statement of Traceability:** *BACL Corp.* attests that all of the calibrations on the equipment items listed above were traceable to the SI System of Units via the R.O.C. Center for Measurement Standards of the Electronics Testing Center, Taiwan (ETC) or to another internationally recognized National Metrology Institute (NMI), and were compliant with the current Taiwan Accreditation Foundation (TAF) requirements.

## 7.4 Test Environmental Conditions

|                           |          |
|---------------------------|----------|
| <b>Temperature:</b>       | 25 °C    |
| <b>Relative Humidity:</b> | 58 %     |
| <b>ATM Pressure:</b>      | 1010 hPa |

*The testing was performed by Boris Kao on 2019-06-21~2019-09-02.*

## 7.5 Test Results

Please refer to Annex for test results and plots

## 8 FCC §15.407(a), & LP0002-2018 §4.7 - Power Spectral Density

### 8.1 Applicable Standards

According to FCC §15.407(a):

For the band 5.15-5.25 GHz.

(i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(iv) For client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or  $11 \text{ dBm} + 10 \log B$ , where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. However, fixed point-to-point U-NII devices operating in this band may

employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple colocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

## 8.2 Measurement Procedure

- (i) Set span to encompass the entire emission bandwidth (EBW) of the signal.
- (ii) Set RBW = 1 MHz.
- (iii) Set VBW  $\geq$  3 MHz.
- (iv) Number of points in sweep  $\geq$  2 Span / RBW. (This ensures that bin-to-bin spacing is  $\leq$  RBW/2, so that narrowband signals are not lost between frequency bins.)
- (v) Sweep time = auto.
- (vi) Detector = RMS (i.e., power averaging), if available. Otherwise, use sample detector mode.
- (vii) If transmit duty cycle < 98 percent, use a video trigger with the trigger level set to enable triggering only on full power pulses. Transmitter must operate at maximum power control level for the entire duration of every sweep. If the EUT transmits continuously (i.e., with no off intervals) or at duty cycle  $\geq$  98 percent, and if each transmission is entirely at the maximum power control level, then the trigger shall be set to “free run”.
- (viii) Trace average at least 100 traces in power averaging (i.e., RMS) mode.
- (ix) Use the peak search function on the instrument to find the peak of the spectrum and record its value.

## 8.3 Test Equipment List and Details

| Manufacturer    | Description       | Model No. | Serial No.    | Calibration Date | Calibration Due |
|-----------------|-------------------|-----------|---------------|------------------|-----------------|
| Rohde & Schwarz | Spectrum Analyzer | FSV40     | 101140        | 2018/11/22       | 2019/11/21      |
| MINI-CIRCUITS   | Attenuator        | BW-S9W5+  | N/A           | 2019/03/07       | 2020/03/07      |
| WOKEN           | Cable             | SFL402    | S02-160323-07 | 2019/02/11       | 2020/02/10      |

**Statement of Traceability:** *BACL Corp.* attests that all of the calibrations on the equipment items listed above were traceable to the SI System of Units via the R.O.C. Center for Measurement Standards of the Electronics Testing Center, Taiwan (ETC) or to another internationally recognized National Metrology Institute (NMI), and were compliant with the current Taiwan Accreditation Foundation (TAF) requirements.

## 8.4 Test Environmental Conditions

|                           |          |
|---------------------------|----------|
| <b>Temperature:</b>       | 25 °C    |
| <b>Relative Humidity:</b> | 58 %     |
| <b>ATM Pressure:</b>      | 1010 hPa |

*The testing was performed by Boris Kao on 2019-06-21~2019-09-02.*

## 8.5 Test Results

Please refer to Annex for test results and plots



## 9 FCC §15.407(b), & LP0002-2018 §4.7 - Out of Band Emissions

### 9.1 Applicable Standards

According to FCC §15.407(b):

For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of  $-27$  dBm/MHz.

For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of  $-27$  dBm/MHz.

For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of  $-27$  dBm/MHz.

For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of  $-27$  dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Unwanted emissions below 1 GHz must comply with the general field strength limits set forth in §15.209. Further, any U-NII devices using an AC power line are required to comply also with the conducted limits set forth in §15.207.

The provisions of §15.205 apply to intentional radiators operating under this section.

### 9.2 Measurement Procedure

Add a correction factor (antenna gain+ Attenuator loss+cable loss) to the offset of the spectrum analyzer.

Integration Method

1. For peak emissions measurements, follow the procedures described in section H)5), "Procedures for Peak Unwanted Emissions Measurements above 1000 MHz", except for the following changes:
  - Set RBW = 100 kHz
  - Set VBW = 3RBW
  - Perform a band-power integration across the 1 MHz bandwidth in which the band-edge emission level is to be measured. CAUTION: You must ensure that the spectrum analyzer or EMI receiver is set for peak-detection and max-hold for this measurement.
2. For average emissions measurements, follow the procedures described in section H)6), "Procedures for Average Unwanted Emissions Measurements above 1000 MHz", except for the following changes:
  - Set RBW = 100 kHz
  - Set VBW = 3RBW
  - Perform a band-power integration across the 1 MHz bandwidth in which the band-edge emission level is to be measured.

### 9.3 Test Equipment List and Details

| Manufacturer    | Description       | Model No. | Serial No.    | Calibration Date | Calibration Due |
|-----------------|-------------------|-----------|---------------|------------------|-----------------|
| Rohde & Schwarz | Spectrum Analyzer | FSV40     | 101140        | 2018/11/22       | 2019/11/21      |
| MINI-CIRCUITS   | Attenuator        | BW-S9W5+  | N/A           | 2019/03/07       | 2020/03/07      |
| WOKEN           | Cable             | SFL402    | S02-160323-07 | 2019/02/11       | 2020/02/10      |

*Statement of Traceability: BACL Corp. attests that all of the calibrations on the equipment items listed above were traceable to the SI System of Units via the R.O.C. Center for Measurement Standards of the Electronics Testing Center, Taiwan (ETC) or to another internationally recognized National Metrology Institute (NMI), and were compliant with the current Taiwan Accreditation Foundation (TAF) requirements.*

### 9.4 Test Environmental Conditions

|                           |          |
|---------------------------|----------|
| <b>Temperature:</b>       | 25 °C    |
| <b>Relative Humidity:</b> | 58 %     |
| <b>ATM Pressure:</b>      | 1010 hPa |

*The testing was performed by Boris Kao on 2019-06-21~2019-09-02.*

### 9.5 Test Results

Please refer to Annex for test results and plots

---

## **10 Appendix (Normative) - EUT Photographs**

---

Please see attachments:

- Appendix A – EUT Test Setup Photographs
- Appendix B – EUT External Photographs
- Appendix C – EUT Internal Photographs

## 11 Annex – Test Results and Measurement Plots


### Test Data for Occupied Bandwidth

| Frequency (MHz) | Mode                             | Data Rate (Mbps) | 26dB BW (MHz) | 99% BW (MHz) | 6 dB BW (MHz) |
|-----------------|----------------------------------|------------------|---------------|--------------|---------------|
| 5745            | non HT20, 6 to 54 Mbps           | 6                | 21.04         | 16.58        | 16.48         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1 | m0               | 20.16         | 17.58        | 17.60         |
|                 | HE20, M0.1 to M11.1              | m0               | 21.32         | 18.98        | 18.96         |
| 5755            | non HT40, 6 to 54 Mbps           | 6                | 40.80         | 36.20        | 36.32         |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | m0               | 41.20         | 36.12        | 36.32         |
|                 | HE40, M0.1 to M11.1              | m0               | 41.52         | 37.80        | 38.08         |
| 5775            | non HT80, 6 to 54 Mbps           | 6                | 82.08         | 72.60        | 75.20         |
|                 | VHT80, M0.1 to M9.1              | m0               | 82.72         | 75.44        | 75.20         |
|                 | HE80, M0.1 to M11.1              | m0               | 82.72         | 77.36        | 77.28         |
| 5785            | non HT20, 6 to 54 Mbps           | 6                | 21.16         | 16.54        | 16.48         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1 | m0               | 20.32         | 17.54        | 17.60         |
|                 | HE20, M0.1 to M11.1              | m0               | 21.08         | 18.86        | 18.96         |
| 5795            | non HT40, 6 to 54 Mbps           | 6                | 41.28         | 36.28        | 36.32         |
|                 | HT/VHT40, M0 to M7, M0.1 to M9.1 | m0               | 41.04         | 36.12        | 36.08         |
|                 | HE40, M0.1 to M11.1              | m0               | 41.52         | 37.72        | 38.08         |
| 5825            | non HT20, 6 to 54 Mbps           | 6                | 21.00         | 16.62        | 16.48         |
|                 | HT/VHT20, M0 to M7, M0.1 to M8.1 | m0               | 20.44         | 17.58        | 17.60         |
|                 | HE20, M0.1 to M11.1              | m0               | 21.20         | 18.94        | 19.00         |

Please refer to the following plots


### 26 dB Bandwidth

non HT20, 6 to 54 Mbps @ 5745MHz




Date: 21.JUN.2019 19:38:05

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5745MHz




Date: 21.JUN.2019 20:04:09

HE20, M0.1 to M11.1 @ 5745MHz




Date: 21 JUN 2019 20:29:48

non HT40, 6 to 54 Mbps @ 5755MHz




Date: 1 AUG 2019 16:32:02

HT/VHT40, M0 to M7, M0.1 to M9.1 @ 5755MHz




Date: 21 JUN 2019 21:10:29

HE40, M0.1 to M11.1 @ 5755MHz




Date: 21 JUN 2019 21:34:23

non HT80, 6 to 54 Mbps @ 5775MHz



Date: 1.AUG.2019 16:52:56


VHT80, M0.1 to M9.1 @ 5775MHz



Date: 21.JUN.2019 22:34:35




HE80, MO.1 to M11.1 @ 5775MHz




Date: 21 JUN 2019 22:17:51

non HT20, 6 to 54 Mbps @ 5785MHz




Date: 21 JUN 2019 19:40:43

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5785MHz




Date: 21 JUN 2019 20:05:48

HE20, M0.1 to M11.1 @ 5785MHz




Date: 21 JUN 2019 20:36:55

non HT40, 6 to 54 Mbps @ 5795MHz




Date: 1.AUG.2019 16:33:35

HT/VHT40, M0 to M7, M0.1 to M9.1 @ 5795MHz




Date: 21.JUN.2019 21:12:43

HE40, M0.1 to M11.1 @ 5795MHz




Date: 21 JUN 2019 21:51:10

non HT20, 6 to 54 Mbps @ 5825MHz




Date: 21 JUN 2019 19:42:57

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5825MHz



Date: 21 JUN 2019 20:07:43


HE20, M0.1 to M11.1 @ 5825MHz



Date: 21 JUN 2019 20:39:03


### 99% Occupied Bandwidth

non HT20, 6 to 54 Mbps @ 5745MHz




Date: 21 JUN 2019 19:38:47

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5745MHz




Date: 21 JUN 2019 20:04:24

### HE20, M0.1 to M11.1 @ 5745MHz




Date: 21 JUN 2019 20:30:03

### non HT40, 6 to 54 Mbps @ 5755MHz




Date: 1 AUG 2019 16:32:17

### HT/VHT40, M0 to M7, M0.1 to M9.1 @ 5755MHz



Date: 21 JUN 2019 21:10:44


### HE40, M0.1 to M11.1 @ 5755MHz



Date: 21 JUN 2019 21:35:05




### non HT80, 6 to 54 Mbps @ 5775MHz




Date: 1.AUG.2019 16:53:11

### VHT80, M0.1 to M9.1 @ 5775MHz




Date: 21.JUN.2019 22:34:50

### HE80, M0.1 to M11.1 @ 5775MHz




Date: 21 JUN 2019 22:18:33

### non HT20, 6 to 54 Mbps @ 5785MHz




Date: 21 JUN 2019 19:41:24

### HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5785MHz




Date: 21 JUN 2019 20:06:03

### HE20, M0.1 to M11.1 @ 5785MHz




Date: 21 JUN 2019 20:37:37

### non HT40, 6 to 54 Mbps @ 5795MHz




Date: 1.AUG.2019 16:33:50

### HT/VHT40, M0 to M7, M0.1 to M9.1 @ 5795MHz




Date: 21.JUN.2019 21:12:58

### HE40, M0.1 to M11.1 @ 5795MHz




Date: 21 JUN 2019 21:51:52

### non HT20, 6 to 54 Mbps @ 5825MHz




Date: 21 JUN 2019 19:43:39

### HT/VHT20, M0 to M7, M0.1 to M8.1



Date: 21 JUN 2019 20:07:58


### HE20, M0.1 to M11.1 @ 5825MHz



Date: 21 JUN 2019 20:39:18


### 6 dB Bandwidth

non HT20, 6 to 54 Mbps @ 5745MHz




Date: 21.JUN.2019 19:37:38

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5745MHz




Date: 21.JUN.2019 20:03:41

### HE20, M0.1 to M11.1 @ 5745MHz



Date: 21 JUN 2019 20:29:21


### non HT40, 6 to 54 Mbps @ 5755MHz



Date: 1 AUG 2019 16:31:35




HT/VHT40, M0 to M7, M0.1 to M9.1 @ 5755MHz




Date: 21 JUN 2019 21:10:02

HE40, M0.1 to M11.1 @ 5755MHz




Date: 21 JUN 2019 21:33:55

non HT80, 6 to 54 Mbps




Date: 1.AUG.2019 16:52:28

VHT80, M0.1 to M9.1 @ 5775MHz




Date: 21.JUN.2019 22:34:07

### HE80, MO.1 to M11.1 @ 5775MHz




Date: 21 JUN 2019 22:17:23

### non HT20, 6 to 54 Mbps @ 5785MHz




Date: 21 JUN 2019 19:40:15

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5785MHz




Date: 21 JUN 2019 20:05:21

HE20, M0.1 to M11.1 @ 5785MHz




Date: 21 JUN 2019 20:36:27

non HT40, 6 to 54 Mbps @ 5795MHz




Date: 1.AUG.2019 16:33:08

HT/VHT40, M0 to M7, M0.1 to M9.1 @ 5795MHz




Date: 21.JUN.2019 21:12:15

HE40, M0.1 to M11.1 @ 5795MHz




Date: 21 JUN 2019 21:50:42

non HT20, 6 to 54 Mbps @ 5825MHz




Date: 21 JUN 2019 19:42:29

HT/VHT20, M0 to M7, M0.1 to M8.1 @ 5825MHz



Date: 21 JUN 2019 20:07:15

HE20, M0.1 to M11.1 @ 5825MHz



Date: 21 JUN 2019 20:38:36

## Test results for output power

5745 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Max Power (dBm) | Tx 2 Max Power (dBm) | Tx 3 Max Power (dBm) | Tx 4 Max Power (dBm) | Tx 5 Max Power (dBm) | Tx 6 Max Power (dBm) | Tx 7 Max Power (dBm) | Tx 8 Max Power (dBm) | DCCF (dB) | Total conducted Power (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------|-----------------------------|-----------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | 15.98                |                      |                      |                      |                      |                      |                      |                      | 0.36      | 16.34                       | 30.00           | 13.66       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | 15.95                | 16.08                |                      |                      |                      |                      |                      |                      | 0.36      | 19.38                       | 30.00           | 10.62       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | 16.03                | 16.12                | 16.10                |                      |                      |                      |                      |                      | 0.36      | 21.22                       | 30.00           | 8.78        |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | 15.96                | 16.12                | 15.96                | 16.30                |                      |                      |                      |                      | 0.36      | 22.47                       | 30.00           | 7.53        |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | 15.86                | 16.10                | 16.01                |                      | 16.13                | 16.19                | 16.07                |                      | 0.36      | 24.20                       | 27.00           | 2.80        |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | 15.97                | 16.22                | 15.88                | 16.19                | 16.12                | 16.16                | 16.20                | 15.59                | 0.36      | 25.44                       | 27.00           | 1.56        |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | 15.97                | 16.09                |                      |                      |                      |                      |                      |                      | 0.36      | 19.40                       | 26.99           | 7.59        |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | 16.01                | 16.16                | 16.16                |                      |                      |                      |                      |                      | 0.36      | 21.24                       | 25.23           | 3.99        |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | 15.96                | 16.13                | 16.03                | 16.30                |                      |                      |                      |                      | 0.36      | 22.49                       | 23.98           | 1.49        |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | 13.02                | 12.95                | 13.03                |                      | 13.17                | 13.13                | 12.97                |                      | 0.36      | 21.19                       | 22.22           | 1.03        |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | 11.00                | 10.69                | 10.80                | 10.90                | 11.03                | 11.06                | 10.97                | 10.89                | 0.36      | 20.31                       | 20.97           | 0.66        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | 15.96                |                      |                      |                      |                      |                      |                      |                      | 0.22      | 16.18                       | 30.00           | 13.82       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | 15.97                | 16.06                |                      |                      |                      |                      |                      |                      | 0.22      | 19.24                       | 30.00           | 10.76       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | 15.96                | 16.11                |                      |                      |                      |                      |                      |                      | 0.22      | 19.27                       | 30.00           | 10.73       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | 15.96                | 16.23                | 16.16                |                      |                      |                      |                      |                      | 0.22      | 21.11                       | 30.00           | 8.89        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | 16.16                | 16.40                | 16.34                |                      |                      |                      |                      |                      | 0.22      | 21.29                       | 30.00           | 8.71        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | 15.97                | 16.28                | 16.14                |                      |                      |                      |                      |                      | 0.22      | 21.12                       | 30.00           | 8.88        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | 15.94                | 16.17                | 16.06                | 16.33                |                      |                      |                      |                      | 0.22      | 22.37                       | 30.00           | 7.63        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | 16.15                | 16.33                | 16.29                | 16.50                |                      |                      |                      |                      | 0.22      | 22.56                       | 30.00           | 7.44        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | 16.20                | 16.39                | 16.33                | 16.54                |                      |                      |                      |                      | 0.22      | 22.61                       | 30.00           | 7.39        |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | 15.94                | 16.24                | 16.12                | 16.32                |                      |                      |                      |                      | 0.22      | 22.40                       | 30.00           | 7.60        |



|  |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|--|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 6 | 9.00  | 16.05 | 16.12 | 15.97 |       | 16.03 | 16.28 | 16.16 |       | 0.22 | 24.11 | 27.00 | 2.89  |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | 16.28 | 16.30 | 16.15 |       | 16.23 | 16.46 | 16.29 |       | 0.22 | 24.29 | 27.61 | 3.32  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | 16.29 | 16.33 | 16.17 |       | 16.21 | 16.49 | 16.27 |       | 0.22 | 24.30 | 28.49 | 4.19  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | 16.31 | 16.32 | 16.24 |       | 16.24 | 16.50 | 16.28 |       | 0.22 | 24.32 | 29.12 | 4.80  |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | 16.03 | 16.13 | 15.98 |       | 16.01 | 16.28 | 16.16 |       | 0.22 | 24.10 | 29.60 | 5.50  |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | 16.26 | 16.32 | 16.16 |       | 16.23 | 16.49 | 16.31 |       | 0.22 | 24.30 | 30.00 | 5.70  |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | 15.99 | 16.29 | 15.82 | 16.29 | 15.95 | 16.32 | 16.26 | 15.67 | 0.22 | 25.33 | 27.00 | 1.67  |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | 16.20 | 16.51 | 16.05 | 16.49 | 16.15 | 16.50 | 16.48 | 15.96 | 0.22 | 25.55 | 27.00 | 1.45  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | 16.26 | 16.57 | 16.10 | 16.52 | 16.19 | 16.57 | 16.54 | 16.01 | 0.22 | 25.60 | 27.87 | 2.27  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | 16.26 | 16.59 | 16.14 | 16.58 | 16.20 | 16.59 | 16.56 | 15.98 | 0.22 | 25.62 | 28.49 | 2.87  |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | 16.02 | 16.31 | 15.84 | 16.28 | 15.94 | 16.33 | 16.32 | 15.71 | 0.22 | 25.35 | 28.98 | 3.63  |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | 16.23 | 16.54 | 16.08 | 16.48 | 16.18 | 16.52 | 16.53 | 15.95 | 0.22 | 25.57 | 29.38 | 3.81  |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | 16.29 | 16.62 | 16.13 | 16.52 | 16.21 | 16.57 | 16.59 | 16.00 | 0.22 | 25.62 | 29.71 | 4.09  |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | 16.31 | 16.66 | 16.17 | 16.53 | 16.23 | 16.62 | 16.59 | 16.01 | 0.22 | 25.65 | 30.00 | 4.35  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | 15.99 | 16.12 |       |       |       |       |       |       | 0.22 | 19.29 | 26.99 | 7.70  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | 15.99 | 16.15 |       |       |       |       |       |       | 0.22 | 19.30 | 30.00 | 10.70 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | 15.99 | 16.00 | 15.95 |       |       |       |       |       | 0.22 | 20.97 | 25.23 | 4.26  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | 16.17 | 16.21 | 16.16 |       |       |       |       |       | 0.22 | 21.17 | 28.24 | 7.07  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | 15.97 | 16.09 | 15.95 |       |       |       |       |       | 0.22 | 21.00 | 30.00 | 9.00  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | 15.98 | 16.19 | 15.99 | 16.27 |       |       |       |       | 0.22 | 22.35 | 23.98 | 1.63  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | 16.22 | 16.37 | 16.16 | 16.46 |       |       |       |       | 0.22 | 22.54 | 26.99 | 4.45  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | 16.27 | 16.44 | 16.20 | 16.49 |       |       |       |       | 0.22 | 22.59 | 28.75 | 6.16  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | 16.01 | 16.25 | 16.01 | 16.28 |       |       |       |       | 0.22 | 22.38 | 30.00 | 7.62  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | 12.96 | 12.97 | 12.94 |       | 13.07 | 13.00 | 13.11 |       | 0.22 | 21.01 | 22.22 | 1.21  |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | 16.24 | 16.31 | 16.16 |       | 16.32 | 16.21 | 16.36 |       | 0.22 | 24.27 | 25.23 | 0.96  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | 16.28 | 16.34 | 16.20 |       | 16.36 | 16.28 | 16.33 |       | 0.22 | 24.30 | 26.99 | 2.69  |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | 16.31 | 16.31 | 16.25 |       | 16.39 | 16.32 | 16.34 |       | 0.22 | 24.32 | 28.24 | 3.92  |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | 16.09 | 16.12 | 15.99 |       | 16.19 | 16.02 | 16.20 |       | 0.22 | 24.10 | 29.21 | 5.11  |

|                                       |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| VHT20, M0.6 to M8.6-BF                | 6 | 6.00  | 16.26 | 16.31 | 16.19 |       | 16.30 | 16.24 | 16.35 |       | 0.22 | 24.28 | 30.00 | 5.72  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | 9.30  | 8.99  | 9.62  | 9.30  | 9.24  | 9.45  | 9.45  | 9.29  | 0.22 | 18.58 | 20.97 | 2.39  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | 12.35 | 12.17 | 12.83 | 12.58 | 12.51 | 12.71 | 12.57 | 12.40 | 0.22 | 21.77 | 23.98 | 2.21  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | 14.45 | 14.29 | 14.86 | 14.65 | 14.61 | 14.82 | 14.66 | 14.54 | 0.22 | 23.86 | 25.74 | 1.88  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | 16.29 | 16.08 | 16.13 | 16.58 | 16.26 | 16.42 | 16.55 | 16.00 | 0.22 | 25.54 | 26.99 | 1.45  |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | 16.06 | 15.86 | 15.88 | 16.31 | 16.01 | 16.22 | 16.28 | 15.73 | 0.22 | 25.30 | 27.96 | 2.66  |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | 16.25 | 16.08 | 16.07 | 16.50 | 16.24 | 16.40 | 16.48 | 15.94 | 0.22 | 25.50 | 28.75 | 3.25  |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | 16.25 | 16.15 | 16.14 | 16.52 | 16.27 | 16.43 | 16.52 | 15.99 | 0.22 | 25.54 | 29.42 | 3.88  |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | 16.28 | 16.14 | 16.17 | 16.54 | 16.29 | 16.46 | 16.54 | 16.01 | 0.22 | 25.56 | 30.00 | 4.44  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | 16.02 | 16.14 |       |       |       |       |       |       | 0.22 | 19.31 | 30.00 | 10.69 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | 15.97 | 16.20 | 16.22 |       |       |       |       |       | 0.22 | 21.12 | 30.00 | 8.88  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | 16.07 | 16.16 | 16.04 | 16.27 |       |       |       |       | 0.22 | 22.38 | 30.00 | 7.62  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | 16.11 | 16.14 | 16.08 |       | 16.04 | 16.42 | 16.08 |       | 0.22 | 24.15 | 30.00 | 5.85  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | 13.87 | 14.19 | 14.19 | 14.31 | 14.06 | 14.19 | 14.13 | 13.75 | 0.22 | 23.34 | 30.00 | 6.66  |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | 16.15 |       |       |       |       |       |       |       | 0.22 | 16.37 | 30.00 | 13.63 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | 16.15 | 16.25 |       |       |       |       |       |       | 0.22 | 19.43 | 30.00 | 10.57 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | 16.16 | 16.26 |       |       |       |       |       |       | 0.22 | 19.44 | 30.00 | 10.56 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | 16.13 | 16.38 | 16.35 |       |       |       |       |       | 0.22 | 21.28 | 30.00 | 8.72  |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | 16.29 | 16.63 | 16.58 |       |       |       |       |       | 0.22 | 21.49 | 30.00 | 8.51  |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | 16.15 | 16.41 | 16.35 |       |       |       |       |       | 0.22 | 21.29 | 30.00 | 8.71  |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | 16.16 | 16.22 | 16.25 | 16.49 |       |       |       |       | 0.22 | 22.52 | 30.00 | 7.48  |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | 16.35 | 16.41 | 16.51 | 16.70 |       |       |       |       | 0.22 | 22.74 | 30.00 | 7.26  |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | 16.35 | 16.49 | 16.54 | 16.76 |       |       |       |       | 0.22 | 22.78 | 30.00 | 7.22  |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | 16.18 | 16.24 | 16.27 | 16.47 |       |       |       |       | 0.22 | 22.53 | 30.00 | 7.47  |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | 16.13 | 16.31 | 16.17 |       | 16.23 | 16.45 | 16.34 |       | 0.22 | 24.27 | 27.00 | 2.73  |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | 16.29 | 16.48 | 16.41 |       | 16.50 | 16.67 | 16.49 |       | 0.22 | 24.48 | 27.61 | 3.13  |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | 16.29 | 16.57 | 16.46 |       | 16.48 | 16.71 | 16.48 |       | 0.22 | 24.50 | 28.49 | 3.99  |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | 16.34 | 16.60 | 16.50 |       | 16.53 | 16.79 | 16.53 |       | 0.22 | 24.55 | 29.12 | 4.57  |

|                        |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HE20, M0.5 to M11.5    | 6 | 6.40  | 16.36 | 16.64 | 16.55 |       | 16.54 | 16.80 | 16.58 |       | 0.22 | 24.58 | 29.60 | 5.02  |
| HE20, M0.6 to M11.6    | 6 | 6.00  | 16.16 | 16.38 | 16.18 |       | 16.28 | 16.45 | 16.28 |       | 0.22 | 24.29 | 30.00 | 5.71  |
| HE20, M0.1 to M11.1    | 8 | 9.00  | 16.13 | 16.22 | 16.16 | 16.47 | 16.23 | 16.40 | 16.27 | 15.74 | 0.22 | 25.46 | 27.00 | 1.54  |
| HE20, M0.2 to M11.2    | 8 | 9.00  | 16.29 | 16.41 | 16.39 | 16.70 | 16.48 | 16.64 | 16.49 | 15.91 | 0.22 | 25.67 | 27.00 | 1.33  |
| HE20, M0.3 to M11.3    | 8 | 8.13  | 16.31 | 16.46 | 16.46 | 16.74 | 16.48 | 16.67 | 16.57 | 15.97 | 0.22 | 25.71 | 27.87 | 2.16  |
| HE20, M0.4 to M11.4    | 8 | 7.51  | 16.33 | 16.49 | 16.53 | 16.79 | 16.54 | 16.73 | 16.61 | 16.01 | 0.22 | 25.76 | 28.49 | 2.73  |
| HE20, M0.5 to M11.5    | 8 | 7.02  | 16.39 | 16.55 | 16.52 | 16.85 | 16.51 | 16.78 | 16.62 | 16.05 | 0.22 | 25.79 | 28.98 | 3.19  |
| HE20, M0.6 to M11.6    | 8 | 6.62  | 16.37 | 16.55 | 16.53 | 16.85 | 16.51 | 16.75 | 16.59 | 16.06 | 0.22 | 25.78 | 29.38 | 3.60  |
| HE20, M0.7 to M11.7    | 8 | 6.29  | 16.47 | 16.62 | 16.55 | 16.84 | 16.52 | 16.77 | 16.57 | 16.12 | 0.22 | 25.81 | 29.71 | 3.90  |
| HE20, M0.8 to M11.8    | 8 | 6.00  | 16.19 | 16.31 | 16.23 | 16.51 | 16.27 | 16.43 | 16.28 | 15.84 | 0.22 | 25.51 | 30.00 | 4.49  |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | 16.16 | 16.27 |       |       |       |       |       |       | 0.22 | 19.45 | 26.99 | 7.54  |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | 16.16 | 16.30 |       |       |       |       |       |       | 0.22 | 19.46 | 30.00 | 10.54 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | 16.12 | 16.18 | 16.33 |       |       |       |       |       | 0.22 | 21.20 | 25.23 | 4.03  |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | 16.31 | 16.41 | 16.58 |       |       |       |       |       | 0.22 | 21.43 | 28.24 | 6.81  |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | 16.15 | 16.22 | 16.36 |       |       |       |       |       | 0.22 | 21.24 | 30.00 | 8.76  |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | 16.15 | 16.38 | 16.21 | 16.50 |       |       |       |       | 0.22 | 22.55 | 23.98 | 1.43  |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | 16.34 | 16.59 | 16.45 | 16.71 |       |       |       |       | 0.22 | 22.77 | 26.99 | 4.22  |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | 16.33 | 16.67 | 16.46 | 16.78 |       |       |       |       | 0.22 | 22.80 | 28.75 | 5.95  |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | 16.17 | 16.42 | 16.23 | 16.51 |       |       |       |       | 0.22 | 22.57 | 30.00 | 7.43  |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | 13.02 | 13.16 | 13.14 |       | 13.24 | 13.29 | 13.34 |       | 0.22 | 21.20 | 22.22 | 1.02  |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | 16.29 | 16.52 | 16.42 |       | 16.45 | 16.50 | 16.58 |       | 0.22 | 24.46 | 25.23 | 0.77  |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | 16.29 | 16.58 | 16.47 |       | 16.46 | 16.55 | 16.56 |       | 0.22 | 24.49 | 26.99 | 2.50  |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | 16.33 | 16.60 | 16.52 |       | 16.51 | 16.62 | 16.60 |       | 0.22 | 24.53 | 28.24 | 3.71  |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | 16.36 | 16.63 | 16.56 |       | 16.49 | 16.63 | 16.62 |       | 0.22 | 24.55 | 29.21 | 4.66  |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | 16.15 | 16.38 | 16.20 |       | 16.24 | 16.29 | 16.33 |       | 0.22 | 24.27 | 30.00 | 5.73  |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | 8.45  | 8.71  | 8.50  | 8.56  | 8.45  | 8.66  | 8.53  | 8.38  | 0.22 | 17.78 | 20.97 | 3.19  |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | 12.53 | 12.81 | 12.87 | 12.74 | 12.73 | 12.89 | 12.67 | 12.43 | 0.22 | 21.96 | 23.98 | 2.02  |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | 13.52 | 13.86 | 13.98 | 13.79 | 13.73 | 13.93 | 13.71 | 13.53 | 0.22 | 23.01 | 25.74 | 2.73  |

|                               |          |             |              |              |              |              |              |              |              |              |             |              |              |             |
|-------------------------------|----------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|-------------|
| HE20, M0.4 to M11.4-BF        | 8        | 9.01        | 16.34        | 16.53        | 16.67        | 16.75        | 16.54        | 16.65        | 16.68        | 16.05        | 0.22        | 25.78        | 26.99        | 1.21        |
| HE20, M0.5 to M11.5-BF        | 8        | 8.04        | 16.37        | 16.61        | 16.63        | 16.78        | 16.52        | 16.71        | 16.66        | 16.09        | 0.22        | 25.80        | 27.96        | 2.16        |
| HE20, M0.6 to M11.6-BF        | 8        | 7.25        | 16.40        | 16.61        | 16.64        | 16.77        | 16.52        | 16.71        | 16.67        | 16.12        | 0.22        | 25.81        | 28.75        | 2.94        |
| <b>HE20, M0.7 to M11.7-BF</b> | <b>8</b> | <b>6.58</b> | <b>16.46</b> | <b>16.63</b> | <b>16.66</b> | <b>16.76</b> | <b>16.52</b> | <b>16.68</b> | <b>16.67</b> | <b>16.12</b> | <b>0.22</b> | <b>25.82</b> | <b>29.42</b> | <b>3.60</b> |
| HE20, M0.8 to M11.8-BF        | 8        | 6.00        | 16.19        | 16.36        | 16.36        | 16.43        | 16.28        | 16.36        | 16.38        | 15.85        | 0.22        | 25.53        | 30.00        | 4.47        |
| HE20, M0 to M11-STBC          | 2        | 6.00        | 16.17        | 16.27        |              |              |              |              |              |              | 0.22        | 19.45        | 30.00        | 10.55       |
| HE20, M0 to M11-STBC          | 3        | 6.00        | 16.20        | 16.42        | 16.33        |              |              |              |              |              | 0.22        | 21.31        | 30.00        | 8.69        |
| HE20, M0 to M11-STBC          | 4        | 6.00        | 16.12        | 16.21        | 16.21        | 16.47        |              |              |              |              | 0.22        | 22.49        | 30.00        | 7.51        |
| HE20, M0 to M11-STBC          | 6        | 6.00        | 16.15        | 16.30        | 16.23        |              | 16.22        | 16.22        | 16.33        |              | 0.22        | 24.24        | 30.00        | 5.76        |
| HE20, M0 to M11-STBC          | 8        | 6.00        | 14.01        | 14.20        | 14.10        | 14.39        | 14.09        | 14.38        | 14.09        | 13.83        | 0.22        | 23.39        | 30.00        | 6.61        |

## 5785 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Max Power (dBm) | Tx 2 Max Power (dBm) | Tx 3 Max Power (dBm) | Tx 4 Max Power (dBm) | Tx 5 Max Power (dBm) | Tx 6 Max Power (dBm) | Tx 7 Max Power (dBm) | Tx 8 Max Power (dBm) | DCCF (dB) | Total Conducted Power (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------|-----------------------------|-----------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | 15.98                |                      |                      |                      |                      |                      |                      |                      | 0.36      | 16.34                       | 30.00           | 13.66       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | 15.99                | 16.02                |                      |                      |                      |                      |                      |                      | 0.36      | 19.38                       | 30.00           | 10.62       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | 15.96                | 16.06                | 15.99                |                      |                      |                      |                      |                      | 0.36      | 21.14                       | 30.00           | 8.86        |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | 15.96                | 16.07                | 16.09                | 16.34                |                      |                      |                      |                      | 0.36      | 22.50                       | 30.00           | 7.50        |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | 16.07                | 16.02                | 16.03                |                      | 16.21                | 16.25                | 16.17                |                      | 0.36      | 24.27                       | 27.00           | 2.73        |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | 15.98                | 16.16                | 15.88                | 16.25                | 16.19                | 16.21                | 16.40                | 16.00                | 0.36      | 25.53                       | 27.00           | 1.47        |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | 15.98                | 16.01                |                      |                      |                      |                      |                      |                      | 0.36      | 19.36                       | 26.99           | 7.63        |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | 15.98                | 15.98                | 15.99                |                      |                      |                      |                      |                      | 0.36      | 21.11                       | 25.23           | 4.12        |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | 16.02                | 16.05                | 16.16                | 16.25                |                      |                      |                      |                      | 0.36      | 22.50                       | 23.98           | 1.48        |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | 12.60                | 12.93                | 12.96                |                      | 12.89                | 12.99                | 13.21                |                      | 0.36      | 21.08                       | 22.22           | 1.14        |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | 10.74                | 11.06                | 10.90                | 10.99                | 10.85                | 11.10                | 11.13                | 10.94                | 0.36      | 20.36                       | 20.97           | 0.61        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | 15.94                |                      |                      |                      |                      |                      |                      |                      | 0.22      | 16.16                       | 30.00           | 13.84       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | 15.95                | 15.95                |                      |                      |                      |                      |                      |                      | 0.22      | 19.18                       | 30.00           | 10.82       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | 15.94                | 16.04                |                      |                      |                      |                      |                      |                      | 0.22      | 19.22                       | 30.00           | 10.78       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | 15.95                | 15.84                | 16.11                |                      |                      |                      |                      |                      | 0.22      | 20.96                       | 30.00           | 9.04        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | 16.13                | 16.05                | 16.29                |                      |                      |                      |                      |                      | 0.22      | 21.15                       | 30.00           | 8.85        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | 15.93                | 15.94                | 16.15                |                      |                      |                      |                      |                      | 0.22      | 21.00                       | 30.00           | 9.00        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | 16.05                | 16.01                | 16.09                | 16.23                |                      |                      |                      |                      | 0.22      | 22.34                       | 30.00           | 7.66        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | 16.24                | 16.16                | 16.23                | 16.45                |                      |                      |                      |                      | 0.22      | 22.51                       | 30.00           | 7.49        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | 16.28                | 16.20                | 16.29                | 16.49                |                      |                      |                      |                      | 0.22      | 22.56                       | 30.00           | 7.44        |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | 16.04                | 16.03                | 16.08                | 16.25                |                      |                      |                      |                      | 0.22      | 22.34                       | 30.00           | 7.66        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | 16.04                | 16.02                | 15.99                |                      | 15.79                | 16.15                | 16.19                |                      | 0.22      | 24.03                       | 27.00           | 2.97        |

|  |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|--|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | 16.26 | 16.19 | 16.17 |       | 16.01 | 16.36 | 16.45 |       | 0.22 | 24.24 | 27.61 | 3.37  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | 16.30 | 16.25 | 16.21 |       | 16.05 | 16.45 | 16.54 |       | 0.22 | 24.30 | 28.49 | 4.19  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | 16.31 | 16.21 | 16.26 |       | 16.05 | 16.45 | 16.49 |       | 0.22 | 24.30 | 29.12 | 4.82  |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | 16.05 | 16.02 | 16.00 |       | 15.78 | 16.16 | 16.21 |       | 0.22 | 24.04 | 29.60 | 5.56  |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | 16.26 | 16.19 | 16.20 |       | 16.05 | 16.39 | 16.46 |       | 0.22 | 24.26 | 30.00 | 5.74  |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | 15.98 | 16.21 | 15.89 | 16.13 | 15.86 | 16.23 | 16.30 | 15.81 | 0.22 | 25.31 | 27.00 | 1.69  |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | 16.17 | 16.40 | 16.08 | 16.31 | 16.05 | 16.39 | 16.47 | 16.01 | 0.22 | 25.49 | 27.00 | 1.51  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | 16.19 | 16.48 | 16.13 | 16.34 | 16.07 | 16.48 | 16.51 | 16.07 | 0.22 | 25.54 | 27.87 | 2.33  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | 16.21 | 16.47 | 16.14 | 16.39 | 16.06 | 16.46 | 16.52 | 16.05 | 0.22 | 25.54 | 28.49 | 2.95  |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | 16.01 | 16.20 | 15.93 | 16.11 | 15.84 | 16.24 | 16.28 | 15.85 | 0.22 | 25.31 | 28.98 | 3.67  |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | 16.19 | 16.42 | 16.11 | 16.30 | 16.06 | 16.43 | 16.47 | 16.06 | 0.22 | 25.51 | 29.38 | 3.87  |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | 16.21 | 16.49 | 16.15 | 16.33 | 16.06 | 16.43 | 16.52 | 16.10 | 0.22 | 25.54 | 29.71 | 4.17  |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | 16.25 | 16.50 | 16.17 | 16.34 | 16.07 | 16.48 | 16.50 | 16.12 | 0.22 | 25.56 | 30.00 | 4.44  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | 16.00 | 15.96 |       |       |       |       |       |       | 0.22 | 19.21 | 26.99 | 7.78  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | 16.01 | 16.01 |       |       |       |       |       |       | 0.22 | 19.24 | 30.00 | 10.76 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | 15.99 | 16.10 | 16.01 |       |       |       |       |       | 0.22 | 21.02 | 25.23 | 4.21  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | 16.19 | 16.26 | 16.19 |       |       |       |       |       | 0.22 | 21.20 | 28.24 | 7.04  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | 16.00 | 16.13 | 16.01 |       |       |       |       |       | 0.22 | 21.04 | 30.00 | 8.96  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | 15.96 | 15.84 | 16.07 | 16.08 |       |       |       |       | 0.22 | 22.23 | 23.98 | 1.75  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | 16.19 | 16.04 | 16.23 | 16.27 |       |       |       |       | 0.22 | 22.42 | 26.99 | 4.57  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | 16.25 | 16.04 | 16.26 | 16.32 |       |       |       |       | 0.22 | 22.46 | 28.75 | 6.29  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | 15.99 | 15.91 | 16.06 | 16.09 |       |       |       |       | 0.22 | 22.25 | 30.00 | 7.75  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | 12.65 | 12.85 | 13.03 |       | 13.04 | 13.08 | 13.19 |       | 0.22 | 20.98 | 22.22 | 1.24  |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | 16.16 | 16.15 | 16.29 |       | 16.23 | 16.50 | 16.40 |       | 0.22 | 24.29 | 25.23 | 0.94  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | 16.21 | 16.18 | 16.31 |       | 16.28 | 16.53 | 16.37 |       | 0.22 | 24.31 | 26.99 | 2.68  |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | 16.23 | 16.17 | 16.35 |       | 16.30 | 16.53 | 16.37 |       | 0.22 | 24.33 | 28.24 | 3.91  |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | 15.95 | 15.97 | 16.09 |       | 16.07 | 16.31 | 16.28 |       | 0.22 | 24.11 | 29.21 | 5.10  |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | 16.17 | 16.18 | 16.28 |       | 16.24 | 16.49 | 16.39 |       | 0.22 | 24.30 | 30.00 | 5.70  |

|                                       |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | 10.76 | 10.61 | 11.30 | 11.09 | 11.03 | 11.07 | 11.05 | 10.74 | 0.22 | 20.21 | 20.97 | 0.76  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | 14.07 | 13.72 | 14.41 | 14.34 | 14.21 | 14.19 | 14.19 | 14.04 | 0.22 | 23.40 | 23.98 | 0.58  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | 16.28 | 15.85 | 16.57 | 16.45 | 16.36 | 16.42 | 16.40 | 16.11 | 0.22 | 25.56 | 25.74 | 0.18  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | 16.28 | 15.85 | 16.59 | 16.50 | 16.39 | 16.43 | 16.41 | 16.11 | 0.22 | 25.58 | 26.99 | 1.41  |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | 16.02 | 15.66 | 16.37 | 16.24 | 16.13 | 16.21 | 16.21 | 15.90 | 0.22 | 25.35 | 27.96 | 2.61  |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | 16.24 | 15.83 | 16.54 | 16.47 | 16.35 | 16.38 | 16.39 | 16.08 | 0.22 | 25.54 | 28.75 | 3.21  |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | 16.24 | 15.86 | 16.58 | 16.46 | 16.38 | 16.40 | 16.40 | 16.13 | 0.22 | 25.56 | 29.42 | 3.86  |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | 16.29 | 15.89 | 16.60 | 16.50 | 16.41 | 16.42 | 16.42 | 16.14 | 0.22 | 25.59 | 30.00 | 4.41  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | 16.05 | 15.95 |       |       |       |       |       |       | 0.22 | 19.23 | 30.00 | 10.77 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | 16.07 | 16.09 | 16.10 |       |       |       |       |       | 0.22 | 21.08 | 30.00 | 8.92  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | 16.03 | 16.06 | 15.95 | 16.07 |       |       |       |       | 0.22 | 22.27 | 30.00 | 7.73  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | 16.14 | 15.91 | 16.10 |       | 15.80 | 16.11 | 16.18 |       | 0.22 | 24.04 | 30.00 | 5.96  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | 13.91 | 13.56 | 14.27 | 14.06 | 14.07 | 14.06 | 14.11 | 13.89 | 0.22 | 23.25 | 30.00 | 6.75  |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | 16.17 |       |       |       |       |       |       |       | 0.22 | 16.39 | 30.00 | 13.61 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | 16.18 | 16.09 |       |       |       |       |       |       | 0.22 | 19.36 | 30.00 | 10.64 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | 16.22 | 16.11 |       |       |       |       |       |       | 0.22 | 19.39 | 30.00 | 10.61 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | 16.19 | 16.23 | 16.23 |       |       |       |       |       | 0.22 | 21.21 | 30.00 | 8.79  |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | 16.35 | 16.43 | 16.49 |       |       |       |       |       | 0.22 | 21.41 | 30.00 | 8.59  |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | 16.21 | 16.25 | 16.27 |       |       |       |       |       | 0.22 | 21.23 | 30.00 | 8.77  |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | 16.19 | 16.08 | 16.12 | 16.39 |       |       |       |       | 0.22 | 22.44 | 30.00 | 7.56  |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | 16.38 | 16.30 | 16.37 | 16.64 |       |       |       |       | 0.22 | 22.67 | 30.00 | 7.33  |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | 16.38 | 16.36 | 16.38 | 16.68 |       |       |       |       | 0.22 | 22.69 | 30.00 | 7.31  |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | 16.24 | 16.11 | 16.12 | 16.41 |       |       |       |       | 0.22 | 22.46 | 30.00 | 7.54  |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | 16.17 | 16.07 | 16.20 |       | 16.12 | 16.37 | 16.49 |       | 0.22 | 24.24 | 27.00 | 2.76  |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | 16.33 | 16.27 | 16.46 |       | 16.30 | 16.61 | 16.63 |       | 0.22 | 24.44 | 27.61 | 3.17  |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | 16.32 | 16.30 | 16.53 |       | 16.33 | 16.66 | 16.61 |       | 0.22 | 24.46 | 28.49 | 4.03  |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | 16.36 | 16.34 | 16.57 |       | 16.37 | 16.69 | 16.65 |       | 0.22 | 24.50 | 29.12 | 4.62  |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | 16.37 | 16.35 | 16.61 |       | 16.36 | 16.72 | 16.68 |       | 0.22 | 24.52 | 29.60 | 5.08  |

|                        |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | 16.19 | 16.12 | 16.26 |       | 16.12 | 16.37 | 16.38 |       | 0.22 | 24.24 | 30.00 | 5.76  |
| HE20, M0.1 to M11.1    | 8 | 9.00  | 16.21 | 16.09 | 16.22 | 16.35 | 16.18 | 16.31 | 16.35 | 15.98 | 0.22 | 25.46 | 27.00 | 1.54  |
| HE20, M0.2 to M11.2    | 8 | 9.00  | 16.41 | 16.29 | 16.42 | 16.59 | 16.43 | 16.56 | 16.56 | 16.20 | 0.22 | 25.68 | 27.00 | 1.32  |
| HE20, M0.3 to M11.3    | 8 | 8.13  | 16.41 | 16.33 | 16.51 | 16.63 | 16.45 | 16.60 | 16.64 | 16.24 | 0.22 | 25.73 | 27.87 | 2.14  |
| HE20, M0.4 to M11.4    | 8 | 7.51  | 16.44 | 16.34 | 16.56 | 16.69 | 16.51 | 16.64 | 16.68 | 16.28 | 0.22 | 25.77 | 28.49 | 2.72  |
| HE20, M0.5 to M11.5    | 8 | 7.02  | 16.49 | 16.38 | 16.53 | 16.73 | 16.47 | 16.69 | 16.66 | 16.32 | 0.22 | 25.79 | 28.98 | 3.19  |
| HE20, M0.6 to M11.6    | 8 | 6.62  | 16.49 | 16.39 | 16.53 | 16.70 | 16.49 | 16.69 | 16.62 | 16.33 | 0.22 | 25.78 | 29.38 | 3.60  |
| HE20, M0.7 to M11.7    | 8 | 6.29  | 16.55 | 16.44 | 16.57 | 16.62 | 16.47 | 16.67 | 16.64 | 16.36 | 0.22 | 25.79 | 29.71 | 3.92  |
| HE20, M0.8 to M11.8    | 8 | 6.00  | 16.28 | 16.18 | 16.27 | 16.37 | 16.24 | 16.38 | 16.34 | 16.07 | 0.22 | 25.52 | 30.00 | 4.48  |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | 16.16 | 16.15 |       |       |       |       |       |       | 0.22 | 19.39 | 26.99 | 7.60  |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | 16.20 | 16.16 |       |       |       |       |       |       | 0.22 | 19.41 | 30.00 | 10.59 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | 16.14 | 16.02 | 16.33 |       |       |       |       |       | 0.22 | 21.15 | 25.23 | 4.08  |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | 16.28 | 16.29 | 16.54 |       |       |       |       |       | 0.22 | 21.36 | 28.24 | 6.88  |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | 16.12 | 16.09 | 16.33 |       |       |       |       |       | 0.22 | 21.17 | 30.00 | 8.83  |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | 16.15 | 16.18 | 16.25 | 16.29 |       |       |       |       | 0.22 | 22.46 | 23.98 | 1.52  |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | 16.28 | 16.38 | 16.50 | 16.45 |       |       |       |       | 0.22 | 22.64 | 26.99 | 4.35  |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | 16.31 | 16.47 | 16.50 | 16.54 |       |       |       |       | 0.22 | 22.69 | 28.75 | 6.06  |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | 16.14 | 16.21 | 16.27 | 16.28 |       |       |       |       | 0.22 | 22.47 | 30.00 | 7.53  |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | 12.89 | 12.97 | 13.11 |       | 13.15 | 13.01 | 13.43 |       | 0.22 | 21.10 | 22.22 | 1.12  |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | 16.35 | 16.27 | 16.44 |       | 16.36 | 16.46 | 16.63 |       | 0.22 | 24.42 | 25.23 | 0.81  |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | 16.32 | 16.31 | 16.49 |       | 16.42 | 16.50 | 16.62 |       | 0.22 | 24.45 | 26.99 | 2.54  |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | 16.38 | 16.32 | 16.54 |       | 16.44 | 16.59 | 16.66 |       | 0.22 | 24.49 | 28.24 | 3.75  |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | 16.40 | 16.36 | 16.58 |       | 16.42 | 16.61 | 16.69 |       | 0.22 | 24.51 | 29.21 | 4.70  |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | 16.21 | 16.08 | 16.23 |       | 16.17 | 16.28 | 16.41 |       | 0.22 | 24.23 | 30.00 | 5.77  |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | 10.97 | 11.01 | 11.13 | 11.23 | 11.19 | 11.19 | 11.29 | 10.95 | 0.22 | 20.37 | 20.97 | 0.60  |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | 14.26 | 14.11 | 14.34 | 14.57 | 14.39 | 14.39 | 14.46 | 14.26 | 0.22 | 23.60 | 23.98 | 0.38  |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | 16.40 | 16.25 | 16.50 | 16.70 | 16.52 | 16.59 | 16.66 | 16.27 | 0.22 | 25.74 | 25.74 | 0.00  |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | 16.43 | 16.27 | 16.54 | 16.73 | 16.56 | 16.63 | 16.71 | 16.26 | 0.22 | 25.77 | 26.99 | 1.22  |



|                               |          |             |              |              |              |              |              |              |              |              |             |              |              |             |
|-------------------------------|----------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|-------------|
| HE20, M0.5 to M11.5-BF        | 8        | 8.04        | 16.46        | 16.30        | 16.55        | 16.78        | 16.53        | 16.68        | 16.70        | 16.33        | 0.22        | 25.80        | 27.96        | 2.16        |
| HE20, M0.6 to M11.6-BF        | 8        | 7.25        | 16.48        | 16.32        | 16.54        | 16.79        | 16.55        | 16.67        | 16.69        | 16.32        | 0.22        | 25.80        | 28.75        | 2.95        |
| <b>HE20, M0.7 to M11.7-BF</b> | <b>8</b> | <b>6.58</b> | <b>16.53</b> | <b>16.35</b> | <b>16.55</b> | <b>16.79</b> | <b>16.53</b> | <b>16.67</b> | <b>16.71</b> | <b>16.37</b> | <b>0.22</b> | <b>25.81</b> | <b>29.42</b> | <b>3.61</b> |
| HE20, M0.8 to M11.8-BF        | 8        | 6.00        | 16.28        | 16.08        | 16.28        | 16.47        | 16.30        | 16.36        | 16.40        | 16.10        | 0.22        | 25.54        | 30.00        | 4.46        |
| HE20, M0 to M11-STBC          | 2        | 6.00        | 16.22        | 16.11        |              |              |              |              |              |              | 0.22        | 19.39        | 30.00        | 10.61       |
| HE20, M0 to M11-STBC          | 3        | 6.00        | 16.26        | 15.99        | 16.14        |              |              |              |              |              | 0.22        | 21.12        | 30.00        | 8.88        |
| HE20, M0 to M11-STBC          | 4        | 6.00        | 16.24        | 16.20        | 16.17        | 16.41        |              |              |              |              | 0.22        | 22.50        | 30.00        | 7.50        |
| HE20, M0 to M11-STBC          | 6        | 6.00        | 16.22        | 16.17        | 16.17        |              | 16.23        | 16.42        | 16.42        |              | 0.22        | 24.27        | 30.00        | 5.73        |
| HE20, M0 to M11-STBC          | 8        | 6.00        | 14.11        | 13.96        | 14.19        | 14.23        | 14.18        | 14.15        | 14.25        | 14.03        | 0.22        | 23.39        | 30.00        | 6.61        |

## 5825 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Max Power (dBm) | Tx 2 Max Power (dBm) | Tx 3 Max Power (dBm) | Tx 4 Max Power (dBm) | Tx 5 Max Power (dBm) | Tx 6 Max Power (dBm) | Tx 7 Max Power (dBm) | Tx 8 Max Power (dBm) | DCCF (dB) | Total Conducted Power (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------|-----------------------------|-----------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | 14.84                |                      |                      |                      |                      |                      |                      |                      | 0.36      | 15.20                       | 30.00           | 14.80       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | 14.83                | 14.93                |                      |                      |                      |                      |                      |                      | 0.36      | 18.25                       | 30.00           | 11.75       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | 14.88                | 14.90                | 14.98                |                      |                      |                      |                      |                      | 0.36      | 20.05                       | 30.00           | 9.95        |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | 14.85                | 15.04                | 15.05                | 15.52                |                      |                      |                      |                      | 0.36      | 21.50                       | 30.00           | 8.50        |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | 14.89                | 14.98                | 14.93                |                      | 15.57                | 15.09                | 15.20                |                      | 0.36      | 23.26                       | 27.00           | 3.74        |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | 14.84                | 14.84                | 15.09                | 15.39                | 15.55                | 15.13                | 15.40                | 15.15                | 0.36      | 24.57                       | 27.00           | 2.43        |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | 14.85                | 14.97                |                      |                      |                      |                      |                      |                      | 0.36      | 18.28                       | 26.99           | 8.71        |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | 14.87                | 15.02                | 15.06                |                      |                      |                      |                      |                      | 0.36      | 20.12                       | 25.23           | 5.11        |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | 14.89                | 14.96                | 15.02                | 15.46                |                      |                      |                      |                      | 0.36      | 21.47                       | 23.98           | 2.51        |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | 11.76                | 11.98                | 12.05                |                      | 12.05                | 12.12                | 12.19                |                      | 0.36      | 20.17                       | 22.22           | 2.05        |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | 9.54                 | 9.71                 | 9.72                 | 10.29                | 9.99                 | 10.03                | 10.36                | 10.06                | 0.36      | 19.36                       | 20.97           | 1.61        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | 14.83                |                      |                      |                      |                      |                      |                      |                      | 0.22      | 15.05                       | 30.00           | 14.95       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | 14.82                | 14.94                |                      |                      |                      |                      |                      |                      | 0.22      | 18.11                       | 30.00           | 11.89       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | 14.79                | 15.02                |                      |                      |                      |                      |                      |                      | 0.22      | 18.14                       | 30.00           | 11.86       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | 14.85                | 15.03                | 14.89                |                      |                      |                      |                      |                      | 0.22      | 19.92                       | 30.00           | 10.08       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | 15.03                | 15.19                | 15.10                |                      |                      |                      |                      |                      | 0.22      | 20.10                       | 30.00           | 9.90        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | 14.85                | 15.09                | 14.90                |                      |                      |                      |                      |                      | 0.22      | 19.94                       | 30.00           | 10.06       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | 14.85                | 15.04                | 15.03                | 15.23                |                      |                      |                      |                      | 0.22      | 21.28                       | 30.00           | 8.72        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | 15.08                | 15.22                | 15.17                | 15.41                |                      |                      |                      |                      | 0.22      | 21.46                       | 30.00           | 8.54        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | 15.12                | 15.31                | 15.20                | 15.44                |                      |                      |                      |                      | 0.22      | 21.51                       | 30.00           | 8.49        |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | 14.86                | 15.13                | 15.02                | 15.22                |                      |                      |                      |                      | 0.22      | 21.30                       | 30.00           | 8.70        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | 14.93                | 14.88                | 14.90                |                      | 15.51                | 15.01                | 15.31                |                      | 0.22      | 23.10                       | 27.00           | 3.90        |

|  |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|--|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | 15.14 | 15.03 | 15.08 |       | 15.62 | 15.21 | 15.39 |       | 0.22 | 23.25 | 27.61 | 4.36  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | 15.21 | 15.10 | 15.13 |       | 15.69 | 15.25 | 15.35 |       | 0.22 | 23.29 | 28.49 | 5.20  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | 15.19 | 15.11 | 15.17 |       | 15.72 | 15.28 | 15.40 |       | 0.22 | 23.32 | 29.12 | 5.80  |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | 14.93 | 14.88 | 14.90 |       | 15.49 | 15.00 | 15.32 |       | 0.22 | 23.09 | 29.60 | 6.51  |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | 15.15 | 15.10 | 15.09 |       | 15.66 | 15.22 | 15.39 |       | 0.22 | 23.28 | 30.00 | 6.72  |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | 14.86 | 14.61 | 14.59 | 15.52 | 15.47 | 15.12 | 15.39 | 15.15 | 0.22 | 24.35 | 27.00 | 2.65  |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | 15.06 | 14.82 | 14.80 | 15.66 | 15.68 | 15.29 | 15.61 | 15.34 | 0.22 | 24.55 | 27.00 | 2.45  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | 15.13 | 14.84 | 14.86 | 15.68 | 15.74 | 15.33 | 15.69 | 15.38 | 0.22 | 24.59 | 27.87 | 3.28  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | 15.11 | 14.81 | 14.91 | 15.77 | 15.76 | 15.38 | 15.69 | 15.39 | 0.22 | 24.62 | 28.49 | 3.87  |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | 14.89 | 14.64 | 14.62 | 15.54 | 15.53 | 15.14 | 15.40 | 15.17 | 0.22 | 24.38 | 28.98 | 4.60  |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | 15.07 | 14.86 | 14.87 | 15.71 | 15.74 | 15.33 | 15.60 | 15.34 | 0.22 | 24.58 | 29.38 | 4.80  |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | 15.09 | 14.91 | 14.93 | 15.73 | 15.78 | 15.39 | 15.69 | 15.40 | 0.22 | 24.63 | 29.71 | 5.08  |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | 15.12 | 14.90 | 14.97 | 15.75 | 15.77 | 15.41 | 15.68 | 15.42 | 0.22 | 24.64 | 30.00 | 5.36  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | 14.89 | 14.90 |       |       |       |       |       |       | 0.22 | 18.12 | 26.99 | 8.87  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | 14.84 | 14.99 |       |       |       |       |       |       | 0.22 | 18.15 | 30.00 | 11.85 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | 14.91 | 15.14 | 14.93 |       |       |       |       |       | 0.22 | 19.98 | 25.23 | 5.25  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | 15.14 | 15.30 | 15.17 |       |       |       |       |       | 0.22 | 20.19 | 28.24 | 8.05  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | 14.94 | 15.19 | 14.97 |       |       |       |       |       | 0.22 | 20.02 | 30.00 | 9.98  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | 14.95 | 14.96 | 15.03 | 15.22 |       |       |       |       | 0.22 | 21.28 | 23.98 | 2.70  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | 15.14 | 15.12 | 15.18 | 15.43 |       |       |       |       | 0.22 | 21.46 | 26.99 | 5.53  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | 15.18 | 15.16 | 15.19 | 15.45 |       |       |       |       | 0.22 | 21.49 | 28.75 | 7.26  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | 14.93 | 14.99 | 15.01 | 15.22 |       |       |       |       | 0.22 | 21.28 | 30.00 | 8.72  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | 11.64 | 11.94 | 12.08 |       | 12.31 | 11.93 | 12.07 |       | 0.22 | 20.00 | 22.22 | 2.22  |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | 14.99 | 15.16 | 15.22 |       | 15.64 | 15.06 | 15.55 |       | 0.22 | 23.28 | 25.23 | 1.95  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | 15.05 | 15.19 | 15.25 |       | 15.68 | 15.10 | 15.64 |       | 0.22 | 23.33 | 26.99 | 3.66  |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | 15.05 | 15.16 | 15.29 |       | 15.71 | 15.15 | 15.56 |       | 0.22 | 23.33 | 28.24 | 4.91  |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | 14.83 | 14.96 | 15.01 |       | 15.50 | 14.83 | 15.24 |       | 0.22 | 23.07 | 29.21 | 6.14  |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | 15.01 | 15.15 | 15.23 |       | 15.63 | 15.04 | 15.51 |       | 0.22 | 23.27 | 30.00 | 6.73  |

|                                       |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | 9.57  | 9.52  | 10.13 | 10.24 | 9.92  | 10.05 | 10.10 | 10.06 | 0.22 | 19.21 | 20.97 | 1.76  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | 12.93 | 12.76 | 13.42 | 13.57 | 13.15 | 13.41 | 13.32 | 13.23 | 0.22 | 22.48 | 23.98 | 1.50  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | 15.13 | 14.88 | 15.53 | 15.73 | 15.38 | 15.41 | 15.44 | 15.40 | 0.22 | 24.62 | 25.74 | 1.12  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | 15.13 | 14.85 | 15.54 | 15.80 | 15.38 | 15.44 | 15.45 | 15.39 | 0.22 | 24.63 | 26.99 | 2.36  |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | 14.90 | 14.67 | 15.29 | 15.51 | 15.16 | 15.19 | 15.22 | 15.17 | 0.22 | 24.39 | 27.96 | 3.57  |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | 15.07 | 14.87 | 15.48 | 15.71 | 15.39 | 15.37 | 15.40 | 15.34 | 0.22 | 24.59 | 28.75 | 4.16  |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | 15.08 | 14.92 | 15.52 | 15.77 | 15.44 | 15.42 | 15.42 | 15.37 | 0.22 | 24.62 | 29.42 | 4.80  |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | 15.12 | 14.91 | 15.56 | 15.78 | 15.45 | 15.45 | 15.44 | 15.41 | 0.22 | 24.65 | 30.00 | 5.35  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | 14.90 | 14.99 |       |       |       |       |       |       | 0.22 | 18.17 | 30.00 | 11.83 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | 14.94 | 14.86 | 15.05 |       |       |       |       |       | 0.22 | 19.94 | 30.00 | 10.06 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | 14.88 | 14.90 | 15.13 | 15.54 |       |       |       |       | 0.22 | 21.36 | 30.00 | 8.64  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | 14.97 | 14.95 | 14.97 |       | 15.20 | 15.08 | 15.34 |       | 0.22 | 23.09 | 30.00 | 6.91  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | 12.78 | 12.62 | 12.80 | 13.02 | 13.00 | 13.13 | 13.31 | 13.07 | 0.22 | 22.22 | 30.00 | 7.78  |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | 15.03 |       |       |       |       |       |       |       | 0.22 | 15.25 | 30.00 | 14.75 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | 15.03 | 15.13 |       |       |       |       |       |       | 0.22 | 18.31 | 30.00 | 11.69 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | 15.07 | 15.12 |       |       |       |       |       |       | 0.22 | 18.33 | 30.00 | 11.67 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | 15.02 | 14.92 | 15.12 |       |       |       |       |       | 0.22 | 20.01 | 30.00 | 9.99  |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | 15.21 | 15.17 | 15.35 |       |       |       |       |       | 0.22 | 20.23 | 30.00 | 9.77  |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | 15.07 | 14.97 | 15.14 |       |       |       |       |       | 0.22 | 20.05 | 30.00 | 9.95  |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | 15.05 | 15.13 | 15.10 | 15.53 |       |       |       |       | 0.22 | 21.45 | 30.00 | 8.55  |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | 15.22 | 15.37 | 15.32 | 15.74 |       |       |       |       | 0.22 | 21.66 | 30.00 | 8.34  |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | 15.20 | 15.43 | 15.30 | 15.81 |       |       |       |       | 0.22 | 21.68 | 30.00 | 8.32  |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | 15.06 | 15.18 | 15.08 | 15.53 |       |       |       |       | 0.22 | 21.46 | 30.00 | 8.54  |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | 14.97 | 15.08 | 15.05 |       | 15.48 | 15.25 | 15.28 |       | 0.22 | 23.19 | 27.00 | 3.81  |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | 15.12 | 15.26 | 15.31 |       | 15.68 | 15.49 | 15.57 |       | 0.22 | 23.41 | 27.61 | 4.20  |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | 15.15 | 15.30 | 15.35 |       | 15.69 | 15.54 | 15.69 |       | 0.22 | 23.46 | 28.49 | 5.03  |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | 15.18 | 15.33 | 15.38 |       | 15.73 | 15.62 | 15.65 |       | 0.22 | 23.49 | 29.12 | 5.63  |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | 15.21 | 15.35 | 15.41 |       | 15.71 | 15.65 | 15.72 |       | 0.22 | 23.51 | 29.60 | 6.09  |

|                            |          |             |              |              |              |              |              |              |              |              |             |              |              |             |
|----------------------------|----------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|-------------|
| HE20, M0.6 to M11.6        | 6        | 6.00        | 15.02        | 15.09        | 15.06        |              | 15.47        | 15.32        | 15.47        |              | 0.22        | 23.24        | 30.00        | 6.76        |
| HE20, M0.1 to M11.1        | 8        | 9.00        | 15.04        | 15.07        | 14.99        | 15.55        | 15.53        | 15.26        | 15.50        | 15.24        | 0.22        | 24.53        | 27.00        | 2.47        |
| HE20, M0.2 to M11.2        | 8        | 9.00        | 15.24        | 15.25        | 15.24        | 15.80        | 15.79        | 15.49        | 15.71        | 15.41        | 0.22        | 24.75        | 27.00        | 2.25        |
| HE20, M0.3 to M11.3        | 8        | 8.13        | 15.24        | 15.32        | 15.33        | 15.83        | 15.80        | 15.56        | 15.81        | 15.45        | 0.22        | 24.80        | 27.87        | 3.07        |
| HE20, M0.4 to M11.4        | 8        | 7.51        | 15.27        | 15.34        | 15.40        | 15.88        | 15.83        | 15.60        | 15.84        | 15.48        | 0.22        | 24.84        | 28.49        | 3.65        |
| HE20, M0.5 to M11.5        | 8        | 7.02        | 15.31        | 15.39        | 15.41        | 15.92        | 15.80        | 15.70        | 15.84        | 15.52        | 0.22        | 24.87        | 28.98        | 4.11        |
| HE20, M0.6 to M11.6        | 8        | 6.62        | 15.31        | 15.39        | 15.38        | 15.91        | 15.81        | 15.67        | 15.86        | 15.52        | 0.22        | 24.86        | 29.38        | 4.52        |
| <b>HE20, M0.7 to M11.7</b> | <b>8</b> | <b>6.29</b> | <b>15.35</b> | <b>15.41</b> | <b>15.42</b> | <b>15.89</b> | <b>15.80</b> | <b>15.68</b> | <b>15.86</b> | <b>15.57</b> | <b>0.22</b> | <b>24.88</b> | <b>29.71</b> | <b>4.83</b> |
| HE20, M0.8 to M11.8        | 8        | 6.00        | 15.09        | 15.14        | 15.11        | 15.59        | 15.56        | 15.35        | 15.55        | 15.25        | 0.22        | 24.58        | 30.00        | 5.42        |
| HE20, M0.1 to M11.1-BF     | 2        | 9.01        | 15.06        | 15.10        |              |              |              |              |              |              | 0.22        | 18.31        | 26.99        | 8.68        |
| HE20, M0.2 to M11.2-BF     | 2        | 6.00        | 15.08        | 15.10        |              |              |              |              |              |              | 0.22        | 18.32        | 30.00        | 11.68       |
| HE20, M0.1 to M11.1-BF     | 3        | 10.77       | 15.05        | 15.18        | 15.10        |              |              |              |              |              | 0.22        | 20.10        | 25.23        | 5.13        |
| HE20, M0.2 to M11.2-BF     | 3        | 7.76        | 15.22        | 15.40        | 15.34        |              |              |              |              |              | 0.22        | 20.31        | 28.24        | 7.93        |
| HE20, M0.3 to M11.3-BF     | 3        | 6.00        | 15.07        | 15.20        | 15.13        |              |              |              |              |              | 0.22        | 20.12        | 30.00        | 9.88        |
| HE20, M0.1 to M11.1-BF     | 4        | 12.02       | 15.03        | 15.14        | 15.02        | 15.54        |              |              |              |              | 0.22        | 21.43        | 23.98        | 2.55        |
| HE20, M0.2 to M11.2-BF     | 4        | 9.01        | 15.18        | 15.33        | 15.27        | 15.75        |              |              |              |              | 0.22        | 21.63        | 26.99        | 5.36        |
| HE20, M0.3 to M11.3-BF     | 4        | 7.25        | 15.18        | 15.39        | 15.28        | 15.82        |              |              |              |              | 0.22        | 21.67        | 28.75        | 7.08        |
| HE20, M0.4 to M11.4-BF     | 4        | 6.00        | 15.04        | 15.16        | 15.05        | 15.55        |              |              |              |              | 0.22        | 21.45        | 30.00        | 8.55        |
| HE20, M0.1 to M11.1-BF     | 6        | 13.78       | 11.89        | 12.06        | 12.03        |              | 12.39        | 12.40        | 12.56        |              | 0.22        | 20.23        | 22.22        | 1.99        |
| HE20, M0.2 to M11.2-BF     | 6        | 10.77       | 15.23        | 15.25        | 15.19        |              | 15.69        | 15.51        | 15.76        |              | 0.22        | 23.44        | 25.23        | 1.79        |
| HE20, M0.3 to M11.3-BF     | 6        | 9.01        | 15.22        | 15.30        | 15.25        |              | 15.70        | 15.54        | 15.74        |              | 0.22        | 23.46        | 26.99        | 3.53        |
| HE20, M0.4 to M11.4-BF     | 6        | 7.76        | 15.23        | 15.31        | 15.28        |              | 15.75        | 15.60        | 15.79        |              | 0.22        | 23.50        | 28.24        | 4.74        |
| HE20, M0.5 to M11.5-BF     | 6        | 6.79        | 15.26        | 15.33        | 15.32        |              | 15.70        | 15.63        | 15.82        |              | 0.22        | 23.52        | 29.21        | 5.69        |
| HE20, M0.6 to M11.6-BF     | 6        | 6.00        | 15.06        | 15.09        | 14.97        |              | 15.48        | 15.28        | 15.53        |              | 0.22        | 23.24        | 30.00        | 6.76        |
| HE20, M0.1 to M11.1-BF     | 8        | 15.03       | 9.77         | 9.97         | 9.90         | 10.19        | 10.25        | 10.11        | 10.41        | 10.13        | 0.22        | 19.34        | 20.97        | 1.63        |
| HE20, M0.2 to M11.2-BF     | 8        | 12.02       | 13.15        | 13.19        | 13.24        | 13.50        | 13.53        | 13.50        | 13.66        | 13.31        | 0.22        | 22.64        | 23.98        | 1.34        |
| HE20, M0.3 to M11.3-BF     | 8        | 10.26       | 15.27        | 15.28        | 15.41        | 15.70        | 15.74        | 15.45        | 15.79        | 15.44        | 0.22        | 24.76        | 25.74        | 0.98        |
| HE20, M0.4 to M11.4-BF     | 8        | 9.01        | 15.30        | 15.33        | 15.45        | 15.73        | 15.78        | 15.54        | 15.83        | 15.48        | 0.22        | 24.81        | 26.99        | 2.18        |

|                        |   |      |       |       |       |       |       |       |       |       |      |       |       |       |
|------------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | 15.33 | 15.38 | 15.45 | 15.77 | 15.74 | 15.58 | 15.81 | 15.52 | 0.22 | 24.83 | 27.96 | 3.13  |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | 15.34 | 15.38 | 15.42 | 15.76 | 15.77 | 15.56 | 15.83 | 15.53 | 0.22 | 24.83 | 28.75 | 3.92  |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | 15.41 | 15.41 | 15.45 | 15.75 | 15.77 | 15.56 | 15.84 | 15.57 | 0.22 | 24.85 | 29.42 | 4.57  |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | 15.17 | 15.14 | 15.13 | 15.41 | 15.55 | 15.23 | 15.53 | 15.27 | 0.22 | 24.56 | 30.00 | 5.44  |
| HE20, M0 to M11-STBC   | 2 | 6.00 | 15.08 | 15.12 |       |       |       |       |       |       | 0.22 | 18.33 | 30.00 | 11.67 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | 15.06 | 15.22 | 15.09 |       |       |       |       |       | 0.22 | 20.11 | 30.00 | 9.89  |
| HE20, M0 to M11-STBC   | 4 | 6.00 | 15.04 | 15.20 | 15.06 | 15.49 |       |       |       |       | 0.22 | 21.44 | 30.00 | 8.56  |
| HE20, M0 to M11-STBC   | 6 | 6.00 | 15.06 | 15.22 | 14.99 |       | 15.52 | 15.26 | 15.60 |       | 0.22 | 23.28 | 30.00 | 6.72  |
| HE20, M0 to M11-STBC   | 8 | 6.00 | 12.91 | 13.04 | 13.04 | 13.55 | 13.35 | 13.35 | 13.31 | 13.18 | 0.22 | 22.47 | 30.00 | 7.53  |

## 5755 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Max Power (dBm) | Tx 2 Max Power (dBm) | Tx 3 Max Power (dBm) | Tx 4 Max Power (dBm) | Tx 5 Max Power (dBm) | Tx 6 Max Power (dBm) | Tx 7 Max Power (dBm) | Tx 8 Max Power (dBm) | DCCF (dB) | Total Conducted Power (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------|-----------------------------|-----------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | 14.65                |                      |                      |                      |                      |                      |                      |                      | 0.36      | 15.01                       | 30.00           | 14.99       |
| non HT40, 6 to 54 Mbps             | 2        | 6.00                          | 14.63                | 14.55                |                      |                      |                      |                      |                      |                      | 0.36      | 17.96                       | 30.00           | 12.04       |
| non HT40, 6 to 54 Mbps             | 3        | 6.00                          | 14.70                | 14.46                | 14.65                |                      |                      |                      |                      |                      | 0.36      | 19.73                       | 30.00           | 10.27       |
| non HT40, 6 to 54 Mbps             | 4        | 6.00                          | 14.74                | 14.49                | 14.60                | 14.94                |                      |                      |                      |                      | 0.36      | 21.07                       | 30.00           | 8.93        |
| non HT40, 6 to 54 Mbps             | 6        | 9.00                          | 14.66                | 14.53                | 14.59                |                      | 14.24                | 14.22                | 14.27                |                      | 0.36      | 22.56                       | 27.00           | 4.44        |
| non HT40, 6 to 54 Mbps             | 8        | 9.00                          | 14.71                | 14.59                | 14.60                | 14.88                | 14.25                | 14.20                | 14.23                | 14.07                | 0.36      | 23.84                       | 27.00           | 3.16        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | 14.98                |                      |                      |                      |                      |                      |                      |                      | 0.27      | 15.25                       | 30.00           | 14.75       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 6.00                          | 15.00                | 14.80                |                      |                      |                      |                      |                      |                      | 0.27      | 18.18                       | 30.00           | 11.82       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | 14.99                | 14.86                |                      |                      |                      |                      |                      |                      | 0.27      | 18.21                       | 30.00           | 11.79       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 6.00                          | 15.00                | 14.70                | 14.89                |                      |                      |                      |                      |                      | 0.27      | 19.91                       | 30.00           | 10.09       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 6.00                          | 15.19                | 14.87                | 15.10                |                      |                      |                      |                      |                      | 0.27      | 20.10                       | 30.00           | 9.90        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | 15.00                | 14.75                | 14.91                |                      |                      |                      |                      |                      | 0.27      | 19.93                       | 30.00           | 10.07       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 6.00                          | 15.08                | 14.79                | 14.86                | 15.21                |                      |                      |                      |                      | 0.27      | 21.28                       | 30.00           | 8.72        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 6.00                          | 15.26                | 14.99                | 15.03                | 15.41                |                      |                      |                      |                      | 0.27      | 21.46                       | 30.00           | 8.54        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 6.00                          | 15.29                | 15.04                | 15.09                | 15.45                |                      |                      |                      |                      | 0.27      | 21.51                       | 30.00           | 8.49        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | 15.07                | 14.88                | 14.87                | 15.25                |                      |                      |                      |                      | 0.27      | 21.31                       | 30.00           | 8.69        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 6.00                          | 15.00                | 14.84                | 14.84                |                      | 14.67                | 14.67                | 14.73                |                      | 0.27      | 22.85                       | 30.00           | 7.15        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 6.00                          | 15.24                | 15.03                | 15.04                |                      | 14.84                | 14.86                | 14.91                |                      | 0.27      | 23.04                       | 30.00           | 6.96        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 6.00                          | 15.25                | 15.05                | 15.12                |                      | 14.90                | 14.88                | 14.92                |                      | 0.27      | 23.07                       | 30.00           | 6.93        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 6.00                          | 15.27                | 15.07                | 15.11                |                      | 14.96                | 14.86                | 15.01                |                      | 0.27      | 23.10                       | 30.00           | 6.90        |
| VHT40, M0.5 to M9.5                | 6        | 6.00                          | 15.05                | 14.91                | 14.86                |                      | 14.68                | 14.68                | 14.73                |                      | 0.27      | 22.87                       | 30.00           | 7.13        |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | 15.30                | 15.11                | 15.05                |                      | 14.86                | 14.86                | 14.87                |                      | 0.27      | 23.06                       | 30.00           | 6.94        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 6.00                          | 15.03                | 14.92                | 14.90                | 15.17                | 14.65                | 14.70                | 14.71                | 14.53                | 0.27      | 24.13                       | 30.00           | 5.87        |

|                                       |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 6.00  | 15.28 | 15.07 | 15.08 | 15.36 | 14.85 | 14.87 | 14.90 | 14.73 | 0.27 | 24.32 | 30.00 | 5.68  |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 6.00  | 15.30 | 15.06 | 15.10 | 15.42 | 14.90 | 14.91 | 14.94 | 14.73 | 0.27 | 24.35 | 30.00 | 5.65  |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 6.00  | 15.31 | 15.16 | 15.11 | 15.46 | 14.96 | 14.90 | 14.99 | 14.84 | 0.27 | 24.40 | 30.00 | 5.60  |
| VHT40, M0.5 to M9.5                   | 8 | 6.00  | 15.09 | 14.96 | 14.86 | 15.20 | 14.68 | 14.69 | 14.72 | 14.57 | 0.27 | 24.15 | 30.00 | 5.85  |
| VHT40, M0.6 to M9.6                   | 8 | 6.00  | 15.34 | 15.10 | 15.09 | 15.42 | 14.82 | 14.87 | 14.89 | 14.78 | 0.27 | 24.35 | 30.00 | 5.65  |
| VHT40, M0.7 to M9.7                   | 8 | 6.00  | 15.38 | 15.19 | 15.19 | 15.55 | 14.97 | 14.98 | 14.99 | 14.82 | 0.27 | 24.44 | 30.00 | 5.56  |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | 15.19 | 15.13 | 15.17 | 15.49 | 14.96 | 14.91 | 15.03 | 14.75 | 0.27 | 24.38 | 30.00 | 5.62  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | 15.05 | 14.83 |       |       |       |       |       |       | 0.27 | 18.22 | 26.99 | 8.77  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | 15.03 | 14.93 |       |       |       |       |       |       | 0.27 | 18.26 | 30.00 | 11.74 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | 15.05 | 14.78 | 14.92 |       |       |       |       |       | 0.27 | 19.96 | 25.23 | 5.27  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | 15.23 | 14.94 | 15.14 |       |       |       |       |       | 0.27 | 20.15 | 28.24 | 8.09  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | 15.04 | 14.83 | 14.94 |       |       |       |       |       | 0.27 | 19.98 | 30.00 | 10.02 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | 15.13 | 14.79 | 14.88 | 15.24 |       |       |       |       | 0.27 | 21.30 | 23.98 | 2.68  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | 15.31 | 14.95 | 15.04 | 15.42 |       |       |       |       | 0.27 | 21.48 | 26.99 | 5.51  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | 15.32 | 15.00 | 15.10 | 15.45 |       |       |       |       | 0.27 | 21.51 | 28.75 | 7.24  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | 15.12 | 14.83 | 14.87 | 15.27 |       |       |       |       | 0.27 | 21.32 | 30.00 | 8.68  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | 11.83 | 11.80 | 11.79 |       | 11.62 | 11.60 | 11.59 |       | 0.27 | 19.76 | 22.22 | 2.46  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | 15.25 | 15.05 | 15.06 |       | 14.81 | 14.87 | 14.92 |       | 0.27 | 23.05 | 25.23 | 2.18  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | 15.26 | 15.03 | 15.13 |       | 14.87 | 14.90 | 14.94 |       | 0.27 | 23.07 | 26.99 | 3.92  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | 15.26 | 15.12 | 15.14 |       | 14.91 | 14.91 | 15.03 |       | 0.27 | 23.11 | 28.24 | 5.13  |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | 15.05 | 14.90 | 14.88 |       | 14.64 | 14.67 | 14.76 |       | 0.27 | 22.87 | 29.21 | 6.34  |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | 15.31 | 15.11 | 15.08 |       | 14.82 | 14.87 | 14.89 |       | 0.27 | 23.07 | 30.00 | 6.93  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | 9.75  | 9.93  | 9.70  | 10.12 | 9.48  | 9.56  | 9.43  | 9.40  | 0.27 | 18.98 | 20.97 | 1.99  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | 13.09 | 13.05 | 12.97 | 13.22 | 12.70 | 12.69 | 12.78 | 12.69 | 0.27 | 22.20 | 23.98 | 1.78  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | 15.32 | 15.09 | 15.07 | 15.45 | 14.90 | 14.89 | 14.96 | 14.78 | 0.27 | 24.36 | 25.74 | 1.38  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | 15.32 | 15.14 | 15.11 | 15.46 | 14.98 | 14.89 | 15.01 | 14.86 | 0.27 | 24.40 | 26.99 | 2.59  |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | 15.10 | 14.94 | 14.89 | 15.19 | 14.66 | 14.65 | 14.72 | 14.56 | 0.27 | 24.14 | 27.96 | 3.82  |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | 15.35 | 15.14 | 15.16 | 15.42 | 14.79 | 14.82 | 14.90 | 14.77 | 0.27 | 24.35 | 28.75 | 4.40  |



|                                   |   |      |       |       |       |       |       |       |       |       |      |       |       |       |
|-----------------------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58 | 15.38 | 15.19 | 15.22 | 15.56 | 14.97 | 14.93 | 14.99 | 14.82 | 0.27 | 24.44 | 29.42 | 4.98  |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00 | 15.16 | 15.15 | 15.19 | 15.48 | 14.94 | 14.89 | 15.06 | 14.75 | 0.27 | 24.38 | 30.00 | 5.62  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00 | 15.06 | 14.84 |       |       |       |       |       |       | 0.27 | 18.23 | 30.00 | 11.77 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00 | 15.09 | 14.77 | 14.90 |       |       |       |       |       | 0.27 | 19.96 | 30.00 | 10.04 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00 | 15.12 | 14.78 | 14.89 | 15.27 |       |       |       |       | 0.27 | 21.31 | 30.00 | 8.69  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00 | 15.05 | 14.90 | 14.85 |       | 14.65 | 14.61 | 14.74 |       | 0.27 | 22.85 | 30.00 | 7.15  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00 | 12.83 | 12.84 | 12.81 | 13.07 | 12.51 | 12.51 | 12.60 | 12.48 | 0.27 | 22.01 | 30.00 | 7.99  |
| HE40, M0.1 to M11.1               | 1 | 6.00 | 15.06 |       |       |       |       |       |       |       | 0.27 | 15.33 | 30.00 | 14.67 |
| HE40, M0.1 to M11.1               | 2 | 6.00 | 15.08 | 14.88 |       |       |       |       |       |       | 0.27 | 18.26 | 30.00 | 11.74 |
| HE40, M0.2 to M11.2               | 2 | 6.00 | 15.10 | 14.96 |       |       |       |       |       |       | 0.27 | 18.31 | 30.00 | 11.69 |
| HE40, M0.1 to M11.1               | 3 | 6.00 | 15.09 | 14.83 | 14.99 |       |       |       |       |       | 0.27 | 20.01 | 30.00 | 9.99  |
| HE40, M0.2 to M11.2               | 3 | 6.00 | 15.27 | 15.07 | 15.26 |       |       |       |       |       | 0.27 | 20.24 | 30.00 | 9.76  |
| HE40, M0.3 to M11.3               | 3 | 6.00 | 15.01 | 14.86 | 15.04 |       |       |       |       |       | 0.27 | 20.01 | 30.00 | 9.99  |
| HE40, M0.1 to M11.1               | 4 | 6.00 | 15.00 | 14.87 | 14.99 | 15.33 |       |       |       |       | 0.27 | 21.34 | 30.00 | 8.66  |
| HE40, M0.2 to M11.2               | 4 | 6.00 | 15.16 | 15.10 | 15.24 | 15.53 |       |       |       |       | 0.27 | 21.55 | 30.00 | 8.45  |
| HE40, M0.3 to M11.3               | 4 | 6.00 | 15.18 | 15.14 | 15.26 | 15.59 |       |       |       |       | 0.27 | 21.59 | 30.00 | 8.41  |
| HE40, M0.4 to M11.4               | 4 | 6.00 | 15.03 | 14.93 | 15.01 | 15.35 |       |       |       |       | 0.27 | 21.37 | 30.00 | 8.63  |
| HE40, M0.1 to M11.1               | 6 | 6.00 | 14.96 | 14.89 | 14.96 |       | 14.71 | 14.74 | 14.80 |       | 0.27 | 22.90 | 30.00 | 7.10  |
| HE40, M0.2 to M11.2               | 6 | 6.00 | 15.15 | 15.07 | 15.21 |       | 14.95 | 14.93 | 14.98 |       | 0.27 | 23.10 | 30.00 | 6.90  |
| HE40, M0.3 to M11.3               | 6 | 6.00 | 15.16 | 15.14 | 15.26 |       | 14.96 | 14.97 | 15.02 |       | 0.27 | 23.14 | 30.00 | 6.86  |
| HE40, M0.4 to M11.4               | 6 | 6.00 | 15.17 | 15.18 | 15.28 |       | 15.01 | 15.00 | 15.06 |       | 0.27 | 23.17 | 30.00 | 6.83  |
| HE40, M0.5 to M11.5               | 6 | 6.00 | 15.22 | 15.17 | 15.31 |       | 15.04 | 15.01 | 15.07 |       | 0.27 | 23.19 | 30.00 | 6.81  |
| HE40, M0.6 to M11.6               | 6 | 6.00 | 14.99 | 14.93 | 14.99 |       | 14.72 | 14.73 | 14.78 |       | 0.27 | 22.91 | 30.00 | 7.09  |
| HE40, M0.1 to M11.1               | 8 | 6.00 | 14.97 | 14.87 | 14.97 | 15.30 | 14.72 | 14.78 | 14.74 | 14.62 | 0.27 | 24.17 | 30.00 | 5.83  |
| HE40, M0.2 to M11.2               | 8 | 6.00 | 15.13 | 15.06 | 15.17 | 15.55 | 14.98 | 15.00 | 14.95 | 14.81 | 0.27 | 24.39 | 30.00 | 5.61  |
| HE40, M0.3 to M11.3               | 8 | 6.00 | 15.13 | 15.15 | 15.22 | 15.61 | 15.00 | 15.05 | 15.01 | 14.85 | 0.27 | 24.44 | 30.00 | 5.56  |
| HE40, M0.4 to M11.4               | 8 | 6.00 | 15.13 | 15.18 | 15.25 | 15.63 | 15.04 | 15.06 | 15.04 | 14.88 | 0.27 | 24.46 | 30.00 | 5.54  |
| HE40, M0.5 to M11.5               | 8 | 6.00 | 15.21 | 15.18 | 15.26 | 15.65 | 15.07 | 15.07 | 15.06 | 14.89 | 0.27 | 24.48 | 30.00 | 5.52  |

|                               |          |             |              |              |              |              |              |              |              |              |             |              |              |             |
|-------------------------------|----------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|-------------|
| HE40, M0.6 to M11.6           | 8        | 6.00        | 15.21        | 15.21        | 15.28        | 15.64        | 15.09        | 15.07        | 15.05        | 14.90        | 0.27        | 24.49        | 30.00        | 5.51        |
| HE40, M0.7 to M11.7           | 8        | 6.00        | 15.24        | 15.22        | 15.28        | 15.55        | 15.10        | 15.08        | 15.05        | 14.90        | 0.27        | 24.48        | 30.00        | 5.52        |
| HE40, M0.8 to M11.8           | 8        | 6.00        | 14.99        | 14.97        | 14.97        | 15.36        | 14.82        | 14.78        | 14.75        | 14.64        | 0.27        | 24.22        | 30.00        | 5.78        |
| HE40, M0.1 to M11.1-BF        | 2        | 9.01        | 14.88        | 15.02        |              |              |              |              |              |              | 0.27        | 18.23        | 26.99        | 8.76        |
| HE40, M0.2 to M11.2-BF        | 2        | 6.00        | 14.92        | 14.99        |              |              |              |              |              |              | 0.27        | 18.24        | 30.00        | 11.76       |
| HE40, M0.1 to M11.1-BF        | 3        | 10.77       | 14.92        | 14.89        | 15.02        |              |              |              |              |              | 0.27        | 19.99        | 25.23        | 5.24        |
| HE40, M0.2 to M11.2-BF        | 3        | 7.76        | 15.09        | 15.14        | 15.24        |              |              |              |              |              | 0.27        | 20.20        | 28.24        | 8.04        |
| HE40, M0.3 to M11.3-BF        | 3        | 6.00        | 14.92        | 14.94        | 15.00        |              |              |              |              |              | 0.27        | 20.00        | 30.00        | 10.00       |
| HE40, M0.1 to M11.1-BF        | 4        | 12.02       | 14.94        | 14.94        | 14.97        | 15.33        |              |              |              |              | 0.27        | 21.34        | 23.98        | 2.64        |
| HE40, M0.2 to M11.2-BF        | 4        | 9.01        | 15.11        | 15.18        | 15.21        | 15.55        |              |              |              |              | 0.27        | 21.56        | 26.99        | 5.43        |
| HE40, M0.3 to M11.3-BF        | 4        | 7.25        | 15.12        | 15.24        | 15.25        | 15.61        |              |              |              |              | 0.27        | 21.60        | 28.75        | 7.15        |
| HE40, M0.4 to M11.4-BF        | 4        | 6.00        | 14.95        | 15.00        | 15.00        | 15.36        |              |              |              |              | 0.27        | 21.37        | 30.00        | 8.63        |
| HE40, M0.1 to M11.1-BF        | 6        | 13.78       | 11.67        | 11.90        | 11.92        |              | 11.68        | 11.69        | 11.66        |              | 0.27        | 19.81        | 22.22        | 2.41        |
| HE40, M0.2 to M11.2-BF        | 6        | 10.77       | 15.10        | 15.14        | 15.24        |              | 14.96        | 15.01        | 14.96        |              | 0.27        | 23.12        | 25.23        | 2.11        |
| HE40, M0.3 to M11.3-BF        | 6        | 9.01        | 15.13        | 15.19        | 15.28        |              | 14.98        | 15.06        | 14.99        |              | 0.27        | 23.16        | 26.99        | 3.83        |
| HE40, M0.4 to M11.4-BF        | 6        | 7.76        | 15.11        | 15.25        | 15.32        |              | 15.02        | 15.04        | 15.04        |              | 0.27        | 23.18        | 28.24        | 5.06        |
| HE40, M0.5 to M11.5-BF        | 6        | 6.79        | 15.20        | 15.27        | 15.31        |              | 15.04        | 15.02        | 15.06        |              | 0.27        | 23.20        | 29.21        | 6.01        |
| HE40, M0.6 to M11.6-BF        | 6        | 6.00        | 14.93        | 15.02        | 15.02        |              | 14.74        | 14.77        | 14.79        |              | 0.27        | 22.93        | 30.00        | 7.07        |
| HE40, M0.1 to M11.1-BF        | 8        | 15.03       | 9.58         | 9.97         | 9.79         | 10.25        | 9.59         | 9.75         | 9.47         | 9.54         | 0.27        | 19.05        | 20.97        | 1.92        |
| HE40, M0.2 to M11.2-BF        | 8        | 12.02       | 12.89        | 13.11        | 13.12        | 13.42        | 12.89        | 12.91        | 12.80        | 12.74        | 0.27        | 22.29        | 23.98        | 1.69        |
| HE40, M0.3 to M11.3-BF        | 8        | 10.26       | 15.09        | 15.18        | 15.24        | 15.62        | 14.99        | 15.07        | 15.03        | 14.84        | 0.27        | 24.44        | 25.74        | 1.30        |
| HE40, M0.4 to M11.4-BF        | 8        | 9.01        | 15.12        | 15.19        | 15.26        | 15.65        | 15.06        | 15.08        | 15.05        | 14.86        | 0.27        | 24.46        | 26.99        | 2.53        |
| HE40, M0.5 to M11.5-BF        | 8        | 8.04        | 15.20        | 15.21        | 15.28        | 15.66        | 15.08        | 15.07        | 15.07        | 14.89        | 0.27        | 24.49        | 27.96        | 3.47        |
| <b>HE40, M0.6 to M11.6-BF</b> | <b>8</b> | <b>7.25</b> | <b>15.25</b> | <b>15.21</b> | <b>15.31</b> | <b>15.66</b> | <b>15.11</b> | <b>15.08</b> | <b>15.07</b> | <b>14.90</b> | <b>0.27</b> | <b>24.50</b> | <b>28.75</b> | <b>4.25</b> |
| HE40, M0.7 to M11.7-BF        | 8        | 6.58        | 15.25        | 15.21        | 15.29        | 15.63        | 15.11        | 15.06        | 15.06        | 14.90        | 0.27        | 24.49        | 29.42        | 4.93        |
| HE40, M0.8 to M11.8-BF        | 8        | 6.00        | 14.99        | 15.04        | 14.97        | 15.36        | 14.80        | 14.79        | 14.75        | 14.64        | 0.27        | 24.22        | 30.00        | 5.78        |
| HE40, M0 to M11-STBC          | 2        | 6.00        | 14.88        | 15.02        |              |              |              |              |              |              | 0.27        | 18.23        | 30.00        | 11.77       |
| HE40, M0 to M11-STBC          | 3        | 6.00        | 14.91        | 14.92        | 15.03        |              |              |              |              |              | 0.27        | 19.99        | 30.00        | 10.01       |

|                      |   |      |       |       |       |       |       |       |       |       |      |       |       |      |
|----------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|
| HE40, M0 to M11-STBC | 4 | 6.00 | 14.92 | 14.93 | 14.94 | 15.34 |       |       |       |       | 0.27 | 21.33 | 30.00 | 8.67 |
| HE40, M0 to M11-STBC | 6 | 6.00 | 14.94 | 14.94 | 14.95 |       | 14.68 | 14.75 | 14.82 |       | 0.27 | 22.90 | 30.00 | 7.10 |
| HE40, M0 to M11-STBC | 8 | 6.00 | 12.73 | 12.90 | 12.88 | 13.21 | 12.59 | 12.66 | 12.60 | 12.55 | 0.27 | 22.07 | 30.00 | 7.93 |

## 5795 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Max Power (dBm) | Tx 2 Max Power (dBm) | Tx 3 Max Power (dBm) | Tx 4 Max Power (dBm) | Tx 5 Max Power (dBm) | Tx 6 Max Power (dBm) | Tx 7 Max Power (dBm) | Tx 8 Max Power (dBm) | DCCF (dB) | Total Conducted Power (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------|-----------------------------|-----------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | 14.91                |                      |                      |                      |                      |                      |                      |                      | 0.36      | 15.27                       | 30.00           | 14.73       |
| non HT40, 6 to 54 Mbps             | 2        | 6.00                          | 14.92                | 14.83                |                      |                      |                      |                      |                      |                      | 0.36      | 18.24                       | 30.00           | 11.76       |
| non HT40, 6 to 54 Mbps             | 3        | 6.00                          | 14.96                | 14.73                | 14.84                |                      |                      |                      |                      |                      | 0.36      | 19.97                       | 30.00           | 10.03       |
| non HT40, 6 to 54 Mbps             | 4        | 6.00                          | 15.01                | 14.81                | 14.82                | 15.01                |                      |                      |                      |                      | 0.36      | 21.30                       | 30.00           | 8.70        |
| non HT40, 6 to 54 Mbps             | 6        | 9.00                          | 14.91                | 14.83                | 14.83                |                      | 14.75                | 14.68                | 14.65                |                      | 0.36      | 22.92                       | 27.00           | 4.08        |
| non HT40, 6 to 54 Mbps             | 8        | 9.00                          | 14.96                | 14.92                | 14.84                | 14.94                | 14.77                | 14.63                | 14.70                | 14.52                | 0.36      | 24.18                       | 27.00           | 2.82        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | 15.31                |                      |                      |                      |                      |                      |                      |                      | 0.27      | 15.58                       | 30.00           | 14.42       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 6.00                          | 15.31                | 15.22                |                      |                      |                      |                      |                      |                      | 0.27      | 18.55                       | 30.00           | 11.45       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | 15.32                | 15.28                |                      |                      |                      |                      |                      |                      | 0.27      | 18.58                       | 30.00           | 11.42       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 6.00                          | 15.31                | 15.14                | 15.19                |                      |                      |                      |                      |                      | 0.27      | 20.25                       | 30.00           | 9.75        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 6.00                          | 15.49                | 15.34                | 15.42                |                      |                      |                      |                      |                      | 0.27      | 20.46                       | 30.00           | 9.54        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | 15.31                | 15.23                | 15.24                |                      |                      |                      |                      |                      | 0.27      | 20.30                       | 30.00           | 9.70        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 6.00                          | 15.38                | 15.19                | 15.17                | 15.39                |                      |                      |                      |                      | 0.27      | 21.57                       | 30.00           | 8.43        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 6.00                          | 15.54                | 15.35                | 15.34                | 15.58                |                      |                      |                      |                      | 0.27      | 21.74                       | 30.00           | 8.26        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 6.00                          | 15.58                | 15.40                | 15.40                | 15.60                |                      |                      |                      |                      | 0.27      | 21.79                       | 30.00           | 8.21        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | 15.37                | 15.23                | 15.19                | 15.42                |                      |                      |                      |                      | 0.27      | 21.60                       | 30.00           | 8.40        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 6.00                          | 15.34                | 15.26                | 15.15                |                      | 15.16                | 15.04                | 15.10                |                      | 0.27      | 23.23                       | 30.00           | 6.77        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 6.00                          | 15.51                | 15.45                | 15.34                |                      | 15.31                | 15.25                | 15.25                |                      | 0.27      | 23.40                       | 30.00           | 6.60        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 6.00                          | 15.52                | 15.46                | 15.40                |                      | 15.37                | 15.27                | 15.26                |                      | 0.27      | 23.43                       | 30.00           | 6.57        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 6.00                          | 15.54                | 15.51                | 15.42                |                      | 15.43                | 15.28                | 15.37                |                      | 0.27      | 23.48                       | 30.00           | 6.52        |
| VHT40, M0.5 to M9.5                | 6        | 6.00                          | 15.31                | 15.28                | 15.18                |                      | 15.15                | 15.03                | 15.09                |                      | 0.27      | 23.23                       | 30.00           | 6.77        |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | 15.53                | 15.50                | 15.33                |                      | 15.34                | 15.26                | 15.27                |                      | 0.27      | 23.42                       | 30.00           | 6.58        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 6.00                          | 15.36                | 15.29                | 15.19                | 15.33                | 15.15                | 15.03                | 15.10                | 14.93                | 0.27      | 24.48                       | 30.00           | 5.52        |

|                                       |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 6.00  | 15.54 | 15.48 | 15.35 | 15.50 | 15.35 | 15.24 | 15.31 | 15.13 | 0.27 | 24.67 | 30.00 | 5.33  |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 6.00  | 15.54 | 15.50 | 15.39 | 15.56 | 15.41 | 15.28 | 15.35 | 15.18 | 0.27 | 24.70 | 30.00 | 5.30  |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 6.00  | 15.56 | 15.56 | 15.42 | 15.57 | 15.45 | 15.29 | 15.39 | 15.25 | 0.27 | 24.74 | 30.00 | 5.26  |
| VHT40, M0.5 to M9.5                   | 8 | 6.00  | 15.38 | 15.32 | 15.16 | 15.37 | 15.17 | 15.07 | 15.08 | 14.94 | 0.27 | 24.49 | 30.00 | 5.51  |
| VHT40, M0.6 to M9.6                   | 8 | 6.00  | 15.57 | 15.48 | 15.38 | 15.56 | 15.34 | 15.26 | 15.30 | 15.15 | 0.27 | 24.68 | 30.00 | 5.32  |
| VHT40, M0.7 to M9.7                   | 8 | 6.00  | 15.60 | 15.57 | 15.45 | 15.68 | 15.50 | 15.38 | 15.41 | 15.19 | 0.27 | 24.78 | 30.00 | 5.22  |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | 15.44 | 15.49 | 15.46 | 15.65 | 15.44 | 15.34 | 15.38 | 15.14 | 0.27 | 24.72 | 30.00 | 5.28  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | 15.27 | 15.28 |       |       |       |       |       |       | 0.27 | 18.56 | 26.99 | 8.43  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | 15.30 | 15.31 |       |       |       |       |       |       | 0.27 | 18.59 | 30.00 | 11.41 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | 15.30 | 15.17 | 15.22 |       |       |       |       |       | 0.27 | 20.27 | 25.23 | 4.96  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | 15.49 | 15.35 | 15.40 |       |       |       |       |       | 0.27 | 20.46 | 28.24 | 7.78  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | 15.29 | 15.22 | 15.20 |       |       |       |       |       | 0.27 | 20.28 | 30.00 | 9.72  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | 15.33 | 15.21 | 15.17 | 15.42 |       |       |       |       | 0.27 | 21.57 | 23.98 | 2.41  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | 15.53 | 15.39 | 15.34 | 15.61 |       |       |       |       | 0.27 | 21.76 | 26.99 | 5.23  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | 15.53 | 15.40 | 15.40 | 15.63 |       |       |       |       | 0.27 | 21.78 | 28.75 | 6.97  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | 15.36 | 15.24 | 15.18 | 15.43 |       |       |       |       | 0.27 | 21.60 | 30.00 | 8.40  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | 12.08 | 12.18 | 12.04 |       | 12.00 | 11.79 | 11.97 |       | 0.27 | 20.06 | 22.22 | 2.16  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | 15.50 | 15.46 | 15.36 |       | 15.35 | 15.26 | 15.29 |       | 0.27 | 23.42 | 25.23 | 1.81  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | 15.51 | 15.47 | 15.44 |       | 15.40 | 15.29 | 15.29 |       | 0.27 | 23.45 | 26.99 | 3.54  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | 15.51 | 15.52 | 15.42 |       | 15.44 | 15.29 | 15.37 |       | 0.27 | 23.48 | 28.24 | 4.76  |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | 15.30 | 15.28 | 15.16 |       | 15.18 | 15.07 | 15.10 |       | 0.27 | 23.23 | 29.21 | 5.98  |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | 15.51 | 15.48 | 15.35 |       | 15.35 | 15.26 | 15.24 |       | 0.27 | 23.42 | 30.00 | 6.58  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | 10.17 | 10.12 | 9.87  | 10.14 | 10.03 | 10.03 | 9.82  | 9.77  | 0.27 | 19.30 | 20.97 | 1.67  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | 13.34 | 13.43 | 13.21 | 13.42 | 13.21 | 13.01 | 13.12 | 13.06 | 0.27 | 22.53 | 23.98 | 1.45  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | 15.58 | 15.50 | 15.39 | 15.61 | 15.42 | 15.31 | 15.35 | 15.17 | 0.27 | 24.72 | 25.74 | 1.02  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | 15.58 | 15.55 | 15.39 | 15.59 | 15.47 | 15.30 | 15.37 | 15.27 | 0.27 | 24.74 | 26.99 | 2.25  |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | 15.35 | 15.32 | 15.15 | 15.35 | 15.17 | 15.06 | 15.07 | 14.97 | 0.27 | 24.48 | 27.96 | 3.48  |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | 15.57 | 15.52 | 15.36 | 15.55 | 15.37 | 15.25 | 15.29 | 15.20 | 0.27 | 24.69 | 28.75 | 4.06  |

|                                   |   |      |       |       |       |       |       |       |       |       |      |       |       |       |
|-----------------------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58 | 15.61 | 15.58 | 15.44 | 15.69 | 15.52 | 15.38 | 15.40 | 15.20 | 0.27 | 24.78 | 29.42 | 4.64  |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00 | 15.46 | 15.50 | 15.46 | 15.62 | 15.44 | 15.30 | 15.37 | 15.12 | 0.27 | 24.71 | 30.00 | 5.29  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00 | 15.31 | 15.26 |       |       |       |       |       |       | 0.27 | 18.56 | 30.00 | 11.44 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00 | 15.32 | 15.21 | 15.20 |       |       |       |       |       | 0.27 | 20.28 | 30.00 | 9.72  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00 | 15.39 | 15.21 | 15.16 | 15.43 |       |       |       |       | 0.27 | 21.59 | 30.00 | 8.41  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00 | 15.32 | 15.28 | 15.12 |       | 15.20 | 15.05 | 15.10 |       | 0.27 | 23.23 | 30.00 | 6.77  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00 | 13.14 | 13.24 | 13.01 | 13.22 | 12.99 | 12.86 | 12.95 | 12.84 | 0.27 | 22.33 | 30.00 | 7.67  |
| HE40, M0.1 to M11.1               | 1 | 6.00 | 15.38 |       |       |       |       |       |       |       | 0.27 | 15.65 | 30.00 | 14.35 |
| HE40, M0.1 to M11.1               | 2 | 6.00 | 15.40 | 15.35 |       |       |       |       |       |       | 0.27 | 18.66 | 30.00 | 11.34 |
| HE40, M0.2 to M11.2               | 2 | 6.00 | 15.42 | 15.37 |       |       |       |       |       |       | 0.27 | 18.67 | 30.00 | 11.33 |
| HE40, M0.1 to M11.1               | 3 | 6.00 | 15.40 | 15.26 | 15.28 |       |       |       |       |       | 0.27 | 20.35 | 30.00 | 9.65  |
| HE40, M0.2 to M11.2               | 3 | 6.00 | 15.58 | 15.49 | 15.53 |       |       |       |       |       | 0.27 | 20.57 | 30.00 | 9.43  |
| HE40, M0.3 to M11.3               | 3 | 6.00 | 15.41 | 15.29 | 15.33 |       |       |       |       |       | 0.27 | 20.38 | 30.00 | 9.62  |
| HE40, M0.1 to M11.1               | 4 | 6.00 | 15.41 | 15.30 | 15.21 | 15.49 |       |       |       |       | 0.27 | 21.64 | 30.00 | 8.36  |
| HE40, M0.2 to M11.2               | 4 | 6.00 | 15.58 | 15.48 | 15.45 | 15.70 |       |       |       |       | 0.27 | 21.84 | 30.00 | 8.16  |
| HE40, M0.3 to M11.3               | 4 | 6.00 | 15.60 | 15.58 | 15.47 | 15.77 |       |       |       |       | 0.27 | 21.90 | 30.00 | 8.10  |
| HE40, M0.4 to M11.4               | 4 | 6.00 | 15.43 | 15.35 | 15.22 | 15.52 |       |       |       |       | 0.27 | 21.67 | 30.00 | 8.33  |
| HE40, M0.1 to M11.1               | 6 | 6.00 | 15.39 | 15.29 | 15.21 |       | 15.26 | 15.14 | 15.17 |       | 0.27 | 23.30 | 30.00 | 6.70  |
| HE40, M0.2 to M11.2               | 6 | 6.00 | 15.56 | 15.48 | 15.45 |       | 15.50 | 15.37 | 15.36 |       | 0.27 | 23.51 | 30.00 | 6.49  |
| HE40, M0.3 to M11.3               | 6 | 6.00 | 15.58 | 15.54 | 15.50 |       | 15.52 | 15.40 | 15.41 |       | 0.27 | 23.54 | 30.00 | 6.46  |
| HE40, M0.4 to M11.4               | 6 | 6.00 | 15.57 | 15.57 | 15.52 |       | 15.54 | 15.42 | 15.45 |       | 0.27 | 23.56 | 30.00 | 6.44  |
| HE40, M0.5 to M11.5               | 6 | 6.00 | 15.66 | 15.57 | 15.53 |       | 15.60 | 15.43 | 15.44 |       | 0.27 | 23.59 | 30.00 | 6.41  |
| HE40, M0.6 to M11.6               | 6 | 6.00 | 15.40 | 15.33 | 15.24 |       | 15.28 | 15.15 | 15.17 |       | 0.27 | 23.31 | 30.00 | 6.69  |
| HE40, M0.1 to M11.1               | 8 | 6.00 | 15.42 | 15.30 | 15.18 | 15.49 | 15.28 | 15.19 | 15.11 | 14.99 | 0.27 | 24.55 | 30.00 | 5.45  |
| HE40, M0.2 to M11.2               | 8 | 6.00 | 15.58 | 15.52 | 15.39 | 15.72 | 15.55 | 15.43 | 15.35 | 15.18 | 0.27 | 24.77 | 30.00 | 5.23  |
| HE40, M0.3 to M11.3               | 8 | 6.00 | 15.58 | 15.55 | 15.47 | 15.77 | 15.57 | 15.47 | 15.42 | 15.21 | 0.27 | 24.81 | 30.00 | 5.19  |
| HE40, M0.4 to M11.4               | 8 | 6.00 | 15.62 | 15.57 | 15.51 | 15.81 | 15.60 | 15.48 | 15.45 | 15.23 | 0.27 | 24.84 | 30.00 | 5.16  |
| HE40, M0.5 to M11.5               | 8 | 6.00 | 15.66 | 15.59 | 15.55 | 15.79 | 15.64 | 15.48 | 15.46 | 15.25 | 0.27 | 24.86 | 30.00 | 5.14  |

|                            |          |             |              |              |              |              |              |              |              |              |             |              |              |             |
|----------------------------|----------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|-------------|
| <b>HE40, M0.6 to M11.6</b> | <b>8</b> | <b>6.00</b> | <b>15.69</b> | <b>15.59</b> | <b>15.55</b> | <b>15.80</b> | <b>15.66</b> | <b>15.49</b> | <b>15.44</b> | <b>15.32</b> | <b>0.27</b> | <b>24.87</b> | <b>30.00</b> | <b>5.13</b> |
| HE40, M0.7 to M11.7        | 8        | 6.00        | 15.68        | 15.58        | 15.54        | 15.81        | 15.67        | 15.48        | 15.44        | 15.29        | 0.27        | 24.86        | 30.00        | 5.14        |
| HE40, M0.8 to M11.8        | 8        | 6.00        | 15.40        | 15.36        | 15.24        | 15.51        | 15.37        | 15.21        | 15.12        | 15.06        | 0.27        | 24.59        | 30.00        | 5.41        |
| HE40, M0.1 to M11.1-BF     | 2        | 9.01        | 15.34        | 15.33        |              |              |              |              |              |              | 0.27        | 18.62        | 26.99        | 8.37        |
| HE40, M0.2 to M11.2-BF     | 2        | 6.00        | 15.37        | 15.39        |              |              |              |              |              |              | 0.27        | 18.66        | 30.00        | 11.34       |
| HE40, M0.1 to M11.1-BF     | 3        | 10.77       | 15.36        | 15.25        | 15.26        |              |              |              |              |              | 0.27        | 20.33        | 25.23        | 4.90        |
| HE40, M0.2 to M11.2-BF     | 3        | 7.76        | 15.55        | 15.50        | 15.50        |              |              |              |              |              | 0.27        | 20.56        | 28.24        | 7.68        |
| HE40, M0.3 to M11.3-BF     | 3        | 6.00        | 15.38        | 15.29        | 15.28        |              |              |              |              |              | 0.27        | 20.36        | 30.00        | 9.64        |
| HE40, M0.1 to M11.1-BF     | 4        | 12.02       | 15.39        | 15.32        | 15.19        | 15.49        |              |              |              |              | 0.27        | 21.64        | 23.98        | 2.34        |
| HE40, M0.2 to M11.2-BF     | 4        | 9.01        | 15.54        | 15.51        | 15.44        | 15.71        |              |              |              |              | 0.27        | 21.84        | 26.99        | 5.15        |
| HE40, M0.3 to M11.3-BF     | 4        | 7.25        | 15.58        | 15.58        | 15.46        | 15.76        |              |              |              |              | 0.27        | 21.89        | 28.75        | 6.86        |
| HE40, M0.4 to M11.4-BF     | 4        | 6.00        | 15.38        | 15.35        | 15.22        | 15.52        |              |              |              |              | 0.27        | 21.66        | 30.00        | 8.34        |
| HE40, M0.1 to M11.1-BF     | 6        | 13.78       | 12.18        | 12.21        | 12.13        |              | 12.06        | 11.86        | 12.07        |              | 0.27        | 20.14        | 22.22        | 2.08        |
| HE40, M0.2 to M11.2-BF     | 6        | 10.77       | 15.56        | 15.50        | 15.42        |              | 15.49        | 15.36        | 15.36        |              | 0.27        | 23.50        | 25.23        | 1.73        |
| HE40, M0.3 to M11.3-BF     | 6        | 9.01        | 15.56        | 15.52        | 15.49        |              | 15.53        | 15.41        | 15.40        |              | 0.27        | 23.54        | 26.99        | 3.45        |
| HE40, M0.4 to M11.4-BF     | 6        | 7.76        | 15.56        | 15.57        | 15.51        |              | 15.55        | 15.42        | 15.44        |              | 0.27        | 23.56        | 28.24        | 4.68        |
| HE40, M0.5 to M11.5-BF     | 6        | 6.79        | 15.62        | 15.59        | 15.53        |              | 15.58        | 15.42        | 15.44        |              | 0.27        | 23.58        | 29.21        | 5.63        |
| HE40, M0.6 to M11.6-BF     | 6        | 6.00        | 15.36        | 15.35        | 15.25        |              | 15.28        | 15.15        | 15.16        |              | 0.27        | 23.31        | 30.00        | 6.69        |
| HE40, M0.1 to M11.1-BF     | 8        | 15.03       | 10.21        | 10.14        | 9.93         | 10.30        | 10.18        | 10.16        | 9.86         | 9.83         | 0.27        | 19.38        | 20.97        | 1.59        |
| HE40, M0.2 to M11.2-BF     | 8        | 12.02       | 13.34        | 13.43        | 13.26        | 13.62        | 13.41        | 13.21        | 13.19        | 13.09        | 0.27        | 22.62        | 23.98        | 1.36        |
| HE40, M0.3 to M11.3-BF     | 8        | 10.26       | 15.55        | 15.55        | 15.46        | 15.77        | 15.57        | 15.45        | 15.39        | 15.21        | 0.27        | 24.80        | 25.74        | 0.94        |
| HE40, M0.4 to M11.4-BF     | 8        | 9.01        | 15.55        | 15.57        | 15.51        | 15.79        | 15.60        | 15.48        | 15.44        | 15.26        | 0.27        | 24.83        | 26.99        | 2.16        |
| HE40, M0.5 to M11.5-BF     | 8        | 8.04        | 15.61        | 15.59        | 15.55        | 15.81        | 15.67        | 15.47        | 15.45        | 15.27        | 0.27        | 24.86        | 27.96        | 3.10        |
| HE40, M0.6 to M11.6-BF     | 8        | 7.25        | 15.63        | 15.60        | 15.56        | 15.80        | 15.65        | 15.48        | 15.46        | 15.32        | 0.27        | 24.86        | 28.75        | 3.89        |
| HE40, M0.7 to M11.7-BF     | 8        | 6.58        | 15.64        | 15.58        | 15.55        | 15.81        | 15.68        | 15.48        | 15.44        | 15.32        | 0.27        | 24.86        | 29.42        | 4.56        |
| HE40, M0.8 to M11.8-BF     | 8        | 6.00        | 15.39        | 15.36        | 15.23        | 15.52        | 15.36        | 15.19        | 15.11        | 15.05        | 0.27        | 24.58        | 30.00        | 5.42        |
| HE40, M0 to M11-STBC       | 2        | 6.00        | 15.32        | 15.36        |              |              |              |              |              |              | 0.27        | 18.62        | 30.00        | 11.38       |
| HE40, M0 to M11-STBC       | 3        | 6.00        | 15.34        | 15.25        | 15.25        |              |              |              |              |              | 0.27        | 20.32        | 30.00        | 9.68        |

|                      |   |      |       |       |       |       |       |       |       |       |      |       |       |      |
|----------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|
| HE40, M0 to M11-STBC | 4 | 6.00 | 15.35 | 15.33 | 15.22 | 15.48 |       |       |       |       | 0.27 | 21.64 | 30.00 | 8.36 |
| HE40, M0 to M11-STBC | 6 | 6.00 | 15.36 | 15.32 | 15.24 |       | 15.28 | 15.14 | 15.16 |       | 0.27 | 23.30 | 30.00 | 6.70 |
| HE40, M0 to M11-STBC | 8 | 6.00 | 13.16 | 13.25 | 13.08 | 13.36 | 13.13 | 13.02 | 12.99 | 12.94 | 0.27 | 22.42 | 30.00 | 7.58 |



## 5775 MHz:

| Mode                   | Tx paths | correlated antenna gain (dBi) | Tx 1 Max Power (dBm) | Tx 2 Max Power (dBm) | Tx 3 Max Power (dBm) | Tx 4 Max Power (dBm) | Tx 5 Max Power (dBm) | Tx 6 Max Power (dBm) | Tx 7 Max Power (dBm) | Tx 8 Max Power (dBm) | DCCF (dB) | Total Conducted Power (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------|-----------------------------|-----------------|-------------|
| non HT80, 6 to 54 Mbps | 1        | 6.00                          | 14.12                |                      |                      |                      |                      |                      |                      |                      | 0.36      | 14.48                       | 30.00           | 15.52       |
| non HT80, 6 to 54 Mbps | 2        | 6.00                          | 14.05                | 13.90                |                      |                      |                      |                      |                      |                      | 0.36      | 17.34                       | 30.00           | 12.66       |
| non HT80, 6 to 54 Mbps | 3        | 6.00                          | 14.10                | 13.83                | 13.97                |                      |                      |                      |                      |                      | 0.36      | 19.10                       | 30.00           | 10.90       |
| non HT80, 6 to 54 Mbps | 4        | 6.00                          | 14.14                | 13.90                | 13.94                | 14.05                |                      |                      |                      |                      | 0.36      | 20.39                       | 30.00           | 9.61        |
| non HT80, 6 to 54 Mbps | 6        | 9.00                          | 13.06                | 13.12                | 12.96                |                      | 12.87                | 13.08                | 13.11                |                      | 0.36      | 21.17                       | 27.00           | 5.83        |
| non HT80, 6 to 54 Mbps | 8        | 9.00                          | 10.94                | 11.14                | 11.00                | 11.27                | 10.76                | 10.88                | 11.07                | 10.90                | 0.36      | 20.39                       | 27.00           | 6.61        |
| VHT80, M0.1 to M9.1    | 1        | 6.00                          | 14.28                |                      |                      |                      |                      |                      |                      |                      | 0.27      | 14.55                       | 30.00           | 15.46       |
| VHT80, M0.1 to M9.1    | 2        | 6.00                          | 14.28                | 14.14                |                      |                      |                      |                      |                      |                      | 0.27      | 17.49                       | 30.00           | 12.51       |
| VHT80, M0.2 to M9.2    | 2        | 6.00                          | 14.27                | 14.14                |                      |                      |                      |                      |                      |                      | 0.27      | 17.49                       | 30.00           | 12.51       |
| VHT80, M0.1 to M9.1    | 3        | 6.00                          | 14.27                | 14.01                | 14.19                |                      |                      |                      |                      |                      | 0.27      | 19.20                       | 30.00           | 10.80       |
| VHT80, M0.2 to M9.2    | 3        | 6.00                          | 14.41                | 14.16                | 14.35                |                      |                      |                      |                      |                      | 0.27      | 19.35                       | 30.00           | 10.65       |
| VHT80, M0.3 to M9.3    | 3        | 6.00                          | 14.28                | 14.12                | 14.25                |                      |                      |                      |                      |                      | 0.27      | 19.26                       | 30.00           | 10.74       |
| VHT80, M0.1 to M9.1    | 4        | 6.00                          | 14.32                | 14.08                | 14.14                | 14.29                |                      |                      |                      |                      | 0.27      | 20.50                       | 30.00           | 9.50        |
| VHT80, M0.2 to M9.2    | 4        | 6.00                          | 14.44                | 14.21                | 14.32                | 14.45                |                      |                      |                      |                      | 0.27      | 20.65                       | 30.00           | 9.35        |
| VHT80, M0.3 to M9.3    | 4        | 6.00                          | 14.44                | 14.29                | 14.40                | 14.54                |                      |                      |                      |                      | 0.27      | 20.71                       | 30.00           | 9.29        |
| VHT80, M0.4 to M9.4    | 4        | 6.00                          | 14.31                | 14.11                | 14.19                | 14.36                |                      |                      |                      |                      | 0.27      | 20.53                       | 30.00           | 9.47        |
| VHT80, M0.1 to M9.1    | 6        | 6.00                          | 14.27                | 14.16                | 14.12                |                      | 13.86                | 13.95                | 13.94                |                      | 0.27      | 22.10                       | 30.00           | 7.90        |
| VHT80, M0.2 to M9.2    | 6        | 6.00                          | 14.41                | 14.30                | 14.24                |                      | 13.98                | 14.09                | 14.06                |                      | 0.27      | 22.23                       | 30.00           | 7.77        |
| VHT80, M0.3 to M9.3    | 6        | 6.00                          | 14.40                | 14.36                | 14.35                |                      | 14.08                | 14.22                | 14.14                |                      | 0.27      | 22.31                       | 30.00           | 7.69        |
| VHT80, M0.4 to M9.4    | 6        | 6.00                          | 14.38                | 14.36                | 14.38                |                      | 13.99                | 14.22                | 14.18                |                      | 0.27      | 22.30                       | 30.00           | 7.70        |
| VHT80, M0.5 to M9.5    | 6        | 6.00                          | 14.42                | 14.39                | 14.38                |                      | 14.00                | 14.22                | 14.22                |                      | 0.27      | 22.33                       | 30.00           | 7.67        |
| VHT80, M0.6 to M9.6    | 6        | 6.00                          | 13.30                | 13.43                | 13.25                |                      | 13.18                | 13.39                | 13.39                |                      | 0.27      | 21.38                       | 30.00           | 8.62        |
| VHT80, M0.1 to M9.1    | 8        | 6.00                          | 14.31                | 14.16                | 14.16                | 14.25                | 13.86                | 13.95                | 13.98                | 14.16                | 0.27      | 23.41                       | 30.00           | 6.59        |

|                        |   |       |       |       |       |       |       |       |       |       |      |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| VHT80, M0.2 to M9.2    | 8 | 6.00  | 14.43 | 14.30 | 14.30 | 14.40 | 13.99 | 14.09 | 14.11 | 13.92 | 0.27 | 23.50 | 30.00 | 6.50  |
| VHT80, M0.3 to M9.3    | 8 | 6.00  | 14.41 | 14.35 | 14.37 | 14.52 | 14.09 | 14.19 | 14.21 | 13.98 | 0.27 | 23.57 | 30.00 | 6.43  |
| VHT80, M0.4 to M9.4    | 8 | 6.00  | 14.41 | 14.31 | 14.42 | 14.53 | 14.01 | 14.17 | 14.23 | 13.99 | 0.27 | 23.56 | 30.00 | 6.44  |
| VHT80, M0.5 to M9.5    | 8 | 6.00  | 14.49 | 14.37 | 14.42 | 14.52 | 14.01 | 14.17 | 14.27 | 14.02 | 0.27 | 23.59 | 30.00 | 6.41  |
| VHT80, M0.6 to M9.6    | 8 | 6.00  | 14.50 | 14.38 | 14.46 | 14.46 | 14.04 | 14.12 | 14.29 | 13.99 | 0.27 | 23.59 | 30.00 | 6.41  |
| VHT80, M0.7 to M9.7    | 8 | 6.00  | 14.54 | 14.38 | 14.44 | 14.45 | 14.03 | 14.17 | 14.27 | 14.01 | 0.27 | 23.59 | 30.00 | 6.41  |
| VHT80, M0.8 to M9.8    | 8 | 6.00  | 14.32 | 14.25 | 14.18 | 14.29 | 13.90 | 13.99 | 14.03 | 13.83 | 0.27 | 23.40 | 30.00 | 6.60  |
| VHT80, M0.1 to M9.1-BF | 2 | 9.01  | 14.25 | 14.16 |       |       |       |       |       |       | 0.27 | 17.49 | 26.99 | 9.50  |
| VHT80, M0.2 to M9.2-BF | 2 | 6.00  | 14.28 | 14.20 |       |       |       |       |       |       | 0.27 | 17.52 | 30.00 | 12.48 |
| VHT80, M0.1 to M9.1-BF | 3 | 10.77 | 14.29 | 14.07 | 14.23 |       |       |       |       |       | 0.27 | 19.24 | 25.23 | 5.99  |
| VHT80, M0.2 to M9.2-BF | 3 | 7.76  | 14.43 | 14.22 | 14.37 |       |       |       |       |       | 0.27 | 19.38 | 28.24 | 8.86  |
| VHT80, M0.3 to M9.3-BF | 3 | 6.00  | 14.30 | 14.15 | 14.25 |       |       |       |       |       | 0.27 | 19.27 | 30.00 | 10.73 |
| VHT80, M0.1 to M9.1-BF | 4 | 12.02 | 12.23 | 12.30 | 12.20 | 12.65 |       |       |       |       | 0.27 | 18.64 | 23.98 | 5.34  |
| VHT80, M0.2 to M9.2-BF | 4 | 9.01  | 14.45 | 14.24 | 14.29 | 14.46 |       |       |       |       | 0.27 | 20.65 | 26.99 | 6.34  |
| VHT80, M0.3 to M9.3-BF | 4 | 7.25  | 14.45 | 14.33 | 14.37 | 14.58 |       |       |       |       | 0.27 | 20.72 | 28.75 | 8.03  |
| VHT80, M0.4 to M9.4-BF | 4 | 6.00  | 14.32 | 14.13 | 14.17 | 14.36 |       |       |       |       | 0.27 | 20.54 | 30.00 | 9.46  |
| VHT80, M0.1 to M9.1-BF | 6 | 13.78 | 8.24  | 8.33  | 8.10  |       | 8.10  | 8.37  | 8.10  |       | 0.27 | 16.26 | 22.22 | 5.96  |
| VHT80, M0.2 to M9.2-BF | 6 | 10.77 | 11.28 | 11.53 | 11.36 |       | 11.18 | 11.30 | 11.41 |       | 0.27 | 19.40 | 25.23 | 5.83  |
| VHT80, M0.3 to M9.3-BF | 6 | 9.01  | 13.42 | 13.58 | 13.46 |       | 13.35 | 13.59 | 13.55 |       | 0.27 | 21.54 | 26.99 | 5.45  |
| VHT80, M0.4 to M9.4-BF | 6 | 7.76  | 14.38 | 14.39 | 14.43 |       | 13.99 | 14.23 | 14.19 |       | 0.27 | 22.32 | 28.24 | 5.92  |
| VHT80, M0.5 to M9.5-BF | 6 | 6.79  | 14.46 | 14.44 | 14.44 |       | 14.01 | 14.24 | 14.23 |       | 0.27 | 22.36 | 29.21 | 6.85  |
| VHT80, M0.6 to M9.6-BF | 6 | 6.00  | 14.27 | 14.25 | 14.19 |       | 13.86 | 14.04 | 13.98 |       | 0.27 | 22.15 | 30.00 | 7.85  |
| VHT80, M0.1 to M9.1-BF | 8 | 15.03 | 7.19  | 7.30  | 7.03  | 7.31  | 7.16  | 7.22  | 7.23  | 7.22  | 0.27 | 16.51 | 20.97 | 4.46  |
| VHT80, M0.2 to M9.2-BF | 8 | 12.02 | 11.32 | 11.51 | 11.38 | 11.64 | 11.18 | 11.26 | 11.46 | 11.31 | 0.27 | 20.68 | 23.98 | 3.30  |
| VHT80, M0.3 to M9.3-BF | 8 | 10.26 | 11.31 | 11.54 | 11.46 | 11.73 | 11.26 | 11.36 | 11.55 | 11.33 | 0.27 | 20.75 | 25.74 | 4.99  |
| VHT80, M0.4 to M9.4-BF | 8 | 9.01  | 11.32 | 11.50 | 11.53 | 11.78 | 11.19 | 11.35 | 11.58 | 11.34 | 0.27 | 20.75 | 26.99 | 6.24  |
| VHT80, M0.5 to M9.5-BF | 8 | 8.04  | 13.46 | 13.60 | 13.56 | 13.99 | 13.33 | 13.53 | 13.66 | 13.44 | 0.27 | 22.88 | 27.96 | 5.08  |
| VHT80, M0.6 to M9.6-BF | 8 | 7.25  | 14.50 | 14.41 | 14.43 | 14.47 | 14.02 | 14.12 | 14.33 | 14.03 | 0.27 | 23.59 | 28.75 | 5.16  |

|                        |   |      |       |       |       |       |       |       |       |       |      |       |       |       |
|------------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|
| VHT80, M0.7 to M9.7-BF | 8 | 6.58 | 14.55 | 14.41 | 14.39 | 14.48 | 14.02 | 14.15 | 14.29 | 14.02 | 0.27 | 23.59 | 29.42 | 5.83  |
| VHT80, M0.8 to M9.8-BF | 8 | 6.00 | 14.28 | 14.24 | 14.18 | 14.31 | 13.90 | 13.98 | 14.03 | 13.80 | 0.27 | 23.39 | 30.00 | 6.61  |
| VHT80, M0 to M9-STBC   | 2 | 6.00 | 14.27 | 14.18 |       |       |       |       |       |       | 0.27 | 17.50 | 30.00 | 12.50 |
| VHT80, M0 to M9-STBC   | 3 | 6.00 | 14.25 | 14.08 | 14.16 |       |       |       |       |       | 0.27 | 19.21 | 30.00 | 10.79 |
| VHT80, M0 to M9-STBC   | 4 | 6.00 | 14.31 | 14.10 | 14.13 | 14.32 |       |       |       |       | 0.27 | 20.50 | 30.00 | 9.50  |
| VHT80, M0 to M9-STBC   | 6 | 6.00 | 14.25 | 14.21 | 14.08 |       | 13.81 | 13.97 | 14.03 |       | 0.27 | 22.11 | 30.00 | 7.89  |
| VHT80, M0 to M9-STBC   | 8 | 6.00 | 12.09 | 12.10 | 11.99 | 12.14 | 11.67 | 11.81 | 11.88 | 11.71 | 0.27 | 21.23 | 30.00 | 8.77  |
| HE80, M0.1 to M11.1    | 1 | 6.00 | 14.44 |       |       |       |       |       |       |       | 0.22 | 14.66 | 30.00 | 15.34 |
| HE80, M0.1 to M11.1    | 2 | 6.00 | 14.64 | 14.40 |       |       |       |       |       |       | 0.22 | 17.75 | 30.00 | 12.25 |
| HE80, M0.2 to M11.2    | 2 | 6.00 | 14.67 | 14.43 |       |       |       |       |       |       | 0.22 | 17.78 | 30.00 | 12.22 |
| HE80, M0.1 to M11.1    | 3 | 6.00 | 14.45 | 14.29 | 14.37 |       |       |       |       |       | 0.22 | 19.36 | 30.00 | 10.64 |
| HE80, M0.2 to M11.2    | 3 | 6.00 | 14.61 | 14.46 | 14.57 |       |       |       |       |       | 0.22 | 19.54 | 30.00 | 10.46 |
| HE80, M0.3 to M11.3    | 3 | 6.00 | 14.44 | 14.33 | 14.43 |       |       |       |       |       | 0.22 | 19.39 | 30.00 | 10.61 |
| HE80, M0.1 to M11.1    | 4 | 6.00 | 14.47 | 14.31 | 14.34 | 14.49 |       |       |       |       | 0.22 | 20.64 | 30.00 | 9.36  |
| HE80, M0.2 to M11.2    | 4 | 6.00 | 14.66 | 14.49 | 14.53 | 14.66 |       |       |       |       | 0.22 | 20.82 | 30.00 | 9.18  |
| HE80, M0.3 to M11.3    | 4 | 6.00 | 14.66 | 14.54 | 14.54 | 14.71 |       |       |       |       | 0.22 | 20.86 | 30.00 | 9.14  |
| HE80, M0.4 to M11.4    | 4 | 6.00 | 14.50 | 14.38 | 14.39 | 14.50 |       |       |       |       | 0.22 | 20.68 | 30.00 | 9.32  |
| HE80, M0.1 to M11.1    | 6 | 6.00 | 14.46 | 14.35 | 14.37 |       | 14.06 | 14.18 | 14.20 |       | 0.22 | 22.27 | 30.00 | 7.73  |
| HE80, M0.2 to M11.2    | 6 | 6.00 | 14.62 | 14.51 | 14.51 |       | 14.20 | 14.33 | 14.38 |       | 0.22 | 22.43 | 30.00 | 7.57  |
| HE80, M0.3 to M11.3    | 6 | 6.00 | 14.63 | 14.54 | 14.57 |       | 14.21 | 14.37 | 14.42 |       | 0.22 | 22.46 | 30.00 | 7.54  |
| HE80, M0.4 to M11.4    | 6 | 6.00 | 14.62 | 14.59 | 14.57 |       | 14.24 | 14.37 | 14.44 |       | 0.22 | 22.47 | 30.00 | 7.53  |
| HE80, M0.5 to M11.5    | 6 | 6.00 | 13.78 | 13.78 | 13.75 |       | 13.61 | 13.72 | 13.83 |       | 0.22 | 21.75 | 30.00 | 8.25  |
| HE80, M0.6 to M11.6    | 6 | 6.00 | 13.59 | 13.56 | 13.51 |       | 13.39 | 13.51 | 13.59 |       | 0.22 | 21.53 | 30.00 | 8.47  |
| HE80, M0.1 to M11.1    | 8 | 6.00 | 14.47 | 14.35 | 14.36 | 14.48 | 14.08 | 14.23 | 14.19 | 13.94 | 0.22 | 23.52 | 30.00 | 6.48  |
| HE80, M0.2 to M11.2    | 8 | 6.00 | 13.75 | 13.68 | 13.62 | 14.14 | 13.56 | 13.76 | 13.72 | 13.62 | 0.22 | 22.99 | 30.00 | 7.01  |
| HE80, M0.3 to M11.3    | 8 | 6.00 | 13.75 | 13.73 | 13.67 | 14.19 | 13.64 | 13.80 | 13.78 | 13.63 | 0.22 | 23.02 | 30.00 | 6.98  |
| HE80, M0.4 to M11.4    | 8 | 6.00 | 13.73 | 13.76 | 13.68 | 14.20 | 13.64 | 13.77 | 13.76 | 13.66 | 0.22 | 23.03 | 30.00 | 6.97  |
| HE80, M0.5 to M11.5    | 8 | 6.00 | 13.77 | 13.78 | 13.73 | 14.23 | 13.68 | 13.81 | 13.77 | 13.68 | 0.22 | 23.06 | 30.00 | 6.94  |

|                            |          |             |              |              |              |              |              |              |              |              |             |              |              |             |
|----------------------------|----------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|-------------|
| HE80, M0.6 to M11.6        | 8        | 6.00        | 13.75        | 13.78        | 13.71        | 14.24        | 13.67        | 13.81        | 13.77        | 13.69        | 0.22        | 23.06        | 30.00        | 6.94        |
| <b>HE80, M0.7 to M11.7</b> | <b>8</b> | <b>6.00</b> | <b>14.71</b> | <b>14.60</b> | <b>14.59</b> | <b>14.71</b> | <b>14.32</b> | <b>14.47</b> | <b>14.43</b> | <b>14.20</b> | <b>0.22</b> | <b>23.76</b> | <b>30.00</b> | <b>6.24</b> |
| HE80, M0.8 to M11.8        | 8        | 6.00        | 14.52        | 14.41        | 14.36        | 14.52        | 14.14        | 14.26        | 14.20        | 14.00        | 0.22        | 23.55        | 30.00        | 6.45        |
| HE80, M0.1 to M11.1-BF     | 2        | 9.01        | 14.42        | 14.42        |              |              |              |              |              |              | 0.22        | 17.65        | 26.99        | 9.34        |
| HE80, M0.2 to M11.2-BF     | 2        | 6.00        | 14.47        | 14.41        |              |              |              |              |              |              | 0.22        | 17.67        | 30.00        | 12.33       |
| HE80, M0.1 to M11.1-BF     | 3        | 10.77       | 14.47        | 14.29        | 14.44        |              |              |              |              |              | 0.22        | 19.39        | 25.23        | 5.84        |
| HE80, M0.2 to M11.2-BF     | 3        | 7.76        | 14.64        | 14.44        | 14.58        |              |              |              |              |              | 0.22        | 19.55        | 28.24        | 8.69        |
| HE80, M0.3 to M11.3-BF     | 3        | 6.00        | 14.47        | 14.31        | 14.42        |              |              |              |              |              | 0.22        | 19.39        | 30.00        | 10.61       |
| HE80, M0.1 to M11.1-BF     | 4        | 12.02       | 13.58        | 13.55        | 13.50        | 13.99        |              |              |              |              | 0.22        | 19.90        | 23.98        | 4.08        |
| HE80, M0.2 to M11.2-BF     | 4        | 9.01        | 14.66        | 14.53        | 14.54        | 14.63        |              |              |              |              | 0.22        | 20.83        | 26.99        | 6.16        |
| HE80, M0.3 to M11.3-BF     | 4        | 7.25        | 14.66        | 14.56        | 14.58        | 14.67        |              |              |              |              | 0.22        | 20.86        | 28.75        | 7.89        |
| HE80, M0.4 to M11.4-BF     | 4        | 6.00        | 14.50        | 14.39        | 14.41        | 14.47        |              |              |              |              | 0.22        | 20.68        | 30.00        | 9.32        |
| HE80, M0.1 to M11.1-BF     | 6        | 13.78       | 7.45         | 7.47         | 7.31         |              | 7.42         | 7.40         | 7.44         |              | 0.22        | 15.42        | 22.22        | 6.80        |
| HE80, M0.2 to M11.2-BF     | 6        | 10.77       | 7.63         | 7.65         | 7.42         |              | 7.56         | 7.55         | 7.64         |              | 0.22        | 15.58        | 25.23        | 9.65        |
| HE80, M0.3 to M11.3-BF     | 6        | 9.01        | 7.58         | 7.68         | 7.53         |              | 7.60         | 7.61         | 7.66         |              | 0.22        | 15.61        | 26.99        | 11.38       |
| HE80, M0.4 to M11.4-BF     | 6        | 7.76        | 10.58        | 10.69        | 10.57        |              | 10.60        | 10.64        | 10.59        |              | 0.22        | 18.61        | 28.24        | 9.63        |
| HE80, M0.5 to M11.5-BF     | 6        | 6.79        | 13.75        | 13.77        | 13.53        |              | 13.61        | 13.62        | 13.82        |              | 0.22        | 21.69        | 29.21        | 7.52        |
| HE80, M0.6 to M11.6-BF     | 6        | 6.00        | 13.57        | 13.57        | 13.34        |              | 13.38        | 13.41        | 13.59        |              | 0.22        | 21.48        | 30.00        | 8.52        |
| HE80, M0.1 to M11.1-BF     | 8        | 15.03       | 7.42         | 7.46         | 7.07         | 7.56         | 7.43         | 7.45         | 7.41         | 7.44         | 0.22        | 16.66        | 20.97        | 4.31        |
| HE80, M0.2 to M11.2-BF     | 8        | 12.02       | 11.58        | 11.70        | 11.44        | 11.90        | 11.47        | 11.52        | 11.64        | 11.53        | 0.22        | 20.85        | 23.98        | 3.13        |
| HE80, M0.3 to M11.3-BF     | 8        | 10.26       | 7.61         | 7.63         | 7.26         | 7.79         | 7.62         | 7.64         | 7.59         | 7.61         | 0.22        | 16.85        | 25.74        | 8.89        |
| HE80, M0.4 to M11.4-BF     | 8        | 9.01        | 10.58        | 10.71        | 10.41        | 10.99        | 10.64        | 10.69        | 10.53        | 10.55        | 0.22        | 19.89        | 26.99        | 7.10        |
| HE80, M0.5 to M11.5-BF     | 8        | 8.04        | 10.60        | 10.72        | 10.41        | 11.01        | 10.68        | 10.71        | 10.55        | 10.59        | 0.22        | 19.91        | 27.96        | 8.05        |
| HE80, M0.6 to M11.6-BF     | 8        | 7.25        | 14.66        | 14.61        | 14.57        | 14.66        | 14.31        | 14.45        | 14.42        | 14.21        | 0.22        | 23.74        | 28.75        | 5.01        |
| HE80, M0.7 to M11.7-BF     | 8        | 6.58        | 13.76        | 13.78        | 13.53        | 14.23        | 13.67        | 13.73        | 13.77        | 13.71        | 0.22        | 23.03        | 29.42        | 6.39        |
| HE80, M0.8 to M11.8-BF     | 8        | 6.00        | 14.47        | 14.40        | 14.34        | 14.46        | 14.12        | 14.26        | 14.20        | 13.98        | 0.22        | 23.53        | 30.00        | 6.47        |
| HE80, M0 to M11-STBC       | 2        | 6.00        | 14.40        | 14.45        |              |              |              |              |              |              | 0.22        | 17.65        | 30.00        | 12.35       |
| HE80, M0 to M11-STBC       | 3        | 6.00        | 14.40        | 14.34        | 14.41        |              |              |              |              |              | 0.22        | 19.38        | 30.00        | 10.62       |

|                      |   |      |       |       |       |       |       |       |       |       |      |       |       |      |
|----------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|------|
| HE80, M0 to M11-STBC | 4 | 6.00 | 14.45 | 14.37 | 14.33 | 14.44 |       |       |       |       | 0.22 | 20.64 | 30.00 | 9.36 |
| HE80, M0 to M11-STBC | 6 | 6.00 | 13.50 | 13.57 | 13.28 |       | 13.37 | 13.40 | 13.57 |       | 0.22 | 21.45 | 30.00 | 8.55 |
| HE80, M0 to M11-STBC | 8 | 6.00 | 12.26 | 12.28 | 12.18 | 12.31 | 11.96 | 12.07 | 12.09 | 11.90 | 0.22 | 21.38 | 30.00 | 8.62 |

## Test results for Power Spectrum Density

5745 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 PSD (dBm/500 kHz) | Tx 2 PSD (dBm/500 kHz) | Tx 3 PSD (dBm/500 kHz) | Tx 4 PSD (dBm/500 kHz) | Tx 5 PSD (dBm/500 kHz) | Tx 6 PSD (dBm/500 kHz) | Tx 7 PSD (dBm/500 kHz) | Tx 8 PSD (dBm/500 kHz) | CF (dB) | Total PSD (dBm/500 kHz) | FCC Limit (dBm/500 kHz) | Margin (dB) |
|------------------------------------|----------|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------|-------------------------|-------------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | 3.70                   |                        |                        |                        |                        |                        |                        |                        | -2.29   | 1.41                    | 30.00                   | 28.59       |
| non HT20, 6 to 54 Mbps             | 2        | 9.01                          | 3.97                   | 3.89                   |                        |                        |                        |                        |                        |                        | -2.29   | 4.65                    | 26.99                   | 22.34       |
| non HT20, 6 to 54 Mbps             | 3        | 10.77                         | 3.93                   | 4.14                   | 4.06                   |                        |                        |                        |                        |                        | -2.29   | 6.53                    | 25.23                   | 18.70       |
| non HT20, 6 to 54 Mbps             | 4        | 12.02                         | 3.80                   | 4.03                   | 3.77                   | 4.18                   |                        |                        |                        |                        | -2.29   | 7.68                    | 23.98                   | 16.30       |
| non HT20, 6 to 54 Mbps             | 6        | 13.78                         | 3.64                   | 4.02                   | 3.85                   |                        | 3.94                   | 4.27                   | 3.75                   |                        | -2.29   | 9.41                    | 22.22                   | 12.81       |
| non HT20, 6 to 54 Mbps             | 8        | 15.03                         | 4.18                   | 3.82                   | 3.82                   | 3.93                   | 4.01                   | 4.00                   | 4.28                   | 3.62                   | -2.29   | 10.70                   | 20.97                   | 10.27       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | 3.69                   | 3.77                   |                        |                        |                        |                        |                        |                        | -2.29   | 4.45                    | 26.99                   | 22.54       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | 3.85                   | 3.95                   | 4.01                   |                        |                        |                        |                        |                        | -2.29   | 6.42                    | 25.23                   | 18.81       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | 3.85                   | 4.09                   | 4.15                   | 4.26                   |                        |                        |                        |                        | -2.29   | 7.82                    | 23.98                   | 16.16       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | 0.82                   | 1.12                   | 0.77                   |                        | 0.93                   | 1.17                   | 0.53                   |                        | -2.29   | 6.39                    | 22.22                   | 15.83       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -1.01                  | -1.29                  | -1.35                  | -1.03                  | -1.18                  | -1.04                  | -0.98                  | -1.12                  | -2.29   | 5.62                    | 20.97                   | 15.35       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | 3.33                   |                        |                        |                        |                        |                        |                        |                        | -2.57   | 0.76                    | 30.00                   | 29.24       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 9.01                          | 3.62                   | 3.60                   |                        |                        |                        |                        |                        |                        | -2.57   | 4.05                    | 26.99                   | 22.94       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | 3.36                   | 3.13                   |                        |                        |                        |                        |                        |                        | -2.57   | 3.69                    | 30.00                   | 26.31       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 10.77                         | 3.46                   | 3.83                   | 3.78                   |                        |                        |                        |                        |                        | -2.57   | 5.89                    | 25.23                   | 19.34       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 7.76                          | 3.21                   | 3.54                   | 3.40                   |                        |                        |                        |                        |                        | -2.57   | 5.59                    | 28.24                   | 22.65       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | 3.36                   | 3.72                   | 3.33                   |                        |                        |                        |                        |                        | -2.57   | 5.67                    | 30.00                   | 24.33       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 12.02                         | 3.50                   | 3.62                   | 3.50                   | 3.97                   |                        |                        |                        |                        | -2.57   | 7.10                    | 23.98                   | 16.88       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 9.01                          | 2.96                   | 3.37                   | 3.80                   | 3.91                   |                        |                        |                        |                        | -2.57   | 6.98                    | 26.99                   | 20.01       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 7.25                          | 3.43                   | 3.64                   | 3.57                   | 3.62                   |                        |                        |                        |                        | -2.57   | 7.02                    | 28.75                   | 21.73       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | 3.41                   | 3.56                   | 3.59                   | 3.67                   |                        |                        |                        |                        | -2.57   | 7.01                    | 30.00                   | 22.99       |

|  |   |       |      |      |      |      |      |      |      |      |       |       |       |       |
|--|---|-------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 6 | 13.78 | 3.57 | 3.83 | 3.51 |      | 3.54 | 4.09 | 4.12 |      | -2.57 | 9.00  | 22.22 | 13.22 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 10.77 | 3.44 | 3.17 | 3.41 |      | 3.35 | 3.70 | 3.33 |      | -2.57 | 8.61  | 25.23 | 16.62 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 9.01  | 3.51 | 3.52 | 3.20 |      | 3.43 | 3.51 | 3.34 |      | -2.57 | 8.63  | 26.99 | 18.36 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 7.76  | 3.45 | 3.59 | 3.59 |      | 3.39 | 3.38 | 3.31 |      | -2.57 | 8.66  | 28.24 | 19.58 |
| VHT20, M0.5 to M8.5                    | 6 | 6.79  | 3.43 | 3.55 | 3.32 |      | 3.20 | 3.58 | 3.38 |      | -2.57 | 8.62  | 29.21 | 20.59 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | 3.51 | 3.49 | 3.24 |      | 3.33 | 3.51 | 3.48 |      | -2.57 | 8.64  | 30.00 | 21.36 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 15.03 | 3.54 | 3.68 | 3.60 | 4.26 | 3.45 | 3.85 | 3.92 | 3.20 | -2.57 | 10.16 | 20.97 | 10.81 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 12.02 | 3.12 | 3.38 | 3.17 | 3.98 | 3.39 | 3.14 | 4.09 | 3.30 | -2.57 | 9.92  | 23.98 | 14.06 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 10.26 | 3.38 | 3.56 | 3.05 | 3.62 | 3.31 | 3.66 | 4.02 | 3.40 | -2.57 | 9.97  | 25.74 | 15.77 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 9.01  | 3.26 | 3.81 | 3.18 | 3.69 | 3.43 | 3.82 | 3.64 | 3.20 | -2.57 | 9.97  | 26.99 | 17.02 |
| VHT20, M0.5 to M8.5                    | 8 | 8.04  | 3.44 | 3.67 | 2.96 | 4.03 | 3.27 | 3.77 | 3.66 | 2.67 | -2.57 | 9.91  | 27.96 | 18.05 |
| VHT20, M0.6 to M8.6                    | 8 | 7.25  | 3.45 | 3.44 | 3.12 | 3.83 | 3.50 | 3.84 | 3.71 | 3.49 | -2.57 | 10.01 | 28.75 | 18.74 |
| VHT20, M0.7 to M8.7                    | 8 | 6.58  | 3.26 | 3.74 | 3.11 | 3.69 | 3.19 | 3.69 | 3.72 | 3.01 | -2.57 | 9.90  | 29.42 | 19.52 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | 3.57 | 3.85 | 3.01 | 3.56 | 3.44 | 3.65 | 3.68 | 2.81 | -2.57 | 9.92  | 30.00 | 20.08 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | 3.97 | 3.72 |      |      |      |      |      |      | -2.57 | 4.29  | 26.99 | 22.70 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | 3.00 | 3.76 |      |      |      |      |      |      | -2.57 | 3.84  | 30.00 | 26.16 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | 3.68 | 3.53 | 3.28 |      |      |      |      |      | -2.57 | 5.70  | 25.23 | 19.53 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | 3.16 | 3.35 | 3.16 |      |      |      |      |      | -2.57 | 5.43  | 28.24 | 22.81 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | 3.23 | 3.19 | 3.47 |      |      |      |      |      | -2.57 | 5.50  | 30.00 | 24.50 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | 3.51 | 3.82 | 3.57 | 3.97 |      |      |      |      | -2.57 | 7.17  | 23.98 | 16.81 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | 3.49 | 3.50 | 3.31 | 3.69 |      |      |      |      | -2.57 | 6.95  | 26.99 | 20.04 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | 3.12 | 3.77 | 3.03 | 3.59 |      |      |      |      | -2.57 | 6.84  | 28.75 | 21.91 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | 3.66 | 3.46 | 3.20 | 3.46 |      |      |      |      | -2.57 | 6.90  | 30.00 | 23.10 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | 0.82 | 0.80 | 0.64 |      | 0.85 | 1.04 | 0.85 |      | -2.57 | 6.05  | 22.22 | 16.17 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | 3.14 | 3.16 | 3.16 |      | 3.36 | 3.29 | 3.62 |      | -2.57 | 8.50  | 25.23 | 16.73 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | 3.36 | 3.52 | 3.18 |      | 3.31 | 3.31 | 3.17 |      | -2.57 | 8.52  | 26.99 | 18.47 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | 3.42 | 3.61 | 3.53 |      | 3.55 | 3.33 | 3.40 |      | -2.57 | 8.69  | 28.24 | 19.55 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | 3.64 | 3.65 | 3.68 |      | 3.75 | 3.50 | 3.39 |      | -2.57 | 8.81  | 29.21 | 20.40 |

|                                       |   |       |       |       |       |       |       |       |       |       |       |      |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| VHT20, M0.6 to M8.6-BF                | 6 | 6.00  | 3.56  | 3.50  | 2.97  |       | 3.48  | 3.76  | 3.47  |       | -2.57 | 8.67 | 30.00 | 21.33 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -3.10 | -3.18 | -2.87 | -3.09 | -2.96 | -3.28 | -3.31 | -2.98 | -2.57 | 3.37 | 20.97 | 17.60 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -0.74 | -1.00 | -0.10 | -0.63 | -0.88 | -0.23 | -0.89 | -0.57 | -2.57 | 5.84 | 23.98 | 18.14 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | 1.57  | 1.47  | 1.96  | 1.79  | 1.63  | 1.81  | 1.94  | 1.69  | -2.57 | 8.20 | 25.74 | 17.54 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | 3.41  | 3.33  | 3.30  | 3.59  | 3.44  | 3.84  | 3.84  | 2.73  | -2.57 | 9.91 | 26.99 | 17.08 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | 3.39  | 3.42  | 3.68  | 3.73  | 3.54  | 3.65  | 3.73  | 2.79  | -2.57 | 9.96 | 27.96 | 18.00 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | 3.60  | 3.44  | 3.43  | 3.47  | 3.40  | 3.49  | 3.54  | 3.06  | -2.57 | 9.89 | 28.75 | 18.86 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | 3.26  | 3.35  | 3.34  | 3.60  | 3.24  | 3.82  | 3.64  | 2.97  | -2.57 | 9.87 | 29.42 | 19.55 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | 3.28  | 3.36  | 3.28  | 3.53  | 3.43  | 3.54  | 3.73  | 3.12  | -2.57 | 9.87 | 30.00 | 20.13 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | 3.58  | 3.74  |       |       |       |       |       |       | -2.57 | 4.10 | 30.00 | 25.90 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | 3.68  | 3.93  | 3.88  |       |       |       |       |       | -2.57 | 6.03 | 30.00 | 23.97 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | 3.60  | 3.88  | 3.82  | 3.79  |       |       |       |       | -2.57 | 7.22 | 30.00 | 22.78 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | 3.82  | 3.90  | 3.68  |       | 3.33  | 4.21  | 3.79  |       | -2.57 | 9.01 | 30.00 | 20.99 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | 1.60  | 1.87  | 2.00  | 1.90  | 1.67  | 1.67  | 1.90  | 1.19  | -2.57 | 8.19 | 30.00 | 21.81 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | 3.55  |       |       |       |       |       |       |       | -2.57 | 0.98 | 30.00 | 29.02 |
| HE20, M0.1 to M11.1                   | 2 | 9.01  | 3.46  | 3.46  |       |       |       |       |       |       | -2.57 | 3.90 | 26.99 | 23.09 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | 3.51  | 3.44  |       |       |       |       |       |       | -2.57 | 3.92 | 30.00 | 26.08 |
| HE20, M0.1 to M11.1                   | 3 | 10.77 | 3.78  | 3.79  | 3.75  |       |       |       |       |       | -2.57 | 5.97 | 25.23 | 19.26 |
| HE20, M0.2 to M11.2                   | 3 | 7.76  | 3.47  | 3.96  | 3.74  |       |       |       |       |       | -2.57 | 5.93 | 28.24 | 22.31 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | 3.63  | 3.68  | 3.30  |       |       |       |       |       | -2.57 | 5.74 | 30.00 | 24.26 |
| HE20, M0.1 to M11.1                   | 4 | 12.02 | 3.69  | 3.85  | 3.86  | 3.77  |       |       |       |       | -2.57 | 7.24 | 23.98 | 16.74 |
| HE20, M0.2 to M11.2                   | 4 | 9.01  | 3.36  | 3.73  | 3.78  | 3.92  |       |       |       |       | -2.57 | 7.15 | 26.99 | 19.84 |
| HE20, M0.3 to M11.3                   | 4 | 7.25  | 3.43  | 3.68  | 3.77  | 4.09  |       |       |       |       | -2.57 | 7.20 | 28.75 | 21.55 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | 3.38  | 3.77  | 3.73  | 3.77  |       |       |       |       | -2.57 | 7.12 | 30.00 | 22.88 |
| HE20, M0.1 to M11.1                   | 6 | 13.78 | 3.62  | 3.66  | 3.67  |       | 3.80  | 3.75  | 3.84  |       | -2.57 | 8.94 | 22.22 | 13.28 |
| HE20, M0.2 to M11.2                   | 6 | 10.77 | 3.42  | 3.51  | 3.61  |       | 3.79  | 3.79  | 3.87  |       | -2.57 | 8.88 | 25.23 | 16.35 |
| HE20, M0.3 to M11.3                   | 6 | 9.01  | 3.37  | 3.71  | 4.28  |       | 3.57  | 4.09  | 3.52  |       | -2.57 | 8.98 | 26.99 | 18.01 |
| HE20, M0.4 to M11.4                   | 6 | 7.76  | 3.63  | 3.55  | 4.36  |       | 4.07  | 4.27  | 3.49  |       | -2.57 | 9.12 | 28.24 | 19.12 |



|                        |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HE20, M0.5 to M11.5    | 6 | 6.79  | 3.26  | 3.70  | 4.17  |       | 3.60  | 4.42  | 3.73  |       | -2.57 | 9.04  | 29.21 | 20.17 |
| HE20, M0.6 to M11.6    | 6 | 6.00  | 3.49  | 3.81  | 3.50  |       | 3.69  | 3.83  | 3.64  |       | -2.57 | 8.87  | 30.00 | 21.13 |
| HE20, M0.1 to M11.1    | 8 | 15.03 | 3.47  | 3.59  | 3.76  | 3.76  | 3.78  | 3.64  | 3.65  | 3.17  | -2.57 | 10.07 | 20.97 | 10.90 |
| HE20, M0.2 to M11.2    | 8 | 12.02 | 3.54  | 3.62  | 3.56  | 4.00  | 3.88  | 4.04  | 3.58  | 2.86  | -2.57 | 10.11 | 23.98 | 13.87 |
| HE20, M0.3 to M11.3    | 8 | 10.26 | 3.39  | 3.70  | 3.59  | 4.15  | 3.60  | 4.01  | 3.81  | 2.99  | -2.57 | 10.13 | 25.74 | 15.61 |
| HE20, M0.4 to M11.4    | 8 | 9.01  | 3.42  | 3.37  | 4.06  | 4.29  | 3.57  | 4.37  | 3.81  | 3.01  | -2.57 | 10.22 | 26.99 | 16.77 |
| HE20, M0.5 to M11.5    | 8 | 8.04  | 3.33  | 3.67  | 3.66  | 4.55  | 3.50  | 4.79  | 3.83  | 3.22  | -2.57 | 10.31 | 27.96 | 17.65 |
| HE20, M0.6 to M11.6    | 8 | 7.25  | 3.41  | 3.56  | 3.83  | 4.38  | 3.49  | 4.69  | 3.76  | 2.99  | -2.57 | 10.26 | 28.75 | 18.49 |
| HE20, M0.7 to M11.7    | 8 | 6.58  | 3.56  | 3.65  | 3.56  | 4.33  | 3.66  | 4.43  | 3.54  | 3.53  | -2.57 | 10.26 | 29.42 | 19.16 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | 3.62  | 3.53  | 3.44  | 3.90  | 3.51  | 3.90  | 3.76  | 3.18  | -2.57 | 10.07 | 30.00 | 19.93 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | 3.66  | 3.60  |       |       |       |       |       |       | -2.57 | 4.07  | 26.99 | 22.92 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | 3.29  | 3.69  |       |       |       |       |       |       | -2.57 | 3.93  | 30.00 | 26.07 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | 3.44  | 3.39  | 3.69  |       |       |       |       |       | -2.57 | 5.71  | 25.23 | 19.52 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | 3.42  | 3.71  | 4.08  |       |       |       |       |       | -2.57 | 5.95  | 28.24 | 22.29 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | 3.34  | 3.44  | 3.68  |       |       |       |       |       | -2.57 | 5.69  | 30.00 | 24.31 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | 3.40  | 3.55  | 3.54  | 3.99  |       |       |       |       | -2.57 | 7.08  | 23.98 | 16.90 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | 3.46  | 3.74  | 3.54  | 3.92  |       |       |       |       | -2.57 | 7.12  | 26.99 | 19.87 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | 3.44  | 4.09  | 3.69  | 4.06  |       |       |       |       | -2.57 | 7.28  | 28.75 | 21.47 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | 3.52  | 3.61  | 3.52  | 4.03  |       |       |       |       | -2.57 | 7.13  | 30.00 | 22.87 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | 0.51  | 0.39  | 0.49  |       | 0.53  | 0.61  | 0.68  |       | -2.57 | 5.75  | 22.22 | 16.47 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | 3.69  | 3.73  | 3.78  |       | 3.55  | 3.68  | 3.80  |       | -2.57 | 8.92  | 25.23 | 16.31 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | 3.54  | 3.89  | 4.13  |       | 3.62  | 4.08  | 3.73  |       | -2.57 | 9.05  | 26.99 | 17.94 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | 3.47  | 3.47  | 4.27  |       | 3.65  | 4.24  | 3.53  |       | -2.57 | 9.00  | 28.24 | 19.24 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | 3.54  | 3.59  | 4.13  |       | 3.36  | 4.36  | 3.61  |       | -2.57 | 8.99  | 29.21 | 20.22 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | 3.52  | 3.76  | 3.52  |       | 3.77  | 3.50  | 3.75  |       | -2.57 | 8.85  | 30.00 | 21.15 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -4.38 | -4.14 | -4.25 | -4.17 | -4.08 | -3.96 | -3.92 | -4.31 | -2.57 | 2.31  | 20.97 | 18.66 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -0.17 | -0.25 | 0.43  | -0.17 | -0.01 | 0.27  | -0.08 | -0.43 | -2.57 | 6.42  | 23.98 | 17.56 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | 0.66  | 0.91  | 1.40  | 1.35  | 0.87  | 1.49  | 1.17  | 0.33  | -2.57 | 7.50  | 25.74 | 18.24 |

|                        |   |      |      |      |      |      |      |      |      |      |       |       |       |       |
|------------------------|---|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| HE20, M0.4 to M11.4-BF | 8 | 9.01 | 3.32 | 3.80 | 4.03 | 4.38 | 3.59 | 4.17 | 4.11 | 2.95 | -2.57 | 10.28 | 26.99 | 16.71 |
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | 3.30 | 3.42 | 3.59 | 4.43 | 3.31 | 4.41 | 3.82 | 3.26 | -2.57 | 10.18 | 27.96 | 17.78 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | 3.40 | 3.45 | 3.81 | 4.52 | 3.48 | 4.50 | 3.96 | 3.17 | -2.57 | 10.27 | 28.75 | 18.48 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | 3.45 | 3.59 | 3.75 | 4.32 | 3.56 | 4.33 | 3.51 | 2.96 | -2.57 | 10.17 | 29.42 | 19.25 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | 3.57 | 3.74 | 3.64 | 3.85 | 3.56 | 3.70 | 3.64 | 3.36 | -2.57 | 10.10 | 30.00 | 19.90 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | 3.56 | 3.69 |      |      |      |      |      |      | -2.57 | 4.07  | 30.00 | 25.93 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | 3.74 | 3.93 | 3.86 |      |      |      |      |      | -2.57 | 6.05  | 30.00 | 23.95 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | 3.60 | 3.76 | 3.40 | 3.83 |      |      |      |      | -2.57 | 7.10  | 30.00 | 22.90 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | 3.74 | 3.59 | 3.80 |      | 3.69 | 3.67 | 3.70 |      | -2.57 | 8.91  | 30.00 | 21.09 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | 1.35 | 1.44 | 1.58 | 1.82 | 1.68 | 1.86 | 1.69 | 1.22 | -2.57 | 8.05  | 30.00 | 21.95 |

## 5785 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 PSD (dBm/500 kHz) | Tx 2 PSD (dBm/500 kHz) | Tx 3 PSD (dBm/500 kHz) | Tx 4 PSD (dBm/500 kHz) | Tx 5 PSD (dBm/500 kHz) | Tx 6 PSD (dBm/500 kHz) | Tx 7 PSD (dBm/500 kHz) | Tx 8 PSD (dBm/500 kHz) | CF (dB)      | Total PSD (dBm/500 kHz) | FCC Limit (dBm/500 kHz) | Margin (dB)  |
|------------------------------------|----------|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|--------------|-------------------------|-------------------------|--------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | 3.78                   |                        |                        |                        |                        |                        |                        |                        | -2.29        | 1.49                    | 30.00                   | 28.51        |
| non HT20, 6 to 54 Mbps             | 2        | 9.01                          | 3.91                   | 3.85                   |                        |                        |                        |                        |                        |                        | -2.29        | 4.60                    | 26.99                   | 22.39        |
| non HT20, 6 to 54 Mbps             | 3        | 10.77                         | 3.75                   | 3.78                   | 3.91                   |                        |                        |                        |                        |                        | -2.29        | 6.30                    | 25.23                   | 18.93        |
| non HT20, 6 to 54 Mbps             | 4        | 12.02                         | 3.70                   | 3.75                   | 3.96                   | 4.19                   |                        |                        |                        |                        | -2.29        | 7.63                    | 23.98                   | 16.35        |
| non HT20, 6 to 54 Mbps             | 6        | 13.78                         | 4.13                   | 3.77                   | 3.74                   |                        | 3.94                   | 4.10                   | 4.33                   |                        | -2.29        | 9.50                    | 22.22                   | 12.72        |
| <b>non HT20, 6 to 54 Mbps</b>      | <b>8</b> | <b>15.03</b>                  | <b>3.97</b>            | <b>3.74</b>            | <b>3.53</b>            | <b>4.43</b>            | <b>4.05</b>            | <b>4.30</b>            | <b>4.33</b>            | <b>3.74</b>            | <b>-2.29</b> | <b>10.76</b>            | <b>20.97</b>            | <b>10.21</b> |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | 3.72                   | 3.73                   |                        |                        |                        |                        |                        |                        | -2.29        | 4.45                    | 26.99                   | 22.54        |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | 3.78                   | 3.97                   | 3.64                   |                        |                        |                        |                        |                        | -2.29        | 6.28                    | 25.23                   | 18.95        |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | 3.70                   | 4.04                   | 4.19                   | 3.98                   |                        |                        |                        |                        | -2.29        | 7.71                    | 23.98                   | 16.27        |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | 0.42                   | 0.65                   | 0.98                   |                        | 0.59                   | 1.10                   | 1.04                   |                        | -2.29        | 6.30                    | 22.22                   | 15.92        |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -1.42                  | -1.23                  | -0.89                  | -1.12                  | -1.39                  | -0.57                  | -1.14                  | -1.33                  | -2.29        | 5.61                    | 20.97                   | 15.36        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | 3.33                   |                        |                        |                        |                        |                        |                        |                        | -2.57        | 0.76                    | 30.00                   | 29.24        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 9.01                          | 3.44                   | 3.44                   |                        |                        |                        |                        |                        |                        | -2.57        | 3.88                    | 26.99                   | 23.11        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | 3.01                   | 2.83                   |                        |                        |                        |                        |                        |                        | -2.57        | 3.36                    | 30.00                   | 26.64        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 10.77                         | 3.50                   | 3.32                   | 3.60                   |                        |                        |                        |                        |                        | -2.57        | 5.68                    | 25.23                   | 19.55        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 7.76                          | 3.28                   | 2.92                   | 3.19                   |                        |                        |                        |                        |                        | -2.57        | 5.33                    | 28.24                   | 22.91        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | 3.34                   | 3.13                   | 3.42                   |                        |                        |                        |                        |                        | -2.57        | 5.50                    | 30.00                   | 24.50        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 12.02                         | 3.70                   | 3.80                   | 3.78                   | 3.91                   |                        |                        |                        |                        | -2.57        | 7.25                    | 23.98                   | 16.73        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 9.01                          | 3.16                   | 3.11                   | 3.34                   | 3.54                   |                        |                        |                        |                        | -2.57        | 6.74                    | 26.99                   | 20.25        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 7.25                          | 3.19                   | 3.15                   | 3.31                   | 3.62                   |                        |                        |                        |                        | -2.57        | 6.77                    | 28.75                   | 21.98        |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | 3.35                   | 3.55                   | 3.54                   | 3.57                   |                        |                        |                        |                        | -2.57        | 6.95                    | 30.00                   | 23.05        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 13.78                         | 3.66                   | 3.64                   | 3.55                   |                        | 3.39                   | 3.74                   | 3.65                   |                        | -2.57        | 8.82                    | 22.22                   | 13.40        |

|  |   |       |      |      |      |      |      |      |      |      |       |       |       |       |
|--|---|-------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 10.77 | 2.81 | 3.32 | 2.65 |      | 3.34 | 3.05 | 3.71 |      | -2.57 | 8.37  | 25.23 | 16.86 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 9.01  | 3.52 | 3.36 | 3.39 |      | 3.20 | 3.40 | 3.67 |      | -2.57 | 8.64  | 26.99 | 18.35 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 7.76  | 3.33 | 3.41 | 3.40 |      | 3.04 | 3.40 | 3.69 |      | -2.57 | 8.59  | 28.24 | 19.65 |
| VHT20, M0.5 to M8.5                    | 6 | 6.79  | 3.46 | 3.38 | 3.01 |      | 3.27 | 3.42 | 3.45 |      | -2.57 | 8.55  | 29.21 | 20.66 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | 3.13 | 3.51 | 3.38 |      | 3.13 | 3.42 | 3.74 |      | -2.57 | 8.60  | 30.00 | 21.40 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 15.03 | 3.67 | 3.40 | 3.65 | 3.70 | 3.32 | 3.92 | 4.32 | 3.52 | -2.57 | 10.16 | 20.97 | 10.81 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 12.02 | 2.75 | 2.71 | 3.64 | 3.33 | 3.23 | 3.61 | 3.77 | 2.56 | -2.57 | 9.68  | 23.98 | 14.30 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 10.26 | 3.45 | 3.45 | 3.53 | 3.48 | 3.34 | 3.75 | 3.60 | 3.41 | -2.57 | 9.96  | 25.74 | 15.78 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 9.01  | 3.17 | 3.68 | 3.49 | 3.39 | 3.44 | 3.46 | 3.69 | 3.36 | -2.57 | 9.92  | 26.99 | 17.07 |
| VHT20, M0.5 to M8.5                    | 8 | 8.04  | 3.43 | 3.58 | 3.52 | 3.50 | 3.02 | 3.75 | 4.00 | 3.74 | -2.57 | 10.04 | 27.96 | 17.92 |
| VHT20, M0.6 to M8.6                    | 8 | 7.25  | 3.49 | 3.59 | 3.50 | 3.42 | 3.27 | 3.34 | 3.85 | 3.18 | -2.57 | 9.92  | 28.75 | 18.83 |
| VHT20, M0.7 to M8.7                    | 8 | 6.58  | 3.20 | 3.47 | 3.35 | 3.41 | 3.26 | 3.87 | 3.50 | 3.04 | -2.57 | 9.85  | 29.42 | 19.57 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | 3.28 | 3.59 | 3.36 | 3.51 | 3.12 | 3.68 | 3.48 | 3.13 | -2.57 | 9.86  | 30.00 | 20.14 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | 3.64 | 3.62 |      |      |      |      |      |      | -2.57 | 4.07  | 26.99 | 22.92 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | 3.45 | 3.34 |      |      |      |      |      |      | -2.57 | 3.84  | 30.00 | 26.16 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | 3.61 | 3.59 | 3.79 |      |      |      |      |      | -2.57 | 5.87  | 25.23 | 19.36 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | 3.45 | 2.98 | 3.14 |      |      |      |      |      | -2.57 | 5.40  | 28.24 | 22.84 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | 3.48 | 3.21 | 3.30 |      |      |      |      |      | -2.57 | 5.53  | 30.00 | 24.47 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | 3.79 | 3.56 | 4.10 | 3.86 |      |      |      |      | -2.57 | 7.28  | 23.98 | 16.70 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | 3.37 | 3.04 | 3.45 | 3.14 |      |      |      |      | -2.57 | 6.70  | 26.99 | 20.29 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | 3.23 | 3.14 | 3.67 | 3.42 |      |      |      |      | -2.57 | 6.82  | 28.75 | 21.93 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | 3.30 | 3.31 | 3.29 | 3.54 |      |      |      |      | -2.57 | 6.81  | 30.00 | 23.19 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | 0.29 | 0.55 | 0.61 |      | 0.78 | 0.80 | 0.76 |      | -2.57 | 5.85  | 22.22 | 16.37 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | 3.26 | 3.13 | 2.97 |      | 3.19 | 3.58 | 3.75 |      | -2.57 | 8.53  | 25.23 | 16.70 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | 3.42 | 3.54 | 3.42 |      | 3.36 | 3.50 | 3.44 |      | -2.57 | 8.66  | 26.99 | 18.33 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | 3.33 | 3.46 | 3.37 |      | 3.42 | 3.65 | 3.62 |      | -2.57 | 8.69  | 28.24 | 19.55 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | 3.06 | 3.36 | 3.36 |      | 3.31 | 3.88 | 3.35 |      | -2.57 | 8.61  | 29.21 | 20.60 |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | 3.59 | 3.38 | 3.33 |      | 3.28 | 3.60 | 3.50 |      | -2.57 | 8.66  | 30.00 | 21.34 |

|                                       |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -1.54 | -1.72 | -1.16 | -1.56 | -1.06 | -1.13 | -1.13 | -1.35 | -2.57 | 5.14  | 20.97 | 15.83 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | 1.24  | 1.06  | 1.21  | 1.18  | 1.01  | 1.33  | 0.91  | 0.73  | -2.57 | 7.55  | 23.98 | 16.43 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | 3.37  | 3.06  | 3.53  | 3.71  | 3.60  | 3.74  | 3.80  | 3.25  | -2.57 | 9.98  | 25.74 | 15.76 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | 3.42  | 3.16  | 4.09  | 3.35  | 3.53  | 3.52  | 3.82  | 3.33  | -2.57 | 10.00 | 26.99 | 16.99 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | 3.17  | 3.05  | 3.59  | 3.59  | 3.61  | 3.56  | 3.52  | 3.46  | -2.57 | 9.91  | 27.96 | 18.05 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | 3.42  | 2.94  | 4.01  | 3.38  | 3.52  | 3.56  | 3.78  | 3.31  | -2.57 | 9.96  | 28.75 | 18.79 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | 3.38  | 2.83  | 3.61  | 3.70  | 3.53  | 3.32  | 3.75  | 3.46  | -2.57 | 9.92  | 29.42 | 19.50 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | 3.46  | 2.88  | 4.00  | 3.72  | 3.52  | 3.54  | 3.45  | 3.34  | -2.57 | 9.96  | 30.00 | 20.04 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | 3.59  | 3.49  |       |       |       |       |       |       | -2.57 | 3.98  | 30.00 | 26.02 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | 4.00  | 3.77  | 3.66  |       |       |       |       |       | -2.57 | 6.01  | 30.00 | 23.99 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | 3.51  | 3.60  | 3.69  | 3.85  |       |       |       |       | -2.57 | 7.11  | 30.00 | 22.89 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | 3.83  | 3.27  | 3.50  |       | 3.59  | 3.74  | 3.83  |       | -2.57 | 8.84  | 30.00 | 21.16 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | 1.45  | 1.25  | 1.73  | 1.57  | 1.62  | 1.58  | 1.81  | 1.55  | -2.57 | 8.03  | 30.00 | 21.97 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | 3.38  |       |       |       |       |       |       |       | -2.57 | 0.81  | 30.00 | 29.19 |
| HE20, M0.1 to M11.1                   | 2 | 9.01  | 3.66  | 3.56  |       |       |       |       |       |       | -2.57 | 4.05  | 26.99 | 22.94 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | 3.50  | 3.37  |       |       |       |       |       |       | -2.57 | 3.88  | 30.00 | 26.12 |
| HE20, M0.1 to M11.1                   | 3 | 10.77 | 3.48  | 3.59  | 3.65  |       |       |       |       |       | -2.57 | 5.78  | 25.23 | 19.45 |
| HE20, M0.2 to M11.2                   | 3 | 7.76  | 3.47  | 3.92  | 4.00  |       |       |       |       |       | -2.57 | 6.00  | 28.24 | 22.24 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | 3.35  | 3.50  | 3.56  |       |       |       |       |       | -2.57 | 5.67  | 30.00 | 24.33 |
| HE20, M0.1 to M11.1                   | 4 | 12.02 | 3.51  | 3.45  | 3.69  | 3.99  |       |       |       |       | -2.57 | 7.12  | 23.98 | 16.86 |
| HE20, M0.2 to M11.2                   | 4 | 9.01  | 3.78  | 3.38  | 3.94  | 4.47  |       |       |       |       | -2.57 | 7.36  | 26.99 | 19.63 |
| HE20, M0.3 to M11.3                   | 4 | 7.25  | 3.29  | 3.62  | 3.48  | 4.21  |       |       |       |       | -2.57 | 7.11  | 28.75 | 21.64 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | 3.67  | 3.40  | 3.43  | 3.73  |       |       |       |       | -2.57 | 7.01  | 30.00 | 22.99 |
| HE20, M0.1 to M11.1                   | 6 | 13.78 | 3.45  | 3.46  | 3.37  |       | 3.39  | 3.71  | 3.87  |       | -2.57 | 8.76  | 22.22 | 13.46 |
| HE20, M0.2 to M11.2                   | 6 | 10.77 | 3.59  | 3.50  | 3.53  |       | 3.62  | 3.91  | 3.62  |       | -2.57 | 8.84  | 25.23 | 16.39 |
| HE20, M0.3 to M11.3                   | 6 | 9.01  | 3.48  | 3.61  | 4.00  |       | 3.44  | 3.79  | 3.68  |       | -2.57 | 8.88  | 26.99 | 18.11 |
| HE20, M0.4 to M11.4                   | 6 | 7.76  | 3.33  | 3.37  | 4.25  |       | 3.31  | 4.40  | 3.76  |       | -2.57 | 8.97  | 28.24 | 19.27 |
| HE20, M0.5 to M11.5                   | 6 | 6.79  | 3.39  | 3.40  | 4.61  |       | 3.37  | 4.39  | 3.86  |       | -2.57 | 9.08  | 29.21 | 20.13 |

|                        |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | 3.62  | 3.40  | 3.61  |       | 3.45  | 3.62  | 3.70  |       | -2.57 | 8.78  | 30.00 | 21.22 |
| HE20, M0.1 to M11.1    | 8 | 15.03 | 3.59  | 3.62  | 3.51  | 3.65  | 3.42  | 3.68  | 3.56  | 3.19  | -2.57 | 9.99  | 20.97 | 10.98 |
| HE20, M0.2 to M11.2    | 8 | 12.02 | 3.53  | 3.71  | 3.77  | 3.74  | 3.59  | 3.88  | 4.08  | 3.41  | -2.57 | 10.18 | 23.98 | 13.80 |
| HE20, M0.3 to M11.3    | 8 | 10.26 | 3.83  | 3.70  | 3.77  | 4.04  | 3.68  | 3.95  | 4.19  | 3.08  | -2.57 | 10.25 | 25.74 | 15.49 |
| HE20, M0.4 to M11.4    | 8 | 9.01  | 3.50  | 3.34  | 4.02  | 4.27  | 3.52  | 3.99  | 3.88  | 3.35  | -2.57 | 10.21 | 26.99 | 16.78 |
| HE20, M0.5 to M11.5    | 8 | 8.04  | 3.64  | 3.32  | 3.94  | 4.20  | 3.30  | 4.42  | 3.79  | 3.55  | -2.57 | 10.25 | 27.96 | 17.71 |
| HE20, M0.6 to M11.6    | 8 | 7.25  | 3.53  | 3.46  | 3.71  | 4.51  | 3.64  | 4.44  | 3.72  | 3.38  | -2.57 | 10.28 | 28.75 | 18.47 |
| HE20, M0.7 to M11.7    | 8 | 6.58  | 3.67  | 3.64  | 3.80  | 4.61  | 3.43  | 4.15  | 3.69  | 3.39  | -2.57 | 10.28 | 29.42 | 19.14 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | 3.75  | 3.36  | 3.49  | 3.69  | 3.38  | 3.64  | 3.60  | 3.52  | -2.57 | 10.02 | 30.00 | 19.98 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | 3.45  | 3.50  |       |       |       |       |       |       | -2.57 | 3.92  | 26.99 | 23.07 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | 3.58  | 3.21  |       |       |       |       |       |       | -2.57 | 3.84  | 30.00 | 26.16 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | 3.52  | 3.24  | 3.70  |       |       |       |       |       | -2.57 | 5.69  | 25.23 | 19.54 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | 3.14  | 3.41  | 3.63  |       |       |       |       |       | -2.57 | 5.60  | 28.24 | 22.64 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | 3.39  | 3.38  | 3.71  |       |       |       |       |       | -2.57 | 5.70  | 30.00 | 24.30 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | 3.81  | 3.62  | 3.71  | 3.70  |       |       |       |       | -2.57 | 7.16  | 23.98 | 16.82 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | 3.49  | 3.62  | 3.74  | 3.44  |       |       |       |       | -2.57 | 7.02  | 26.99 | 19.97 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | 3.22  | 3.91  | 3.52  | 3.69  |       |       |       |       | -2.57 | 7.04  | 28.75 | 21.71 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | 3.50  | 3.50  | 3.70  | 3.67  |       |       |       |       | -2.57 | 7.04  | 30.00 | 22.96 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | 0.27  | 0.51  | 0.52  |       | 0.53  | 0.61  | 0.77  |       | -2.57 | 5.75  | 22.22 | 16.47 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | 3.37  | 3.60  | 3.63  |       | 3.83  | 3.80  | 3.90  |       | -2.57 | 8.90  | 25.23 | 16.33 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | 3.48  | 3.67  | 3.75  |       | 3.37  | 4.27  | 3.94  |       | -2.57 | 8.97  | 26.99 | 18.02 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | 3.20  | 3.42  | 4.03  |       | 3.53  | 4.01  | 3.61  |       | -2.57 | 8.86  | 28.24 | 19.38 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | 3.43  | 3.30  | 4.17  |       | 3.29  | 4.39  | 3.67  |       | -2.57 | 8.94  | 29.21 | 20.27 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | 3.66  | 3.45  | 3.52  |       | 3.40  | 3.70  | 3.83  |       | -2.57 | 8.81  | 30.00 | 21.19 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -1.29 | -1.34 | -1.54 | -1.07 | -1.31 | -0.98 | -1.14 | -1.88 | -2.57 | 5.15  | 20.97 | 15.82 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | 1.47  | 1.54  | 1.62  | 1.80  | 1.60  | 1.80  | 2.23  | 1.31  | -2.57 | 8.14  | 23.98 | 15.84 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | 3.65  | 3.25  | 3.91  | 3.96  | 3.90  | 4.12  | 4.22  | 3.14  | -2.57 | 10.24 | 25.74 | 15.50 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | 3.63  | 3.29  | 3.83  | 4.45  | 3.59  | 4.24  | 4.09  | 3.34  | -2.57 | 10.29 | 26.99 | 16.70 |

|                        |   |      |      |      |      |      |      |      |      |      |       |       |       |       |
|------------------------|---|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | 3.63 | 3.57 | 3.76 | 4.38 | 3.47 | 4.41 | 4.08 | 3.50 | -2.57 | 10.33 | 27.96 | 17.63 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | 3.63 | 3.27 | 3.77 | 4.23 | 3.56 | 4.59 | 3.78 | 3.64 | -2.57 | 10.29 | 28.75 | 18.46 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | 3.64 | 3.29 | 3.58 | 4.33 | 3.38 | 4.14 | 3.62 | 3.64 | -2.57 | 10.18 | 29.42 | 19.24 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | 3.54 | 3.49 | 3.66 | 3.65 | 3.59 | 3.81 | 3.81 | 3.31 | -2.57 | 10.07 | 30.00 | 19.93 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | 3.76 | 3.44 |      |      |      |      |      |      | -2.57 | 4.04  | 30.00 | 25.96 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | 3.95 | 3.23 | 3.36 |      |      |      |      |      | -2.57 | 5.73  | 30.00 | 24.27 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | 3.73 | 3.50 | 3.76 | 3.76 |      |      |      |      | -2.57 | 7.14  | 30.00 | 22.86 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | 3.60 | 3.44 | 3.57 |      | 3.79 | 3.85 | 3.80 |      | -2.57 | 8.89  | 30.00 | 21.11 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | 1.44 | 1.51 | 1.56 | 1.55 | 1.71 | 1.72 | 1.66 | 1.34 | -2.57 | 8.02  | 30.00 | 21.98 |

## 5825 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 PSD (dBm/500 kHz) | Tx 2 PSD (dBm/500 kHz) | Tx 3 PSD (dBm/500 kHz) | Tx 4 PSD (dBm/500 kHz) | Tx 5 PSD (dBm/500 kHz) | Tx 6 PSD (dBm/500 kHz) | Tx 7 PSD (dBm/500 kHz) | Tx 8 PSD (dBm/500 kHz) | CF (dB) | Total PSD (dBm/500 kHz) | FCC Limit (dBm/500 kHz) | Margin (dB) |
|------------------------------------|----------|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------|-------------------------|-------------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | 2.55                   |                        |                        |                        |                        |                        |                        |                        | -2.29   | 0.26                    | 30.00                   | 29.74       |
| non HT20, 6 to 54 Mbps             | 2        | 9.01                          | 2.78                   | 2.55                   |                        |                        |                        |                        |                        |                        | -2.29   | 3.39                    | 26.99                   | 23.60       |
| non HT20, 6 to 54 Mbps             | 3        | 10.77                         | 2.80                   | 2.71                   | 2.87                   |                        |                        |                        |                        |                        | -2.29   | 5.28                    | 25.23                   | 19.95       |
| non HT20, 6 to 54 Mbps             | 4        | 12.02                         | 2.76                   | 2.83                   | 3.14                   | 3.30                   |                        |                        |                        |                        | -2.29   | 6.74                    | 23.98                   | 17.24       |
| non HT20, 6 to 54 Mbps             | 6        | 13.78                         | 2.77                   | 3.09                   | 2.75                   |                        | 3.43                   | 2.75                   | 3.04                   |                        | -2.29   | 8.47                    | 22.22                   | 13.75       |
| non HT20, 6 to 54 Mbps             | 8        | 15.03                         | 2.86                   | 2.56                   | 2.78                   | 3.28                   | 3.40                   | 3.04                   | 3.40                   | 3.01                   | -2.29   | 9.79                    | 20.97                   | 11.18       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | 2.81                   | 2.73                   |                        |                        |                        |                        |                        |                        | -2.29   | 3.49                    | 26.99                   | 23.50       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | 2.86                   | 2.84                   | 2.72                   |                        |                        |                        |                        |                        | -2.29   | 5.29                    | 25.23                   | 19.94       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | 2.96                   | 2.74                   | 3.10                   | 3.49                   |                        |                        |                        |                        | -2.29   | 6.81                    | 23.98                   | 17.17       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -0.42                  | -0.17                  | -0.22                  |                        | -0.10                  | -0.14                  | -0.18                  |                        | -2.29   | 5.29                    | 22.22                   | 16.93       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -2.69                  | -2.44                  | -2.58                  | -1.97                  | -2.15                  | -2.25                  | -1.74                  | -1.98                  | -2.29   | 4.53                    | 20.97                   | 16.44       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | 2.48                   |                        |                        |                        |                        |                        |                        |                        | -2.57   | -0.09                   | 30.00                   | 30.09       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 9.01                          | 2.43                   | 2.62                   |                        |                        |                        |                        |                        |                        | -2.57   | 2.97                    | 26.99                   | 24.02       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | 2.19                   | 2.27                   |                        |                        |                        |                        |                        |                        | -2.57   | 2.67                    | 30.00                   | 27.33       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 10.77                         | 2.36                   | 2.69                   | 2.52                   |                        |                        |                        |                        |                        | -2.57   | 4.73                    | 25.23                   | 20.50       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 7.76                          | 2.08                   | 2.33                   | 1.97                   |                        |                        |                        |                        |                        | -2.57   | 4.33                    | 28.24                   | 23.91       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | 2.07                   | 2.35                   | 2.19                   |                        |                        |                        |                        |                        | -2.57   | 4.41                    | 30.00                   | 25.59       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 12.02                         | 2.53                   | 2.75                   | 2.66                   | 2.99                   |                        |                        |                        |                        | -2.57   | 6.19                    | 23.98                   | 17.79       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 9.01                          | 2.12                   | 2.28                   | 2.53                   | 2.01                   |                        |                        |                        |                        | -2.57   | 5.69                    | 26.99                   | 21.30       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 7.25                          | 2.36                   | 2.52                   | 2.35                   | 2.49                   |                        |                        |                        |                        | -2.57   | 5.88                    | 28.75                   | 22.87       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | 2.00                   | 2.31                   | 2.16                   | 2.57                   |                        |                        |                        |                        | -2.57   | 5.72                    | 30.00                   | 24.28       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 13.78                         | 2.47                   | 2.48                   | 2.48                   |                        | 3.17                   | 2.69                   | 2.88                   |                        | -2.57   | 7.91                    | 22.22                   | 14.31       |



|  |   |       |       |       |       |      |       |       |       |      |       |      |       |       |
|--|---|-------|-------|-------|-------|------|-------|-------|-------|------|-------|------|-------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 10.77 | 2.23  | 2.28  | 1.36  |      | 2.64  | 1.95  | 2.24  |      | -2.57 | 7.35 | 25.23 | 17.88 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 9.01  | 2.29  | 2.14  | 2.28  |      | 2.46  | 2.47  | 2.53  |      | -2.57 | 7.58 | 26.99 | 19.41 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 7.76  | 2.08  | 2.22  | 2.09  |      | 2.53  | 2.01  | 2.73  |      | -2.57 | 7.50 | 28.24 | 20.74 |
| VHT20, M0.5 to M8.5                    | 6 | 6.79  | 2.39  | 2.26  | 2.16  |      | 2.47  | 2.12  | 2.62  |      | -2.57 | 7.55 | 29.21 | 21.66 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | 2.34  | 2.32  | 2.18  |      | 2.77  | 2.40  | 2.82  |      | -2.57 | 7.69 | 30.00 | 22.31 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 15.03 | 2.51  | 2.28  | 2.39  | 2.91 | 3.18  | 2.67  | 3.00  | 3.01 | -2.57 | 9.22 | 20.97 | 11.75 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 12.02 | 2.11  | 2.00  | 1.91  | 2.67 | 2.86  | 2.02  | 2.72  | 2.21 | -2.57 | 8.79 | 23.98 | 15.19 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 10.26 | 2.40  | 2.12  | 1.99  | 2.84 | 2.67  | 2.29  | 2.80  | 2.71 | -2.57 | 8.95 | 25.74 | 16.79 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 9.01  | 2.08  | 2.08  | 2.21  | 2.62 | 2.66  | 2.51  | 2.84  | 2.40 | -2.57 | 8.89 | 26.99 | 18.10 |
| VHT20, M0.5 to M8.5                    | 8 | 8.04  | 1.95  | 1.74  | 1.76  | 2.66 | 2.94  | 2.07  | 2.69  | 2.39 | -2.57 | 8.76 | 27.96 | 19.20 |
| VHT20, M0.6 to M8.6                    | 8 | 7.25  | 2.25  | 2.36  | 2.32  | 3.01 | 3.05  | 2.51  | 2.84  | 2.67 | -2.57 | 9.10 | 28.75 | 19.65 |
| VHT20, M0.7 to M8.7                    | 8 | 6.58  | 2.29  | 1.99  | 2.05  | 2.73 | 3.15  | 2.39  | 2.83  | 2.67 | -2.57 | 8.99 | 29.42 | 20.43 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | 2.33  | 2.18  | 2.10  | 2.86 | 2.87  | 2.51  | 2.88  | 2.63 | -2.57 | 9.02 | 30.00 | 20.98 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | 2.50  | 2.61  |       |      |       |       |       |      | -2.57 | 3.00 | 26.99 | 23.99 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | 2.49  | 2.46  |       |      |       |       |       |      | -2.57 | 2.92 | 30.00 | 27.08 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | 2.59  | 2.85  | 2.59  |      |       |       |       |      | -2.57 | 4.88 | 25.23 | 20.35 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | 2.48  | 2.54  | 1.97  |      |       |       |       |      | -2.57 | 4.54 | 28.24 | 23.70 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | 2.36  | 2.52  | 2.37  |      |       |       |       |      | -2.57 | 4.62 | 30.00 | 25.38 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | 2.66  | 2.64  | 2.97  | 2.55 |       |       |       |      | -2.57 | 6.16 | 23.98 | 17.82 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | 2.46  | 2.38  | 2.37  | 2.13 |       |       |       |      | -2.57 | 5.79 | 26.99 | 21.20 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | 2.12  | 2.34  | 2.28  | 2.60 |       |       |       |      | -2.57 | 5.79 | 28.75 | 22.96 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | 2.26  | 2.27  | 2.44  | 2.62 |       |       |       |      | -2.57 | 5.85 | 30.00 | 24.15 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -0.79 | -0.46 | -0.23 |      | -0.01 | -0.23 | -0.48 |      | -2.57 | 4.85 | 22.22 | 17.37 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | 2.34  | 2.11  | 2.49  |      | 2.70  | 1.79  | 2.40  |      | -2.57 | 7.53 | 25.23 | 17.70 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | 2.31  | 2.53  | 2.26  |      | 2.58  | 2.33  | 2.74  |      | -2.57 | 7.67 | 26.99 | 19.32 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | 2.05  | 2.28  | 2.45  |      | 3.12  | 2.20  | 2.65  |      | -2.57 | 7.68 | 28.24 | 20.56 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | 2.35  | 2.38  | 2.34  |      | 2.60  | 2.32  | 2.17  |      | -2.57 | 7.57 | 29.21 | 21.64 |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | 2.16  | 2.40  | 2.47  |      | 3.08  | 2.29  | 2.63  |      | -2.57 | 7.73 | 30.00 | 22.27 |

|                                       |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -2.87 | -2.76 | -2.35 | -2.12 | -2.49 | -2.24 | -1.89 | -2.31 | -2.57 | 4.09  | 20.97 | 16.88 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | 0.00  | -0.15 | 0.79  | 0.48  | 0.00  | 0.34  | 0.14  | -0.15 | -2.57 | 6.65  | 23.98 | 17.33 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | 2.16  | 2.05  | 2.58  | 2.97  | 2.33  | 2.26  | 2.43  | 2.44  | -2.57 | 8.87  | 25.74 | 16.87 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | 2.39  | 2.11  | 2.70  | 2.84  | 2.47  | 2.51  | 2.78  | 2.64  | -2.57 | 9.02  | 26.99 | 17.97 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | 2.03  | 2.23  | 2.31  | 2.74  | 2.46  | 2.19  | 2.55  | 2.69  | -2.57 | 8.87  | 27.96 | 19.09 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | 2.46  | 2.38  | 2.79  | 2.99  | 2.61  | 2.58  | 2.86  | 2.38  | -2.57 | 9.10  | 28.75 | 19.65 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | 2.50  | 2.24  | 2.56  | 2.86  | 2.59  | 2.26  | 2.45  | 2.56  | -2.57 | 8.97  | 29.42 | 20.45 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | 2.28  | 2.09  | 2.69  | 2.92  | 2.46  | 2.46  | 2.59  | 2.74  | -2.57 | 9.00  | 30.00 | 21.00 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | 3.03  | 2.67  |       |       |       |       |       |       | -2.57 | 3.29  | 30.00 | 26.71 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | 2.71  | 2.26  | 2.48  |       |       |       |       |       | -2.57 | 4.69  | 30.00 | 25.31 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | 2.35  | 2.51  | 2.93  | 3.26  |       |       |       |       | -2.57 | 6.23  | 30.00 | 23.77 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | 2.54  | 2.44  | 2.59  |       | 2.53  | 2.83  | 3.09  |       | -2.57 | 7.89  | 30.00 | 22.11 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | 0.46  | 0.46  | 0.32  | 0.62  | 0.65  | 1.00  | 0.69  | 1.12  | -2.57 | 7.13  | 30.00 | 22.87 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | 2.52  |       |       |       |       |       |       |       | -2.57 | -0.05 | 30.00 | 30.05 |
| HE20, M0.1 to M11.1                   | 2 | 9.01  | 2.35  | 2.48  |       |       |       |       |       |       | -2.57 | 2.86  | 26.99 | 24.13 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | 2.38  | 2.31  |       |       |       |       |       |       | -2.57 | 2.79  | 30.00 | 27.21 |
| HE20, M0.1 to M11.1                   | 3 | 10.77 | 2.49  | 2.47  | 2.94  |       |       |       |       |       | -2.57 | 4.84  | 25.23 | 20.39 |
| HE20, M0.2 to M11.2                   | 3 | 7.76  | 2.25  | 2.51  | 2.49  |       |       |       |       |       | -2.57 | 4.62  | 28.24 | 23.62 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | 2.46  | 2.25  | 2.42  |       |       |       |       |       | -2.57 | 4.58  | 30.00 | 25.42 |
| HE20, M0.1 to M11.1                   | 4 | 12.02 | 2.63  | 2.59  | 2.67  | 2.91  |       |       |       |       | -2.57 | 6.15  | 23.98 | 17.83 |
| HE20, M0.2 to M11.2                   | 4 | 9.01  | 2.43  | 2.55  | 2.49  | 3.27  |       |       |       |       | -2.57 | 6.15  | 26.99 | 20.84 |
| HE20, M0.3 to M11.3                   | 4 | 7.25  | 2.29  | 2.70  | 2.44  | 3.41  |       |       |       |       | -2.57 | 6.18  | 28.75 | 22.57 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | 2.39  | 2.46  | 2.49  | 2.68  |       |       |       |       | -2.57 | 5.96  | 30.00 | 24.04 |
| HE20, M0.1 to M11.1                   | 6 | 13.78 | 2.31  | 2.54  | 2.43  |       | 2.75  | 2.76  | 2.38  |       | -2.57 | 7.74  | 22.22 | 14.48 |
| HE20, M0.2 to M11.2                   | 6 | 10.77 | 2.56  | 2.46  | 2.52  |       | 3.16  | 3.12  | 2.93  |       | -2.57 | 8.01  | 25.23 | 17.22 |
| HE20, M0.3 to M11.3                   | 6 | 9.01  | 2.16  | 2.63  | 2.46  |       | 2.74  | 2.78  | 2.83  |       | -2.57 | 7.82  | 26.99 | 19.17 |
| HE20, M0.4 to M11.4                   | 6 | 7.76  | 2.34  | 2.41  | 3.03  |       | 3.04  | 2.83  | 2.82  |       | -2.57 | 7.97  | 28.24 | 20.27 |
| HE20, M0.5 to M11.5                   | 6 | 6.79  | 2.21  | 2.13  | 3.18  |       | 2.68  | 3.25  | 2.78  |       | -2.57 | 7.94  | 29.21 | 21.27 |

|                        |   |       |       |       |       |       |       |       |       |       |       |      |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | 2.52  | 2.25  | 2.49  |       | 2.81  | 2.52  | 2.74  |       | -2.57 | 7.77 | 30.00 | 22.23 |
| HE20, M0.1 to M11.1    | 8 | 15.03 | 2.23  | 2.72  | 2.32  | 3.08  | 2.85  | 2.76  | 2.80  | 2.67  | -2.57 | 9.15 | 20.97 | 11.82 |
| HE20, M0.2 to M11.2    | 8 | 12.02 | 2.49  | 2.84  | 2.40  | 3.12  | 2.96  | 2.56  | 2.88  | 2.41  | -2.57 | 9.18 | 23.98 | 14.80 |
| HE20, M0.3 to M11.3    | 8 | 10.26 | 2.52  | 2.34  | 2.73  | 3.29  | 3.07  | 2.77  | 3.09  | 2.47  | -2.57 | 9.26 | 25.74 | 16.48 |
| HE20, M0.4 to M11.4    | 8 | 9.01  | 2.28  | 2.51  | 2.52  | 3.77  | 3.04  | 3.04  | 3.34  | 2.29  | -2.57 | 9.34 | 26.99 | 17.65 |
| HE20, M0.5 to M11.5    | 8 | 8.04  | 2.51  | 2.43  | 2.74  | 3.65  | 2.74  | 3.43  | 2.81  | 2.42  | -2.57 | 9.32 | 27.96 | 18.64 |
| HE20, M0.6 to M11.6    | 8 | 7.25  | 2.18  | 2.33  | 2.89  | 3.77  | 2.84  | 3.54  | 3.00  | 2.56  | -2.57 | 9.38 | 28.75 | 19.37 |
| HE20, M0.7 to M11.7    | 8 | 6.58  | 2.34  | 2.38  | 2.43  | 3.54  | 2.65  | 3.22  | 2.82  | 2.64  | -2.57 | 9.23 | 29.42 | 20.19 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | 2.39  | 2.35  | 2.31  | 3.02  | 2.95  | 2.57  | 2.95  | 2.54  | -2.57 | 9.10 | 30.00 | 20.90 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | 2.42  | 2.37  |       |       |       |       |       |       | -2.57 | 2.84 | 26.99 | 24.15 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | 2.35  | 2.30  |       |       |       |       |       |       | -2.57 | 2.77 | 30.00 | 27.23 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | 2.42  | 2.43  | 2.54  |       |       |       |       |       | -2.57 | 4.66 | 25.23 | 20.57 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | 2.16  | 2.61  | 2.66  |       |       |       |       |       | -2.57 | 4.68 | 28.24 | 23.56 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | 2.19  | 2.44  | 2.43  |       |       |       |       |       | -2.57 | 4.56 | 30.00 | 25.44 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | 2.54  | 2.42  | 2.51  | 2.81  |       |       |       |       | -2.57 | 6.02 | 23.98 | 17.96 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | 2.38  | 2.50  | 2.56  | 2.78  |       |       |       |       | -2.57 | 6.01 | 26.99 | 20.98 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | 2.29  | 3.10  | 2.48  | 2.91  |       |       |       |       | -2.57 | 6.16 | 28.75 | 22.59 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | 2.42  | 2.49  | 2.39  | 2.89  |       |       |       |       | -2.57 | 6.00 | 30.00 | 24.00 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -0.51 | -0.55 | -0.34 |       | -0.18 | -0.18 | -0.11 |       | -2.57 | 4.90 | 22.22 | 17.32 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | 2.38  | 2.69  | 2.60  |       | 3.05  | 2.77  | 2.94  |       | -2.57 | 7.96 | 25.23 | 17.27 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | 2.66  | 2.56  | 2.55  |       | 2.89  | 3.17  | 2.76  |       | -2.57 | 7.98 | 26.99 | 19.01 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | 2.20  | 2.53  | 2.58  |       | 2.75  | 3.05  | 2.75  |       | -2.57 | 7.86 | 28.24 | 20.38 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | 2.03  | 2.26  | 2.95  |       | 2.65  | 3.15  | 2.90  |       | -2.57 | 7.89 | 29.21 | 21.32 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | 2.31  | 2.27  | 2.19  |       | 2.84  | 2.53  | 2.92  |       | -2.57 | 7.73 | 30.00 | 22.27 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -2.81 | -2.50 | -2.30 | -2.60 | -2.40 | -2.32 | -1.63 | -2.26 | -2.57 | 4.12 | 20.97 | 16.85 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | 0.26  | 0.76  | 0.77  | 0.89  | 0.72  | 0.66  | 1.30  | 0.43  | -2.57 | 7.19 | 23.98 | 16.79 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | 2.43  | 2.45  | 2.50  | 3.05  | 2.73  | 3.07  | 3.32  | 2.35  | -2.57 | 9.21 | 25.74 | 16.53 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | 2.20  | 2.44  | 2.58  | 3.25  | 3.11  | 3.18  | 2.99  | 2.58  | -2.57 | 9.27 | 26.99 | 17.72 |

|                        |   |      |      |      |      |      |      |      |      |      |       |      |       |       |
|------------------------|---|------|------|------|------|------|------|------|------|------|-------|------|-------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | 2.46 | 2.58 | 2.60 | 3.49 | 2.70 | 3.29 | 3.40 | 2.56 | -2.57 | 9.36 | 27.96 | 18.60 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | 2.17 | 2.32 | 2.90 | 3.76 | 2.80 | 3.25 | 2.97 | 2.50 | -2.57 | 9.32 | 28.75 | 19.43 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | 2.53 | 2.46 | 2.61 | 3.21 | 3.00 | 3.01 | 3.01 | 2.70 | -2.57 | 9.28 | 29.42 | 20.14 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | 2.54 | 2.33 | 2.45 | 2.65 | 2.85 | 2.52 | 3.05 | 2.65 | -2.57 | 9.10 | 30.00 | 20.90 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | 2.45 | 2.49 |      |      |      |      |      |      | -2.57 | 2.91 | 30.00 | 27.09 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | 2.60 | 2.61 | 2.63 |      |      |      |      |      | -2.57 | 4.81 | 30.00 | 25.19 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | 2.39 | 2.55 | 2.61 | 2.77 |      |      |      |      | -2.57 | 6.03 | 30.00 | 23.97 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | 2.41 | 2.47 | 2.23 |      | 3.19 | 2.61 | 2.76 |      | -2.57 | 7.83 | 30.00 | 22.17 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | 0.38 | 0.41 | 0.20 | 1.12 | 0.58 | 0.76 | 1.00 | 0.85 | -2.57 | 7.13 | 30.00 | 22.87 |

## 5755 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 PSD (dBm/500 kHz) | Tx 2 PSD (dBm/500 kHz) | Tx 3 PSD (dBm/500 kHz) | Tx 4 PSD (dBm/500 kHz) | Tx 5 PSD (dBm/500 kHz) | Tx 6 PSD (dBm/500 kHz) | Tx 7 PSD (dBm/500 kHz) | Tx 8 PSD (dBm/500 kHz) | CF (dB) | Total PSD (dBm/500 kHz) | FCC Limit (dBm/500 kHz) | Margin (dB) |
|------------------------------------|----------|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------|-------------------------|-------------------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | -0.24                  |                        |                        |                        |                        |                        |                        |                        | -2.29   | -2.53                   | 30.00                   | 32.53       |
| non HT40, 6 to 54 Mbps             | 2        | 9.01                          | -0.51                  | -0.55                  |                        |                        |                        |                        |                        |                        | -2.29   | 0.19                    | 26.99                   | 26.80       |
| non HT40, 6 to 54 Mbps             | 3        | 10.77                         | -0.09                  | -0.73                  | -0.54                  |                        |                        |                        |                        |                        | -2.29   | 2.04                    | 25.23                   | 23.19       |
| non HT40, 6 to 54 Mbps             | 4        | 12.02                         | -0.12                  | -0.52                  | -0.40                  | -0.22                  |                        |                        |                        |                        | -2.29   | 3.42                    | 23.98                   | 20.56       |
| non HT40, 6 to 54 Mbps             | 6        | 13.78                         | -0.51                  | -0.50                  | -0.59                  |                        | -0.83                  | -0.81                  | -0.67                  |                        | -2.29   | 4.84                    | 22.22                   | 17.38       |
| non HT40, 6 to 54 Mbps             | 8        | 15.03                         | -0.33                  | -0.62                  | -0.31                  | -0.08                  | -0.89                  | -0.67                  | -0.45                  | -1.07                  | -2.29   | 6.20                    | 20.97                   | 14.77       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | -0.75                  |                        |                        |                        |                        |                        |                        |                        | -2.47   | -3.22                   | 30.00                   | 33.22       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 9.01                          | -0.76                  | -0.75                  |                        |                        |                        |                        |                        |                        | -2.47   | -0.21                   | 26.99                   | 27.20       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | -0.56                  | -0.72                  |                        |                        |                        |                        |                        |                        | -2.47   | -0.10                   | 30.00                   | 30.10       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 10.77                         | -0.64                  | -1.46                  | -1.06                  |                        |                        |                        |                        |                        | -2.47   | 1.26                    | 25.23                   | 23.97       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 7.76                          | -0.52                  | -0.74                  | -0.84                  |                        |                        |                        |                        |                        | -2.47   | 1.60                    | 28.24                   | 26.64       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | -0.59                  | -0.97                  | -0.85                  |                        |                        |                        |                        |                        | -2.47   | 1.50                    | 30.00                   | 28.50       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 12.02                         | -0.53                  | -0.85                  | -0.87                  | -0.58                  |                        |                        |                        |                        | -2.47   | 2.85                    | 23.98                   | 21.13       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 9.01                          | -0.61                  | -0.34                  | -0.64                  | -0.13                  |                        |                        |                        |                        | -2.47   | 3.13                    | 26.99                   | 23.86       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 7.25                          | -0.90                  | -0.62                  | -0.70                  | -0.56                  |                        |                        |                        |                        | -2.47   | 2.86                    | 28.75                   | 25.89       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | -0.49                  | -0.70                  | -1.01                  | -0.33                  |                        |                        |                        |                        | -2.47   | 2.93                    | 30.00                   | 27.07       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 13.78                         | -0.96                  | -1.02                  | -0.63                  |                        | -1.39                  | -1.14                  | -1.09                  |                        | -2.47   | 4.28                    | 22.22                   | 17.94       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 10.77                         | -0.51                  | -0.89                  | -0.64                  |                        | -1.10                  | -0.90                  | -0.51                  |                        | -2.47   | 4.56                    | 25.23                   | 20.67       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 9.01                          | -0.50                  | -0.80                  | -0.89                  |                        | -1.14                  | -0.63                  | -0.77                  |                        | -2.47   | 4.53                    | 26.99                   | 22.46       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 7.76                          | -0.58                  | -0.47                  | -0.67                  |                        | -0.64                  | -1.12                  | -0.62                  |                        | -2.47   | 4.63                    | 28.24                   | 23.61       |
| VHT40, M0.5 to M9.5                | 6        | 6.79                          | -0.31                  | -0.54                  | -0.48                  |                        | -0.67                  | -0.91                  | -0.48                  |                        | -2.47   | 4.75                    | 29.21                   | 24.46       |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | -0.63                  | -0.94                  | -0.89                  |                        | -1.41                  | -1.19                  | -0.89                  |                        | -2.47   | 4.33                    | 30.00                   | 25.67       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 15.03                         | -0.66                  | -0.53                  | -1.32                  | -0.27                  | -1.46                  | -1.10                  | -0.88                  | -1.01                  | -2.47   | 5.67                    | 20.97                   | 15.30       |

|                                       |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 12.02 | -0.51 | -0.61 | -0.47 | -0.47 | -0.73 | -0.73 | -0.66 | -0.75 | -2.47 | 5.95  | 23.98 | 18.03 |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 10.26 | -0.70 | -0.57 | -0.45 | -0.14 | -1.05 | -0.91 | -0.91 | -1.01 | -2.47 | 5.85  | 25.74 | 19.89 |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 9.01  | -0.64 | -0.78 | -0.77 | -0.47 | -0.81 | -0.97 | -0.73 | -1.08 | -2.47 | 5.78  | 26.99 | 21.21 |
| VHT40, M0.5 to M9.5                   | 8 | 8.04  | -0.30 | -0.44 | -0.21 | -0.06 | -0.62 | -0.73 | -0.45 | -0.78 | -2.47 | 6.12  | 27.96 | 21.84 |
| VHT40, M0.6 to M9.6                   | 8 | 7.25  | -0.57 | -0.47 | -0.96 | -0.63 | -1.21 | -0.84 | -0.84 | -1.23 | -2.47 | 5.73  | 28.75 | 23.02 |
| VHT40, M0.7 to M9.7                   | 8 | 6.58  | 0.15  | -0.02 | -0.88 | 0.20  | -0.66 | -0.63 | -0.29 | -0.67 | -2.47 | 6.23  | 29.42 | 23.19 |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | -0.76 | -0.55 | 0.28  | 1.09  | -0.54 | 0.27  | 0.11  | -0.88 | -2.47 | 6.49  | 30.00 | 23.51 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | -0.56 | -0.83 |       |       |       |       |       |       | -2.47 | -0.15 | 26.99 | 27.14 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | -0.34 | -0.75 |       |       |       |       |       |       | -2.47 | 0.00  | 30.00 | 30.00 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | -1.08 | -1.18 | -0.97 |       |       |       |       |       | -2.47 | 1.23  | 25.23 | 24.00 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | -0.51 | -0.88 | -0.66 |       |       |       |       |       | -2.47 | 1.62  | 28.24 | 26.62 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | -0.38 | -0.89 | -0.56 |       |       |       |       |       | -2.47 | 1.70  | 30.00 | 28.30 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | -0.68 | -1.49 | -0.91 | -0.45 |       |       |       |       | -2.47 | 2.68  | 23.98 | 21.30 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | -0.26 | -0.61 | -0.64 | -0.37 |       |       |       |       | -2.47 | 3.08  | 26.99 | 23.91 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | -0.60 | -1.06 | -0.81 | -0.47 |       |       |       |       | -2.47 | 2.82  | 28.75 | 25.93 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | -0.50 | -0.87 | -0.78 | -0.40 |       |       |       |       | -2.47 | 2.92  | 30.00 | 27.08 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | -3.70 | -4.06 | -3.92 |       | -4.09 | -4.39 | -3.98 |       | -2.47 | 1.29  | 22.22 | 20.93 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | -0.43 | -0.78 | -0.86 |       | -1.01 | -1.05 | -0.82 |       | -2.47 | 4.49  | 25.23 | 20.74 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | -0.69 | -0.92 | -0.69 |       | -0.81 | -0.67 | -0.74 |       | -2.47 | 4.56  | 26.99 | 22.43 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | -0.52 | -0.70 | -0.71 |       | -0.83 | -0.90 | -0.67 |       | -2.47 | 4.59  | 28.24 | 23.65 |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | -0.17 | -0.55 | -0.75 |       | -0.65 | -0.71 | -0.55 |       | -2.47 | 4.75  | 29.21 | 24.46 |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | -0.84 | -0.81 | -1.17 |       | -1.35 | -1.24 | -0.85 |       | -2.47 | 4.27  | 30.00 | 25.73 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | -6.61 | -7.15 | -6.76 | -7.61 | -7.58 | -7.25 | -7.86 | -7.53 | -2.47 | -0.71 | 20.97 | 21.68 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | -4.39 | -3.76 | -3.47 | -4.40 | -4.05 | -3.77 | -4.36 | -4.13 | -2.47 | 2.53  | 23.98 | 21.45 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | -1.03 | -0.65 | -0.80 | -1.31 | -1.24 | -0.75 | -0.89 | -1.17 | -2.47 | 5.59  | 25.74 | 20.15 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | -0.48 | -0.70 | -1.06 | -0.41 | -0.76 | -0.99 | -0.69 | -1.12 | -2.47 | 5.79  | 26.99 | 21.20 |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | -0.17 | -0.45 | -0.14 | 0.16  | -0.79 | -0.79 | 0.01  | -1.18 | -2.47 | 6.16  | 27.96 | 21.80 |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | -2.13 | -2.02 | -1.95 | -2.77 | -2.24 | -1.99 | -2.15 | -2.37 | -2.47 | 4.37  | 28.75 | 24.38 |

|                                   |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-----------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58  | -0.19 | -0.20 | -0.46 | 0.26  | -0.78 | -0.53 | -0.71 | -0.62 | -2.47 | 6.17  | 29.42 | 23.25 |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00  | -0.53 | -0.67 | 0.28  | 1.57  | -0.17 | 0.58  | 0.12  | -1.25 | -2.47 | 6.63  | 30.00 | 23.37 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00  | -0.67 | -1.05 |       |       |       |       |       |       | -2.47 | -0.32 | 30.00 | 30.32 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00  | -0.74 | -1.36 | -0.81 |       |       |       |       |       | -2.47 | 1.34  | 30.00 | 28.66 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00  | -0.41 | -0.97 | -0.58 | 0.16  |       |       |       |       | -2.47 | 3.12  | 30.00 | 26.88 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00  | -0.50 | -1.14 | -0.66 |       | -1.03 | -1.25 | -0.68 |       | -2.47 | 4.44  | 30.00 | 25.56 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00  | -2.72 | -3.12 | -2.93 | -2.49 | -3.02 | -3.27 | -3.08 | -3.10 | -2.47 | 3.60  | 30.00 | 26.40 |
| HE40, M0.1 to M11.1               | 1 | 6.00  | -0.35 |       |       |       |       |       |       |       | -2.47 | -2.82 | 30.00 | 32.82 |
| HE40, M0.1 to M11.1               | 2 | 9.01  | -0.62 | -0.75 |       |       |       |       |       |       | -2.47 | -0.14 | 26.99 | 27.13 |
| HE40, M0.2 to M11.2               | 2 | 6.00  | -0.51 | -0.50 |       |       |       |       |       |       | -2.47 | 0.04  | 30.00 | 29.96 |
| HE40, M0.1 to M11.1               | 3 | 10.77 | -0.46 | -0.80 | -0.50 |       |       |       |       |       | -2.47 | 1.72  | 25.23 | 23.51 |
| HE40, M0.2 to M11.2               | 3 | 7.76  | -0.37 | -0.65 | -0.42 |       |       |       |       |       | -2.47 | 1.82  | 28.24 | 26.42 |
| HE40, M0.3 to M11.3               | 3 | 6.00  | -0.66 | -0.66 | -0.25 |       |       |       |       |       | -2.47 | 1.78  | 30.00 | 28.22 |
| HE40, M0.1 to M11.1               | 4 | 12.02 | -0.32 | -0.67 | -0.43 | -0.12 |       |       |       |       | -2.47 | 3.17  | 23.98 | 20.81 |
| HE40, M0.2 to M11.2               | 4 | 9.01  | -0.45 | -0.50 | -0.34 | -0.19 |       |       |       |       | -2.47 | 3.18  | 26.99 | 23.81 |
| HE40, M0.3 to M11.3               | 4 | 7.25  | -0.53 | -0.40 | -0.59 | -0.02 |       |       |       |       | -2.47 | 3.17  | 28.75 | 25.58 |
| HE40, M0.4 to M11.4               | 4 | 6.00  | -0.37 | -0.42 | -0.72 | -0.34 |       |       |       |       | -2.47 | 3.09  | 30.00 | 26.91 |
| HE40, M0.1 to M11.1               | 6 | 13.78 | -0.59 | -0.65 | -0.50 |       | -0.91 | -1.02 | -0.47 |       | -2.47 | 4.63  | 22.22 | 17.59 |
| HE40, M0.2 to M11.2               | 6 | 10.77 | -0.48 | -0.61 | -0.44 |       | -0.69 | -0.80 | -0.66 |       | -2.47 | 4.70  | 25.23 | 20.53 |
| HE40, M0.3 to M11.3               | 6 | 9.01  | -0.67 | -0.55 | -0.43 |       | -1.08 | -0.31 | -1.07 |       | -2.47 | 4.64  | 26.99 | 22.35 |
| HE40, M0.4 to M11.4               | 6 | 7.76  | -0.47 | -0.27 | -0.48 |       | -0.85 | -0.46 | -0.32 |       | -2.47 | 4.84  | 28.24 | 23.40 |
| HE40, M0.5 to M11.5               | 6 | 6.79  | -0.69 | -0.61 | -0.40 |       | -0.69 | -0.73 | -0.38 |       | -2.47 | 4.73  | 29.21 | 24.48 |
| HE40, M0.6 to M11.6               | 6 | 6.00  | -0.43 | -0.70 | -0.49 |       | -1.02 | -1.04 | -0.83 |       | -2.47 | 4.57  | 30.00 | 25.43 |
| HE40, M0.1 to M11.1               | 8 | 15.03 | -0.76 | -0.63 | -0.50 | -0.03 | -0.74 | -0.92 | -0.11 | -0.82 | -2.47 | 6.01  | 20.97 | 14.96 |
| HE40, M0.2 to M11.2               | 8 | 12.02 | -0.53 | -0.60 | -0.16 | -0.29 | -0.86 | -0.69 | -0.72 | -0.94 | -2.47 | 5.97  | 23.98 | 18.01 |
| HE40, M0.3 to M11.3               | 8 | 10.26 | -0.44 | -0.63 | -0.47 | -0.24 | -0.93 | -0.59 | -0.53 | -1.06 | -2.47 | 5.96  | 25.74 | 19.78 |
| HE40, M0.4 to M11.4               | 8 | 9.01  | -0.89 | -0.41 | -0.44 | -0.27 | -0.69 | -0.62 | -0.54 | -0.76 | -2.47 | 5.99  | 26.99 | 21.00 |
| HE40, M0.5 to M11.5               | 8 | 8.04  | -0.57 | -0.57 | 0.01  | -0.22 | -0.45 | -0.94 | -0.74 | -1.03 | -2.47 | 6.01  | 27.96 | 21.95 |

|                        |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HE40, M0.6 to M11.6    | 8 | 7.25  | -0.47 | -0.63 | -0.30 | -0.12 | -0.64 | -0.99 | -0.32 | -0.63 | -2.47 | 6.06  | 28.75 | 22.69 |
| HE40, M0.7 to M11.7    | 8 | 6.58  | -0.64 | -0.53 | -0.28 | 0.23  | -0.84 | -0.62 | -0.58 | -1.02 | -2.47 | 6.04  | 29.42 | 23.38 |
| HE40, M0.8 to M11.8    | 8 | 6.00  | -0.83 | -0.61 | -0.67 | -0.33 | -0.85 | -0.93 | -1.00 | -0.79 | -2.47 | 5.81  | 30.00 | 24.19 |
| HE40, M0.1 to M11.1-BF | 2 | 9.01  | -0.63 | -0.33 |       |       |       |       |       |       | -2.47 | 0.06  | 26.99 | 26.93 |
| HE40, M0.2 to M11.2-BF | 2 | 6.00  | -0.84 | -0.47 |       |       |       |       |       |       | -2.47 | -0.11 | 30.00 | 30.11 |
| HE40, M0.1 to M11.1-BF | 3 | 10.77 | -0.50 | -0.72 | -0.45 |       |       |       |       |       | -2.47 | 1.75  | 25.23 | 23.48 |
| HE40, M0.2 to M11.2-BF | 3 | 7.76  | -0.45 | -0.54 | -0.73 |       |       |       |       |       | -2.47 | 1.73  | 28.24 | 26.51 |
| HE40, M0.3 to M11.3-BF | 3 | 6.00  | -0.46 | -0.65 | -0.59 |       |       |       |       |       | -2.47 | 1.74  | 30.00 | 28.26 |
| HE40, M0.1 to M11.1-BF | 4 | 12.02 | -0.69 | -0.48 | -0.18 | -0.18 |       |       |       |       | -2.47 | 3.17  | 23.98 | 20.81 |
| HE40, M0.2 to M11.2-BF | 4 | 9.01  | 0.11  | -0.62 | -0.54 | -0.30 |       |       |       |       | -2.47 | 3.22  | 26.99 | 23.77 |
| HE40, M0.3 to M11.3-BF | 4 | 7.25  | -0.60 | -0.23 | -0.51 | -0.18 |       |       |       |       | -2.47 | 3.17  | 28.75 | 25.58 |
| HE40, M0.4 to M11.4-BF | 4 | 6.00  | -0.72 | -0.56 | -0.30 | -0.31 |       |       |       |       | -2.47 | 3.08  | 30.00 | 26.92 |
| HE40, M0.1 to M11.1-BF | 6 | 13.78 | -3.80 | -3.84 | -3.66 |       | -3.83 | -3.88 | -3.70 |       | -2.47 | 1.53  | 22.22 | 20.69 |
| HE40, M0.2 to M11.2-BF | 6 | 10.77 | -1.56 | -1.67 | -1.52 |       | -1.91 | -1.40 | -     | 47.01 | -2.47 | 2.91  | 25.23 | 22.32 |
| HE40, M0.3 to M11.3-BF | 6 | 9.01  | -0.71 | -0.52 | -0.51 |       | -0.69 | -0.35 | -0.91 |       | -2.47 | 4.70  | 26.99 | 22.29 |
| HE40, M0.4 to M11.4-BF | 6 | 7.76  | -0.60 | -0.54 | -0.36 |       | -0.74 | -0.47 | -0.68 |       | -2.47 | 4.75  | 28.24 | 23.49 |
| HE40, M0.5 to M11.5-BF | 6 | 6.79  | -0.84 | -0.59 | -0.41 |       | -0.59 | -0.60 | -0.60 |       | -2.47 | 4.71  | 29.21 | 24.50 |
| HE40, M0.6 to M11.6-BF | 6 | 6.00  | -0.49 | -0.59 | -0.58 |       | -0.73 | -0.84 | -0.85 |       | -2.47 | 4.63  | 30.00 | 25.37 |
| HE40, M0.1 to M11.1-BF | 8 | 15.03 | -7.88 | -7.92 | -7.56 | -8.57 | -8.06 | -7.93 | -8.14 | -8.08 | -2.47 | -1.45 | 20.97 | 22.42 |
| HE40, M0.2 to M11.2-BF | 8 | 12.02 | -3.54 | -3.99 | -3.65 | -4.11 | -3.89 | -3.66 | -3.90 | -4.13 | -2.47 | 2.71  | 23.98 | 21.27 |
| HE40, M0.3 to M11.3-BF | 8 | 10.26 | -3.00 | -2.99 | -2.49 | -3.34 | -2.90 | -2.85 | -2.75 | -2.90 | -2.47 | 3.66  | 25.74 | 22.08 |
| HE40, M0.4 to M11.4-BF | 8 | 9.01  | -0.55 | -0.64 | -0.13 | -0.13 | -0.74 | -0.43 | -0.41 | -0.75 | -2.47 | 6.09  | 26.99 | 20.90 |
| HE40, M0.5 to M11.5-BF | 8 | 8.04  | -0.50 | -0.69 | 0.16  | -0.01 | -0.46 | -0.23 | -0.34 | -0.58 | -2.47 | 6.24  | 27.96 | 21.72 |
| HE40, M0.6 to M11.6-BF | 8 | 7.25  | -0.72 | -0.58 | -0.25 | 0.02  | -0.78 | -0.89 | -0.36 | -0.83 | -2.47 | 6.02  | 28.75 | 22.73 |
| HE40, M0.7 to M11.7-BF | 8 | 6.58  | -0.90 | -0.48 | -0.49 | -0.12 | -0.78 | -0.34 | -0.57 | -1.09 | -2.47 | 5.97  | 29.42 | 23.45 |
| HE40, M0.8 to M11.8-BF | 8 | 6.00  | -0.46 | -0.58 | -0.51 | -0.34 | -0.59 | -0.79 | -0.54 | -1.13 | -2.47 | 5.95  | 30.00 | 24.05 |
| HE40, M0 to M11-STBC   | 2 | 6.00  | -0.61 | -0.42 |       |       |       |       |       |       | -2.47 | 0.03  | 30.00 | 29.97 |
| HE40, M0 to M11-STBC   | 3 | 6.00  | -0.54 | -0.62 | -0.55 |       |       |       |       |       | -2.47 | 1.73  | 30.00 | 28.27 |



|                      |   |      |       |       |       |       |       |       |       |       |       |      |       |       |
|----------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| HE40, M0 to M11-STBC | 4 | 6.00 | -0.61 | -0.53 | -0.23 | 0.12  |       |       |       |       | -2.47 | 3.25 | 30.00 | 26.75 |
| HE40, M0 to M11-STBC | 6 | 6.00 | -0.47 | -0.64 | -0.63 |       | -0.81 | -0.85 | -0.74 |       | -2.47 | 4.62 | 30.00 | 25.38 |
| HE40, M0 to M11-STBC | 8 | 6.00 | -2.67 | -2.79 | -2.40 | -1.94 | -2.84 | -2.81 | -2.76 | -2.92 | -2.47 | 3.93 | 30.00 | 26.07 |

## 5795 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 PSD (dBm/500 kHz) | Tx 2 PSD (dBm/500 kHz) | Tx 3 PSD (dBm/500 kHz) | Tx 4 PSD (dBm/500 kHz) | Tx 5 PSD (dBm/500 kHz) | Tx 6 PSD (dBm/500 kHz) | Tx 7 PSD (dBm/500 kHz) | Tx 8 PSD (dBm/500 kHz) | CF (dB) | Total PSD (dBm/500 kHz) | FCC Limit (dBm/500 kHz) | Margin (dB) |
|------------------------------------|----------|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------|-------------------------|-------------------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | -0.19                  |                        |                        |                        |                        |                        |                        |                        | -2.29   | -2.48                   | 30.00                   | 32.48       |
| non HT40, 6 to 54 Mbps             | 2        | 9.01                          | -0.17                  | -0.16                  |                        |                        |                        |                        |                        |                        | -2.29   | 0.56                    | 26.99                   | 26.43       |
| non HT40, 6 to 54 Mbps             | 3        | 10.77                         | 0.32                   | -0.43                  | -0.04                  |                        |                        |                        |                        |                        | -2.29   | 2.44                    | 25.23                   | 22.79       |
| non HT40, 6 to 54 Mbps             | 4        | 12.02                         | 0.10                   | -0.36                  | -0.18                  | 0.16                   |                        |                        |                        |                        | -2.29   | 3.67                    | 23.98                   | 20.31       |
| non HT40, 6 to 54 Mbps             | 6        | 13.78                         | -0.14                  | -0.21                  | -0.26                  |                        | -0.49                  | -0.16                  | -0.17                  |                        | -2.29   | 5.25                    | 22.22                   | 16.97       |
| non HT40, 6 to 54 Mbps             | 8        | 15.03                         | -0.03                  | -0.06                  | -0.13                  | 0.01                   | -0.19                  | -0.35                  | -0.09                  | -0.27                  | -2.29   | 6.60                    | 20.97                   | 14.37       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | -0.85                  |                        |                        |                        |                        |                        |                        |                        | -2.47   | -3.32                   | 30.00                   | 33.32       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 9.01                          | -0.72                  | -0.85                  |                        |                        |                        |                        |                        |                        | -2.47   | -0.24                   | 26.99                   | 27.23       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | -0.23                  | -0.27                  |                        |                        |                        |                        |                        |                        | -2.47   | 0.29                    | 30.00                   | 29.71       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 10.77                         | -0.35                  | -0.72                  | -0.38                  |                        |                        |                        |                        |                        | -2.47   | 1.82                    | 25.23                   | 23.41       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 7.76                          | -0.36                  | -0.58                  | -0.39                  |                        |                        |                        |                        |                        | -2.47   | 1.86                    | 28.24                   | 26.38       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | -0.25                  | -0.67                  | -0.59                  |                        |                        |                        |                        |                        | -2.47   | 1.80                    | 30.00                   | 28.20       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 12.02                         | -0.59                  | -0.44                  | 0.08                   | -0.42                  |                        |                        |                        |                        | -2.47   | 3.22                    | 23.98                   | 20.76       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 9.01                          | -0.40                  | -0.64                  | -0.35                  | -0.20                  |                        |                        |                        |                        | -2.47   | 3.16                    | 26.99                   | 23.83       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 7.25                          | -0.48                  | -0.42                  | -0.29                  | -0.19                  |                        |                        |                        |                        | -2.47   | 3.21                    | 28.75                   | 25.54       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | -0.02                  | -0.42                  | -0.51                  | -0.14                  |                        |                        |                        |                        | -2.47   | 3.28                    | 30.00                   | 26.72       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 13.78                         | -0.51                  | -0.45                  | -0.67                  |                        | -0.57                  | -0.87                  | -0.55                  |                        | -2.47   | 4.71                    | 22.22                   | 17.51       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 10.77                         | -0.20                  | -0.35                  | -0.26                  |                        | -0.76                  | -0.69                  | -0.49                  |                        | -2.47   | 4.86                    | 25.23                   | 20.37       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 9.01                          | -0.14                  | -0.25                  | -0.33                  |                        | -0.48                  | -0.16                  | -0.61                  |                        | -2.47   | 4.99                    | 26.99                   | 22.00       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 7.76                          | -0.50                  | -0.30                  | -0.61                  |                        | -0.42                  | -0.35                  | -0.39                  |                        | -2.47   | 4.88                    | 28.24                   | 23.36       |
| VHT40, M0.5 to M9.5                | 6        | 6.79                          | -0.03                  | -0.06                  | -0.28                  |                        | 0.12                   | -0.65                  | -0.16                  |                        | -2.47   | 5.14                    | 29.21                   | 24.07       |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | -0.66                  | -0.46                  | -0.53                  |                        | -0.88                  | -0.54                  | -0.48                  |                        | -2.47   | 4.72                    | 30.00                   | 25.28       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 15.03                         | -0.50                  | -0.77                  | -0.16                  | -0.20                  | -0.67                  | -0.82                  | -0.25                  | -0.80                  | -2.47   | 6.05                    | 20.97                   | 14.92       |

|                                       |   |       |       |       |       |       |       |       |       |       |       |      |       |       |
|---------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 12.02 | -0.21 | -0.25 | -0.09 | -0.46 | -0.52 | -0.44 | -0.31 | -0.64 | -2.47 | 6.20 | 23.98 | 17.78 |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 10.26 | -0.41 | -0.59 | -0.13 | -0.40 | -0.43 | -0.67 | -0.63 | -0.51 | -2.47 | 6.09 | 25.74 | 19.65 |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 9.01  | -0.16 | 0.01  | -0.79 | -0.26 | -0.53 | -0.31 | -0.54 | -0.54 | -2.47 | 6.18 | 26.99 | 20.81 |
| VHT40, M0.5 to M9.5                   | 8 | 8.04  | 0.00  | -0.10 | 0.19  | 0.22  | -0.14 | -0.20 | 0.10  | -0.41 | -2.47 | 6.52 | 27.96 | 21.44 |
| VHT40, M0.6 to M9.6                   | 8 | 7.25  | -0.47 | -0.33 | -0.07 | -0.46 | -0.62 | -0.38 | -0.35 | -0.72 | -2.47 | 6.14 | 28.75 | 22.61 |
| VHT40, M0.7 to M9.7                   | 8 | 6.58  | -0.13 | 0.29  | 0.01  | 0.40  | 0.01  | -0.40 | -0.40 | -0.47 | -2.47 | 6.49 | 29.42 | 22.93 |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | -0.34 | -0.57 | 0.53  | 1.57  | 0.06  | 0.74  | 0.43  | -0.60 | -2.47 | 6.85 | 30.00 | 23.15 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | -0.07 | -1.06 |       |       |       |       |       |       | -2.47 | 0.00 | 26.99 | 26.99 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | -0.24 | -0.28 |       |       |       |       |       |       | -2.47 | 0.28 | 30.00 | 29.72 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | -0.72 | -0.42 | -0.32 |       |       |       |       |       | -2.47 | 1.82 | 25.23 | 23.41 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | -0.32 | -0.38 | -0.50 |       |       |       |       |       | -2.47 | 1.90 | 28.24 | 26.34 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | -0.18 | -0.35 | -0.05 |       |       |       |       |       | -2.47 | 2.11 | 30.00 | 27.89 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | -0.32 | -0.79 | -0.45 | -0.11 |       |       |       |       | -2.47 | 3.14 | 23.98 | 20.84 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | -0.11 | -0.46 | -0.28 | -0.07 |       |       |       |       | -2.47 | 3.32 | 26.99 | 23.67 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | -0.41 | -0.23 | -0.31 | -0.02 |       |       |       |       | -2.47 | 3.31 | 28.75 | 25.44 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | -0.31 | -0.55 | -0.29 | -0.26 |       |       |       |       | -2.47 | 3.20 | 30.00 | 26.80 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | -3.47 | -3.62 | -3.97 |       | -3.40 | -4.09 | -3.47 |       | -2.47 | 1.65 | 22.22 | 20.57 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | -0.37 | -0.11 | -0.06 |       | -0.33 | -0.54 | -0.22 |       | -2.47 | 5.04 | 25.23 | 20.19 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | -0.39 | -0.10 | -0.22 |       | -0.24 | -0.37 | -0.57 |       | -2.47 | 5.00 | 26.99 | 21.99 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | -0.52 | -0.39 | -0.53 |       | -0.32 | -0.58 | -0.55 |       | -2.47 | 4.83 | 28.24 | 23.41 |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | -0.04 | -0.27 | -0.30 |       | -0.16 | -0.23 | -0.04 |       | -2.47 | 5.14 | 29.21 | 24.07 |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | -0.33 | -0.29 | -0.59 |       | -0.61 | -0.58 | -0.71 |       | -2.47 | 4.80 | 30.00 | 25.20 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | -6.19 | -5.91 | -5.86 | -5.56 | -5.57 | -5.68 | -5.60 | -5.77 | -2.47 | 0.80 | 20.97 | 20.17 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | -2.60 | -2.20 | -2.24 | -2.44 | -2.68 | -2.64 | -2.44 | -3.01 | -2.47 | 4.04 | 23.98 | 19.94 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | -0.38 | -0.59 | -0.42 | -0.08 | -0.33 | -0.57 | -0.58 | -0.66 | -2.47 | 6.11 | 25.74 | 19.63 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | -0.26 | -0.24 | -0.52 | -0.46 | -0.10 | -0.62 | -0.57 | -0.62 | -2.47 | 6.14 | 26.99 | 20.85 |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | 0.13  | -0.25 | 0.35  | 0.18  | 0.05  | -0.33 | -0.01 | -0.22 | -2.47 | 6.55 | 27.96 | 21.41 |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | -0.40 | -0.27 | -0.38 | -0.43 | -0.57 | -0.93 | -0.41 | -0.69 | -2.47 | 6.06 | 28.75 | 22.69 |

|                                   |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|-----------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58  | 0.26  | 0.51  | -0.12 | 0.25  | 0.12  | -0.08 | -0.12 | -0.02 | -2.47 | 6.67  | 29.42 | 22.75 |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00  | -0.37 | -0.43 | 0.44  | 1.02  | -0.18 | 0.66  | 0.43  | -0.55 | -2.47 | 6.72  | 30.00 | 23.28 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00  | -0.70 | -0.54 |       |       |       |       |       |       | -2.47 | -0.08 | 30.00 | 30.08 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00  | -0.26 | -0.74 | -0.98 |       |       |       |       |       | -2.47 | 1.65  | 30.00 | 28.35 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00  | -0.56 | -0.55 | -0.77 | -0.07 |       |       |       |       | -2.47 | 3.07  | 30.00 | 26.93 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00  | -0.33 | -0.19 | -0.92 |       | -0.35 | -1.15 | -1.34 |       | -2.47 | 4.62  | 30.00 | 25.38 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00  | -2.57 | -2.21 | -2.28 | -2.15 | -2.52 | -2.87 | -2.48 | -2.73 | -2.47 | 4.09  | 30.00 | 25.91 |
| HE40, M0.1 to M11.1               | 1 | 6.00  | 0.00  |       |       |       |       |       |       |       | -2.47 | -2.47 | 30.00 | 32.47 |
| HE40, M0.1 to M11.1               | 2 | 9.01  | -0.09 | -0.23 |       |       |       |       |       |       | -2.47 | 0.38  | 26.99 | 26.61 |
| HE40, M0.2 to M11.2               | 2 | 6.00  | -0.19 | -0.29 |       |       |       |       |       |       | -2.47 | 0.30  | 30.00 | 29.70 |
| HE40, M0.1 to M11.1               | 3 | 10.77 | 0.08  | -0.40 | -0.31 |       |       |       |       |       | -2.47 | 2.10  | 25.23 | 23.13 |
| HE40, M0.2 to M11.2               | 3 | 7.76  | 0.22  | -0.19 | -0.26 |       |       |       |       |       | -2.47 | 2.23  | 28.24 | 26.01 |
| HE40, M0.3 to M11.3               | 3 | 6.00  | -0.26 | -0.31 | -0.28 |       |       |       |       |       | -2.47 | 2.02  | 30.00 | 27.98 |
| HE40, M0.1 to M11.1               | 4 | 12.02 | -0.34 | -0.18 | 0.10  | 0.16  |       |       |       |       | -2.47 | 3.49  | 23.98 | 20.49 |
| HE40, M0.2 to M11.2               | 4 | 9.01  | -0.09 | 0.09  | -0.41 | -0.10 |       |       |       |       | -2.47 | 3.43  | 26.99 | 23.56 |
| HE40, M0.3 to M11.3               | 4 | 7.25  | -0.06 | -0.12 | -0.20 | 0.02  |       |       |       |       | -2.47 | 3.46  | 28.75 | 25.29 |
| HE40, M0.4 to M11.4               | 4 | 6.00  | -0.16 | -0.18 | -0.31 | -0.01 |       |       |       |       | -2.47 | 3.39  | 30.00 | 26.61 |
| HE40, M0.1 to M11.1               | 6 | 13.78 | -0.08 | -0.18 | -0.13 |       | -0.68 | -0.57 | -0.22 |       | -2.47 | 5.01  | 22.22 | 17.21 |
| HE40, M0.2 to M11.2               | 6 | 10.77 | -0.13 | 0.04  | -0.52 |       | -0.34 | -0.30 | -0.20 |       | -2.47 | 5.07  | 25.23 | 20.16 |
| HE40, M0.3 to M11.3               | 6 | 9.01  | -0.01 | -0.33 | 0.01  |       | -0.31 | -0.33 | -0.15 |       | -2.47 | 5.13  | 26.99 | 21.86 |
| HE40, M0.4 to M11.4               | 6 | 7.76  | -0.19 | -0.13 | -0.23 |       | -0.38 | 0.08  | 0.00  |       | -2.47 | 5.17  | 28.24 | 23.07 |
| HE40, M0.5 to M11.5               | 6 | 6.79  | -0.16 | -0.06 | -0.27 |       | 0.25  | -0.31 | -0.06 |       | -2.47 | 5.21  | 29.21 | 24.00 |
| HE40, M0.6 to M11.6               | 6 | 6.00  | -0.22 | -0.55 | -0.48 |       | -0.39 | -0.43 | -0.51 |       | -2.47 | 4.88  | 30.00 | 25.12 |
| HE40, M0.1 to M11.1               | 8 | 15.03 | -0.17 | -0.26 | -0.02 | -0.18 | -0.13 | 0.00  | 0.02  | -0.41 | -2.47 | 6.42  | 20.97 | 14.55 |
| HE40, M0.2 to M11.2               | 8 | 12.02 | 0.14  | -0.08 | -0.18 | -0.11 | -0.07 | -0.29 | -0.31 | -0.54 | -2.47 | 6.39  | 23.98 | 17.59 |
| HE40, M0.3 to M11.3               | 8 | 10.26 | -0.04 | -0.19 | -0.04 | 0.10  | -0.13 | -0.22 | -0.04 | -0.50 | -2.47 | 6.43  | 25.74 | 19.31 |
| HE40, M0.4 to M11.4               | 8 | 9.01  | -0.12 | -0.39 | -0.19 | -0.01 | -0.05 | -0.03 | -0.26 | -0.71 | -2.47 | 6.35  | 26.99 | 20.64 |
| HE40, M0.5 to M11.5               | 8 | 8.04  | -0.21 | -0.26 | -0.05 | -0.13 | 0.02  | -0.30 | 0.00  | -0.37 | -2.47 | 6.40  | 27.96 | 21.56 |

|                        |   |       |       |       |       |       |       |       |       |       |       |      |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| HE40, M0.6 to M11.6    | 8 | 7.25  | -0.27 | -0.17 | 0.31  | -0.23 | -0.22 | -0.22 | -0.02 | -0.59 | -2.47 | 6.39 | 28.75 | 22.36 |
| HE40, M0.7 to M11.7    | 8 | 6.58  | -0.19 | -0.17 | 0.03  | 0.18  | -0.15 | -0.08 | -0.13 | -0.39 | -2.47 | 6.45 | 29.42 | 22.97 |
| HE40, M0.8 to M11.8    | 8 | 6.00  | -0.27 | -0.36 | -0.45 | -0.08 | -0.44 | -0.56 | -0.51 | -0.37 | -2.47 | 6.18 | 30.00 | 23.82 |
| HE40, M0.1 to M11.1-BF | 2 | 9.01  | -0.37 | -0.27 |       |       |       |       |       |       | -2.47 | 0.22 | 26.99 | 26.77 |
| HE40, M0.2 to M11.2-BF | 2 | 6.00  | -0.14 | -0.18 |       |       |       |       |       |       | -2.47 | 0.38 | 30.00 | 29.62 |
| HE40, M0.1 to M11.1-BF | 3 | 10.77 | -0.15 | -0.25 | 0.05  |       |       |       |       |       | -2.47 | 2.19 | 25.23 | 23.04 |
| HE40, M0.2 to M11.2-BF | 3 | 7.76  | 0.14  | -0.20 | -0.31 |       |       |       |       |       | -2.47 | 2.18 | 28.24 | 26.06 |
| HE40, M0.3 to M11.3-BF | 3 | 6.00  | -0.24 | -0.21 | -0.41 |       |       |       |       |       | -2.47 | 2.02 | 30.00 | 27.98 |
| HE40, M0.1 to M11.1-BF | 4 | 12.02 | 0.21  | -0.25 | 0.12  | 0.07  |       |       |       |       | -2.47 | 3.59 | 23.98 | 20.39 |
| HE40, M0.2 to M11.2-BF | 4 | 9.01  | -0.25 | 0.00  | -0.36 | -0.07 |       |       |       |       | -2.47 | 3.38 | 26.99 | 23.61 |
| HE40, M0.3 to M11.3-BF | 4 | 7.25  | -0.17 | -0.12 | -0.38 | 0.03  |       |       |       |       | -2.47 | 3.39 | 28.75 | 25.36 |
| HE40, M0.4 to M11.4-BF | 4 | 6.00  | -0.18 | -0.24 | -0.34 | -0.07 |       |       |       |       | -2.47 | 3.34 | 30.00 | 26.66 |
| HE40, M0.1 to M11.1-BF | 6 | 13.78 | -3.21 | -3.26 | -3.36 |       | -3.18 | -3.56 | -3.12 |       | -2.47 | 2.03 | 22.22 | 20.19 |
| HE40, M0.2 to M11.2-BF | 6 | 10.77 | 0.05  | -0.02 | -0.36 |       | -0.38 | -0.36 | -0.42 |       | -2.47 | 5.07 | 25.23 | 20.16 |
| HE40, M0.3 to M11.3-BF | 6 | 9.01  | -0.09 | 0.02  | -0.22 |       | -0.38 | 0.00  | -0.19 |       | -2.47 | 5.17 | 26.99 | 21.82 |
| HE40, M0.4 to M11.4-BF | 6 | 7.76  | -0.25 | 0.03  | -0.34 |       | -0.29 | -0.09 | -0.52 |       | -2.47 | 5.07 | 28.24 | 23.17 |
| HE40, M0.5 to M11.5-BF | 6 | 6.79  | -0.29 | -0.11 | -0.25 |       | -0.10 | -0.06 | 0.00  |       | -2.47 | 5.18 | 29.21 | 24.03 |
| HE40, M0.6 to M11.6-BF | 6 | 6.00  | -0.18 | -0.32 | -0.10 |       | -0.38 | -0.51 | -0.55 |       | -2.47 | 4.97 | 30.00 | 25.03 |
| HE40, M0.1 to M11.1-BF | 8 | 15.03 | -5.39 | -5.25 | -5.35 | -5.13 | -5.22 | -5.13 | -5.21 | -5.83 | -2.47 | 1.25 | 20.97 | 19.72 |
| HE40, M0.2 to M11.2-BF | 8 | 12.02 | -2.38 | -2.35 | -2.42 | -2.08 | -2.34 | -2.58 | -2.30 | -2.71 | -2.47 | 4.17 | 23.98 | 19.81 |
| HE40, M0.3 to M11.3-BF | 8 | 10.26 | -0.40 | -0.24 | -0.20 | 0.03  | -0.30 | -0.30 | -0.43 | -0.45 | -2.47 | 6.28 | 25.74 | 19.46 |
| HE40, M0.4 to M11.4-BF | 8 | 9.01  | -0.23 | -0.01 | -0.02 | 0.11  | -0.06 | -0.40 | 0.05  | -0.17 | -2.47 | 6.47 | 26.99 | 20.52 |
| HE40, M0.5 to M11.5-BF | 8 | 8.04  | -0.11 | -0.16 | 0.25  | 0.06  | -0.10 | -0.31 | 0.29  | -0.66 | -2.47 | 6.48 | 27.96 | 21.48 |
| HE40, M0.6 to M11.6-BF | 8 | 7.25  | 0.03  | -0.14 | 0.00  | -0.05 | -0.31 | -0.30 | -0.03 | -0.29 | -2.47 | 6.43 | 28.75 | 22.32 |
| HE40, M0.7 to M11.7-BF | 8 | 6.58  | -0.16 | -0.16 | -0.20 | 0.17  | -0.14 | -0.02 | -0.13 | -0.48 | -2.47 | 6.42 | 29.42 | 23.00 |
| HE40, M0.8 to M11.8-BF | 8 | 6.00  | -0.22 | -0.23 | -0.22 | -0.38 | -0.43 | -0.39 | -0.58 | -0.58 | -2.47 | 6.18 | 30.00 | 23.82 |
| HE40, M0 to M11-STBC   | 2 | 6.00  | -0.20 | -0.12 |       |       |       |       |       |       | -2.47 | 0.38 | 30.00 | 29.62 |
| HE40, M0 to M11-STBC   | 3 | 6.00  | -0.01 | -0.38 | -0.24 |       |       |       |       |       | -2.47 | 2.09 | 30.00 | 27.91 |

|                      |   |      |       |       |       |       |       |       |       |       |       |      |       |       |
|----------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|
| HE40, M0 to M11-STBC | 4 | 6.00 | -0.19 | -0.16 | 0.21  | 0.20  |       |       |       |       | -2.47 | 3.57 | 30.00 | 26.43 |
| HE40, M0 to M11-STBC | 6 | 6.00 | -0.06 | -0.36 | -0.19 |       | -0.28 | -0.37 | -0.20 |       | -2.47 | 5.07 | 30.00 | 24.93 |
| HE40, M0 to M11-STBC | 8 | 6.00 | -2.27 | -2.39 | -2.22 | -2.09 | -2.26 | -2.34 | -2.16 | -2.41 | -2.47 | 4.29 | 30.00 | 25.71 |

## 5775 MHz:

| Mode                   | Tx paths | correlated antenna gain (dBi) | Tx 1 PSD (dBm/500 kHz) | Tx 2 PSD (dBm/500 kHz) | Tx 3 PSD (dBm/500 kHz) | Tx 4 PSD (dBm/500 kHz) | Tx 5 PSD (dBm/500 kHz) | Tx 6 PSD (dBm/500 kHz) | Tx 7 PSD (dBm/500 kHz) | Tx 8 PSD (dBm/500 kHz) | CF (dB) | Total PSD (dBm/500 kHz) | FCC Limit (dBm/500 kHz) | Margin (dB) |
|------------------------|----------|-------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------|-------------------------|-------------------------|-------------|
| non HT80, 6 to 54 Mbps | 1        | 6.00                          | -3.55                  |                        |                        |                        |                        |                        |                        |                        | -2.29   | -5.84                   | 30.00                   | 35.84       |
| non HT80, 6 to 54 Mbps | 2        | 9.01                          | -3.77                  | -3.89                  |                        |                        |                        |                        |                        |                        | -2.29   | -3.11                   | 26.99                   | 30.10       |
| non HT80, 6 to 54 Mbps | 3        | 10.77                         | -3.13                  | -3.75                  | -3.87                  |                        |                        |                        |                        |                        | -2.29   | -1.09                   | 25.23                   | 26.32       |
| non HT80, 6 to 54 Mbps | 4        | 12.02                         | -3.22                  | -3.74                  | -3.83                  | -3.13                  |                        |                        |                        |                        | -2.29   | 0.26                    | 23.98                   | 23.72       |
| non HT80, 6 to 54 Mbps | 6        | 13.78                         | -4.48                  | -4.45                  | -4.87                  |                        | -4.99                  | -4.62                  | -4.65                  |                        | -2.29   | 0.82                    | 22.22                   | 21.40       |
| non HT80, 6 to 54 Mbps | 8        | 15.03                         | -6.54                  | -6.81                  | -6.83                  | -6.10                  | -6.80                  | -6.83                  | -6.38                  | -6.88                  | -2.29   | 0.10                    | 20.97                   | 20.87       |
| VHT80, M0.1 to M9.1    | 1        | 6.00                          | -4.15                  |                        |                        |                        |                        |                        |                        |                        | -2.47   | -6.62                   | 30.00                   | 36.62       |
| VHT80, M0.1 to M9.1    | 2        | 9.01                          | -4.06                  | -4.49                  |                        |                        |                        |                        |                        |                        | -2.47   | -3.73                   | 26.99                   | 30.72       |
| VHT80, M0.2 to M9.2    | 2        | 6.00                          | -4.18                  | -4.68                  |                        |                        |                        |                        |                        |                        | -2.47   | -3.88                   | 30.00                   | 33.88       |
| VHT80, M0.1 to M9.1    | 3        | 10.77                         | -4.13                  | -4.55                  | -4.27                  |                        |                        |                        |                        |                        | -2.47   | -2.01                   | 25.23                   | 27.24       |
| VHT80, M0.2 to M9.2    | 3        | 7.76                          | -3.68                  | -3.42                  | -3.37                  |                        |                        |                        |                        |                        | -2.47   | -1.19                   | 28.24                   | 29.43       |
| VHT80, M0.3 to M9.3    | 3        | 6.00                          | -4.21                  | -4.51                  | -4.29                  |                        |                        |                        |                        |                        | -2.47   | -2.03                   | 30.00                   | 32.03       |
| VHT80, M0.1 to M9.1    | 4        | 12.02                         | -4.28                  | -4.13                  | -4.15                  | -4.17                  |                        |                        |                        |                        | -2.47   | -0.63                   | 23.98                   | 24.61       |
| VHT80, M0.2 to M9.2    | 4        | 9.01                          | -3.80                  | -3.81                  | -4.00                  | -3.78                  |                        |                        |                        |                        | -2.47   | -0.29                   | 26.99                   | 27.28       |
| VHT80, M0.3 to M9.3    | 4        | 7.25                          | -4.22                  | -3.07                  | -3.97                  | -3.54                  |                        |                        |                        |                        | -2.47   | -0.13                   | 28.75                   | 28.88       |
| VHT80, M0.4 to M9.4    | 4        | 6.00                          | -4.07                  | -4.53                  | -4.60                  | -4.26                  |                        |                        |                        |                        | -2.47   | -0.81                   | 30.00                   | 30.81       |
| VHT80, M0.1 to M9.1    | 6        | 13.78                         | -4.10                  | -4.41                  | -4.44                  |                        | -4.74                  | -4.79                  | -4.60                  |                        | -2.47   | 0.81                    | 22.22                   | 21.41       |
| VHT80, M0.2 to M9.2    | 6        | 10.77                         | -3.95                  | -3.85                  | -4.17                  |                        | -4.43                  | -3.96                  | -4.40                  |                        | -2.47   | 1.19                    | 25.23                   | 24.04       |
| VHT80, M0.3 to M9.3    | 6        | 9.01                          | -4.18                  | -3.68                  | -3.21                  |                        | -4.35                  | -3.05                  | -4.56                  |                        | -2.47   | 1.51                    | 26.99                   | 25.48       |
| VHT80, M0.4 to M9.4    | 6        | 7.76                          | -4.14                  | -3.38                  | -2.57                  |                        | -5.02                  | -2.50                  | -4.44                  |                        | -2.47   | 1.74                    | 28.24                   | 26.50       |
| VHT80, M0.5 to M9.5    | 6        | 6.79                          | -4.40                  | -2.91                  | -2.59                  |                        | -4.90                  | -2.39                  | -3.32                  |                        | -2.47   | 1.99                    | 29.21                   | 27.22       |
| VHT80, M0.6 to M9.6    | 6        | 6.00                          | -5.46                  | -5.53                  | -5.39                  |                        | -5.30                  | -5.26                  | -5.35                  |                        | -2.47   | -0.07                   | 30.00                   | 30.07       |

|                        |   |       |        |        |        |        |        |        |        |        |       |       |       |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|
| VHT80, M0.1 to M9.1    | 8 | 15.03 | -4.19  | -3.96  | -4.13  | -4.22  | -4.43  | -4.54  | -4.51  | -4.56  | -2.47 | 2.25  | 20.97 | 18.72 |
| VHT80, M0.2 to M9.2    | 8 | 12.02 | -4.26  | -3.63  | -3.81  | -3.60  | -4.07  | -3.79  | -3.86  | -4.34  | -2.47 | 2.65  | 23.98 | 21.33 |
| VHT80, M0.3 to M9.3    | 8 | 10.26 | -4.40  | -4.21  | -3.45  | -2.46  | -4.38  | -3.48  | -3.66  | -4.69  | -2.47 | 2.78  | 25.74 | 22.96 |
| VHT80, M0.4 to M9.4    | 8 | 9.01  | -4.34  | -4.44  | -2.68  | -1.70  | -4.99  | -2.96  | -3.41  | -4.48  | -2.47 | 3.07  | 26.99 | 23.92 |
| VHT80, M0.5 to M9.5    | 8 | 8.04  | -4.27  | -4.00  | -3.16  | -2.69  | -5.06  | -3.18  | -3.22  | -4.18  | -2.47 | 2.90  | 27.96 | 25.06 |
| VHT80, M0.6 to M9.6    | 8 | 7.25  | -4.09  | -4.13  | -2.69  | -3.93  | -4.79  | -4.90  | -2.89  | -4.69  | -2.47 | 2.62  | 28.75 | 26.13 |
| VHT80, M0.7 to M9.7    | 8 | 6.58  | -3.99  | -4.04  | -3.35  | -3.56  | -4.85  | -3.86  | -3.40  | -4.77  | -2.47 | 2.62  | 29.42 | 26.80 |
| VHT80, M0.8 to M9.8    | 8 | 6.00  | -4.67  | -4.85  | -4.59  | -4.46  | -5.00  | -4.71  | -4.40  | -4.70  | -2.47 | 1.89  | 30.00 | 28.11 |
| VHT80, M0.1 to M9.1-BF | 2 | 9.01  | -4.36  | -4.37  |        |        |        |        |        |        | -2.47 | -3.82 | 26.99 | 30.81 |
| VHT80, M0.2 to M9.2-BF | 2 | 6.00  | -4.14  | -4.51  |        |        |        |        |        |        | -2.47 | -3.78 | 30.00 | 33.78 |
| VHT80, M0.1 to M9.1-BF | 3 | 10.77 | -4.21  | -4.25  | -4.26  |        |        |        |        |        | -2.47 | -1.94 | 25.23 | 27.17 |
| VHT80, M0.2 to M9.2-BF | 3 | 7.76  | -3.81  | -3.81  | -4.09  |        |        |        |        |        | -2.47 | -1.60 | 28.24 | 29.84 |
| VHT80, M0.3 to M9.3-BF | 3 | 6.00  | -4.47  | -4.43  | -4.58  |        |        |        |        |        | -2.47 | -2.19 | 30.00 | 32.19 |
| VHT80, M0.1 to M9.1-BF | 4 | 12.02 | -6.20  | -6.25  | -6.11  | -6.01  |        |        |        |        | -2.47 | -2.59 | 23.98 | 26.57 |
| VHT80, M0.2 to M9.2-BF | 4 | 9.01  | -3.93  | -4.02  | -3.82  | -3.74  |        |        |        |        | -2.47 | -0.33 | 26.99 | 27.32 |
| VHT80, M0.3 to M9.3-BF | 4 | 7.25  | -4.22  | -3.22  | -3.88  | -3.35  |        |        |        |        | -2.47 | -0.10 | 28.75 | 28.85 |
| VHT80, M0.4 to M9.4-BF | 4 | 6.00  | -4.25  | -4.63  | -4.71  | -4.52  |        |        |        |        | -2.47 | -0.97 | 30.00 | 30.97 |
| VHT80, M0.1 to M9.1-BF | 6 | 13.78 | -10.12 | -10.16 | -10.39 |        | -10.32 | -9.93  | -10.35 |        | -2.47 | -4.90 | 22.22 | 27.12 |
| VHT80, M0.2 to M9.2-BF | 6 | 10.77 | -7.04  | -6.49  | -6.65  |        | -7.11  | -6.69  | -6.85  |        | -2.47 | -1.49 | 25.23 | 26.72 |
| VHT80, M0.3 to M9.3-BF | 6 | 9.01  | -5.42  | -4.81  | -4.13  |        | -5.08  | -3.48  | -5.25  |        | -2.47 | 0.67  | 26.99 | 26.32 |
| VHT80, M0.4 to M9.4-BF | 6 | 7.76  | -4.28  | -3.56  | -2.20  |        | -4.71  | -2.15  | -4.23  |        | -2.47 | 1.91  | 28.24 | 26.33 |
| VHT80, M0.5 to M9.5-BF | 6 | 6.79  | -4.40  | -3.02  | -2.17  |        | -4.69  | -2.14  | -3.44  |        | -2.47 | 2.11  | 29.21 | 27.10 |
| VHT80, M0.6 to M9.6-BF | 6 | 6.00  | -4.48  | -4.52  | -4.45  |        | -4.71  | -4.90  | -4.64  |        | -2.47 | 0.70  | 30.00 | 29.30 |
| VHT80, M0.1 to M9.1-BF | 8 | 15.03 | -11.40 | -11.12 | -11.47 | -11.45 | -11.36 | -11.22 | -11.05 | -11.34 | -2.47 | -4.74 | 20.97 | 25.71 |
| VHT80, M0.2 to M9.2-BF | 8 | 12.02 | -6.96  | -6.53  | -7.13  | -6.31  | -6.98  | -6.68  | -6.64  | -6.87  | -2.47 | -0.19 | 23.98 | 24.17 |
| VHT80, M0.3 to M9.3-BF | 8 | 10.26 | -7.42  | -7.24  | -6.32  | -5.62  | -7.35  | -6.12  | -6.10  | -7.77  | -2.47 | -0.12 | 25.74 | 25.86 |
| VHT80, M0.4 to M9.4-BF | 8 | 9.01  | -7.54  | -7.37  | -5.66  | -4.79  | -7.41  | -5.64  | -5.90  | -7.02  | -2.47 | 0.26  | 26.99 | 26.73 |
| VHT80, M0.5 to M9.5-BF | 8 | 8.04  | -5.34  | -4.53  | -3.61  | -3.40  | -5.45  | -3.54  | -3.68  | -5.13  | -2.47 | 2.30  | 27.96 | 25.66 |




|                        |   |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| VHT80, M0.6 to M9.6-BF | 8 | 7.25  | -4.60 | -4.32 | -2.46 | -3.68 | -5.02 | -4.69 | -3.04 | -4.73 | -2.47 | 2.58  | 28.75 | 26.17 |
| VHT80, M0.7 to M9.7-BF | 8 | 6.58  | -4.36 | -3.85 | -3.07 | -3.37 | -5.06 | -4.38 | -3.48 | -4.37 | -2.47 | 2.61  | 29.42 | 26.81 |
| VHT80, M0.8 to M9.8-BF | 8 | 6.00  | -4.17 | -4.43 | -4.46 | -4.25 | -4.83 | -4.52 | -4.40 | -5.00 | -2.47 | 2.06  | 30.00 | 27.94 |
| VHT80, M0 to M9-STBC   | 2 | 6.00  | -4.40 | -4.58 |       |       |       |       |       |       | -2.47 | -3.94 | 30.00 | 33.94 |
| VHT80, M0 to M9-STBC   | 3 | 6.00  | -4.21 | -4.44 | -4.37 |       |       |       |       |       | -2.47 | -2.04 | 30.00 | 32.04 |
| VHT80, M0 to M9-STBC   | 4 | 6.00  | -4.28 | -3.94 | -4.20 | -4.28 |       |       |       |       | -2.47 | -0.62 | 30.00 | 30.62 |
| VHT80, M0 to M9-STBC   | 6 | 6.00  | -4.23 | -4.17 | -4.56 |       | -4.95 | -4.70 | -4.42 |       | -2.47 | 0.82  | 30.00 | 29.18 |
| VHT80, M0 to M9-STBC   | 8 | 6.00  | -6.69 | -6.27 | -6.56 | -6.13 | -6.79 | -6.47 | -6.36 | -6.60 | -2.47 | 0.08  | 30.00 | 29.92 |
| HE80, M0.1 to M11.1    | 1 | 6.00  | -3.96 |       |       |       |       |       |       |       | -2.57 | -6.53 | 30.00 | 36.53 |
| HE80, M0.1 to M11.1    | 2 | 9.01  | -3.86 | -4.19 |       |       |       |       |       |       | -2.57 | -3.58 | 26.99 | 30.57 |
| HE80, M0.2 to M11.2    | 2 | 6.00  | -3.79 | -3.81 |       |       |       |       |       |       | -2.57 | -3.36 | 30.00 | 33.36 |
| HE80, M0.1 to M11.1    | 3 | 10.77 | -3.87 | -3.96 | -4.03 |       |       |       |       |       | -2.57 | -1.75 | 25.23 | 26.98 |
| HE80, M0.2 to M11.2    | 3 | 7.76  | -3.64 | -4.03 | -4.12 |       |       |       |       |       | -2.57 | -1.72 | 28.24 | 29.96 |
| HE80, M0.3 to M11.3    | 3 | 6.00  | -3.85 | -4.26 | -4.22 |       |       |       |       |       | -2.57 | -1.90 | 30.00 | 31.90 |
| HE80, M0.1 to M11.1    | 4 | 12.02 | -3.88 | -3.93 | -3.84 | -3.88 |       |       |       |       | -2.57 | -0.43 | 23.98 | 24.41 |
| HE80, M0.2 to M11.2    | 4 | 9.01  | -3.78 | -4.09 | -4.25 | -3.57 |       |       |       |       | -2.57 | -0.46 | 26.99 | 27.45 |
| HE80, M0.3 to M11.3    | 4 | 7.25  | -3.82 | -4.08 | -4.19 | -3.86 |       |       |       |       | -2.57 | -0.53 | 28.75 | 29.28 |
| HE80, M0.4 to M11.4    | 4 | 6.00  | -4.13 | -4.28 | -3.93 | -4.24 |       |       |       |       | -2.57 | -0.69 | 30.00 | 30.69 |
| HE80, M0.1 to M11.1    | 6 | 13.78 | -3.76 | -3.74 | -3.99 |       | -4.48 | -4.11 | -3.92 |       | -2.57 | 1.22  | 22.22 | 21.00 |
| HE80, M0.2 to M11.2    | 6 | 10.77 | -3.90 | -4.20 | -4.08 |       | -4.30 | -4.25 | -4.31 |       | -2.57 | 1.04  | 25.23 | 24.19 |
| HE80, M0.3 to M11.3    | 6 | 9.01  | -4.12 | -3.99 | -3.55 |       | -4.30 | -4.13 | -4.45 |       | -2.57 | 1.13  | 26.99 | 25.86 |
| HE80, M0.4 to M11.4    | 6 | 7.76  | -3.92 | -4.20 | -3.88 |       | -4.47 | -4.00 | -4.30 |       | -2.57 | 1.09  | 28.24 | 27.15 |
| HE80, M0.5 to M11.5    | 6 | 6.79  | -4.98 | -4.74 | -4.65 |       | -5.04 | -4.47 | -4.75 |       | -2.57 | 0.44  | 29.21 | 28.77 |
| HE80, M0.6 to M11.6    | 6 | 6.00  | -4.76 | -4.97 | -5.03 |       | -5.18 | -4.90 | -4.94 |       | -2.57 | 0.25  | 30.00 | 29.75 |
| HE80, M0.1 to M11.1    | 8 | 15.03 | -3.87 | -3.82 | -3.88 | -3.92 | -4.53 | -4.14 | -3.93 | -4.43 | -2.57 | 2.40  | 20.97 | 18.57 |
| HE80, M0.2 to M11.2    | 8 | 12.02 | -4.64 | -4.68 | -4.82 | -4.54 | -4.88 | -4.81 | -4.72 | -5.00 | -2.57 | 1.70  | 23.98 | 22.28 |
| HE80, M0.3 to M11.3    | 8 | 10.26 | -4.93 | -5.03 | -4.68 | -4.53 | -5.01 | -4.77 | -4.63 | -4.86 | -2.57 | 1.66  | 25.74 | 24.08 |
| HE80, M0.4 to M11.4    | 8 | 9.01  | -4.97 | -4.58 | -4.74 | -4.03 | -4.86 | -4.65 | -4.79 | -4.85 | -2.57 | 1.79  | 26.99 | 25.20 |

|                        |   |       |        |        |        |        |        |        |        |        |       |       |       |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|
| HE80, M0.5 to M11.5    | 8 | 8.04  | -4.88  | -4.48  | -4.39  | -4.22  | -4.92  | -4.25  | -4.68  | -4.93  | -2.57 | 1.88  | 27.96 | 26.08 |
| HE80, M0.6 to M11.6    | 8 | 7.25  | -5.02  | -4.99  | -4.95  | -3.53  | -4.85  | -3.91  | -4.91  | -4.77  | -2.57 | 1.88  | 28.75 | 26.87 |
| HE80, M0.7 to M11.7    | 8 | 6.58  | -4.03  | -4.03  | -3.82  | -3.78  | -4.31  | -3.70  | -3.98  | -4.05  | -2.57 | 2.50  | 29.42 | 26.92 |
| HE80, M0.8 to M11.8    | 8 | 6.00  | -4.11  | -4.21  | -3.86  | -3.81  | -4.45  | -4.25  | -4.35  | -4.54  | -2.57 | 2.27  | 30.00 | 27.73 |
| HE80, M0.1 to M11.1-BF | 2 | 9.01  | -3.84  | -4.26  |        |        |        |        |        |        | -2.57 | -3.60 | 26.99 | 30.59 |
| HE80, M0.2 to M11.2-BF | 2 | 6.00  | -3.98  | -3.85  |        |        |        |        |        |        | -2.57 | -3.47 | 30.00 | 33.47 |
| HE80, M0.1 to M11.1-BF | 3 | 10.77 | -3.92  | -4.19  | -3.91  |        |        |        |        |        | -2.57 | -1.81 | 25.23 | 27.04 |
| HE80, M0.2 to M11.2-BF | 3 | 7.76  | -3.75  | -4.10  | -4.32  |        |        |        |        |        | -2.57 | -1.85 | 28.24 | 30.09 |
| HE80, M0.3 to M11.3-BF | 3 | 6.00  | -4.01  | -4.04  | -3.97  |        |        |        |        |        | -2.57 | -1.80 | 30.00 | 31.80 |
| HE80, M0.1 to M11.1-BF | 4 | 12.02 | -4.84  | -4.77  | -4.76  | -4.49  |        |        |        |        | -2.57 | -1.26 | 23.98 | 25.24 |
| HE80, M0.2 to M11.2-BF | 4 | 9.01  | -3.99  | -4.10  | -4.15  | -3.85  |        |        |        |        | -2.57 | -0.57 | 26.99 | 27.56 |
| HE80, M0.3 to M11.3-BF | 4 | 7.25  | -4.06  | -4.04  | -4.16  | -3.79  |        |        |        |        | -2.57 | -0.56 | 28.75 | 29.31 |
| HE80, M0.4 to M11.4-BF | 4 | 6.00  | -3.89  | -4.08  | -4.19  | -4.13  |        |        |        |        | -2.57 | -0.62 | 30.00 | 30.62 |
| HE80, M0.1 to M11.1-BF | 6 | 13.78 | -11.03 | -11.04 | -11.05 |        | -10.93 | -11.11 | -10.74 |        | -2.57 | -5.77 | 22.22 | 27.99 |
| HE80, M0.2 to M11.2-BF | 6 | 10.77 | -11.00 | -10.90 | -10.82 |        | -10.77 | -10.91 | -10.62 |        | -2.57 | -5.62 | 25.23 | 30.85 |
| HE80, M0.3 to M11.3-BF | 6 | 9.01  | -10.98 | -11.11 | -10.92 |        | -11.22 | -11.14 | -11.10 |        | -2.57 | -5.87 | 26.99 | 32.86 |
| HE80, M0.4 to M11.4-BF | 6 | 7.76  | -8.17  | -8.04  | -7.78  |        | -8.23  | -8.00  | -8.08  |        | -2.57 | -2.84 | 28.24 | 31.08 |
| HE80, M0.5 to M11.5-BF | 6 | 6.79  | -5.02  | -4.97  | -4.56  |        | -5.23  | -4.68  | -4.70  |        | -2.57 | 0.36  | 29.21 | 28.85 |
| HE80, M0.6 to M11.6-BF | 6 | 6.00  | -4.74  | -5.19  | -5.25  |        | -5.05  | -5.17  | -4.92  |        | -2.57 | 0.16  | 30.00 | 29.84 |
| HE80, M0.1 to M11.1-BF | 8 | 15.03 | -10.93 | -10.81 | -11.21 | -10.84 | -11.05 | -10.80 | -10.76 | -11.10 | -2.57 | -4.47 | 20.97 | 25.44 |
| HE80, M0.2 to M11.2-BF | 8 | 12.02 | -6.77  | -6.75  | -6.95  | -6.66  | -6.99  | -7.16  | -6.84  | -6.77  | -2.57 | -0.40 | 23.98 | 24.38 |
| HE80, M0.3 to M11.3-BF | 8 | 10.26 | -11.08 | -10.81 | -10.69 | -10.78 | -11.25 | -11.05 | -10.98 | -11.25 | -2.57 | -4.52 | 25.74 | 30.26 |
| HE80, M0.4 to M11.4-BF | 8 | 9.01  | -8.06  | -8.04  | -7.58  | -7.53  | -8.07  | -7.73  | -7.89  | -8.17  | -2.57 | -1.42 | 26.99 | 28.41 |
| HE80, M0.5 to M11.5-BF | 8 | 8.04  | -8.24  | -7.55  | -7.82  | -7.35  | -8.17  | -7.53  | -8.17  | -8.24  | -2.57 | -1.41 | 27.96 | 29.37 |
| HE80, M0.6 to M11.6-BF | 8 | 7.25  | -4.15  | -3.60  | -4.06  | -3.65  | -4.46  | -3.39  | -4.41  | -4.39  | -2.57 | 2.46  | 28.75 | 26.29 |
| HE80, M0.7 to M11.7-BF | 8 | 6.58  | -4.86  | -4.34  | -5.15  | -3.78  | -5.07  | -4.42  | -4.92  | -4.57  | -2.57 | 1.84  | 29.42 | 27.58 |
| HE80, M0.8 to M11.8-BF | 8 | 6.00  | -4.12  | -3.93  | -4.15  | -3.78  | -4.44  | -4.39  | -3.99  | -4.62  | -2.57 | 2.29  | 30.00 | 27.71 |
| HE80, M0 to M11-STBC   | 2 | 6.00  | -3.89  | -4.07  |        |        |        |        |        |        | -2.57 | -3.54 | 30.00 | 33.54 |

|                      |   |      |       |       |       |       |       |       |       |       |       |       |       |       |
|----------------------|---|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HE80, M0 to M11-STBC | 3 | 6.00 | -4.04 | -3.95 | -3.79 |       |       |       |       |       | -2.57 | -1.72 | 30.00 | 31.72 |
| HE80, M0 to M11-STBC | 4 | 6.00 | -3.98 | -3.88 | -3.87 | -4.09 |       |       |       |       | -2.57 | -0.50 | 30.00 | 30.50 |
| HE80, M0 to M11-STBC | 6 | 6.00 | -4.97 | -4.96 | -5.19 |       | -5.23 | -4.95 | -4.73 |       | -2.57 | 0.21  | 30.00 | 29.79 |
| HE80, M0 to M11-STBC | 8 | 6.00 | -5.84 | -6.01 | -6.16 | -5.70 | -6.72 | -6.02 | -6.24 | -6.54 | -2.57 | 0.32  | 30.00 | 29.68 |


Please refer to the following plots for the worst case configuration  
5785MHz non HT20, 6 to 54 Mbps

Ant-a




Date: 19.AUG.2019 15:21:27

Ant-b




Date: 19.AUG.2019 16:04:28

### Ant-c




Date: 19.AUG.2019 16:48:06

### Ant-d




Date: 19.AUG.2019 17:24:23

Ant-e




Date: 19.AUG.2019 17:52:46

Ant-f




Date: 19.AUG.2019 18:22:35

### Ant-g



Date: 19.AUG.2019 18:47:39

### Ant-h



Date: 19.AUG.2019 19:12:20

Test results for Out of Band Emissions  
5745 MHz (Peak):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Peak Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|----------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -68.22              |                     |                     |                     |                     |                     |                     |                     | -62.22      | -21.25               | 40.97       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -67.72              | -67.98              |                     |                     |                     |                     |                     |                     | -58.84      | -21.25               | 37.59       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -68.70              | -68.26              | -67.94              |                     |                     |                     |                     |                     | -57.52      | -21.25               | 36.27       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -68.19              | -68.29              | -66.99              | -67.78              |                     |                     |                     |                     | -55.76      | -21.25               | 34.51       |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -67.81              | -68.44              | -68.55              |                     | -68.18              | -67.66              | -67.86              |                     | -51.29      | -21.25               | 30.04       |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -67.27              | -68.00              | -67.58              | -67.00              | -67.30              | -67.51              | -68.08              | -67.51              | -49.49      | -21.25               | 28.24       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -67.85              | -68.34              |                     |                     |                     |                     |                     |                     | -56.06      | -21.25               | 34.81       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -67.72              | -68.56              | -68.41              |                     |                     |                     |                     |                     | -52.67      | -21.25               | 31.42       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -67.73              | -67.91              | -68.12              | -67.71              |                     |                     |                     |                     | -49.82      | -21.25               | 28.57       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -68.50              | -68.44              | -67.50              |                     | -67.70              | -67.80              | -67.48              |                     | -46.32      | -21.25               | 25.07       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -67.93              | -67.58              | -67.68              | -67.52              | -68.85              | -68.00              | -66.84              | -67.67              | -43.67      | -21.25               | 22.42       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -68.35              |                     |                     |                     |                     |                     |                     |                     | -62.35      | -21.25               | 41.10       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -68.41              | -68.39              |                     |                     |                     |                     |                     |                     | -59.39      | -21.25               | 38.14       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -68.32              | -67.29              |                     |                     |                     |                     |                     |                     | -58.76      | -21.25               | 37.51       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -67.27              | -68.53              | -68.28              |                     |                     |                     |                     |                     | -57.22      | -21.25               | 35.97       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -67.79              | -68.68              | -67.24              |                     |                     |                     |                     |                     | -57.09      | -21.25               | 35.84       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -68.43              | -68.52              | -67.71              |                     |                     |                     |                     |                     | -57.43      | -21.25               | 36.18       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -68.80              | -67.94              | -68.25              | -68.00              |                     |                     |                     |                     | -56.21      | -21.25               | 34.96       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -66.09              | -66.82              | -67.94              | -67.03              |                     |                     |                     |                     | -54.90      | -21.25               | 33.65       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -68.03              | -68.02              | -68.27              | -67.58              |                     |                     |                     |                     | -55.95      | -21.25               | 34.70       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -68.45              | -68.31              | -67.81              | -68.48              |                     |                     |                     |                     | -56.23      | -21.25               | 34.98       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -67.86              | -67.27              | -68.04              |                     | -67.87              | -68.34              | -67.20              |                     | -50.96      | -21.25               | 29.71       |



|  |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | -68.12 | -67.79 | -67.97 |        | -68.21 | -68.62 | -67.62 |        | -51.87 | -21.25 | 30.62 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | -68.81 | -68.19 | -68.04 |        | -67.83 | -67.57 | -68.09 |        | -52.78 | -21.25 | 31.53 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | -67.02 | -67.67 | -68.15 |        | -68.32 | -68.75 | -67.68 |        | -53.23 | -21.25 | 31.98 |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | -67.53 | -67.96 | -68.33 |        | -67.59 | -67.88 | -68.59 |        | -53.78 | -21.25 | 32.53 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | -68.31 | -67.42 | -67.94 |        | -67.44 | -68.12 | -66.80 |        | -53.86 | -21.25 | 32.61 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | -67.84 | -67.64 | -67.88 | -67.39 | -67.08 | -67.32 | -67.73 | -68.23 | -49.59 | -21.25 | 28.34 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | -68.26 | -67.76 | -67.94 | -67.77 | -68.05 | -68.25 | -67.52 | -67.03 | -49.77 | -21.25 | 28.52 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | -67.42 | -67.93 | -68.14 | -68.17 | -68.10 | -65.91 | -67.78 | -67.75 | -50.43 | -21.25 | 29.18 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | -67.92 | -67.93 | -67.63 | -67.27 | -68.16 | -67.73 | -67.59 | -67.84 | -51.21 | -21.25 | 29.96 |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | -68.23 | -68.49 | -68.04 | -67.27 | -67.26 | -68.40 | -68.55 | -67.70 | -51.91 | -21.25 | 30.66 |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | -67.90 | -67.45 | -67.52 | -67.83 | -67.00 | -68.03 | -68.25 | -67.31 | -51.99 | -21.25 | 30.74 |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | -68.12 | -67.30 | -67.70 | -67.90 | -68.82 | -68.07 | -67.45 | -68.56 | -52.64 | -21.25 | 31.39 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | -68.17 | -68.01 | -68.06 | -67.74 | -68.73 | -68.21 | -67.55 | -68.32 | -53.05 | -21.25 | 31.80 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | -68.36 | -67.31 |        |        |        |        |        |        | -55.78 | -21.25 | 34.53 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | -68.22 | -66.30 |        |        |        |        |        |        | -58.14 | -21.25 | 36.89 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | -68.14 | -68.12 | -67.19 |        |        |        |        |        | -52.25 | -21.25 | 31.00 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | -66.90 | -68.07 | -68.04 |        |        |        |        |        | -55.10 | -21.25 | 33.85 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | -68.04 | -68.54 | -67.16 |        |        |        |        |        | -57.11 | -21.25 | 35.86 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | -66.84 | -67.41 | -67.37 | -68.15 |        |        |        |        | -49.38 | -21.25 | 28.13 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | -68.32 | -68.32 | -67.87 | -67.55 |        |        |        |        | -52.97 | -21.25 | 31.72 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | -68.61 | -68.44 | -68.04 | -67.71 |        |        |        |        | -54.92 | -21.25 | 33.67 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | -67.84 | -68.13 | -67.93 | -67.50 |        |        |        |        | -55.82 | -21.25 | 34.57 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -68.25 | -67.64 | -68.08 |        | -68.18 | -67.01 | -66.58 |        | -46.01 | -21.25 | 24.76 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | -67.52 | -67.61 | -67.22 |        | -66.64 | -68.16 | -68.12 |        | -48.96 | -21.25 | 27.71 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | -68.47 | -68.10 | -68.30 |        | -67.86 | -68.32 | -67.93 |        | -51.37 | -21.25 | 30.12 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | -67.30 | -68.44 | -67.77 |        | -67.57 | -67.87 | -68.42 |        | -52.33 | -21.25 | 31.08 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | -68.34 | -68.44 | -68.05 |        | -68.11 | -68.08 | -68.07 |        | -53.61 | -21.25 | 32.36 |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | -67.67 | -67.80 | -67.76 |        | -68.38 | -68.28 | -67.41 |        | -54.09 | -21.25 | 32.84 |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -67.57 | -67.61 | -68.20 | -67.68 | -68.67 | -68.25 | -68.16 | -68.10 | -43.95 | -21.25 | 22.70 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -67.92 | -68.32 | -67.48 | -67.89 | -67.84 | -67.92 | -68.02 | -68.13 | -46.88 | -21.25 | 25.63 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -67.71 | -67.23 | -67.19 | -67.87 | -68.38 | -67.74 | -67.47 | -67.91 | -48.38 | -21.25 | 27.13 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -67.62 | -66.85 | -67.94 | -68.01 | -68.10 | -67.37 | -68.10 | -67.98 | -49.68 | -21.25 | 28.43 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -67.64 | -68.40 | -68.14 | -68.03 | -67.41 | -68.24 | -67.95 | -68.74 | -50.98 | -21.25 | 29.73 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -67.67 | -68.03 | -67.07 | -68.05 | -67.51 | -67.66 | -68.10 | -67.55 | -51.41 | -21.25 | 30.16 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -67.79 | -67.70 | -68.49 | -68.25 | -65.69 | -68.19 | -68.08 | -68.21 | -52.10 | -21.25 | 30.85 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -67.84 | -67.95 | -66.87 | -68.33 | -67.58 | -67.79 | -68.27 | -68.09 | -52.78 | -21.25 | 31.53 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -67.48 | -67.51 |        |        |        |        |        |        | -58.48 | -21.25 | 37.23 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -67.29 | -67.78 | -68.26 |        |        |        |        |        | -56.99 | -21.25 | 35.74 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -67.59 | -67.41 | -68.17 | -67.50 |        |        |        |        | -55.63 | -21.25 | 34.38 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -68.35 | -68.17 | -68.19 |        | -67.98 | -68.55 | -67.50 |        | -54.33 | -21.25 | 33.08 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -67.98 | -68.42 | -67.74 | -67.29 | -67.59 | -67.40 | -67.65 | -68.23 | -52.74 | -21.25 | 31.49 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -67.81 |        |        |        |        |        |        |        | -61.81 | -21.25 | 40.56 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -67.52 | -68.16 |        |        |        |        |        |        | -58.82 | -21.25 | 37.57 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -67.80 | -67.04 |        |        |        |        |        |        | -58.39 | -21.25 | 37.14 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -67.58 | -67.52 | -68.52 |        |        |        |        |        | -57.08 | -21.25 | 35.83 |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -67.74 | -68.34 | -68.62 |        |        |        |        |        | -57.45 | -21.25 | 36.20 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -68.17 | -68.11 | -67.78 |        |        |        |        |        | -57.25 | -21.25 | 36.00 |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -67.61 | -66.98 | -66.94 | -66.74 |        |        |        |        | -55.03 | -21.25 | 33.78 |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -68.05 | -68.02 | -68.19 | -67.90 |        |        |        |        | -56.02 | -21.25 | 34.77 |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -67.74 | -67.92 | -67.45 | -67.96 |        |        |        |        | -55.74 | -21.25 | 34.49 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -67.86 | -67.89 | -67.11 | -67.58 |        |        |        |        | -55.58 | -21.25 | 34.33 |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -67.24 | -68.30 | -67.96 |        | -67.81 | -67.95 | -68.33 |        | -51.14 | -21.25 | 29.89 |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -67.18 | -68.05 | -66.95 |        | -67.85 | -67.50 | -67.76 |        | -51.36 | -21.25 | 30.11 |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -67.16 | -68.15 | -68.16 |        | -67.61 | -68.59 | -66.79 |        | -52.41 | -21.25 | 31.16 |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -68.07 | -68.24 | -66.48 |        | -66.37 | -67.46 | -68.47 |        | -52.77 | -21.25 | 31.52 |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -68.03 | -68.25 | -67.72 |        | -67.46 | -67.81 | -67.05 |        | -53.52 | -21.25 | 32.27 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -67.58 | -68.34 | -68.42 |        | -67.84 | -68.44 | -68.28 |        | -54.36 | -21.25 | 33.11 |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -68.14 | -67.29 | -68.12 | -67.81 | -67.49 | -67.61 | -67.17 | -67.70 | -49.62 | -21.25 | 28.37 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -67.75 | -68.56 | -68.04 | -68.31 | -68.32 | -68.19 | -68.61 | -67.60 | -50.13 | -21.25 | 28.88 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -67.79 | -68.29 | -67.76 | -68.23 | -66.96 | -68.19 | -67.25 | -68.00 | -50.62 | -21.25 | 29.37 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -66.31 | -67.57 | -67.98 | -68.05 | -67.89 | -67.73 | -68.77 | -68.24 | -51.22 | -21.25 | 29.97 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -68.18 | -67.80 | -67.29 | -67.30 | -67.71 | -67.04 | -68.16 | -67.08 | -51.50 | -21.25 | 30.25 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -67.85 | -68.01 | -67.61 | -67.85 | -67.81 | -67.82 | -67.91 | -67.39 | -52.12 | -21.25 | 30.87 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -68.76 | -68.01 | -67.70 | -68.16 | -67.94 | -67.45 | -67.26 | -66.13 | -52.29 | -21.25 | 31.04 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -67.46 | -66.91 | -67.92 | -68.51 | -67.82 | -68.09 | -67.29 | -68.05 | -52.70 | -21.25 | 31.45 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -68.39 | -67.34 |        |        |        |        |        |        | -55.81 | -21.25 | 34.56 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -68.11 | -68.13 |        |        |        |        |        |        | -59.11 | -21.25 | 37.86 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -68.45 | -67.73 | -67.59 |        |        |        |        |        | -52.37 | -21.25 | 31.12 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -68.29 | -68.66 | -67.84 |        |        |        |        |        | -55.72 | -21.25 | 34.47 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -67.92 | -66.97 | -67.21 |        |        |        |        |        | -56.58 | -21.25 | 35.33 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -67.55 | -66.81 | -67.46 | -67.08 |        |        |        |        | -49.17 | -21.25 | 27.92 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -67.45 | -68.57 | -68.14 | -68.11 |        |        |        |        | -53.02 | -21.25 | 31.77 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -67.42 | -67.85 | -68.24 | -68.41 |        |        |        |        | -54.69 | -21.25 | 33.44 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -67.25 | -68.12 | -68.25 | -68.38 |        |        |        |        | -55.95 | -21.25 | 34.70 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -67.64 | -67.59 | -67.42 |        | -67.56 | -66.96 | -68.08 |        | -45.97 | -21.25 | 24.72 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -68.05 | -67.74 | -67.23 |        | -67.68 | -67.39 | -67.76 |        | -49.08 | -21.25 | 27.83 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -68.11 | -68.43 | -67.76 |        | -67.80 | -67.25 | -68.58 |        | -51.17 | -21.25 | 29.92 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -68.87 | -67.82 | -67.44 |        | -67.72 | -67.73 | -67.70 |        | -52.32 | -21.25 | 31.07 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -68.58 | -67.76 | -67.87 |        | -67.08 | -67.19 | -67.17 |        | -53.00 | -21.25 | 31.75 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -67.35 | -66.51 | -68.01 |        | -67.77 | -68.16 | -67.93 |        | -53.80 | -21.25 | 32.55 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -68.04 | -67.97 | -67.26 | -67.67 | -67.93 | -68.28 | -67.77 | -67.87 | -43.78 | -21.25 | 22.53 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -67.98 | -67.44 | -67.95 | -68.52 | -68.07 | -68.17 | -67.41 | -68.43 | -46.93 | -21.25 | 25.68 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -68.07 | -67.44 | -67.95 | -67.68 | -67.95 | -67.29 | -68.06 | -67.63 | -48.46 | -21.25 | 27.21 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -68.71 | -68.35 | -67.08 | -67.72 | -67.94 | -68.12 | -68.12 | -67.84 | -49.92 | -21.25 | 28.67 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -67.57 | -67.64 | -67.96 | -66.97 | -67.77 | -67.23 | -68.09 | -67.07 | -50.45 | -21.25 | 29.20 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -67.95 | -67.46 | -66.10 | -67.73 | -68.21 | -68.51 | -67.65 | -66.75 | -51.20 | -21.25 | 29.95 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -67.28 | -67.68 | -67.02 | -67.69 | -68.13 | -67.82 | -67.39 | -67.95 | -51.99 | -21.25 | 30.74 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -67.69 | -68.48 | -66.51 | -67.57 | -68.06 | -68.37 | -68.68 | -67.31 | -52.75 | -21.25 | 31.50 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -68.39 | -67.48 |        |        |        |        |        |        | -58.90 | -21.25 | 37.65 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -68.06 | -68.03 | -67.53 |        |        |        |        |        | -57.10 | -21.25 | 35.85 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -68.35 | -68.31 | -67.66 | -66.13 |        |        |        |        | -55.49 | -21.25 | 34.24 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -68.02 | -67.93 | -67.68 |        | -68.13 | -67.58 | -67.55 |        | -54.03 | -21.25 | 32.78 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -66.90 | -68.00 | -68.23 | -66.74 | -67.22 | -68.52 | -67.11 | -68.47 | -52.56 | -21.25 | 31.31 |

## 5745 MHz (Average):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Average Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|-------------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -76.03              |                     |                     |                     |                     |                     |                     |                     | -70.03      | -41.25                  | 28.78       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -75.69              | -75.29              |                     |                     |                     |                     |                     |                     | -66.48      | -41.25                  | 25.23       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -75.76              | -75.95              | -75.39              |                     |                     |                     |                     |                     | -64.92      | -41.25                  | 23.67       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -75.50              | -75.10              | -75.94              | -75.40              |                     |                     |                     |                     | -63.45      | -41.25                  | 22.20       |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -75.51              | -75.30              | -75.41              |                     | -75.38              | -74.76              | -75.34              |                     | -58.50      | -41.25                  | 17.25       |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -75.89              | -75.02              | -75.41              | -75.38              | -75.21              | -75.52              | -74.54              | -75.55              | -57.27      | -41.25                  | 16.02       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -75.63              | -74.63              |                     |                     |                     |                     |                     |                     | -63.08      | -41.25                  | 21.83       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -75.14              | -75.68              | -75.69              |                     |                     |                     |                     |                     | -59.95      | -41.25                  | 18.70       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -75.63              | -76.03              | -75.69              | -75.38              |                     |                     |                     |                     | -57.63      | -41.25                  | 16.38       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -75.14              | -75.28              | -75.59              |                     | -75.62              | -75.02              | -75.64              |                     | -53.81      | -41.25                  | 12.56       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -75.44              | -75.84              | -74.34              | -75.34              | -75.52              | -75.63              | -75.43              | -75.65              | -51.31      | -41.25                  | 10.06       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -75.83              |                     |                     |                     |                     |                     |                     |                     | -69.83      | -41.25                  | 28.58       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -75.17              | -75.67              |                     |                     |                     |                     |                     |                     | -66.40      | -41.25                  | 25.15       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -75.90              | -75.04              |                     |                     |                     |                     |                     |                     | -66.44      | -41.25                  | 25.19       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -75.72              | -75.27              | -75.12              |                     |                     |                     |                     |                     | -64.59      | -41.25                  | 23.34       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -75.13              | -75.56              | -75.32              |                     |                     |                     |                     |                     | -64.56      | -41.25                  | 23.31       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -74.80              | -75.58              | -74.99              |                     |                     |                     |                     |                     | -64.34      | -41.25                  | 23.09       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -75.79              | -75.22              | -75.77              | -75.53              |                     |                     |                     |                     | -63.55      | -41.25                  | 22.30       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -75.66              | -75.45              | -75.37              | -75.24              |                     |                     |                     |                     | -63.40      | -41.25                  | 22.15       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -75.37              | -75.43              | -75.54              | -75.64              |                     |                     |                     |                     | -63.47      | -41.25                  | 22.22       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -75.24              | -74.73              | -75.85              | -75.41              |                     |                     |                     |                     | -63.27      | -41.25                  | 22.02       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -75.62              | -75.71              | -75.39              |                     | -75.40              | -75.19              | -75.85              |                     | -58.74      | -41.25                  | 17.49       |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2     | 6 | 8.39  | -75.76 | -75.76 | -75.27 |        | -75.50 | -76.00 | -75.78 |        | -59.50 | -41.25 | 18.25 |
| HT/VHT20, M16 to M23, M0.3 to M8.3    | 6 | 7.51  | -75.21 | -75.69 | -75.42 |        | -75.55 | -75.32 | -74.79 |        | -60.03 | -41.25 | 18.78 |
| HT/VHT20, M24 to M31, M0.4 to M8.4    | 6 | 6.88  | -75.25 | -75.22 | -75.48 |        | -75.29 | -75.51 | -75.16 |        | -60.66 | -41.25 | 19.41 |
| VHT20, M0.5 to M8.5                   | 6 | 6.40  | -75.60 | -75.77 | -75.07 |        | -75.31 | -75.48 | -74.80 |        | -61.14 | -41.25 | 19.89 |
| VHT20, M0.6 to M8.6                   | 6 | 6.00  | -75.82 | -75.67 | -75.49 |        | -75.17 | -75.69 | -75.39 |        | -61.75 | -41.25 | 20.50 |
| HT/VHT20, M0 to M7, M0.1 to M8.1      | 8 | 9.00  | -75.34 | -75.38 | -76.08 | -75.08 | -75.81 | -75.86 | -75.78 | -75.16 | -57.51 | -41.25 | 16.26 |
| HT/VHT20, M8 to M15, M0.2 to M8.2     | 8 | 9.00  | -75.44 | -75.60 | -75.19 | -75.47 | -75.70 | -75.42 | -75.21 | -75.59 | -57.42 | -41.25 | 16.17 |
| HT/VHT20, M16 to M23, M0.3 to M8.3    | 8 | 8.13  | -75.72 | -75.69 | -75.27 | -75.37 | -75.38 | -75.72 | -75.68 | -75.74 | -58.41 | -41.25 | 17.16 |
| HT/VHT20, M24 to M31, M0.4 to M8.4    | 8 | 7.51  | -75.60 | -75.12 | -75.33 | -76.11 | -75.89 | -75.56 | -75.83 | -75.11 | -59.01 | -41.25 | 17.76 |
| VHT20, M0.5 to M8.5                   | 8 | 7.02  | -75.84 | -75.71 | -74.86 | -75.70 | -75.33 | -75.47 | -75.48 | -75.53 | -59.43 | -41.25 | 18.18 |
| VHT20, M0.6 to M8.6                   | 8 | 6.62  | -75.72 | -75.56 | -75.55 | -75.85 | -75.72 | -75.88 | -75.35 | -75.46 | -59.98 | -41.25 | 18.73 |
| VHT20, M0.7 to M8.7                   | 8 | 6.29  | -74.96 | -75.39 | -75.24 | -75.50 | -75.28 | -75.18 | -75.66 | -75.16 | -59.97 | -41.25 | 18.72 |
| VHT20, M0.8 to M8.8                   | 8 | 6.00  | -75.50 | -75.65 | -75.64 | -75.20 | -75.17 | -75.97 | -75.74 | -75.98 | -60.57 | -41.25 | 19.32 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 2 | 9.01  | -75.29 | -75.40 |        |        |        |        |        |        | -63.32 | -41.25 | 22.07 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 2 | 6.00  | -75.76 | -75.92 |        |        |        |        |        |        | -66.83 | -41.25 | 25.58 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 3 | 10.77 | -75.76 | -75.34 | -75.75 |        |        |        |        |        | -60.07 | -41.25 | 18.82 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 3 | 7.76  | -75.67 | -75.47 | -75.79 |        |        |        |        |        | -63.11 | -41.25 | 21.86 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 3 | 6.00  | -75.84 | -75.07 | -75.44 |        |        |        |        |        | -64.67 | -41.25 | 23.42 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 4 | 12.02 | -75.56 | -75.52 | -75.27 | -75.81 |        |        |        |        | -57.50 | -41.25 | 16.25 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 4 | 9.01  | -74.95 | -75.06 | -75.22 | -75.76 |        |        |        |        | -60.20 | -41.25 | 18.95 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 4 | 7.25  | -75.73 | -75.75 | -75.59 | -75.70 |        |        |        |        | -62.42 | -41.25 | 21.17 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 4 | 6.00  | -75.23 | -75.66 | -75.55 | -74.71 |        |        |        |        | -63.25 | -41.25 | 22.00 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 6 | 13.78 | -75.75 | -75.65 | -75.38 |        | -75.54 | -75.63 | -75.76 |        | -54.06 | -41.25 | 12.81 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 6 | 10.77 | -75.74 | -74.72 | -75.92 |        | -75.25 | -75.57 | -75.82 |        | -56.93 | -41.25 | 15.68 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 6 | 9.01  | -75.46 | -75.16 | -75.71 |        | -75.87 | -75.78 | -75.96 |        | -58.86 | -41.25 | 17.61 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 6 | 7.76  | -75.40 | -75.85 | -75.24 |        | -75.39 | -75.36 | -75.37 |        | -59.89 | -41.25 | 18.64 |
| VHT20, M0.5 to M8.5-BF                | 6 | 6.79  | -75.54 | -75.25 | -75.53 |        | -75.18 | -75.42 | -75.33 |        | -60.80 | -41.25 | 19.55 |
| VHT20, M0.6 to M8.6-BF                | 6 | 6.00  | -75.07 | -75.90 | -75.49 |        | -75.35 | -75.14 | -75.49 |        | -61.62 | -41.25 | 20.37 |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -75.89 | -75.54 | -75.60 | -75.71 | -74.88 | -75.27 | -75.72 | -75.61 | -51.46 | -41.25 | 10.21 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -75.19 | -75.32 | -75.44 | -75.62 | -74.92 | -75.53 | -75.21 | -75.17 | -54.24 | -41.25 | 12.99 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -75.83 | -75.20 | -74.49 | -75.96 | -75.71 | -75.02 | -75.28 | -74.77 | -55.96 | -41.25 | 14.71 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -75.46 | -75.94 | -75.80 | -75.68 | -75.41 | -75.30 | -75.44 | -75.76 | -57.55 | -41.25 | 16.30 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -75.68 | -75.48 | -75.22 | -75.39 | -73.99 | -75.45 | -75.71 | -75.50 | -58.20 | -41.25 | 16.95 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -75.34 | -76.01 | -75.56 | -75.54 | -75.40 | -75.36 | -75.43 | -75.49 | -59.23 | -41.25 | 17.98 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -75.45 | -75.89 | -75.37 | -75.39 | -75.63 | -75.15 | -75.28 | -75.30 | -59.82 | -41.25 | 18.57 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -75.16 | -75.77 | -75.17 | -75.63 | -75.34 | -75.84 | -74.97 | -75.86 | -60.43 | -41.25 | 19.18 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -74.99 | -75.00 |        |        |        |        |        |        | -65.98 | -41.25 | 24.73 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -75.67 | -75.45 | -75.64 |        |        |        |        |        | -64.81 | -41.25 | 23.56 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -75.66 | -74.87 | -75.40 | -75.78 |        |        |        |        | -63.39 | -41.25 | 22.14 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -74.91 | -75.76 | -75.10 |        | -75.81 | -75.58 | -75.92 |        | -61.71 | -41.25 | 20.46 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -75.18 | -74.91 | -75.52 | -75.93 | -75.79 | -75.10 | -75.41 | -75.52 | -60.38 | -41.25 | 19.13 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -75.93 |        |        |        |        |        |        |        | -69.93 | -41.25 | 28.68 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -75.45 | -75.00 |        |        |        |        |        |        | -66.21 | -41.25 | 24.96 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -75.30 | -75.80 |        |        |        |        |        |        | -66.53 | -41.25 | 25.28 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -75.25 | -75.44 | -75.08 |        |        |        |        |        | -64.48 | -41.25 | 23.23 |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -75.25 | -75.78 | -74.82 |        |        |        |        |        | -64.49 | -41.25 | 23.24 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -75.64 | -75.71 | -75.25 |        |        |        |        |        | -64.75 | -41.25 | 23.50 |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -75.54 | -75.58 | -75.43 | -75.41 |        |        |        |        | -63.47 | -41.25 | 22.22 |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -75.34 | -75.67 | -75.40 | -75.46 |        |        |        |        | -63.45 | -41.25 | 22.20 |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -75.81 | -75.49 | -75.14 | -76.06 |        |        |        |        | -63.59 | -41.25 | 22.34 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -75.57 | -75.33 | -75.75 | -75.47 |        |        |        |        | -63.51 | -41.25 | 22.26 |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -75.83 | -75.30 | -75.51 |        | -75.67 | -75.30 | -75.42 |        | -58.72 | -41.25 | 17.47 |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -74.74 | -75.23 | -75.45 |        | -75.17 | -74.41 | -75.69 |        | -58.92 | -41.25 | 17.67 |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -74.99 | -75.80 | -75.21 |        | -75.72 | -75.77 | -75.59 |        | -60.21 | -41.25 | 18.96 |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -75.56 | -75.57 | -75.35 |        | -75.83 | -75.53 | -75.61 |        | -60.91 | -41.25 | 19.66 |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -75.07 | -75.52 | -75.81 |        | -75.10 | -75.68 | -75.56 |        | -61.27 | -41.25 | 20.02 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -75.49 | -75.77 | -75.58 |        | -75.55 | -75.54 | -75.76 |        | -61.83 | -41.25 | 20.58 |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -75.84 | -75.34 | -75.20 | -75.66 | -75.79 | -75.64 | -75.60 | -75.05 | -57.48 | -41.25 | 16.23 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -75.12 | -74.99 | -75.32 | -75.57 | -75.09 | -75.25 | -75.71 | -75.14 | -57.24 | -41.25 | 15.99 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -75.08 | -75.25 | -74.60 | -75.68 | -75.48 | -75.42 | -75.43 | -75.07 | -58.08 | -41.25 | 16.83 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -75.45 | -74.68 | -75.36 | -75.69 | -74.98 | -74.96 | -75.06 | -75.78 | -58.69 | -41.25 | 17.44 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -75.78 | -75.54 | -75.51 | -73.49 | -75.72 | -75.34 | -75.29 | -75.21 | -59.12 | -41.25 | 17.87 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -75.36 | -75.56 | -75.87 | -75.71 | -75.44 | -75.00 | -75.76 | -75.63 | -59.88 | -41.25 | 18.63 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -75.61 | -75.91 | -75.44 | -74.92 | -75.60 | -75.45 | -75.28 | -75.69 | -60.16 | -41.25 | 18.91 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -75.67 | -75.96 | -75.38 | -75.19 | -75.04 | -74.79 | -75.75 | -75.71 | -60.39 | -41.25 | 19.14 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -75.68 | -75.41 |        |        |        |        |        |        | -63.53 | -41.25 | 22.28 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -75.18 | -75.43 |        |        |        |        |        |        | -66.29 | -41.25 | 25.04 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -75.73 | -75.49 | -75.71 |        |        |        |        |        | -60.10 | -41.25 | 18.85 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -75.64 | -75.43 | -75.14 |        |        |        |        |        | -62.87 | -41.25 | 21.62 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -75.26 | -75.50 | -75.67 |        |        |        |        |        | -64.70 | -41.25 | 23.45 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -75.63 | -75.57 | -75.77 | -75.75 |        |        |        |        | -57.64 | -41.25 | 16.39 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -75.40 | -75.85 | -75.53 | -75.84 |        |        |        |        | -60.62 | -41.25 | 19.37 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -75.63 | -75.66 | -75.79 | -75.46 |        |        |        |        | -62.36 | -41.25 | 21.11 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -75.66 | -75.43 | -75.23 | -75.23 |        |        |        |        | -63.36 | -41.25 | 22.11 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -75.38 | -75.61 | -74.78 |        | -75.58 | -75.55 | -75.73 |        | -53.86 | -41.25 | 12.61 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -75.55 | -75.23 | -75.61 |        | -74.97 | -75.55 | -75.33 |        | -56.82 | -41.25 | 15.57 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -75.80 | -75.84 | -75.88 |        | -74.91 | -75.68 | -75.23 |        | -58.75 | -41.25 | 17.50 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -75.32 | -75.31 | -75.52 |        | -75.47 | -75.73 | -75.47 |        | -59.93 | -41.25 | 18.68 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -75.58 | -75.06 | -75.54 |        | -74.96 | -75.98 | -75.79 |        | -60.90 | -41.25 | 19.65 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -75.34 | -75.14 | -75.99 |        | -75.66 | -75.33 | -75.47 |        | -61.70 | -41.25 | 20.45 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -75.46 | -75.66 | -75.41 | -75.56 | -75.43 | -75.49 | -75.54 | -75.56 | -51.45 | -41.25 | 10.20 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -75.52 | -75.64 | -75.31 | -75.17 | -74.48 | -75.80 | -75.73 | -74.71 | -54.22 | -41.25 | 12.97 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -75.53 | -75.65 | -75.51 | -75.36 | -75.63 | -75.66 | -75.57 | -75.40 | -56.25 | -41.25 | 15.00 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -75.13 | -75.61 | -75.37 | -75.75 | -75.56 | -75.59 | -75.16 | -75.57 | -57.42 | -41.25 | 16.17 |



|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -75.62 | -75.45 | -75.27 | -75.46 | -75.49 | -75.24 | -75.32 | -75.28 | -58.32 | -41.25 | 17.07 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -75.27 | -75.51 | -75.69 | -75.42 | -75.48 | -75.13 | -75.80 | -75.43 | -59.18 | -41.25 | 17.93 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -75.48 | -75.15 | -75.51 | -75.63 | -75.67 | -75.82 | -75.54 | -75.55 | -59.93 | -41.25 | 18.68 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -75.16 | -75.71 | -75.77 | -75.58 | -75.17 | -75.58 | -75.55 | -75.37 | -60.45 | -41.25 | 19.20 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -75.71 | -75.12 |        |        |        |        |        |        | -66.40 | -41.25 | 25.15 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -75.46 | -75.55 | -75.64 |        |        |        |        |        | -64.77 | -41.25 | 23.52 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -75.67 | -74.92 | -75.72 | -74.90 |        |        |        |        | -63.26 | -41.25 | 22.01 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -75.43 | -75.43 | -75.45 |        | -75.53 | -75.33 | -75.54 |        | -61.67 | -41.25 | 20.42 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -74.99 | -75.46 | -75.11 | -75.98 | -74.76 | -75.19 | -75.34 | -75.29 | -60.22 | -41.25 | 18.97 |

## 5785 MHz (Peak):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Peak Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|----------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -68.01              |                     |                     |                     |                     |                     |                     |                     | -62.01      | -21.25               | 40.76       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -68.30              | -67.01              |                     |                     |                     |                     |                     |                     | -58.59      | -21.25               | 37.34       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -67.69              | -67.41              | -67.72              |                     |                     |                     |                     |                     | -56.83      | -21.25               | 35.58       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -67.34              | -67.90              | -67.92              | -67.95              |                     |                     |                     |                     | -55.75      | -21.25               | 34.50       |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -67.18              | -67.51              | -66.96              |                     | -68.43              | -68.32              | -67.93              |                     | -50.90      | -21.25               | 29.65       |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -68.31              | -68.14              | -68.57              | -68.33              | -67.96              | -68.18              | -68.12              | -67.17              | -50.05      | -21.25               | 28.80       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -68.19              | -67.40              |                     |                     |                     |                     |                     |                     | -55.76      | -21.25               | 34.51       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -68.10              | -67.22              | -67.42              |                     |                     |                     |                     |                     | -52.02      | -21.25               | 30.77       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -68.34              | -67.35              | -67.31              | -68.92              |                     |                     |                     |                     | -49.88      | -21.25               | 28.63       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -67.66              | -68.20              | -67.76              |                     | -67.68              | -67.75              | -67.40              |                     | -46.17      | -21.25               | 24.92       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -67.98              | -68.21              | -68.52              | -67.85              | -68.20              | -67.69              | -67.62              | -68.03              | -43.94      | -21.25               | 22.69       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -68.25              |                     |                     |                     |                     |                     |                     |                     | -62.25      | -21.25               | 41.00       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -67.96              | -67.53              |                     |                     |                     |                     |                     |                     | -58.73      | -21.25               | 37.48       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -67.96              | -67.64              |                     |                     |                     |                     |                     |                     | -58.79      | -21.25               | 37.54       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -66.59              | -66.67              | -68.78              |                     |                     |                     |                     |                     | -56.46      | -21.25               | 35.21       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -67.94              | -68.18              | -68.45              |                     |                     |                     |                     |                     | -57.41      | -21.25               | 36.16       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -68.53              | -67.19              | -68.75              |                     |                     |                     |                     |                     | -57.33      | -21.25               | 36.08       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -67.53              | -67.24              | -67.99              | -67.52              |                     |                     |                     |                     | -55.54      | -21.25               | 34.29       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -67.77              | -68.20              | -67.01              | -68.39              |                     |                     |                     |                     | -55.79      | -21.25               | 34.54       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -68.20              | -67.96              | -67.71              | -68.52              |                     |                     |                     |                     | -56.07      | -21.25               | 34.82       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -68.30              | -68.30              | -68.22              | -68.15              |                     |                     |                     |                     | -56.22      | -21.25               | 34.97       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -68.35              | -68.42              | -67.73              |                     | -67.89              | -68.31              | -66.74              |                     | -51.08      | -21.25               | 29.83       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 6        | 8.39                          | -68.54              | -67.74              | -67.81              |                     | -67.56              | -66.91              | -67.60              |                     | -51.50      | -21.25               | 30.25       |

|  |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | -66.25 | -67.79 | -68.17 |        | -68.08 | -67.29 | -68.36 |        | -52.30 | -21.25 | 31.05 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | -68.37 | -67.78 | -68.05 |        | -68.36 | -68.32 | -67.78 |        | -53.44 | -21.25 | 32.19 |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | -67.63 | -67.59 | -66.72 |        | -68.01 | -67.76 | -67.14 |        | -53.27 | -21.25 | 32.02 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | -67.47 | -67.29 | -67.85 |        | -68.55 | -68.00 | -66.29 |        | -53.74 | -21.25 | 32.49 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | -67.30 | -67.51 | -68.45 | -67.57 | -67.71 | -67.91 | -68.11 | -67.65 | -49.73 | -21.25 | 28.48 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | -67.39 | -68.25 | -68.34 | -68.30 | -67.97 | -68.49 | -67.82 | -67.77 | -50.00 | -21.25 | 28.75 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | -67.81 | -68.57 | -67.35 | -68.30 | -68.57 | -67.52 | -66.28 | -67.23 | -50.48 | -21.25 | 29.23 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | -66.86 | -68.03 | -68.57 | -67.44 | -68.42 | -68.52 | -68.29 | -67.62 | -51.39 | -21.25 | 30.14 |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | -67.96 | -67.17 | -68.08 | -67.91 | -68.53 | -67.70 | -68.01 | -67.68 | -51.81 | -21.25 | 30.56 |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | -67.48 | -68.47 | -68.19 | -68.10 | -67.89 | -67.68 | -68.01 | -68.31 | -52.35 | -21.25 | 31.10 |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | -67.27 | -67.87 | -67.30 | -68.16 | -68.16 | -67.79 | -67.75 | -67.95 | -52.45 | -21.25 | 31.20 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | -68.32 | -68.06 | -66.74 | -67.84 | -67.98 | -68.51 | -68.99 | -67.79 | -52.95 | -21.25 | 31.70 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | -67.38 | -66.90 |        |        |        |        |        |        | -55.11 | -21.25 | 33.86 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | -68.18 | -67.99 |        |        |        |        |        |        | -59.07 | -21.25 | 37.82 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | -66.88 | -68.22 | -68.45 |        |        |        |        |        | -52.25 | -21.25 | 31.00 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | -67.90 | -67.69 | -68.27 |        |        |        |        |        | -55.41 | -21.25 | 34.16 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | -67.19 | -67.63 | -67.98 |        |        |        |        |        | -56.81 | -21.25 | 35.56 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | -67.88 | -68.72 | -67.49 | -67.83 |        |        |        |        | -49.92 | -21.25 | 28.67 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | -67.93 | -67.44 | -68.26 | -68.50 |        |        |        |        | -52.98 | -21.25 | 31.73 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | -66.21 | -68.03 | -67.67 | -67.95 |        |        |        |        | -54.13 | -21.25 | 32.88 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | -67.12 | -67.48 | -67.80 | -68.47 |        |        |        |        | -55.67 | -21.25 | 34.42 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -68.59 | -68.05 | -68.03 |        | -67.82 | -68.02 | -68.10 |        | -46.53 | -21.25 | 25.28 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | -67.44 | -67.36 | -68.19 |        | -67.01 | -68.28 | -66.75 |        | -48.91 | -21.25 | 27.66 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | -68.18 | -67.59 | -68.19 |        | -67.38 | -68.45 | -68.68 |        | -51.26 | -21.25 | 30.01 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | -68.34 | -67.57 | -68.01 |        | -68.78 | -68.32 | -68.22 |        | -52.65 | -21.25 | 31.40 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | -67.26 | -67.73 | -68.31 |        | -68.39 | -68.79 | -67.56 |        | -53.40 | -21.25 | 32.15 |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | -67.14 | -68.13 | -68.22 |        | -65.96 | -67.87 | -67.92 |        | -53.68 | -21.25 | 32.43 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 8 | 15.03 | -67.54 | -67.79 | -68.15 | -68.07 | -67.77 | -66.94 | -67.56 | -67.48 | -43.59 | -21.25 | 22.34 |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -68.49 | -68.42 | -67.76 | -68.23 | -67.72 | -67.54 | -68.13 | -66.83 | -46.81 | -21.25 | 25.56 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -68.29 | -67.99 | -68.18 | -67.94 | -67.65 | -67.54 | -68.51 | -67.45 | -48.64 | -21.25 | 27.39 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -68.23 | -67.70 | -67.97 | -68.21 | -68.00 | -68.24 | -68.25 | -67.74 | -49.99 | -21.25 | 28.74 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -67.70 | -67.82 | -68.54 | -68.55 | -67.03 | -67.58 | -67.24 | -66.64 | -50.52 | -21.25 | 29.27 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -67.52 | -68.37 | -68.17 | -67.86 | -68.32 | -67.88 | -67.62 | -68.55 | -51.74 | -21.25 | 30.49 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -67.71 | -67.95 | -68.12 | -68.08 | -67.89 | -68.40 | -67.27 | -67.98 | -52.30 | -21.25 | 31.05 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -67.34 | -68.20 | -68.38 | -67.96 | -68.43 | -67.69 | -67.43 | -67.84 | -52.86 | -21.25 | 31.61 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -68.12 | -67.81 |        |        |        |        |        |        | -58.95 | -21.25 | 37.70 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -66.90 | -67.13 | -68.00 |        |        |        |        |        | -56.55 | -21.25 | 35.30 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -67.56 | -68.17 | -68.89 | -67.89 |        |        |        |        | -56.08 | -21.25 | 34.83 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -67.87 | -67.29 | -66.99 |        | -68.20 | -67.44 | -67.77 |        | -53.79 | -21.25 | 32.54 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -68.25 | -68.17 | -67.41 | -68.38 | -68.61 | -67.80 | -68.21 | -68.77 | -53.15 | -21.25 | 31.90 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -67.85 |        |        |        |        |        |        |        | -61.85 | -21.25 | 40.60 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -67.64 | -67.07 |        |        |        |        |        |        | -58.33 | -21.25 | 37.08 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -67.68 | -66.97 |        |        |        |        |        |        | -58.30 | -21.25 | 37.05 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -68.28 | -66.22 | -68.22 |        |        |        |        |        | -56.69 | -21.25 | 35.44 |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -68.48 | -67.60 | -67.59 |        |        |        |        |        | -57.10 | -21.25 | 35.85 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -67.18 | -67.93 | -66.77 |        |        |        |        |        | -56.50 | -21.25 | 35.25 |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -68.30 | -67.95 | -67.60 | -68.27 |        |        |        |        | -56.00 | -21.25 | 34.75 |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -67.77 | -67.52 | -68.43 | -67.12 |        |        |        |        | -55.66 | -21.25 | 34.41 |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -67.81 | -68.12 | -68.18 | -67.52 |        |        |        |        | -55.88 | -21.25 | 34.63 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -68.32 | -67.79 | -67.74 | -68.05 |        |        |        |        | -55.95 | -21.25 | 34.70 |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -67.81 | -67.62 | -67.56 |        | -68.82 | -68.52 | -67.69 |        | -51.19 | -21.25 | 29.94 |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -67.62 | -67.85 | -67.75 |        | -67.28 | -68.62 | -68.00 |        | -51.66 | -21.25 | 30.41 |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -68.66 | -66.61 | -67.28 |        | -68.49 | -68.06 | -67.33 |        | -52.39 | -21.25 | 31.14 |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -67.74 | -68.47 | -68.86 |        | -68.42 | -67.90 | -67.52 |        | -53.46 | -21.25 | 32.21 |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -68.27 | -67.53 | -68.82 |        | -66.95 | -66.84 | -67.49 |        | -53.41 | -21.25 | 32.16 |
| HE20, M0.6 to M11.6                   | 6 | 6.00  | -67.43 | -67.96 | -67.92 |        | -67.55 | -68.47 | -67.44 |        | -54.00 | -21.25 | 32.75 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.1 to M11.1    | 8 | 9.00  | -67.75 | -68.32 | -68.24 | -68.01 | -67.04 | -67.23 | -68.39 | -67.82 | -49.79 | -21.25 | 28.54 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -68.07 | -68.76 | -68.62 | -68.44 | -68.58 | -67.93 | -67.70 | -66.81 | -50.04 | -21.25 | 28.79 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -67.59 | -67.97 | -68.51 | -67.59 | -67.52 | -66.43 | -67.90 | -68.17 | -50.51 | -21.25 | 29.26 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -67.68 | -67.00 | -68.07 | -67.61 | -68.42 | -68.28 | -67.63 | -68.43 | -51.32 | -21.25 | 30.07 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -68.29 | -68.28 | -68.51 | -67.90 | -68.30 | -68.47 | -67.42 | -68.53 | -52.15 | -21.25 | 30.90 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -67.27 | -67.86 | -67.42 | -68.20 | -67.55 | -67.98 | -67.84 | -68.66 | -52.18 | -21.25 | 30.93 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -68.10 | -68.54 | -68.03 | -67.78 | -68.15 | -68.01 | -67.93 | -68.03 | -52.74 | -21.25 | 31.49 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -67.69 | -67.58 | -67.53 | -68.30 | -68.23 | -67.81 | -68.11 | -68.31 | -52.90 | -21.25 | 31.65 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -67.31 | -67.78 |        |        |        |        |        |        | -55.52 | -21.25 | 34.27 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -67.68 | -67.43 |        |        |        |        |        |        | -58.54 | -21.25 | 37.29 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -68.65 | -68.33 | -67.96 |        |        |        |        |        | -52.76 | -21.25 | 31.51 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -67.26 | -68.30 | -68.22 |        |        |        |        |        | -55.37 | -21.25 | 34.12 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -67.99 | -68.05 | -67.42 |        |        |        |        |        | -57.04 | -21.25 | 35.79 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -67.12 | -68.32 | -67.73 | -68.68 |        |        |        |        | -49.88 | -21.25 | 28.63 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -67.28 | -68.13 | -67.42 | -68.29 |        |        |        |        | -52.73 | -21.25 | 31.48 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -68.56 | -67.64 | -68.20 | -68.54 |        |        |        |        | -54.95 | -21.25 | 33.70 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -67.11 | -68.02 | -67.89 | -68.03 |        |        |        |        | -55.72 | -21.25 | 34.47 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -68.84 | -67.80 | -67.91 |        | -68.16 | -67.96 | -67.56 |        | -46.46 | -21.25 | 25.21 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -67.29 | -68.87 | -66.59 |        | -67.57 | -68.90 | -68.22 |        | -49.27 | -21.25 | 28.02 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -68.39 | -68.15 | -68.63 |        | -67.24 | -68.33 | -67.06 |        | -51.13 | -21.25 | 29.88 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -68.47 | -68.72 | -67.49 |        | -67.98 | -66.25 | -68.21 |        | -52.23 | -21.25 | 30.98 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -66.09 | -66.83 | -67.88 |        | -67.62 | -67.90 | -68.24 |        | -52.79 | -21.25 | 31.54 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -68.16 | -68.30 | -68.30 |        | -67.78 | -68.37 | -67.78 |        | -54.33 | -21.25 | 33.08 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -68.09 | -67.80 | -68.17 | -66.39 | -68.27 | -68.62 | -68.79 | -68.18 | -43.92 | -21.25 | 22.67 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -67.68 | -68.08 | -67.90 | -67.68 | -68.12 | -68.58 | -67.80 | -67.79 | -46.89 | -21.25 | 25.64 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -68.24 | -67.54 | -68.34 | -68.11 | -68.36 | -66.27 | -67.77 | -67.87 | -48.47 | -21.25 | 27.22 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -68.49 | -67.37 | -68.09 | -68.12 | -68.34 | -67.96 | -68.20 | -67.86 | -50.00 | -21.25 | 28.75 |
| HE20, M0.5 to M11.5-BF | 8 | 8.04  | -67.46 | -67.84 | -67.89 | -68.30 | -67.75 | -67.86 | -67.12 | -68.43 | -50.74 | -21.25 | 29.49 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -68.59 | -67.79 | -68.33 | -68.25 | -67.96 | -67.92 | -67.25 | -68.52 | -51.78 | -21.25 | 30.53 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -67.16 | -67.92 | -68.72 | -68.22 | -67.75 | -67.64 | -68.47 | -67.48 | -52.28 | -21.25 | 31.03 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -68.63 | -68.17 | -68.26 | -67.74 | -68.20 | -67.81 | -68.08 | -68.29 | -53.11 | -21.25 | 31.86 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -67.86 | -68.07 |        |        |        |        |        |        | -58.95 | -21.25 | 37.70 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -67.50 | -68.42 | -68.40 |        |        |        |        |        | -57.31 | -21.25 | 36.06 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -66.74 | -66.60 | -68.61 | -68.32 |        |        |        |        | -55.45 | -21.25 | 34.20 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -67.92 | -68.21 | -67.69 |        | -67.95 | -68.19 | -68.02 |        | -54.21 | -21.25 | 32.96 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -67.18 | -68.61 | -67.59 | -68.30 | -67.66 | -68.85 | -68.15 | -68.31 | -53.02 | -21.25 | 31.77 |

## 5785 MHz (Average):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Average Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|-------------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -75.54              |                     |                     |                     |                     |                     |                     |                     | -69.54      | -41.25                  | 28.29       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -75.65              | -75.38              |                     |                     |                     |                     |                     |                     | -66.50      | -41.25                  | 25.25       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -75.35              | -75.13              | -75.12              |                     |                     |                     |                     |                     | -64.43      | -41.25                  | 23.18       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -75.30              | -75.30              | -75.51              | -75.66              |                     |                     |                     |                     | -63.42      | -41.25                  | 22.17       |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -75.43              | -75.46              | -75.26              |                     | -75.41              | -75.62              | -75.05              |                     | -58.59      | -41.25                  | 17.34       |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -75.57              | -75.37              | -75.75              | -75.51              | -75.85              | -75.33              | -75.41              | -75.14              | -57.45      | -41.25                  | 16.20       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -74.77              | -75.47              |                     |                     |                     |                     |                     |                     | -63.09      | -41.25                  | 21.84       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -75.39              | -75.21              | -75.85              |                     |                     |                     |                     |                     | -59.93      | -41.25                  | 18.68       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -75.63              | -74.68              | -75.50              | -75.54              |                     |                     |                     |                     | -57.28      | -41.25                  | 16.03       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -75.42              | -75.12              | -75.79              |                     | -75.65              | -75.86              | -75.62              |                     | -54.01      | -41.25                  | 12.76       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -75.71              | -75.31              | -75.53              | -75.44              | -75.12              | -75.53              | -75.33              | -75.76              | -51.40      | -41.25                  | 10.15       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -75.62              |                     |                     |                     |                     |                     |                     |                     | -69.62      | -41.25                  | 28.37       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -75.60              | -75.57              |                     |                     |                     |                     |                     |                     | -66.58      | -41.25                  | 25.33       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -75.71              | -75.07              |                     |                     |                     |                     |                     |                     | -66.37      | -41.25                  | 25.12       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -75.80              | -75.30              | -75.83              |                     |                     |                     |                     |                     | -64.87      | -41.25                  | 23.62       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -75.42              | -75.16              | -75.33              |                     |                     |                     |                     |                     | -64.53      | -41.25                  | 23.28       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -75.58              | -74.85              | -75.50              |                     |                     |                     |                     |                     | -64.52      | -41.25                  | 23.27       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -75.36              | -75.41              | -75.58              | -75.87              |                     |                     |                     |                     | -63.53      | -41.25                  | 22.28       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -75.34              | -75.60              | -76.06              | -75.33              |                     |                     |                     |                     | -63.55      | -41.25                  | 22.30       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -75.74              | -75.32              | -75.74              | -75.88              |                     |                     |                     |                     | -63.64      | -41.25                  | 22.39       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -75.48              | -75.43              | -75.65              | -75.64              |                     |                     |                     |                     | -63.53      | -41.25                  | 22.28       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -75.14              | -75.38              | -74.81              |                     | -75.22              | -75.71              | -75.68              |                     | -58.53      | -41.25                  | 17.28       |

|  |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | -75.69 | -75.16 | -75.60 |        | -75.78 | -75.78 | -75.81 |        | -59.46 | -41.25 | 18.21 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | -75.59 | -75.31 | -75.21 |        | -75.63 | -75.72 | -76.04 |        | -60.28 | -41.25 | 19.03 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | -75.32 | -75.79 | -75.02 |        | -75.41 | -75.45 | -75.37 |        | -60.73 | -41.25 | 19.48 |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | -75.56 | -75.08 | -75.21 |        | -75.31 | -74.89 | -76.00 |        | -61.15 | -41.25 | 19.90 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | -75.12 | -75.76 | -75.70 |        | -75.44 | -75.73 | -76.04 |        | -61.84 | -41.25 | 20.59 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | -75.44 | -75.58 | -75.55 | -75.86 | -75.36 | -75.85 | -75.62 | -75.62 | -57.57 | -41.25 | 16.32 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | -75.67 | -75.55 | -75.50 | -75.45 | -75.16 | -75.85 | -75.51 | -75.78 | -57.52 | -41.25 | 16.27 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | -75.10 | -75.68 | -75.35 | -75.92 | -75.66 | -75.31 | -75.41 | -75.33 | -58.30 | -41.25 | 17.05 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | -74.95 | -75.57 | -75.54 | -75.41 | -75.50 | -75.86 | -75.26 | -75.58 | -58.91 | -41.25 | 17.66 |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | -75.84 | -75.67 | -75.58 | -75.42 | -75.48 | -75.35 | -75.40 | -75.08 | -59.42 | -41.25 | 18.17 |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | -75.78 | -74.62 | -75.54 | -75.30 | -75.73 | -75.67 | -75.38 | -75.84 | -59.81 | -41.25 | 18.56 |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | -75.63 | -75.43 | -75.79 | -75.39 | -75.36 | -75.93 | -75.89 | -75.89 | -60.33 | -41.25 | 19.08 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | -75.87 | -75.56 | -75.14 | -75.23 | -75.56 | -75.48 | -75.45 | -75.94 | -60.49 | -41.25 | 19.24 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | -74.64 | -75.65 |        |        |        |        |        |        | -63.10 | -41.25 | 21.85 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | -74.86 | -75.87 |        |        |        |        |        |        | -66.33 | -41.25 | 25.08 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | -74.95 | -75.43 | -75.37 |        |        |        |        |        | -59.70 | -41.25 | 18.45 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | -74.88 | -75.74 | -75.51 |        |        |        |        |        | -62.83 | -41.25 | 21.58 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | -75.34 | -75.71 | -75.37 |        |        |        |        |        | -64.70 | -41.25 | 23.45 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | -75.52 | -75.27 | -75.85 | -75.68 |        |        |        |        | -57.54 | -41.25 | 16.29 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | -74.62 | -75.28 | -75.03 | -75.29 |        |        |        |        | -60.02 | -41.25 | 18.77 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | -75.33 | -75.14 | -75.90 | -75.59 |        |        |        |        | -62.21 | -41.25 | 20.96 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | -75.09 | -75.45 | -75.20 | -75.85 |        |        |        |        | -63.37 | -41.25 | 22.12 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -75.67 | -75.55 | -75.15 |        | -75.96 | -75.55 | -75.68 |        | -54.03 | -41.25 | 12.78 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | -75.58 | -75.54 | -75.55 |        | -75.43 | -75.34 | -75.30 |        | -56.90 | -41.25 | 15.65 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | -75.74 | -74.95 | -75.19 |        | -75.62 | -75.69 | -75.57 |        | -58.66 | -41.25 | 17.41 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | -75.41 | -75.12 | -75.60 |        | -75.47 | -75.80 | -75.11 |        | -59.87 | -41.25 | 18.62 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | -75.57 | -75.59 | -74.91 |        | -75.42 | -75.53 | -75.74 |        | -60.88 | -41.25 | 19.63 |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | -75.82 | -75.31 | -75.56 |        | -75.41 | -75.80 | -75.32 |        | -61.75 | -41.25 | 20.50 |



|  |          |              |               |               |               |               |               |               |               |               |               |               |             |
|--|----------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|-------------|
| <b>HT/VHT20, M0 to M7, M0.1 to M8.1-BF</b> | <b>8</b> | <b>15.03</b> | <b>-75.81</b> | <b>-75.89</b> | <b>-73.80</b> | <b>-75.41</b> | <b>-75.36</b> | <b>-75.12</b> | <b>-75.83</b> | <b>-75.39</b> | <b>-51.21</b> | <b>-41.25</b> | <b>9.96</b> |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF       | 8        | 12.02        | -75.21        | -75.87        | -75.45        | -75.67        | -75.81        | -75.21        | -75.75        | -75.57        | -54.51        | -41.25        | 13.26       |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF      | 8        | 10.26        | -75.48        | -75.09        | -75.49        | -75.72        | -75.56        | -75.72        | -75.16        | -74.85        | -56.08        | -41.25        | 14.83       |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF      | 8        | 9.01         | -75.24        | -75.54        | -75.27        | -75.61        | -75.90        | -75.68        | -75.21        | -75.61        | -57.46        | -41.25        | 16.21       |
| VHT20, M0.5 to M8.5-BF                     | 8        | 8.04         | -75.37        | -75.74        | -75.58        | -75.70        | -75.34        | -75.68        | -75.89        | -75.78        | -58.56        | -41.25        | 17.31       |
| VHT20, M0.6 to M8.6-BF                     | 8        | 7.25         | -75.46        | -75.68        | -75.81        | -75.30        | -75.34        | -75.69        | -75.54        | -75.77        | -59.29        | -41.25        | 18.04       |
| VHT20, M0.7 to M8.7-BF                     | 8        | 6.58         | -74.91        | -75.55        | -75.76        | -75.37        | -75.62        | -75.52        | -75.30        | -75.52        | -59.83        | -41.25        | 18.58       |
| VHT20, M0.8 to M8.8-BF                     | 8        | 6.00         | -75.14        | -74.54        | -75.27        | -75.40        | -75.55        | -75.29        | -75.19        | -75.37        | -60.18        | -41.25        | 18.93       |
| HT/VHT20, M0 to M7, M0 to M8 -STBC         | 2        | 6.00         | -75.72        | -75.29        |               |               |               |               |               |               | -66.49        | -41.25        | 25.24       |
| HT/VHT20, M0 to M7, M0 to M8 -STBC         | 3        | 6.00         | -76.00        | -75.93        | -75.35        |               |               |               |               |               | -64.98        | -41.25        | 23.73       |
| HT/VHT20, M0 to M7, M0 to M8 -STBC         | 4        | 6.00         | -74.85        | -75.67        | -75.49        | -75.46        |               |               |               |               | -63.34        | -41.25        | 22.09       |
| HT/VHT20, M0 to M7, M0 to M8 -STBC         | 6        | 6.00         | -75.52        | -75.61        | -75.75        |               | -75.43        | -75.92        | -75.87        |               | -61.90        | -41.25        | 20.65       |
| HT/VHT20, M0 to M7, M0 to M8 -STBC         | 8        | 6.00         | -75.27        | -75.61        | -75.89        | -75.86        | -75.08        | -75.63        | -75.03        | -75.55        | -60.45        | -41.25        | 19.20       |
| HE20, M0.1 to M11.1                        | 1        | 6.00         | -74.95        |               |               |               |               |               |               |               | -68.95        | -41.25        | 27.70       |
| HE20, M0.1 to M11.1                        | 2        | 6.00         | -75.72        | -75.41        |               |               |               |               |               |               | -66.55        | -41.25        | 25.30       |
| HE20, M0.2 to M11.2                        | 2        | 6.00         | -75.64        | -75.62        |               |               |               |               |               |               | -66.62        | -41.25        | 25.37       |
| HE20, M0.1 to M11.1                        | 3        | 6.00         | -75.52        | -75.70        | -75.02        |               |               |               |               |               | -64.63        | -41.25        | 23.38       |
| HE20, M0.2 to M11.2                        | 3        | 6.00         | -75.91        | -75.43        | -75.49        |               |               |               |               |               | -64.83        | -41.25        | 23.58       |
| HE20, M0.3 to M11.3                        | 3        | 6.00         | -75.49        | -75.38        | -75.78        |               |               |               |               |               | -64.77        | -41.25        | 23.52       |
| HE20, M0.1 to M11.1                        | 4        | 6.00         | -75.33        | -75.59        | -75.01        | -76.12        |               |               |               |               | -63.47        | -41.25        | 22.22       |
| HE20, M0.2 to M11.2                        | 4        | 6.00         | -75.46        | -75.68        | -75.48        | -75.61        |               |               |               |               | -63.53        | -41.25        | 22.28       |
| HE20, M0.3 to M11.3                        | 4        | 6.00         | -74.78        | -75.47        | -75.87        | -75.59        |               |               |               |               | -63.39        | -41.25        | 22.14       |
| HE20, M0.4 to M11.4                        | 4        | 6.00         | -75.24        | -75.66        | -74.61        | -75.65        |               |               |               |               | -63.25        | -41.25        | 22.00       |
| HE20, M0.1 to M11.1                        | 6        | 9.00         | -75.86        | -75.70        | -75.45        |               | -75.47        | -75.90        | -75.88        |               | -58.92        | -41.25        | 17.67       |
| HE20, M0.2 to M11.2                        | 6        | 8.39         | -75.85        | -74.90        | -75.56        |               | -75.86        | -75.91        | -75.65        |               | -59.44        | -41.25        | 18.19       |
| HE20, M0.3 to M11.3                        | 6        | 7.51         | -75.52        | -75.72        | -74.74        |               | -75.50        | -75.45        | -75.52        |               | -60.11        | -41.25        | 18.86       |
| HE20, M0.4 to M11.4                        | 6        | 6.88         | -75.37        | -75.51        | -75.66        |               | -75.85        | -75.68        | -75.86        |               | -60.99        | -41.25        | 19.74       |
| HE20, M0.5 to M11.5                        | 6        | 6.40         | -75.14        | -75.66        | -75.69        |               | -75.38        | -76.00        | -75.74        |               | -61.41        | -41.25        | 20.16       |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -75.61 | -75.92 | -75.44 |        | -75.80 | -75.72 | -75.51 |        | -61.88 | -41.25 | 20.63 |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -75.26 | -75.44 | -75.98 | -75.82 | -75.40 | -75.74 | -75.36 | -75.29 | -57.50 | -41.25 | 16.25 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -75.63 | -75.85 | -75.81 | -75.89 | -75.63 | -75.90 | -75.96 | -75.55 | -57.74 | -41.25 | 16.49 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -75.67 | -75.45 | -75.43 | -75.79 | -75.50 | -75.27 | -75.24 | -74.85 | -58.23 | -41.25 | 16.98 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -75.61 | -74.93 | -74.88 | -75.70 | -75.75 | -75.83 | -75.76 | -75.69 | -58.96 | -41.25 | 17.71 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -75.56 | -75.11 | -75.74 | -75.32 | -75.90 | -75.71 | -75.88 | -75.74 | -59.56 | -41.25 | 18.31 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -75.63 | -75.72 | -75.83 | -75.83 | -75.74 | -75.19 | -74.85 | -75.70 | -59.90 | -41.25 | 18.65 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -75.47 | -75.62 | -75.72 | -75.54 | -75.74 | -75.41 | -75.75 | -75.37 | -60.25 | -41.25 | 19.00 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -75.04 | -75.46 | -75.62 | -75.56 | -75.95 | -75.67 | -75.55 | -75.66 | -60.53 | -41.25 | 19.28 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -75.12 | -75.18 |        |        |        |        |        |        | -63.13 | -41.25 | 21.88 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -75.08 | -74.96 |        |        |        |        |        |        | -66.01 | -41.25 | 24.76 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -75.28 | -75.62 | -75.26 |        |        |        |        |        | -59.84 | -41.25 | 18.59 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -75.48 | -75.80 | -76.05 |        |        |        |        |        | -63.24 | -41.25 | 21.99 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -75.59 | -75.79 | -75.41 |        |        |        |        |        | -64.82 | -41.25 | 23.57 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -75.76 | -75.96 | -75.92 | -76.06 |        |        |        |        | -57.88 | -41.25 | 16.63 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -75.46 | -75.58 | -75.66 | -75.12 |        |        |        |        | -60.42 | -41.25 | 19.17 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -75.12 | -75.48 | -75.54 | -75.37 |        |        |        |        | -62.10 | -41.25 | 20.85 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -75.48 | -75.33 | -75.85 | -75.20 |        |        |        |        | -63.43 | -41.25 | 22.18 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -75.63 | -75.42 | -75.37 |        | -75.68 | -75.75 | -75.99 |        | -54.07 | -41.25 | 12.82 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -75.62 | -75.66 | -75.41 |        | -75.77 | -75.08 | -75.46 |        | -56.94 | -41.25 | 15.69 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -75.47 | -75.37 | -75.71 |        | -75.72 | -75.04 | -75.76 |        | -58.71 | -41.25 | 17.46 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -75.36 | -75.13 | -75.51 |        | -75.41 | -75.88 | -75.76 |        | -59.96 | -41.25 | 18.71 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -75.37 | -75.65 | -75.82 |        | -75.53 | -76.11 | -75.98 |        | -61.16 | -41.25 | 19.91 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -75.83 | -75.19 | -75.69 |        | -75.63 | -75.55 | -75.38 |        | -61.76 | -41.25 | 20.51 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -75.23 | -75.33 | -75.63 | -75.71 | -74.97 | -75.58 | -75.38 | -75.83 | -51.39 | -41.25 | 10.14 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -75.64 | -75.35 | -75.31 | -75.29 | -75.51 | -75.79 | -74.53 | -75.39 | -54.28 | -41.25 | 13.03 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -75.64 | -75.06 | -75.84 | -75.88 | -75.85 | -75.39 | -75.43 | -75.39 | -56.26 | -41.25 | 15.01 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -75.88 | -75.72 | -75.59 | -75.17 | -75.60 | -75.89 | -75.51 | -75.33 | -57.54 | -41.25 | 16.29 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -75.69 | -74.95 | -75.58 | -75.49 | -75.53 | -75.37 | -75.41 | -75.49 | -58.36 | -41.25 | 17.11 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -75.55 | -75.55 | -76.01 | -75.93 | -75.95 | -75.61 | -75.86 | -75.65 | -59.48 | -41.25 | 18.23 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -75.28 | -75.32 | -74.73 | -75.89 | -75.41 | -75.76 | -75.58 | -75.84 | -59.85 | -41.25 | 18.60 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -75.29 | -75.54 | -75.48 | -75.53 | -75.32 | -75.17 | -75.89 | -75.52 | -60.43 | -41.25 | 19.18 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -75.60 | -75.40 |        |        |        |        |        |        | -66.49 | -41.25 | 25.24 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -75.88 | -75.22 | -75.44 |        |        |        |        |        | -64.73 | -41.25 | 23.48 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -75.16 | -75.50 | -75.68 | -75.71 |        |        |        |        | -63.49 | -41.25 | 22.24 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -75.68 | -75.71 | -75.76 |        | -75.40 | -75.35 | -75.60 |        | -61.80 | -41.25 | 20.55 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -75.40 | -75.37 | -75.55 | -75.49 | -75.92 | -76.07 | -75.89 | -76.02 | -60.67 | -41.25 | 19.42 |

## 5825 MHz (Peak):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Peak Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|----------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -66.76              |                     |                     |                     |                     |                     |                     |                     | -60.76      | -21.25               | 39.51       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -68.72              | -68.38              |                     |                     |                     |                     |                     |                     | -59.54      | -21.25               | 38.29       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -67.76              | -67.99              | -68.00              |                     |                     |                     |                     |                     | -57.14      | -21.25               | 35.89       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -66.92              | -67.69              | -68.09              | -67.61              |                     |                     |                     |                     | -55.54      | -21.25               | 34.29       |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -67.88              | -67.94              | -68.02              |                     | -67.87              | -68.49              | -67.79              |                     | -51.21      | -21.25               | 29.96       |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -68.63              | -68.47              | -67.32              | -68.04              | -68.36              | -67.68              | -68.38              | -67.62              | -50.01      | -21.25               | 28.76       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -68.28              | -67.76              |                     |                     |                     |                     |                     |                     | -55.99      | -21.25               | 34.74       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -68.62              | -68.00              | -67.75              |                     |                     |                     |                     |                     | -52.57      | -21.25               | 31.32       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -67.12              | -68.00              | -68.28              | -67.86              |                     |                     |                     |                     | -49.75      | -21.25               | 28.50       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -67.59              | -68.31              | -67.64              |                     | -67.56              | -67.84              | -67.91              |                     | -46.24      | -21.25               | 24.99       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -67.57              | -68.38              | -67.56              | -67.78              | -68.30              | -68.66              | -68.34              | -68.08              | -44.01      | -21.25               | 22.76       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -67.85              |                     |                     |                     |                     |                     |                     |                     | -61.85      | -21.25               | 40.60       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -68.23              | -67.56              |                     |                     |                     |                     |                     |                     | -58.87      | -21.25               | 37.62       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -68.39              | -67.26              |                     |                     |                     |                     |                     |                     | -58.78      | -21.25               | 37.53       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -67.37              | -68.23              | -66.93              |                     |                     |                     |                     |                     | -56.70      | -21.25               | 35.45       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -68.29              | -67.94              | -68.51              |                     |                     |                     |                     |                     | -57.47      | -21.25               | 36.22       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -68.14              | -67.33              | -67.83              |                     |                     |                     |                     |                     | -56.98      | -21.25               | 35.73       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -68.30              | -68.43              | -68.37              | -67.40              |                     |                     |                     |                     | -56.08      | -21.25               | 34.83       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -67.29              | -68.10              | -68.08              | -68.49              |                     |                     |                     |                     | -55.95      | -21.25               | 34.70       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -68.74              | -68.24              | -68.66              | -67.82              |                     |                     |                     |                     | -56.33      | -21.25               | 35.08       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -67.86              | -66.92              | -68.16              | -67.47              |                     |                     |                     |                     | -55.55      | -21.25               | 34.30       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -68.04              | -68.32              | -67.10              |                     | -67.88              | -68.38              | -67.61              |                     | -51.08      | -21.25               | 29.83       |

|  |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | -66.88 | -67.36 | -68.29 |        | -68.57 | -67.88 | -68.58 |        | -51.71 | -21.25 | 30.46 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | -67.60 | -68.31 | -68.03 |        | -67.91 | -67.87 | -67.69 |        | -52.60 | -21.25 | 31.35 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | -67.68 | -66.94 | -68.27 |        | -68.10 | -68.62 | -68.33 |        | -53.29 | -21.25 | 32.04 |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | -67.85 | -68.30 | -67.60 |        | -68.17 | -67.27 | -67.92 |        | -53.66 | -21.25 | 32.41 |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | -68.45 | -68.28 | -67.52 |        | -66.12 | -68.32 | -67.80 |        | -53.89 | -21.25 | 32.64 |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | -68.43 | -67.80 | -67.57 | -68.43 | -66.73 | -67.39 | -68.29 | -68.38 | -49.81 | -21.25 | 28.56 |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | -67.66 | -68.15 | -67.52 | -67.91 | -68.01 | -67.78 | -67.81 | -67.85 | -49.80 | -21.25 | 28.55 |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | -67.82 | -67.40 | -67.25 | -68.45 | -67.90 | -68.52 | -67.84 | -68.31 | -50.75 | -21.25 | 29.50 |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | -67.36 | -68.24 | -68.21 | -67.69 | -67.93 | -68.23 | -68.31 | -68.72 | -51.53 | -21.25 | 30.28 |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | -67.18 | -68.40 | -67.84 | -68.04 | -67.39 | -67.90 | -67.87 | -67.95 | -51.76 | -21.25 | 30.51 |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | -68.55 | -68.43 | -68.09 | -68.35 | -68.53 | -67.63 | -68.26 | -67.59 | -52.51 | -21.25 | 31.26 |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | -68.03 | -67.48 | -68.66 | -68.05 | -67.77 | -68.51 | -67.65 | -67.88 | -52.67 | -21.25 | 31.42 |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | -68.64 | -67.99 | -66.57 | -67.56 | -68.24 | -68.11 | -67.85 | -68.23 | -52.83 | -21.25 | 31.58 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | -68.63 | -68.08 |        |        |        |        |        |        | -56.32 | -21.25 | 35.07 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | -68.07 | -68.12 |        |        |        |        |        |        | -59.08 | -21.25 | 37.83 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | -67.72 | -68.17 | -68.21 |        |        |        |        |        | -52.49 | -21.25 | 31.24 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | -67.32 | -68.01 | -68.18 |        |        |        |        |        | -55.29 | -21.25 | 34.04 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | -67.47 | -68.02 | -68.44 |        |        |        |        |        | -57.18 | -21.25 | 35.93 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | -67.78 | -67.77 | -67.52 | -68.61 |        |        |        |        | -49.86 | -21.25 | 28.61 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | -68.20 | -68.72 | -68.72 | -68.86 |        |        |        |        | -53.59 | -21.25 | 32.34 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | -67.83 | -67.93 | -68.06 | -67.80 |        |        |        |        | -54.64 | -21.25 | 33.39 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | -68.46 | -68.42 | -68.01 | -68.26 |        |        |        |        | -56.26 | -21.25 | 35.01 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -68.55 | -67.04 | -67.71 |        | -68.79 | -67.31 | -67.10 |        | -46.13 | -21.25 | 24.88 |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | -67.85 | -68.24 | -68.36 |        | -68.32 | -67.81 | -66.92 |        | -49.34 | -21.25 | 28.09 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | -67.74 | -68.09 | -68.03 |        | -68.63 | -67.76 | -68.68 |        | -51.35 | -21.25 | 30.10 |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | -68.13 | -67.98 | -67.95 |        | -67.03 | -67.20 | -67.54 |        | -52.08 | -21.25 | 30.83 |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | -67.85 | -68.45 | -68.04 |        | -67.72 | -68.54 | -68.33 |        | -53.57 | -21.25 | 32.32 |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | -68.64 | -67.64 | -67.84 |        | -67.84 | -67.91 | -68.49 |        | -54.26 | -21.25 | 33.01 |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -68.44 | -68.50 | -68.55 | -66.92 | -67.35 | -67.71 | -67.17 | -67.66 | -43.68 | -21.25 | 22.43 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -67.74 | -67.31 | -68.45 | -67.46 | -67.22 | -67.96 | -68.33 | -68.29 | -46.77 | -21.25 | 25.52 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -67.87 | -68.61 | -67.10 | -67.15 | -68.19 | -68.20 | -67.09 | -66.91 | -48.31 | -21.25 | 27.06 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -67.56 | -67.65 | -67.49 | -67.94 | -68.03 | -68.66 | -67.83 | -66.40 | -49.61 | -21.25 | 28.36 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -67.93 | -67.63 | -68.62 | -67.78 | -68.15 | -67.20 | -67.82 | -67.19 | -50.70 | -21.25 | 29.45 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -66.49 | -68.22 | -68.66 | -68.38 | -68.28 | -68.52 | -68.27 | -67.46 | -51.70 | -21.25 | 30.45 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -67.73 | -68.44 | -67.71 | -68.30 | -68.30 | -67.93 | -68.35 | -68.34 | -52.52 | -21.25 | 31.27 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -67.79 | -68.15 | -67.62 | -67.32 | -67.85 | -68.11 | -68.33 | -67.28 | -52.76 | -21.25 | 31.51 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -68.57 | -67.14 |        |        |        |        |        |        | -58.79 | -21.25 | 37.54 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -67.82 | -68.29 | -67.73 |        |        |        |        |        | -57.17 | -21.25 | 35.92 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -68.36 | -67.89 | -68.17 | -68.69 |        |        |        |        | -56.25 | -21.25 | 35.00 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -67.97 | -67.10 | -67.99 |        | -68.23 | -68.31 | -68.16 |        | -54.15 | -21.25 | 32.90 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -68.59 | -68.33 | -67.47 | -68.06 | -67.60 | -67.70 | -68.49 | -68.97 | -53.09 | -21.25 | 31.84 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -68.26 |        |        |        |        |        |        |        | -62.26 | -21.25 | 41.01 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -68.13 | -67.00 |        |        |        |        |        |        | -58.52 | -21.25 | 37.27 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -68.30 | -68.25 |        |        |        |        |        |        | -59.27 | -21.25 | 38.02 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -68.10 | -67.97 | -68.15 |        |        |        |        |        | -57.30 | -21.25 | 36.05 |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -67.56 | -68.37 | -67.88 |        |        |        |        |        | -57.15 | -21.25 | 35.90 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -67.40 | -68.02 | -67.94 |        |        |        |        |        | -57.01 | -21.25 | 35.76 |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -68.30 | -67.82 | -68.55 | -67.99 |        |        |        |        | -56.14 | -21.25 | 34.89 |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -68.00 | -67.24 | -67.99 | -67.72 |        |        |        |        | -55.70 | -21.25 | 34.45 |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -68.13 | -66.56 | -68.31 | -67.79 |        |        |        |        | -55.62 | -21.25 | 34.37 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -68.19 | -67.55 | -68.65 | -67.40 |        |        |        |        | -55.90 | -21.25 | 34.65 |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -68.25 | -68.45 | -67.73 |        | -68.70 | -68.35 | -67.87 |        | -51.43 | -21.25 | 30.18 |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -68.36 | -68.00 | -67.82 |        | -67.10 | -68.00 | -67.77 |        | -51.65 | -21.25 | 30.40 |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -67.31 | -68.48 | -67.76 |        | -68.25 | -67.87 | -67.82 |        | -52.61 | -21.25 | 31.36 |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -68.73 | -67.71 | -68.85 |        | -68.29 | -67.74 | -68.07 |        | -53.54 | -21.25 | 32.29 |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -68.45 | -68.85 | -68.58 |        | -67.85 | -67.98 | -67.42 |        | -53.98 | -21.25 | 32.73 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -67.81 | -68.22 | -68.33 |        | -66.88 | -67.51 | -67.89 |        | -53.96 | -21.25 | 32.71 |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -67.98 | -68.51 | -66.27 | -68.61 | -67.76 | -68.11 | -68.15 | -67.84 | -49.81 | -21.25 | 28.56 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -67.92 | -68.14 | -67.63 | -67.91 | -68.11 | -68.26 | -67.80 | -66.93 | -49.79 | -21.25 | 28.54 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -68.59 | -67.25 | -68.52 | -68.73 | -68.29 | -68.15 | -68.27 | -68.36 | -51.09 | -21.25 | 29.84 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -67.61 | -68.32 | -68.52 | -68.07 | -67.72 | -67.86 | -68.35 | -67.57 | -51.45 | -21.25 | 30.20 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -67.97 | -68.57 | -68.78 | -67.97 | -67.72 | -68.31 | -67.90 | -68.70 | -52.17 | -21.25 | 30.92 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -67.75 | -68.51 | -67.76 | -67.88 | -67.95 | -68.09 | -68.03 | -67.81 | -52.32 | -21.25 | 31.07 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -67.90 | -67.60 | -68.15 | -67.52 | -67.68 | -68.71 | -68.07 | -67.57 | -52.56 | -21.25 | 31.31 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -67.93 | -67.82 | -68.04 | -67.87 | -68.60 | -67.35 | -68.26 | -68.43 | -52.99 | -21.25 | 31.74 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -67.80 | -68.03 |        |        |        |        |        |        | -55.89 | -21.25 | 34.64 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -66.40 | -68.41 |        |        |        |        |        |        | -58.28 | -21.25 | 37.03 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -68.05 | -67.95 | -67.93 |        |        |        |        |        | -52.43 | -21.25 | 31.18 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -68.18 | -67.86 | -68.54 |        |        |        |        |        | -55.65 | -21.25 | 34.40 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -67.54 | -67.01 | -67.75 |        |        |        |        |        | -56.65 | -21.25 | 35.40 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -68.03 | -68.40 | -68.10 | -67.77 |        |        |        |        | -50.03 | -21.25 | 28.78 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -67.32 | -67.39 | -66.46 | -68.02 |        |        |        |        | -52.23 | -21.25 | 30.98 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -68.05 | -67.95 | -66.95 | -68.23 |        |        |        |        | -54.49 | -21.25 | 33.24 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -66.93 | -67.73 | -68.14 | -68.08 |        |        |        |        | -55.67 | -21.25 | 34.42 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -67.75 | -67.45 | -67.35 |        | -67.08 | -67.90 | -67.24 |        | -45.89 | -21.25 | 24.64 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -67.60 | -67.38 | -67.69 |        | -68.63 | -68.66 | -68.46 |        | -49.49 | -21.25 | 28.24 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -67.01 | -68.08 | -67.82 |        | -67.73 | -67.62 | -68.32 |        | -50.95 | -21.25 | 29.70 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -68.26 | -67.00 | -68.56 |        | -67.73 | -67.40 | -67.19 |        | -52.11 | -21.25 | 30.86 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -67.22 | -67.66 | -68.46 |        | -68.66 | -68.40 | -68.06 |        | -53.47 | -21.25 | 32.22 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -68.30 | -67.79 | -67.63 |        | -68.09 | -68.42 | -68.10 |        | -54.26 | -21.25 | 33.01 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -67.95 | -67.88 | -67.32 | -67.99 | -68.87 | -68.20 | -68.46 | -68.61 | -44.07 | -21.25 | 22.82 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -67.66 | -68.48 | -68.33 | -66.90 | -68.78 | -68.42 | -67.81 | -67.65 | -46.91 | -21.25 | 25.66 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -68.18 | -67.63 | -68.31 | -68.58 | -67.92 | -67.60 | -68.42 | -67.89 | -48.76 | -21.25 | 27.51 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -67.65 | -68.01 | -68.19 | -67.45 | -68.76 | -68.63 | -68.00 | -67.89 | -50.01 | -21.25 | 28.76 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -67.74 | -67.87 | -67.34 | -68.20 | -68.30 | -67.70 | -68.17 | -67.26 | -50.74 | -21.25 | 29.49 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -67.70 | -67.42 | -67.17 | -67.36 | -66.74 | -67.86 | -67.86 | -67.48 | -51.15 | -21.25 | 29.90 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -67.79 | -68.00 | -68.05 | -67.61 | -68.29 | -68.53 | -68.46 | -68.03 | -52.47 | -21.25 | 31.22 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -68.20 | -68.57 | -67.77 | -68.09 | -68.08 | -68.84 | -67.93 | -67.90 | -53.13 | -21.25 | 31.88 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -68.05 | -67.78 |        |        |        |        |        |        | -58.90 | -21.25 | 37.65 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -68.02 | -68.42 | -67.17 |        |        |        |        |        | -57.07 | -21.25 | 35.82 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -67.22 | -68.33 | -67.44 | -67.61 |        |        |        |        | -55.61 | -21.25 | 34.36 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -67.76 | -67.34 | -68.11 |        | -67.85 | -67.80 | -68.77 |        | -54.14 | -21.25 | 32.89 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -66.96 | -67.65 | -68.27 | -68.25 | -68.16 | -68.29 | -68.49 | -68.51 | -53.01 | -21.25 | 31.76 |



## 5825 MHz (Average):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Average Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|-------------------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -75.68              |                     |                     |                     |                     |                     |                     |                     | -69.68      | -41.25                  | 28.43       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -75.52              | -75.28              |                     |                     |                     |                     |                     |                     | -66.39      | -41.25                  | 25.14       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -75.95              | -75.76              | -75.96              |                     |                     |                     |                     |                     | -65.12      | -41.25                  | 23.87       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -75.56              | -75.46              | -75.12              | -75.33              |                     |                     |                     |                     | -63.34      | -41.25                  | 22.09       |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -75.76              | -75.06              | -75.29              |                     | -75.61              | -75.31              | -75.21              |                     | -58.59      | -41.25                  | 17.34       |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -75.25              | -75.44              | -75.57              | -74.83              | -75.40              | -74.06              | -75.81              | -75.95              | -57.22      | -41.25                  | 15.97       |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -75.76              | -75.65              |                     |                     |                     |                     |                     |                     | -63.68      | -41.25                  | 22.43       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -75.81              | -75.97              | -75.54              |                     |                     |                     |                     |                     | -60.23      | -41.25                  | 18.98       |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -75.92              | -75.62              | -75.92              | -75.89              |                     |                     |                     |                     | -57.80      | -41.25                  | 16.55       |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -75.48              | -75.65              | -75.37              |                     | -75.56              | -75.63              | -75.53              |                     | -53.97      | -41.25                  | 12.72       |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -75.70              | -75.53              | -75.77              | -75.56              | -74.93              | -75.30              | -75.57              | -75.59              | -51.43      | -41.25                  | 10.18       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -75.50              |                     |                     |                     |                     |                     |                     |                     | -69.50      | -41.25                  | 28.25       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -75.55              | -75.67              |                     |                     |                     |                     |                     |                     | -66.60      | -41.25                  | 25.35       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -75.15              | -75.94              |                     |                     |                     |                     |                     |                     | -66.51      | -41.25                  | 25.26       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -75.81              | -75.29              | -75.75              |                     |                     |                     |                     |                     | -64.84      | -41.25                  | 23.59       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -75.30              | -75.59              | -75.65              |                     |                     |                     |                     |                     | -64.74      | -41.25                  | 23.49       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -75.14              | -75.68              | -75.45              |                     |                     |                     |                     |                     | -64.64      | -41.25                  | 23.39       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -75.41              | -75.66              | -75.89              | -75.70              |                     |                     |                     |                     | -63.64      | -41.25                  | 22.39       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -75.88              | -75.62              | -75.55              | -75.34              |                     |                     |                     |                     | -63.57      | -41.25                  | 22.32       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -75.74              | -75.55              | -75.18              | -75.78              |                     |                     |                     |                     | -63.54      | -41.25                  | 22.29       |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -75.88              | -75.53              | -75.50              | -75.60              |                     |                     |                     |                     | -63.60      | -41.25                  | 22.35       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -76.00              | -75.35              | -76.17              |                     | -75.84              | -76.18              | -75.93              |                     | -59.12      | -41.25                  | 17.87       |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2     | 6 | 8.39  | -75.74 | -75.21 | -74.76 |        | -75.26 | -75.80 | -75.63 |        | -59.21 | -41.25 | 17.96 |
| HT/VHT20, M16 to M23, M0.3 to M8.3    | 6 | 7.51  | -75.53 | -75.85 | -75.67 |        | -75.44 | -75.38 | -75.68 |        | -60.30 | -41.25 | 19.05 |
| HT/VHT20, M24 to M31, M0.4 to M8.4    | 6 | 6.88  | -75.09 | -75.42 | -74.95 |        | -75.87 | -75.44 | -75.25 |        | -60.66 | -41.25 | 19.41 |
| VHT20, M0.5 to M8.5                   | 6 | 6.40  | -75.47 | -75.76 | -75.96 |        | -75.11 | -75.36 | -75.71 |        | -61.37 | -41.25 | 20.12 |
| VHT20, M0.6 to M8.6                   | 6 | 6.00  | -75.35 | -75.62 | -75.82 |        | -75.67 | -75.86 | -75.58 |        | -61.87 | -41.25 | 20.62 |
| HT/VHT20, M0 to M7, M0.1 to M8.1      | 8 | 9.00  | -75.83 | -75.50 | -75.48 | -76.03 | -75.88 | -75.74 | -75.51 | -75.50 | -57.65 | -41.25 | 16.40 |
| HT/VHT20, M8 to M15, M0.2 to M8.2     | 8 | 9.00  | -75.72 | -75.90 | -75.84 | -75.53 | -75.92 | -75.33 | -75.41 | -75.56 | -57.61 | -41.25 | 16.36 |
| HT/VHT20, M16 to M23, M0.3 to M8.3    | 8 | 8.13  | -75.50 | -75.31 | -75.02 | -75.69 | -75.80 | -75.79 | -75.59 | -75.76 | -58.39 | -41.25 | 17.14 |
| HT/VHT20, M24 to M31, M0.4 to M8.4    | 8 | 7.51  | -75.82 | -75.90 | -75.29 | -75.85 | -75.54 | -75.38 | -75.64 | -75.98 | -59.13 | -41.25 | 17.88 |
| VHT20, M0.5 to M8.5                   | 8 | 7.02  | -75.60 | -75.75 | -75.55 | -75.94 | -75.74 | -75.46 | -75.76 | -75.09 | -59.55 | -41.25 | 18.30 |
| VHT20, M0.6 to M8.6                   | 8 | 6.62  | -75.91 | -75.90 | -75.42 | -75.72 | -75.39 | -75.10 | -75.66 | -75.68 | -59.94 | -41.25 | 18.69 |
| VHT20, M0.7 to M8.7                   | 8 | 6.29  | -75.34 | -75.57 | -75.91 | -75.80 | -75.70 | -75.25 | -75.71 | -75.41 | -60.26 | -41.25 | 19.01 |
| VHT20, M0.8 to M8.8                   | 8 | 6.00  | -76.22 | -76.05 | -75.66 | -75.72 | -75.23 | -75.35 | -75.29 | -75.85 | -60.62 | -41.25 | 19.37 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 2 | 9.01  | -75.46 | -75.56 |        |        |        |        |        |        | -63.49 | -41.25 | 22.24 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 2 | 6.00  | -75.81 | -75.54 |        |        |        |        |        |        | -66.66 | -41.25 | 25.41 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 3 | 10.77 | -75.80 | -75.20 | -75.63 |        |        |        |        |        | -60.00 | -41.25 | 18.75 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 3 | 7.76  | -76.04 | -75.52 | -75.55 |        |        |        |        |        | -63.16 | -41.25 | 21.91 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 3 | 6.00  | -75.71 | -75.66 | -75.68 |        |        |        |        |        | -64.91 | -41.25 | 23.66 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 4 | 12.02 | -75.82 | -75.73 | -75.58 | -76.12 |        |        |        |        | -57.77 | -41.25 | 16.52 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 4 | 9.01  | -75.38 | -75.63 | -76.08 | -75.28 |        |        |        |        | -60.55 | -41.25 | 19.30 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 4 | 7.25  | -75.63 | -75.70 | -75.85 | -75.84 |        |        |        |        | -62.48 | -41.25 | 21.23 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 4 | 6.00  | -75.86 | -75.27 | -75.11 | -75.70 |        |        |        |        | -63.45 | -41.25 | 22.20 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 6 | 13.78 | -76.02 | -75.62 | -75.73 |        | -75.31 | -75.82 | -75.46 |        | -54.09 | -41.25 | 12.84 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 6 | 10.77 | -75.70 | -75.55 | -75.91 |        | -75.19 | -75.59 | -75.36 |        | -56.99 | -41.25 | 15.74 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 6 | 9.01  | -75.75 | -75.38 | -75.68 |        | -76.01 | -75.17 | -75.57 |        | -58.79 | -41.25 | 17.54 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 6 | 7.76  | -75.58 | -75.81 | -76.02 |        | -75.18 | -75.56 | -75.80 |        | -60.11 | -41.25 | 18.86 |
| VHT20, M0.5 to M8.5-BF                | 6 | 6.79  | -75.27 | -75.78 | -75.48 |        | -75.77 | -75.46 | -75.54 |        | -60.97 | -41.25 | 19.72 |
| VHT20, M0.6 to M8.6-BF                | 6 | 6.00  | -75.46 | -75.37 | -75.36 |        | -75.80 | -75.31 | -74.96 |        | -61.59 | -41.25 | 20.34 |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -75.34 | -75.91 | -75.82 | -75.85 | -75.31 | -75.52 | -75.86 | -75.92 | -51.62 | -41.25 | 10.37 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -75.93 | -75.83 | -75.34 | -75.08 | -75.74 | -75.47 | -75.85 | -75.74 | -54.56 | -41.25 | 13.31 |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -75.78 | -75.77 | -75.38 | -75.55 | -76.10 | -75.77 | -75.62 | -75.62 | -56.40 | -41.25 | 15.15 |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -75.47 | -75.84 | -75.40 | -75.94 | -75.68 | -75.79 | -75.86 | -75.71 | -57.67 | -41.25 | 16.42 |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -75.82 | -75.55 | -75.14 | -75.47 | -76.07 | -75.62 | -75.76 | -75.51 | -58.54 | -41.25 | 17.29 |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -75.45 | -76.20 | -75.13 | -75.51 | -75.46 | -76.04 | -75.70 | -75.06 | -59.27 | -41.25 | 18.02 |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -75.71 | -75.54 | -75.70 | -75.68 | -75.71 | -75.52 | -75.90 | -75.33 | -60.02 | -41.25 | 18.77 |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -75.93 | -75.24 | -75.32 | -75.30 | -75.45 | -75.46 | -75.76 | -75.58 | -60.47 | -41.25 | 19.22 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -75.50 | -75.21 |        |        |        |        |        |        | -66.34 | -41.25 | 25.09 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -74.82 | -75.55 | -75.88 |        |        |        |        |        | -64.62 | -41.25 | 23.37 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -75.62 | -75.55 | -75.47 | -75.83 |        |        |        |        | -63.59 | -41.25 | 22.34 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -75.50 | -75.96 | -75.51 |        | -74.92 | -75.48 | -75.06 |        | -61.61 | -41.25 | 20.36 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -75.76 | -75.51 | -75.98 | -75.74 | -75.70 | -75.73 | -75.97 | -75.48 | -60.70 | -41.25 | 19.45 |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -75.75 |        |        |        |        |        |        |        | -69.75 | -41.25 | 28.50 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -74.96 | -75.46 |        |        |        |        |        |        | -66.20 | -41.25 | 24.95 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -75.72 | -75.61 |        |        |        |        |        |        | -66.65 | -41.25 | 25.40 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -76.03 | -75.33 | -75.29 |        |        |        |        |        | -64.76 | -41.25 | 23.51 |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -75.48 | -75.42 | -75.44 |        |        |        |        |        | -64.67 | -41.25 | 23.42 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -75.96 | -75.81 | -75.59 |        |        |        |        |        | -65.01 | -41.25 | 23.76 |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -75.49 | -75.78 | -74.88 | -75.71 |        |        |        |        | -63.43 | -41.25 | 22.18 |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -75.75 | -76.04 | -75.62 | -75.93 |        |        |        |        | -63.81 | -41.25 | 22.56 |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -75.73 | -75.92 | -75.80 | -75.64 |        |        |        |        | -63.75 | -41.25 | 22.50 |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -75.71 | -73.97 | -75.56 | -75.64 |        |        |        |        | -63.14 | -41.25 | 21.89 |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -75.47 | -75.53 | -75.72 |        | -75.13 | -75.88 | -74.84 |        | -58.63 | -41.25 | 17.38 |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -75.95 | -75.84 | -75.46 |        | -75.47 | -74.67 | -75.53 |        | -59.29 | -41.25 | 18.04 |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -75.56 | -75.72 | -75.71 |        | -75.99 | -75.23 | -76.12 |        | -60.42 | -41.25 | 19.17 |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -75.86 | -75.34 | -75.74 |        | -75.95 | -75.63 | -75.57 |        | -61.01 | -41.25 | 19.76 |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -75.66 | -75.63 | -75.52 |        | -75.25 | -75.84 | -75.74 |        | -61.42 | -41.25 | 20.17 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -76.00 | -75.28 | -75.41 |        | -74.87 | -75.81 | -75.40 |        | -61.66 | -41.25 | 20.41 |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -75.78 | -75.63 | -75.43 | -75.49 | -75.41 | -75.66 | -75.34 | -75.70 | -57.52 | -41.25 | 16.27 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -75.61 | -75.78 | -75.86 | -75.36 | -75.23 | -75.73 | -75.74 | -75.47 | -57.56 | -41.25 | 16.31 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -75.64 | -75.43 | -75.83 | -75.71 | -75.09 | -75.57 | -75.94 | -75.82 | -58.46 | -41.25 | 17.21 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -75.40 | -75.80 | -76.03 | -75.32 | -75.26 | -75.67 | -75.27 | -75.77 | -59.01 | -41.25 | 17.76 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -75.89 | -75.62 | -74.86 | -75.73 | -75.77 | -75.71 | -75.58 | -75.58 | -59.53 | -41.25 | 18.28 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -74.83 | -75.55 | -75.98 | -75.34 | -75.25 | -75.78 | -75.40 | -75.57 | -59.80 | -41.25 | 18.55 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -75.77 | -75.02 | -75.70 | -75.56 | -75.51 | -75.43 | -74.87 | -75.39 | -60.08 | -41.25 | 18.83 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -75.61 | -75.30 | -75.66 | -75.58 | -75.36 | -76.06 | -75.54 | -75.44 | -60.53 | -41.25 | 19.28 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -75.77 | -75.17 |        |        |        |        |        |        | -63.44 | -41.25 | 22.19 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -75.65 | -75.65 |        |        |        |        |        |        | -66.64 | -41.25 | 25.39 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -75.63 | -75.19 | -75.33 |        |        |        |        |        | -59.84 | -41.25 | 18.59 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -75.65 | -75.05 | -75.59 |        |        |        |        |        | -62.89 | -41.25 | 21.64 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -75.01 | -75.70 | -75.68 |        |        |        |        |        | -64.68 | -41.25 | 23.43 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -75.81 | -75.51 | -75.68 | -75.55 |        |        |        |        | -57.59 | -41.25 | 16.34 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -75.99 | -75.59 | -75.66 | -74.80 |        |        |        |        | -60.46 | -41.25 | 19.21 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -75.70 | -75.57 | -75.66 | -75.85 |        |        |        |        | -62.42 | -41.25 | 21.17 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -75.32 | -75.51 | -75.80 | -75.42 |        |        |        |        | -63.49 | -41.25 | 22.24 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -75.66 | -75.70 | -75.34 |        | -75.45 | -75.39 | -75.64 |        | -53.96 | -41.25 | 12.71 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -75.82 | -75.32 | -75.50 |        | -75.97 | -75.18 | -75.80 |        | -57.04 | -41.25 | 15.79 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -75.50 | -75.78 | -75.12 |        | -75.32 | -75.68 | -75.40 |        | -58.67 | -41.25 | 17.42 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -75.77 | -75.83 | -75.94 |        | -75.74 | -75.46 | -75.88 |        | -60.23 | -41.25 | 18.98 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -75.40 | -75.40 | -75.28 |        | -75.70 | -75.66 | -75.58 |        | -60.93 | -41.25 | 19.68 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -75.21 | -76.07 | -75.46 |        | -75.48 | -75.59 | -75.68 |        | -61.79 | -41.25 | 20.54 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -75.64 | -75.76 | -75.43 | -75.62 | -75.69 | -75.22 | -75.60 | -75.88 | -51.54 | -41.25 | 10.29 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -75.78 | -76.10 | -76.19 | -75.47 | -75.00 | -75.66 | -75.91 | -75.74 | -54.67 | -41.25 | 13.42 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -75.53 | -75.75 | -75.42 | -75.40 | -75.48 | -75.44 | -75.15 | -75.28 | -56.14 | -41.25 | 14.89 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -75.42 | -75.84 | -76.12 | -75.84 | -75.39 | -75.42 | -75.57 | -75.54 | -57.59 | -41.25 | 16.34 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -75.96 | -75.85 | -75.82 | -75.21 | -75.59 | -75.92 | -75.94 | -75.81 | -58.69 | -41.25 | 17.44 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -75.23 | -75.91 | -75.30 | -75.63 | -75.02 | -75.21 | -75.53 | -75.18 | -59.09 | -41.25 | 17.84 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -75.59 | -75.53 | -75.35 | -75.88 | -75.61 | -76.17 | -75.47 | -75.94 | -60.07 | -41.25 | 18.82 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -75.38 | -75.48 | -75.37 | -76.12 | -75.86 | -75.48 | -75.54 | -75.63 | -60.57 | -41.25 | 19.32 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -75.62 | -75.71 |        |        |        |        |        |        | -66.65 | -41.25 | 25.40 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -75.86 | -75.28 | -75.72 |        |        |        |        |        | -64.84 | -41.25 | 23.59 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -75.52 | -75.46 | -75.34 | -75.28 |        |        |        |        | -63.38 | -41.25 | 22.13 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -75.72 | -75.10 | -75.50 |        | -76.04 | -75.54 | -75.46 |        | -61.77 | -41.25 | 20.52 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -75.64 | -75.82 | -76.17 | -75.83 | -75.52 | -75.38 | -74.95 | -75.67 | -60.58 | -41.25 | 19.33 |

## 5795 MHz (Peak):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Peak Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|----------------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | -67.13              |                     |                     |                     |                     |                     |                     |                     | -67.13      | -21.25               | 45.88       |
| non HT40, 6 to 54 Mbps             | 2        | 6.00                          | -65.47              | -67.37              |                     |                     |                     |                     |                     |                     | -57.31      | -21.25               | 36.06       |
| non HT40, 6 to 54 Mbps             | 3        | 6.00                          | -67.21              | -67.08              | -67.27              |                     |                     |                     |                     |                     | -56.41      | -21.25               | 35.16       |
| non HT40, 6 to 54 Mbps             | 4        | 6.00                          | -66.95              | -66.65              | -67.04              | -66.74              |                     |                     |                     |                     | -54.82      | -21.25               | 33.57       |
| non HT40, 6 to 54 Mbps             | 6        | 9.00                          | -67.73              | -67.68              | -67.37              |                     | -67.39              | -67.60              | -67.23              |                     | -50.71      | -21.25               | 29.46       |
| non HT40, 6 to 54 Mbps             | 8        | 9.00                          | -66.57              | -67.04              | -66.79              | -66.25              | -67.09              | -65.94              | -66.87              | -64.57              | -48.28      | -21.25               | 27.03       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | -67.80              |                     |                     |                     |                     |                     |                     |                     | -61.80      | -21.25               | 40.55       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 6.00                          | -67.88              | -68.43              |                     |                     |                     |                     |                     |                     | -59.14      | -21.25               | 37.89       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | -68.35              | -68.48              |                     |                     |                     |                     |                     |                     | -59.40      | -21.25               | 38.15       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 6.00                          | -68.19              | -68.25              | -67.79              |                     |                     |                     |                     |                     | -57.30      | -21.25               | 36.05       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 6.00                          | -68.03              | -67.82              | -68.04              |                     |                     |                     |                     |                     | -57.19      | -21.25               | 35.94       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | -68.75              | -67.54              | -67.57              |                     |                     |                     |                     |                     | -57.15      | -21.25               | 35.90       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 6.00                          | -68.16              | -68.14              | -68.85              | -67.57              |                     |                     |                     |                     | -56.14      | -21.25               | 34.89       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 6.00                          | -67.77              | -67.70              | -68.43              | -68.03              |                     |                     |                     |                     | -55.95      | -21.25               | 34.70       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 6.00                          | -67.66              | -67.82              | -67.62              | -67.33              |                     |                     |                     |                     | -55.58      | -21.25               | 34.33       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | -68.19              | -68.35              | -67.63              | -67.28              |                     |                     |                     |                     | -55.82      | -21.25               | 34.57       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 6.00                          | -67.33              | -67.73              | -67.21              |                     | -68.21              | -68.94              | -66.63              |                     | -53.83      | -21.25               | 32.58       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 6.00                          | -68.28              | -67.05              | -68.47              |                     | -68.17              | -68.54              | -67.58              |                     | -54.20      | -21.25               | 32.95       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 6.00                          | -68.05              | -68.10              | -68.44              |                     | -68.16              | -68.18              | -67.87              |                     | -54.35      | -21.25               | 33.10       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 6.00                          | -67.88              | -68.54              | -68.26              |                     | -68.30              | -68.27              | -68.63              |                     | -54.53      | -21.25               | 33.28       |
| VHT40, M0.5 to M9.5                | 6        | 6.00                          | -67.58              | -67.84              | -67.80              |                     | -68.05              | -68.55              | -67.36              |                     | -54.06      | -21.25               | 32.81       |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | -67.73              | -68.45              | -68.10              |                     | -66.32              | -67.92              | -66.92              |                     | -53.73      | -21.25               | 32.48       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 6.00                          | -68.02              | -68.30              | -68.31              | -67.92              | -68.37              | -67.32              | -68.41              | -68.16              | -53.06      | -21.25               | 31.81       |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 6.00  | -68.27 | -66.53 | -68.27 | -67.59 | -67.84 | -67.88 | -68.47 | -68.77 | -52.87 | -21.25 | 31.62 |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 6.00  | -67.72 | -68.23 | -67.94 | -67.81 | -67.70 | -67.93 | -67.63 | -68.10 | -52.85 | -21.25 | 31.60 |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 6.00  | -67.11 | -68.14 | -67.02 | -68.53 | -67.84 | -67.90 | -67.51 | -68.05 | -52.70 | -21.25 | 31.45 |
| VHT40, M0.5 to M9.5                   | 8 | 6.00  | -68.17 | -68.83 | -68.27 | -67.35 | -68.00 | -68.24 | -68.02 | -68.09 | -53.07 | -21.25 | 31.82 |
| VHT40, M0.6 to M9.6                   | 8 | 6.00  | -68.16 | -67.12 | -68.77 | -68.06 | -67.80 | -68.28 | -68.02 | -68.10 | -52.99 | -21.25 | 31.74 |
| VHT40, M0.7 to M9.7                   | 8 | 6.00  | -67.58 | -67.70 | -68.33 | -67.96 | -67.86 | -68.69 | -68.46 | -68.24 | -53.06 | -21.25 | 31.81 |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | -68.44 | -68.23 | -68.26 | -67.67 | -67.84 | -67.43 | -68.53 | -67.94 | -53.00 | -21.25 | 31.75 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | -69.16 | -69.06 |        |        |        |        |        |        | -57.09 | -21.25 | 35.84 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | -66.86 | -68.01 |        |        |        |        |        |        | -58.39 | -21.25 | 37.14 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | -68.41 | -68.53 | -68.30 |        |        |        |        |        | -52.87 | -21.25 | 31.62 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | -67.84 | -67.83 | -68.01 |        |        |        |        |        | -55.36 | -21.25 | 34.11 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | -68.13 | -67.48 | -68.17 |        |        |        |        |        | -57.14 | -21.25 | 35.89 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | -68.15 | -68.05 | -67.97 | -67.77 |        |        |        |        | -49.94 | -21.25 | 28.69 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | -67.13 | -67.97 | -67.43 | -68.75 |        |        |        |        | -52.75 | -21.25 | 31.50 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | -66.97 | -67.73 | -68.25 | -68.22 |        |        |        |        | -54.49 | -21.25 | 33.24 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | -67.68 | -68.77 | -68.16 | -67.97 |        |        |        |        | -56.11 | -21.25 | 34.86 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | -68.34 | -68.14 | -68.21 |        | -67.96 | -67.63 | -67.90 |        | -46.46 | -21.25 | 25.21 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | -67.19 | -68.58 | -68.42 |        | -67.69 | -67.60 | -67.85 |        | -49.31 | -21.25 | 28.06 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | -67.98 | -67.98 | -68.28 |        | -68.73 | -68.57 | -66.95 |        | -51.25 | -21.25 | 30.00 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | -67.73 | -68.04 | -68.60 |        | -68.48 | -68.61 | -67.20 |        | -52.54 | -21.25 | 31.29 |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | -68.31 | -67.35 | -67.58 |        | -66.60 | -67.38 | -67.85 |        | -52.91 | -21.25 | 31.66 |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | -68.39 | -68.31 | -68.30 |        | -68.27 | -68.44 | -67.96 |        | -54.49 | -21.25 | 33.24 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | -68.12 | -67.76 | -68.15 | -68.45 | -67.63 | -67.50 | -68.28 | -68.64 | -43.99 | -21.25 | 22.74 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | -68.00 | -68.50 | -67.82 | -67.69 | -68.37 | -68.40 | -68.51 | -68.62 | -47.17 | -21.25 | 25.92 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | -68.39 | -68.84 | -67.05 | -67.54 | -68.38 | -67.17 | -67.54 | -67.89 | -48.52 | -21.25 | 27.27 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | -68.58 | -67.89 | -66.82 | -68.68 | -68.49 | -68.19 | -67.64 | -68.79 | -50.05 | -21.25 | 28.80 |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | -68.20 | -68.17 | -68.05 | -67.31 | -68.67 | -68.23 | -68.07 | -68.45 | -51.06 | -21.25 | 29.81 |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | -67.63 | -68.22 | -68.17 | -67.90 | -68.48 | -67.56 | -67.32 | -68.05 | -51.62 | -21.25 | 30.37 |

|                                   |   |      |        |        |        |        |        |        |        |        |        |        |       |
|-----------------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58 | -68.44 | -68.03 | -67.68 | -68.04 | -67.97 | -68.42 | -68.39 | -67.55 | -52.44 | -21.25 | 31.19 |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00 | -68.17 | -68.19 | -67.53 | -68.18 | -68.15 | -68.08 | -67.77 | -67.83 | -52.95 | -21.25 | 31.70 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00 | -68.10 | -68.55 |        |        |        |        |        |        | -59.30 | -21.25 | 38.05 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00 | -67.68 | -67.12 | -67.26 |        |        |        |        |        | -56.58 | -21.25 | 35.33 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00 | -68.21 | -68.13 | -68.22 | -67.91 |        |        |        |        | -56.10 | -21.25 | 34.85 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00 | -68.17 | -68.39 | -68.23 |        | -68.50 | -68.40 | -68.33 |        | -54.55 | -21.25 | 33.30 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00 | -67.33 | -67.57 | -67.87 | -68.38 | -68.57 | -67.21 | -68.27 | -67.98 | -52.84 | -21.25 | 31.59 |
| HE40, M0.1 to M11.1               | 1 | 6.00 | -67.44 |        |        |        |        |        |        |        | -61.44 | -21.25 | 40.19 |
| HE40, M0.1 to M11.1               | 2 | 6.00 | -68.21 | -67.15 |        |        |        |        |        |        | -58.64 | -21.25 | 37.39 |
| HE40, M0.2 to M11.2               | 2 | 6.00 | -68.38 | -68.59 |        |        |        |        |        |        | -59.47 | -21.25 | 38.22 |
| HE40, M0.1 to M11.1               | 3 | 6.00 | -68.09 | -68.05 | -68.18 |        |        |        |        |        | -57.34 | -21.25 | 36.09 |
| HE40, M0.2 to M11.2               | 3 | 6.00 | -68.18 | -67.86 | -68.19 |        |        |        |        |        | -57.30 | -21.25 | 36.05 |
| HE40, M0.3 to M11.3               | 3 | 6.00 | -68.49 | -67.04 | -67.89 |        |        |        |        |        | -56.99 | -21.25 | 35.74 |
| HE40, M0.1 to M11.1               | 4 | 6.00 | -68.15 | -68.06 | -68.50 | -67.95 |        |        |        |        | -56.14 | -21.25 | 34.89 |
| HE40, M0.2 to M11.2               | 4 | 6.00 | -68.55 | -67.96 | -68.47 | -67.97 |        |        |        |        | -56.21 | -21.25 | 34.96 |
| HE40, M0.3 to M11.3               | 4 | 6.00 | -67.83 | -67.31 | -67.26 | -67.11 |        |        |        |        | -55.35 | -21.25 | 34.10 |
| HE40, M0.4 to M11.4               | 4 | 6.00 | -68.23 | -67.50 | -67.73 | -67.96 |        |        |        |        | -55.83 | -21.25 | 34.58 |
| HE40, M0.1 to M11.1               | 6 | 6.00 | -68.23 | -68.01 | -68.11 |        | -68.48 | -68.37 | -68.44 |        | -54.49 | -21.25 | 33.24 |
| HE40, M0.2 to M11.2               | 6 | 6.00 | -68.58 | -68.39 | -67.33 |        | -68.03 | -68.26 | -68.76 |        | -54.42 | -21.25 | 33.17 |
| HE40, M0.3 to M11.3               | 6 | 6.00 | -68.34 | -68.01 | -69.05 |        | -68.40 | -68.04 | -68.21 |        | -54.55 | -21.25 | 33.30 |
| HE40, M0.4 to M11.4               | 6 | 6.00 | -68.23 | -67.64 | -67.99 |        | -67.70 | -67.72 | -68.07 |        | -54.10 | -21.25 | 32.85 |
| HE40, M0.5 to M11.5               | 6 | 6.00 | -67.87 | -68.02 | -67.97 |        | -68.27 | -68.31 | -68.12 |        | -54.31 | -21.25 | 33.06 |
| HE40, M0.6 to M11.6               | 6 | 6.00 | -68.72 | -68.44 | -67.73 |        | -68.01 | -67.71 | -68.29 |        | -54.35 | -21.25 | 33.10 |
| HE40, M0.1 to M11.1               | 8 | 6.00 | -68.00 | -66.69 | -68.31 | -68.69 | -68.69 | -67.99 | -67.24 | -67.60 | -52.82 | -21.25 | 31.57 |
| HE40, M0.2 to M11.2               | 8 | 6.00 | -68.21 | -68.03 | -67.45 | -68.19 | -68.86 | -67.72 | -67.87 | -66.99 | -52.85 | -21.25 | 31.60 |
| HE40, M0.3 to M11.3               | 8 | 6.00 | -68.46 | -68.31 | -68.93 | -68.03 | -68.12 | -68.70 | -68.31 | -67.91 | -53.30 | -21.25 | 32.05 |
| HE40, M0.4 to M11.4               | 8 | 6.00 | -68.85 | -68.36 | -67.75 | -68.43 | -67.69 | -67.77 | -68.31 | -68.38 | -53.14 | -21.25 | 31.89 |
| HE40, M0.5 to M11.5               | 8 | 6.00 | -68.61 | -68.35 | -67.69 | -67.72 | -67.87 | -68.22 | -67.86 | -68.38 | -53.05 | -21.25 | 31.80 |



|                               |          |              |               |               |               |               |               |               |               |               |               |               |              |
|-------------------------------|----------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|--------------|
| HE40, M0.6 to M11.6           | 8        | 6.00         | -67.73        | -68.29        | -67.39        | -68.15        | -68.57        | -68.09        | -68.69        | -67.01        | -52.92        | -21.25        | 31.67        |
| HE40, M0.7 to M11.7           | 8        | 6.00         | -67.78        | -68.19        | -68.42        | -67.77        | -68.05        | -68.40        | -66.59        | -68.43        | -52.88        | -21.25        | 31.63        |
| HE40, M0.8 to M11.8           | 8        | 6.00         | -67.81        | -68.81        | -67.62        | -67.73        | -67.05        | -67.98        | -67.79        | -67.03        | -52.66        | -21.25        | 31.41        |
| HE40, M0.1 to M11.1-BF        | 2        | 9.01         | -67.97        | -68.14        |               |               |               |               |               |               | -56.03        | -21.25        | 34.78        |
| HE40, M0.2 to M11.2-BF        | 2        | 6.00         | -68.87        | -66.58        |               |               |               |               |               |               | -58.56        | -21.25        | 37.31        |
| HE40, M0.1 to M11.1-BF        | 3        | 10.77        | -68.56        | -67.95        | -67.77        |               |               |               |               |               | -52.54        | -21.25        | 31.29        |
| HE40, M0.2 to M11.2-BF        | 3        | 7.76         | -67.23        | -67.35        | -67.48        |               |               |               |               |               | -54.82        | -21.25        | 33.57        |
| HE40, M0.3 to M11.3-BF        | 3        | 6.00         | -68.14        | -68.10        | -67.15        |               |               |               |               |               | -57.00        | -21.25        | 35.75        |
| HE40, M0.1 to M11.1-BF        | 4        | 12.02        | -66.31        | -67.67        | -67.75        | -67.92        |               |               |               |               | -49.32        | -21.25        | 28.07        |
| HE40, M0.2 to M11.2-BF        | 4        | 9.01         | -68.68        | -69.21        | -67.35        | -68.07        |               |               |               |               | -53.24        | -21.25        | 31.99        |
| HE40, M0.3 to M11.3-BF        | 4        | 7.25         | -67.98        | -68.21        | -67.48        | -68.76        |               |               |               |               | -54.81        | -21.25        | 33.56        |
| HE40, M0.4 to M11.4-BF        | 4        | 6.00         | -66.52        | -67.85        | -68.54        | -67.29        |               |               |               |               | -55.47        | -21.25        | 34.22        |
| HE40, M0.1 to M11.1-BF        | 6        | 13.78        | -68.04        | -67.19        | -68.11        |               | -68.66        | -67.83        | -67.94        |               | -46.38        | -21.25        | 25.13        |
| HE40, M0.2 to M11.2-BF        | 6        | 10.77        | -68.65        | -68.09        | -68.42        |               | -68.38        | -68.41        | -68.27        |               | -49.81        | -21.25        | 28.56        |
| HE40, M0.3 to M11.3-BF        | 6        | 9.01         | -67.62        | -68.33        | -68.30        |               | -67.98        | -68.03        | -66.78        |               | -51.01        | -21.25        | 29.76        |
| HE40, M0.4 to M11.4-BF        | 6        | 7.76         | -68.58        | -68.75        | -68.03        |               | -67.65        | -68.28        | -67.82        |               | -52.62        | -21.25        | 31.37        |
| HE40, M0.5 to M11.5-BF        | 6        | 6.79         | -68.34        | -67.75        | -67.99        |               | -67.23        | -67.45        | -68.00        |               | -53.20        | -21.25        | 31.95        |
| HE40, M0.6 to M11.6-BF        | 6        | 6.00         | -68.15        | -68.29        | -68.22        |               | -67.24        | -67.34        | -68.46        |               | -54.14        | -21.25        | 32.89        |
| <b>HE40, M0.1 to M11.1-BF</b> | <b>8</b> | <b>15.03</b> | <b>-67.49</b> | <b>-67.63</b> | <b>-68.01</b> | <b>-67.66</b> | <b>-67.04</b> | <b>-67.34</b> | <b>-67.59</b> | <b>-67.50</b> | <b>-43.46</b> | <b>-21.25</b> | <b>22.21</b> |
| HE40, M0.2 to M11.2-BF        | 8        | 12.02        | -67.89        | -67.60        | -67.78        | -66.92        | -68.27        | -68.31        | -67.98        | -68.46        | -46.83        | -21.25        | 25.58        |
| HE40, M0.3 to M11.3-BF        | 8        | 10.26        | -68.36        | -68.63        | -67.79        | -67.26        | -67.75        | -68.10        | -67.77        | -67.88        | -48.63        | -21.25        | 27.38        |
| HE40, M0.4 to M11.4-BF        | 8        | 9.01         | -68.25        | -67.26        | -67.80        | -67.72        | -67.44        | -67.98        | -66.27        | -67.12        | -49.40        | -21.25        | 28.15        |
| HE40, M0.5 to M11.5-BF        | 8        | 8.04         | -68.55        | -68.62        | -68.02        | -67.53        | -68.43        | -68.41        | -67.11        | -68.04        | -50.99        | -21.25        | 29.74        |
| HE40, M0.6 to M11.6-BF        | 8        | 7.25         | -68.13        | -68.12        | -68.05        | -68.06        | -67.78        | -67.75        | -68.13        | -68.65        | -51.79        | -21.25        | 30.54        |
| HE40, M0.7 to M11.7-BF        | 8        | 6.58         | -67.81        | -67.84        | -66.40        | -68.16        | -67.95        | -69.07        | -67.27        | -68.62        | -52.21        | -21.25        | 30.96        |
| HE40, M0.8 to M11.8-BF        | 8        | 6.00         | -68.28        | -68.30        | -66.94        | -68.59        | -67.55        | -67.89        | -67.56        | -68.28        | -52.86        | -21.25        | 31.61        |
| HE40, M0 to M11-STBC          | 2        | 6.00         | -68.35        | -67.92        |               |               |               |               |               |               | -59.12        | -21.25        | 37.87        |
| HE40, M0 to M11-STBC          | 3        | 6.00         | -68.74        | -67.76        | -68.19        |               |               |               |               |               | -57.44        | -21.25        | 36.19        |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |       |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE40, M0 to M11-STBC | 4 | 6.00 | -68.20 | -67.50 | -68.03 | -66.46 |        |        |        |        | -55.47 | -21.25 | 34.22 |
| HE40, M0 to M11-STBC | 6 | 6.00 | -67.71 | -67.71 | -68.44 |        | -67.75 | -67.70 | -68.66 |        | -54.19 | -21.25 | 32.94 |
| HE40, M0 to M11-STBC | 8 | 6.00 | -68.26 | -67.20 | -67.71 | -67.96 | -68.17 | -67.64 | -68.73 | -67.34 | -52.82 | -21.25 | 31.57 |

## 5795 MHz (Average):

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Average Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|-------------------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | -75.13              |                     |                     |                     |                     |                     |                     |                     | -75.13      | -41.25                  | 33.88       |
| non HT40, 6 to 54 Mbps             | 2        | 6.00                          | -74.53              | -75.05              |                     |                     |                     |                     |                     |                     | -65.77      | -41.25                  | 24.52       |
| non HT40, 6 to 54 Mbps             | 3        | 6.00                          | -75.26              | -74.93              | -75.04              |                     |                     |                     |                     |                     | -64.30      | -41.25                  | 23.05       |
| non HT40, 6 to 54 Mbps             | 4        | 6.00                          | -74.96              | -73.62              | -74.85              | -75.12              |                     |                     |                     |                     | -62.57      | -41.25                  | 21.32       |
| non HT40, 6 to 54 Mbps             | 6        | 9.00                          | -75.04              | -74.50              | -74.42              |                     | -74.83              | -74.43              | -75.00              |                     | -57.91      | -41.25                  | 16.66       |
| non HT40, 6 to 54 Mbps             | 8        | 9.00                          | -74.23              | -74.67              | -74.37              | -74.62              | -75.07              | -74.96              | -74.73              | -74.45              | -56.60      | -41.25                  | 15.35       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | -75.95              |                     |                     |                     |                     |                     |                     |                     | -69.95      | -41.25                  | 28.70       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 6.00                          | -75.74              | -76.04              |                     |                     |                     |                     |                     |                     | -66.87      | -41.25                  | 25.62       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | -75.87              | -75.43              |                     |                     |                     |                     |                     |                     | -66.63      | -41.25                  | 25.38       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 6.00                          | -75.84              | -75.01              | -75.80              |                     |                     |                     |                     |                     | -64.76      | -41.25                  | 23.51       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 6.00                          | -75.16              | -75.75              | -75.96              |                     |                     |                     |                     |                     | -64.84      | -41.25                  | 23.59       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | -75.62              | -75.57              | -75.96              |                     |                     |                     |                     |                     | -64.94      | -41.25                  | 23.69       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 6.00                          | -75.62              | -75.69              | -75.08              | -75.97              |                     |                     |                     |                     | -63.56      | -41.25                  | 22.31       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 6.00                          | -75.83              | -75.36              | -75.84              | -75.96              |                     |                     |                     |                     | -63.72      | -41.25                  | 22.47       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 6.00                          | -75.95              | -75.61              | -75.90              | -75.72              |                     |                     |                     |                     | -63.77      | -41.25                  | 22.52       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | -75.40              | -75.92              | -75.82              | -75.69              |                     |                     |                     |                     | -63.68      | -41.25                  | 22.43       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 6.00                          | -75.56              | -75.64              | -75.79              |                     | -75.88              | -75.70              | -75.53              |                     | -61.90      | -41.25                  | 20.65       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 6.00                          | -75.48              | -75.46              | -75.72              |                     | -75.71              | -75.07              | -75.62              |                     | -61.72      | -41.25                  | 20.47       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 6.00                          | -75.84              | -75.75              | -75.45              |                     | -75.93              | -75.81              | -75.30              |                     | -61.89      | -41.25                  | 20.64       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 6.00                          | -75.89              | -75.65              | -75.29              |                     | -75.49              | -75.64              | -75.48              |                     | -61.79      | -41.25                  | 20.54       |
| VHT40, M0.5 to M9.5                | 6        | 6.00                          | -75.93              | -75.52              | -75.94              |                     | -75.43              | -75.54              | -74.92              |                     | -61.75      | -41.25                  | 20.50       |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | -75.70              | -76.00              | -75.00              |                     | -75.67              | -75.46              | -75.72              |                     | -61.80      | -41.25                  | 20.55       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 6.00                          | -75.59              | -75.05              | -75.46              | -75.75              | -75.34              | -75.70              | -75.73              | -75.72              | -60.51      | -41.25                  | 19.26       |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 6.00  | -75.58 | -75.83 | -75.56 | -75.59 | -75.15 | -75.94 | -75.21 | -75.54 | -60.51 | -41.25 | 19.26 |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 6.00  | -75.77 | -75.50 | -75.80 | -75.78 | -75.73 | -75.79 | -75.66 | -75.36 | -60.64 | -41.25 | 19.39 |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 6.00  | -75.62 | -75.72 | -75.96 | -75.60 | -75.86 | -75.66 | -75.86 | -75.87 | -60.74 | -41.25 | 19.49 |
| VHT40, M0.5 to M9.5                   | 8 | 6.00  | -75.08 | -75.58 | -75.49 | -75.88 | -76.06 | -75.40 | -75.13 | -75.91 | -60.52 | -41.25 | 19.27 |
| VHT40, M0.6 to M9.6                   | 8 | 6.00  | -75.70 | -75.69 | -75.38 | -75.94 | -75.57 | -75.54 | -75.82 | -75.86 | -60.65 | -41.25 | 19.40 |
| VHT40, M0.7 to M9.7                   | 8 | 6.00  | -75.60 | -75.56 | -75.93 | -75.53 | -75.48 | -75.74 | -75.56 | -75.55 | -60.58 | -41.25 | 19.33 |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | -75.48 | -75.46 | -75.10 | -75.17 | -75.02 | -75.94 | -76.11 | -74.76 | -60.33 | -41.25 | 19.08 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | -75.79 | -75.64 |        |        |        |        |        |        | -63.70 | -41.25 | 22.45 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | -75.36 | -75.97 |        |        |        |        |        |        | -66.64 | -41.25 | 25.39 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | -75.93 | -75.90 | -75.94 |        |        |        |        |        | -60.38 | -41.25 | 19.13 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | -75.84 | -75.28 | -75.87 |        |        |        |        |        | -63.12 | -41.25 | 21.87 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | -75.43 | -75.74 | -75.41 |        |        |        |        |        | -64.75 | -41.25 | 23.50 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | -75.07 | -75.31 | -75.81 | -75.20 |        |        |        |        | -57.30 | -41.25 | 16.05 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | -75.83 | -75.88 | -75.29 | -75.89 |        |        |        |        | -60.68 | -41.25 | 19.43 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | -75.49 | -75.40 | -75.81 | -75.80 |        |        |        |        | -62.35 | -41.25 | 21.10 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | -75.75 | -75.85 | -75.41 | -76.08 |        |        |        |        | -63.74 | -41.25 | 22.49 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | -75.78 | -75.83 | -75.89 |        | -75.25 | -75.59 | -75.35 |        | -54.05 | -41.25 | 12.80 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | -75.50 | -76.03 | -75.75 |        | -75.61 | -75.59 | -75.83 |        | -57.16 | -41.25 | 15.91 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | -75.72 | -75.65 | -75.87 |        | -75.55 | -75.45 | -76.02 |        | -58.91 | -41.25 | 17.66 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | -74.88 | -75.65 | -75.56 |        | -75.32 | -75.51 | -75.25 |        | -59.81 | -41.25 | 18.56 |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | -75.40 | -75.55 | -75.67 |        | -75.69 | -76.03 | -75.71 |        | -61.10 | -41.25 | 19.85 |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | -75.55 | -75.99 | -75.51 |        | -75.48 | -75.76 | -75.85 |        | -61.90 | -41.25 | 20.65 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | -75.41 | -75.59 | -75.77 | -75.96 | -75.78 | -75.43 | -75.59 | -75.57 | -51.57 | -41.25 | 10.32 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | -75.64 | -75.83 | -74.91 | -75.71 | -75.72 | -75.46 | -75.89 | -75.76 | -54.55 | -41.25 | 13.30 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | -75.49 | -75.69 | -75.65 | -75.26 | -75.41 | -75.80 | -75.77 | -75.37 | -56.26 | -41.25 | 15.01 |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | -75.25 | -75.60 | -75.47 | -75.21 | -75.19 | -75.55 | -75.90 | -75.28 | -57.38 | -41.25 | 16.13 |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | -76.01 | -75.81 | -75.91 | -75.55 | -75.03 | -76.00 | -75.62 | -75.86 | -58.64 | -41.25 | 17.39 |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | -75.68 | -75.67 | -75.98 | -75.55 | -75.52 | -75.99 | -75.47 | -74.54 | -59.25 | -41.25 | 18.00 |

|                                   |   |      |        |        |        |        |        |        |        |        |        |        |       |
|-----------------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58 | -75.87 | -75.65 | -75.75 | -75.61 | -75.55 | -75.77 | -74.81 | -75.74 | -59.97 | -41.25 | 18.72 |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00 | -75.51 | -75.51 | -75.71 | -75.05 | -75.24 | -75.71 | -75.76 | -75.93 | -60.51 | -41.25 | 19.26 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00 | -75.72 | -75.38 |        |        |        |        |        |        | -66.53 | -41.25 | 25.28 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00 | -75.68 | -75.91 | -75.47 |        |        |        |        |        | -64.91 | -41.25 | 23.66 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00 | -75.85 | -75.86 | -75.28 | -75.43 |        |        |        |        | -63.58 | -41.25 | 22.33 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00 | -74.54 | -75.42 | -75.84 |        | -75.63 | -75.74 | -75.78 |        | -61.68 | -41.25 | 20.43 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00 | -75.62 | -75.45 | -75.91 | -75.63 | -75.38 | -76.06 | -75.85 | -74.95 | -60.56 | -41.25 | 19.31 |
| HE40, M0.1 to M11.1               | 1 | 6.00 | -75.51 |        |        |        |        |        |        |        | -69.51 | -41.25 | 28.26 |
| HE40, M0.1 to M11.1               | 2 | 6.00 | -75.77 | -75.41 |        |        |        |        |        |        | -66.58 | -41.25 | 25.33 |
| HE40, M0.2 to M11.2               | 2 | 6.00 | -76.17 | -75.75 |        |        |        |        |        |        | -66.94 | -41.25 | 25.69 |
| HE40, M0.1 to M11.1               | 3 | 6.00 | -75.41 | -75.45 | -76.02 |        |        |        |        |        | -64.85 | -41.25 | 23.60 |
| HE40, M0.2 to M11.2               | 3 | 6.00 | -75.50 | -76.05 | -75.21 |        |        |        |        |        | -64.81 | -41.25 | 23.56 |
| HE40, M0.3 to M11.3               | 3 | 6.00 | -75.66 | -75.76 | -74.62 |        |        |        |        |        | -64.55 | -41.25 | 23.30 |
| HE40, M0.1 to M11.1               | 4 | 6.00 | -76.01 | -75.85 | -75.71 | -75.49 |        |        |        |        | -63.74 | -41.25 | 22.49 |
| HE40, M0.2 to M11.2               | 4 | 6.00 | -75.44 | -75.23 | -75.47 | -75.49 |        |        |        |        | -63.39 | -41.25 | 22.14 |
| HE40, M0.3 to M11.3               | 4 | 6.00 | -75.89 | -75.22 | -75.99 | -74.76 |        |        |        |        | -63.41 | -41.25 | 22.16 |
| HE40, M0.4 to M11.4               | 4 | 6.00 | -74.78 | -75.80 | -74.84 | -75.14 |        |        |        |        | -63.10 | -41.25 | 21.85 |
| HE40, M0.1 to M11.1               | 6 | 6.00 | -75.59 | -74.92 | -75.67 |        | -76.01 | -76.06 | -75.37 |        | -61.80 | -41.25 | 20.55 |
| HE40, M0.2 to M11.2               | 6 | 6.00 | -75.51 | -75.13 | -75.82 |        | -75.14 | -75.45 | -75.11 |        | -61.57 | -41.25 | 20.32 |
| HE40, M0.3 to M11.3               | 6 | 6.00 | -75.40 | -75.63 | -75.32 |        | -75.44 | -75.88 | -75.72 |        | -61.78 | -41.25 | 20.53 |
| HE40, M0.4 to M11.4               | 6 | 6.00 | -75.36 | -75.63 | -75.99 |        | -75.92 | -75.78 | -75.92 |        | -61.98 | -41.25 | 20.73 |
| HE40, M0.5 to M11.5               | 6 | 6.00 | -75.86 | -75.69 | -76.09 |        | -75.49 | -75.80 | -75.56 |        | -61.96 | -41.25 | 20.71 |
| HE40, M0.6 to M11.6               | 6 | 6.00 | -75.88 | -75.90 | -76.11 |        | -75.41 | -75.64 | -75.47 |        | -61.94 | -41.25 | 20.69 |
| HE40, M0.1 to M11.1               | 8 | 6.00 | -75.35 | -75.46 | -75.60 | -75.41 | -75.26 | -75.83 | -75.56 | -75.18 | -60.42 | -41.25 | 19.17 |
| HE40, M0.2 to M11.2               | 8 | 6.00 | -75.71 | -75.49 | -75.72 | -75.37 | -75.42 | -75.60 | -75.77 | -75.46 | -60.53 | -41.25 | 19.28 |
| HE40, M0.3 to M11.3               | 8 | 6.00 | -75.73 | -75.51 | -74.97 | -75.62 | -75.55 | -75.78 | -75.31 | -76.18 | -60.54 | -41.25 | 19.29 |
| HE40, M0.4 to M11.4               | 8 | 6.00 | -75.77 | -75.92 | -75.35 | -75.48 | -75.68 | -75.64 | -75.56 | -75.55 | -60.58 | -41.25 | 19.33 |
| HE40, M0.5 to M11.5               | 8 | 6.00 | -75.02 | -75.58 | -75.68 | -75.28 | -75.34 | -75.60 | -75.72 | -75.64 | -60.45 | -41.25 | 19.20 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE40, M0.6 to M11.6    | 8 | 6.00  | -75.50 | -75.52 | -75.75 | -75.38 | -75.48 | -75.66 | -75.69 | -75.46 | -60.52 | -41.25 | 19.27 |
| HE40, M0.7 to M11.7    | 8 | 6.00  | -75.78 | -75.82 | -75.83 | -75.50 | -75.80 | -75.48 | -75.34 | -75.46 | -60.59 | -41.25 | 19.34 |
| HE40, M0.8 to M11.8    | 8 | 6.00  | -75.51 | -75.54 | -75.23 | -75.79 | -75.40 | -75.83 | -75.66 | -75.92 | -60.57 | -41.25 | 19.32 |
| HE40, M0.1 to M11.1-BF | 2 | 9.01  | -75.75 | -75.90 |        |        |        |        |        |        | -63.80 | -41.25 | 22.55 |
| HE40, M0.2 to M11.2-BF | 2 | 6.00  | -75.57 | -75.92 |        |        |        |        |        |        | -66.73 | -41.25 | 25.48 |
| HE40, M0.1 to M11.1-BF | 3 | 10.77 | -76.08 | -74.93 | -75.19 |        |        |        |        |        | -59.83 | -41.25 | 18.58 |
| HE40, M0.2 to M11.2-BF | 3 | 7.76  | -75.25 | -75.28 | -75.91 |        |        |        |        |        | -62.94 | -41.25 | 21.69 |
| HE40, M0.3 to M11.3-BF | 3 | 6.00  | -75.63 | -75.37 | -75.89 |        |        |        |        |        | -64.85 | -41.25 | 23.60 |
| HE40, M0.1 to M11.1-BF | 4 | 12.02 | -75.86 | -75.63 | -75.64 | -75.86 |        |        |        |        | -57.70 | -41.25 | 16.45 |
| HE40, M0.2 to M11.2-BF | 4 | 9.01  | -75.24 | -75.95 | -75.14 | -75.86 |        |        |        |        | -60.50 | -41.25 | 19.25 |
| HE40, M0.3 to M11.3-BF | 4 | 7.25  | -75.52 | -75.76 | -75.51 | -75.20 |        |        |        |        | -62.22 | -41.25 | 20.97 |
| HE40, M0.4 to M11.4-BF | 4 | 6.00  | -75.69 | -76.02 | -75.80 | -75.94 |        |        |        |        | -63.84 | -41.25 | 22.59 |
| HE40, M0.1 to M11.1-BF | 6 | 13.78 | -75.98 | -75.39 | -75.44 |        | -75.34 | -75.70 | -75.30 |        | -53.96 | -41.25 | 12.71 |
| HE40, M0.2 to M11.2-BF | 6 | 10.77 | -75.34 | -75.76 | -75.56 |        | -75.67 | -75.68 | -75.26 |        | -56.99 | -41.25 | 15.74 |
| HE40, M0.3 to M11.3-BF | 6 | 9.01  | -76.02 | -75.35 | -75.74 |        | -76.12 | -75.41 | -75.48 |        | -58.88 | -41.25 | 17.63 |
| HE40, M0.4 to M11.4-BF | 6 | 7.76  | -75.40 | -75.07 | -75.87 |        | -75.66 | -75.39 | -75.52 |        | -59.93 | -41.25 | 18.68 |
| HE40, M0.5 to M11.5-BF | 6 | 6.79  | -75.83 | -75.87 | -75.97 |        | -75.59 | -75.85 | -75.78 |        | -61.24 | -41.25 | 19.99 |
| HE40, M0.6 to M11.6-BF | 6 | 6.00  | -75.26 | -75.91 | -75.71 |        | -75.25 | -75.52 | -75.57 |        | -61.75 | -41.25 | 20.50 |
| HE40, M0.1 to M11.1-BF | 8 | 15.03 | -75.79 | -76.00 | -75.47 | -75.51 | -74.79 | -75.36 | -75.73 | -74.14 | -51.25 | -41.25 | 10.00 |
| HE40, M0.2 to M11.2-BF | 8 | 12.02 | -74.99 | -74.87 | -75.55 | -75.11 | -75.82 | -75.46 | -75.54 | -75.52 | -54.30 | -41.25 | 13.05 |
| HE40, M0.3 to M11.3-BF | 8 | 10.26 | -75.91 | -74.91 | -75.03 | -75.49 | -75.34 | -75.11 | -75.13 | -75.68 | -56.02 | -41.25 | 14.77 |
| HE40, M0.4 to M11.4-BF | 8 | 9.01  | -75.43 | -75.85 | -75.85 | -75.48 | -75.84 | -74.81 | -75.63 | -75.53 | -57.50 | -41.25 | 16.25 |
| HE40, M0.5 to M11.5-BF | 8 | 8.04  | -75.52 | -75.31 | -75.98 | -75.89 | -75.21 | -75.37 | -75.49 | -75.89 | -58.50 | -41.25 | 17.25 |
| HE40, M0.6 to M11.6-BF | 8 | 7.25  | -75.87 | -75.64 | -75.17 | -75.49 | -75.10 | -74.88 | -75.61 | -75.47 | -59.11 | -41.25 | 17.86 |
| HE40, M0.7 to M11.7-BF | 8 | 6.58  | -75.56 | -75.55 | -75.92 | -75.05 | -75.39 | -76.03 | -75.68 | -75.34 | -59.94 | -41.25 | 18.69 |
| HE40, M0.8 to M11.8-BF | 8 | 6.00  | -75.58 | -75.58 | -75.54 | -75.31 | -75.48 | -75.54 | -75.91 | -75.73 | -60.55 | -41.25 | 19.30 |
| HE40, M0 to M11-STBC   | 2 | 6.00  | -75.55 | -75.76 |        |        |        |        |        |        | -66.65 | -41.25 | 25.40 |
| HE40, M0 to M11-STBC   | 3 | 6.00  | -75.79 | -75.76 | -75.70 |        |        |        |        |        | -64.98 | -41.25 | 23.73 |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |       |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE40, M0 to M11-STBC | 4 | 6.00 | -75.71 | -75.75 | -75.62 | -75.65 |        |        |        |        | -63.66 | -41.25 | 22.41 |
| HE40, M0 to M11-STBC | 6 | 6.00 | -75.72 | -75.85 | -75.87 |        | -75.48 | -75.61 | -74.79 |        | -61.75 | -41.25 | 20.50 |
| HE40, M0 to M11-STBC | 8 | 6.00 | -75.21 | -75.63 | -75.95 | -74.87 | -75.51 | -75.94 | -75.63 | -75.44 | -60.48 | -41.25 | 19.23 |

## 5775 MHz (Peak):

| Mode                   | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Peak Limit (dBm) | Margin (dB) |
|------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|----------------------|-------------|
| non HT80, 6 to 54 Mbps | 1        | 6.00                          | -67.48              |                     |                     |                     |                     |                     |                     |                     | -67.48      | -21.25               | 46.23       |
| non HT80, 6 to 54 Mbps | 2        | 6.00                          | -67.91              | -66.18              |                     |                     |                     |                     |                     |                     | -57.95      | -21.25               | 36.70       |
| non HT80, 6 to 54 Mbps | 3        | 6.00                          | -67.27              | -65.77              | -66.19              |                     |                     |                     |                     |                     | -55.59      | -21.25               | 34.34       |
| non HT80, 6 to 54 Mbps | 4        | 6.00                          | -67.55              | -67.16              | -67.50              | -65.87              |                     |                     |                     |                     | -54.94      | -21.25               | 33.69       |
| non HT80, 6 to 54 Mbps | 6        | 9.00                          | -67.22              | -67.12              | -66.47              |                     | -67.77              | -67.74              | -65.88              |                     | -50.20      | -21.25               | 28.95       |
| non HT80, 6 to 54 Mbps | 8        | 9.00                          | -67.08              | -67.49              | -67.29              | -66.73              | -66.66              | -66.74              | -67.07              | -67.83              | -49.06      | -21.25               | 27.81       |
| VHT80, M0.1 to M9.1    | 1        | 6.00                          | -68.36              |                     |                     |                     |                     |                     |                     |                     | -62.36      | -21.25               | 41.11       |
| VHT80, M0.1 to M9.1    | 2        | 6.00                          | -67.81              | -68.27              |                     |                     |                     |                     |                     |                     | -59.02      | -21.25               | 37.77       |
| VHT80, M0.2 to M9.2    | 2        | 6.00                          | -68.48              | -68.03              |                     |                     |                     |                     |                     |                     | -59.24      | -21.25               | 37.99       |
| VHT80, M0.1 to M9.1    | 3        | 6.00                          | -68.42              | -67.96              | -67.36              |                     |                     |                     |                     |                     | -57.12      | -21.25               | 35.87       |
| VHT80, M0.2 to M9.2    | 3        | 6.00                          | -68.29              | -68.01              | -67.47              |                     |                     |                     |                     |                     | -57.14      | -21.25               | 35.89       |
| VHT80, M0.3 to M9.3    | 3        | 6.00                          | -68.01              | -67.46              | -68.16              |                     |                     |                     |                     |                     | -57.10      | -21.25               | 35.85       |
| VHT80, M0.1 to M9.1    | 4        | 6.00                          | -67.79              | -68.60              | -67.93              | -68.19              |                     |                     |                     |                     | -56.10      | -21.25               | 34.85       |
| VHT80, M0.2 to M9.2    | 4        | 6.00                          | -68.52              | -67.52              | -68.66              | -67.91              |                     |                     |                     |                     | -56.11      | -21.25               | 34.86       |
| VHT80, M0.3 to M9.3    | 4        | 6.00                          | -68.62              | -67.55              | -68.01              | -67.81              |                     |                     |                     |                     | -55.96      | -21.25               | 34.71       |
| VHT80, M0.4 to M9.4    | 4        | 6.00                          | -67.48              | -68.50              | -67.53              | -66.90              |                     |                     |                     |                     | -55.55      | -21.25               | 34.30       |
| VHT80, M0.1 to M9.1    | 6        | 6.00                          | -68.12              | -68.17              | -68.87              |                     | -68.81              | -67.32              | -67.37              |                     | -54.28      | -21.25               | 33.03       |
| VHT80, M0.2 to M9.2    | 6        | 6.00                          | -68.87              | -67.87              | -67.95              |                     | -67.80              | -68.01              | -67.88              |                     | -54.27      | -21.25               | 33.02       |
| VHT80, M0.3 to M9.3    | 6        | 6.00                          | -67.77              | -67.77              | -68.67              |                     | -67.76              | -67.83              | -67.63              |                     | -54.11      | -21.25               | 32.86       |
| VHT80, M0.4 to M9.4    | 6        | 6.00                          | -67.87              | -68.47              | -66.53              |                     | -68.46              | -68.52              | -68.51              |                     | -54.21      | -21.25               | 32.96       |
| VHT80, M0.5 to M9.5    | 6        | 6.00                          | -66.96              | -67.26              | -68.33              |                     | -68.15              | -68.09              | -67.95              |                     | -53.98      | -21.25               | 32.73       |
| VHT80, M0.6 to M9.6    | 6        | 6.00                          | -68.21              | -67.62              | -68.32              |                     | -68.73              | -68.28              | -66.95              |                     | -54.20      | -21.25               | 32.95       |
| VHT80, M0.1 to M9.1    | 8        | 6.00                          | -68.97              | -68.35              | -67.72              | -68.44              | -67.75              | -66.91              | -67.55              | -68.16              | -52.91      | -21.25               | 31.66       |



|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT80, M0.2 to M9.2    | 8 | 6.00  | -67.91 | -68.11 | -67.37 | -68.80 | -67.60 | -67.96 | -67.30 | -68.23 | -52.85 | -21.25 | 31.60 |
| VHT80, M0.3 to M9.3    | 8 | 6.00  | -68.40 | -67.97 | -67.73 | -67.62 | -68.91 | -68.78 | -68.38 | -67.46 | -53.10 | -21.25 | 31.85 |
| VHT80, M0.4 to M9.4    | 8 | 6.00  | -68.46 | -68.10 | -68.00 | -67.96 | -66.90 | -68.04 | -67.87 | -68.03 | -52.87 | -21.25 | 31.62 |
| VHT80, M0.5 to M9.5    | 8 | 6.00  | -68.19 | -68.04 | -67.92 | -67.82 | -68.05 | -68.12 | -68.32 | -67.87 | -53.01 | -21.25 | 31.76 |
| VHT80, M0.6 to M9.6    | 8 | 6.00  | -67.97 | -67.47 | -66.25 | -68.07 | -67.47 | -68.21 | -67.99 | -67.71 | -52.57 | -21.25 | 31.32 |
| VHT80, M0.7 to M9.7    | 8 | 6.00  | -67.72 | -67.04 | -68.43 | -68.47 | -67.29 | -68.05 | -67.17 | -68.48 | -52.76 | -21.25 | 31.51 |
| VHT80, M0.8 to M9.8    | 8 | 6.00  | -67.50 | -68.04 | -68.64 | -68.35 | -68.10 | -68.21 | -67.52 | -66.97 | -52.85 | -21.25 | 31.60 |
| VHT80, M0.1 to M9.1-BF | 2 | 9.01  | -67.88 | -68.19 |        |        |        |        |        |        | -56.01 | -21.25 | 34.76 |
| VHT80, M0.2 to M9.2-BF | 2 | 6.00  | -68.55 | -67.94 |        |        |        |        |        |        | -59.23 | -21.25 | 37.98 |
| VHT80, M0.1 to M9.1-BF | 3 | 10.77 | -67.95 | -68.35 | -67.33 |        |        |        |        |        | -52.31 | -21.25 | 31.06 |
| VHT80, M0.2 to M9.2-BF | 3 | 7.76  | -68.36 | -68.12 | -67.58 |        |        |        |        |        | -55.48 | -21.25 | 34.23 |
| VHT80, M0.3 to M9.3-BF | 3 | 6.00  | -68.12 | -66.82 | -67.53 |        |        |        |        |        | -56.69 | -21.25 | 35.44 |
| VHT80, M0.1 to M9.1-BF | 4 | 12.02 | -67.81 | -67.07 | -66.91 | -66.73 |        |        |        |        | -49.07 | -21.25 | 27.82 |
| VHT80, M0.2 to M9.2-BF | 4 | 9.01  | -68.35 | -67.77 | -68.45 | -67.71 |        |        |        |        | -53.02 | -21.25 | 31.77 |
| VHT80, M0.3 to M9.3-BF | 4 | 7.25  | -67.92 | -67.55 | -67.72 | -67.83 |        |        |        |        | -54.48 | -21.25 | 33.23 |
| VHT80, M0.4 to M9.4-BF | 4 | 6.00  | -68.10 | -67.26 | -67.82 | -68.40 |        |        |        |        | -55.85 | -21.25 | 34.60 |
| VHT80, M0.1 to M9.1-BF | 6 | 13.78 | -68.29 | -67.50 | -68.75 |        | -68.11 | -67.79 | -68.52 |        | -46.58 | -21.25 | 25.33 |
| VHT80, M0.2 to M9.2-BF | 6 | 10.77 | -67.63 | -67.84 | -67.98 |        | -67.11 | -68.04 | -68.64 |        | -49.30 | -21.25 | 28.05 |
| VHT80, M0.3 to M9.3-BF | 6 | 9.01  | -67.96 | -68.04 | -67.84 |        | -67.56 | -68.49 | -67.69 |        | -51.13 | -21.25 | 29.88 |
| VHT80, M0.4 to M9.4-BF | 6 | 7.76  | -68.04 | -67.29 | -68.38 |        | -68.11 | -68.39 | -68.41 |        | -52.54 | -21.25 | 31.29 |
| VHT80, M0.5 to M9.5-BF | 6 | 6.79  | -67.50 | -68.14 | -67.73 |        | -68.26 | -68.16 | -67.54 |        | -53.30 | -21.25 | 32.05 |
| VHT80, M0.6 to M9.6-BF | 6 | 6.00  | -68.32 | -67.66 | -67.12 |        | -68.15 | -67.32 | -68.58 |        | -54.04 | -21.25 | 32.79 |
| VHT80, M0.1 to M9.1-BF | 8 | 15.03 | -66.48 | -68.66 | -67.82 | -68.04 | -67.30 | -67.69 | -68.23 | -68.03 | -43.67 | -21.25 | 22.42 |
| VHT80, M0.2 to M9.2-BF | 8 | 12.02 | -67.93 | -66.99 | -68.20 | -68.25 | -67.21 | -68.59 | -67.28 | -68.37 | -46.76 | -21.25 | 25.51 |
| VHT80, M0.3 to M9.3-BF | 8 | 10.26 | -67.93 | -67.67 | -66.96 | -68.02 | -68.08 | -68.07 | -67.52 | -67.78 | -48.45 | -21.25 | 27.20 |
| VHT80, M0.4 to M9.4-BF | 8 | 9.01  | -68.22 | -67.32 | -68.62 | -67.75 | -68.58 | -67.57 | -65.72 | -68.75 | -49.67 | -21.25 | 28.42 |
| VHT80, M0.5 to M9.5-BF | 8 | 8.04  | -68.58 | -67.47 | -68.40 | -68.30 | -67.67 | -67.83 | -68.55 | -67.25 | -50.91 | -21.25 | 29.66 |
| VHT80, M0.6 to M9.6-BF | 8 | 7.25  | -68.47 | -68.30 | -66.57 | -68.26 | -67.63 | -67.35 | -68.25 | -68.39 | -51.57 | -21.25 | 30.32 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT80, M0.7 to M9.7-BF | 8 | 6.58 | -68.09 | -68.10 | -68.50 | -68.54 | -68.09 | -67.35 | -66.85 | -67.95 | -52.29 | -21.25 | 31.04 |
| VHT80, M0.8 to M9.8-BF | 8 | 6.00 | -67.29 | -68.83 | -67.36 | -67.96 | -67.71 | -68.30 | -67.29 | -68.12 | -52.80 | -21.25 | 31.55 |
| VHT80, M0 to M9-STBC   | 2 | 6.00 | -66.84 | -68.78 |        |        |        |        |        |        | -58.69 | -21.25 | 37.44 |
| VHT80, M0 to M9-STBC   | 3 | 6.00 | -67.33 | -68.11 | -67.95 |        |        |        |        |        | -57.01 | -21.25 | 35.76 |
| VHT80, M0 to M9-STBC   | 4 | 6.00 | -66.42 | -68.55 | -68.51 | -67.50 |        |        |        |        | -55.63 | -21.25 | 34.38 |
| VHT80, M0 to M9-STBC   | 6 | 6.00 | -68.09 | -68.53 | -67.48 |        | -68.46 | -67.50 | -68.42 |        | -54.27 | -21.25 | 33.02 |
| VHT80, M0 to M9-STBC   | 8 | 6.00 | -68.48 | -68.29 | -67.26 | -67.36 | -68.33 | -67.45 | -67.73 | -67.68 | -52.77 | -21.25 | 31.52 |
| HE80, M0.1 to M11.1    | 1 | 6.00 | -67.46 |        |        |        |        |        |        |        | -61.46 | -21.25 | 40.21 |
| HE80, M0.1 to M11.1    | 2 | 6.00 | -67.40 | -67.81 |        |        |        |        |        |        | -58.59 | -21.25 | 37.34 |
| HE80, M0.2 to M11.2    | 2 | 6.00 | -67.72 | -67.89 |        |        |        |        |        |        | -58.79 | -21.25 | 37.54 |
| HE80, M0.1 to M11.1    | 3 | 6.00 | -68.92 | -67.40 | -68.71 |        |        |        |        |        | -57.52 | -21.25 | 36.27 |
| HE80, M0.2 to M11.2    | 3 | 6.00 | -68.47 | -67.79 | -68.10 |        |        |        |        |        | -57.34 | -21.25 | 36.09 |
| HE80, M0.3 to M11.3    | 3 | 6.00 | -68.14 | -67.98 | -67.58 |        |        |        |        |        | -57.12 | -21.25 | 35.87 |
| HE80, M0.1 to M11.1    | 4 | 6.00 | -68.44 | -67.41 | -66.85 | -68.11 |        |        |        |        | -55.64 | -21.25 | 34.39 |
| HE80, M0.2 to M11.2    | 4 | 6.00 | -68.57 | -68.46 | -67.83 | -68.50 |        |        |        |        | -56.31 | -21.25 | 35.06 |
| HE80, M0.3 to M11.3    | 4 | 6.00 | -68.53 | -67.64 | -67.46 | -67.02 |        |        |        |        | -55.61 | -21.25 | 34.36 |
| HE80, M0.4 to M11.4    | 4 | 6.00 | -68.00 | -68.35 | -68.14 | -68.16 |        |        |        |        | -56.14 | -21.25 | 34.89 |
| HE80, M0.1 to M11.1    | 6 | 6.00 | -68.23 | -67.70 | -68.36 |        | -68.04 | -67.76 | -68.74 |        | -54.34 | -21.25 | 33.09 |
| HE80, M0.2 to M11.2    | 6 | 6.00 | -68.59 | -67.92 | -67.71 |        | -67.69 | -67.42 | -68.48 |        | -54.17 | -21.25 | 32.92 |
| HE80, M0.3 to M11.3    | 6 | 6.00 | -68.50 | -68.51 | -68.79 |        | -68.31 | -68.20 | -68.32 |        | -54.65 | -21.25 | 33.40 |
| HE80, M0.4 to M11.4    | 6 | 6.00 | -67.69 | -68.40 | -67.52 |        | -67.86 | -67.65 | -67.56 |        | -53.99 | -21.25 | 32.74 |
| HE80, M0.5 to M11.5    | 6 | 6.00 | -67.68 | -67.68 | -67.85 |        | -66.96 | -68.21 | -68.03 |        | -53.94 | -21.25 | 32.69 |
| HE80, M0.6 to M11.6    | 6 | 6.00 | -68.33 | -67.85 | -68.29 |        | -68.77 | -68.78 | -68.23 |        | -54.58 | -21.25 | 33.33 |
| HE80, M0.1 to M11.1    | 8 | 6.00 | -68.75 | -67.09 | -66.58 | -67.66 | -68.39 | -67.09 | -68.54 | -68.47 | -52.72 | -21.25 | 31.47 |
| HE80, M0.2 to M11.2    | 8 | 6.00 | -67.90 | -67.74 | -68.40 | -68.15 | -67.41 | -67.34 | -67.69 | -68.24 | -52.81 | -21.25 | 31.56 |
| HE80, M0.3 to M11.3    | 8 | 6.00 | -68.45 | -68.56 | -67.84 | -68.08 | -68.05 | -68.36 | -68.08 | -68.12 | -53.16 | -21.25 | 31.91 |
| HE80, M0.4 to M11.4    | 8 | 6.00 | -68.10 | -67.09 | -68.07 | -67.70 | -68.11 | -68.23 | -68.14 | -68.09 | -52.89 | -21.25 | 31.64 |
| HE80, M0.5 to M11.5    | 8 | 6.00 | -68.05 | -67.66 | -66.14 | -68.25 | -67.88 | -68.17 | -67.85 | -67.80 | -52.64 | -21.25 | 31.39 |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE80, M0.6 to M11.6    | 8 | 6.00  | -68.06 | -67.52 | -68.30 | -68.31 | -68.08 | -67.78 | -68.71 | -68.44 | -53.10 | -21.25 | 31.85 |
| HE80, M0.7 to M11.7    | 8 | 6.00  | -68.27 | -68.32 | -67.69 | -67.95 | -67.97 | -68.09 | -68.25 | -68.35 | -53.08 | -21.25 | 31.83 |
| HE80, M0.8 to M11.8    | 8 | 6.00  | -68.03 | -68.18 | -68.43 | -67.71 | -67.75 | -67.07 | -68.51 | -68.14 | -52.92 | -21.25 | 31.67 |
| HE80, M0.1 to M11.1-BF | 2 | 9.01  | -67.93 | -68.16 |        |        |        |        |        |        | -56.02 | -21.25 | 34.77 |
| HE80, M0.2 to M11.2-BF | 2 | 6.00  | -68.41 | -67.88 |        |        |        |        |        |        | -59.13 | -21.25 | 37.88 |
| HE80, M0.1 to M11.1-BF | 3 | 10.77 | -68.51 | -68.41 | -67.18 |        |        |        |        |        | -52.45 | -21.25 | 31.20 |
| HE80, M0.2 to M11.2-BF | 3 | 7.76  | -68.84 | -67.72 | -67.76 |        |        |        |        |        | -55.55 | -21.25 | 34.30 |
| HE80, M0.3 to M11.3-BF | 3 | 6.00  | -68.23 | -68.41 | -67.77 |        |        |        |        |        | -57.36 | -21.25 | 36.11 |
| HE80, M0.1 to M11.1-BF | 4 | 12.02 | -68.12 | -68.30 | -68.47 | -68.38 |        |        |        |        | -50.27 | -21.25 | 29.02 |
| HE80, M0.2 to M11.2-BF | 4 | 9.01  | -68.30 | -67.76 | -68.05 | -68.36 |        |        |        |        | -53.08 | -21.25 | 31.83 |
| HE80, M0.3 to M11.3-BF | 4 | 7.25  | -67.57 | -67.55 | -68.66 | -68.05 |        |        |        |        | -54.66 | -21.25 | 33.41 |
| HE80, M0.4 to M11.4-BF | 4 | 6.00  | -68.30 | -67.77 | -67.79 | -68.54 |        |        |        |        | -56.07 | -21.25 | 34.82 |
| HE80, M0.1 to M11.1-BF | 6 | 13.78 | -67.89 | -67.99 | -67.64 |        | -68.11 | -67.24 | -67.61 |        | -46.17 | -21.25 | 24.92 |
| HE80, M0.2 to M11.2-BF | 6 | 10.77 | -68.02 | -67.26 | -67.89 |        | -67.85 | -68.38 | -68.36 |        | -49.39 | -21.25 | 28.14 |
| HE80, M0.3 to M11.3-BF | 6 | 9.01  | -67.23 | -68.22 | -67.10 |        | -68.47 | -68.36 | -67.81 |        | -51.04 | -21.25 | 29.79 |
| HE80, M0.4 to M11.4-BF | 6 | 7.76  | -68.34 | -68.05 | -67.86 |        | -67.34 | -68.05 | -68.49 |        | -52.47 | -21.25 | 31.22 |
| HE80, M0.5 to M11.5-BF | 6 | 6.79  | -67.92 | -67.48 | -67.22 |        | -67.87 | -66.96 | -67.58 |        | -52.92 | -21.25 | 31.67 |
| HE80, M0.6 to M11.6-BF | 6 | 6.00  | -67.51 | -67.74 | -67.86 |        | -67.77 | -67.90 | -67.65 |        | -53.95 | -21.25 | 32.70 |
| HE80, M0.1 to M11.1-BF | 8 | 15.03 | -68.01 | -68.08 | -68.06 | -67.90 | -68.00 | -67.64 | -67.97 | -66.85 | -43.73 | -21.25 | 22.48 |
| HE80, M0.2 to M11.2-BF | 8 | 12.02 | -68.44 | -66.86 | -68.42 | -68.77 | -67.99 | -66.82 | -67.81 | -67.25 | -46.69 | -21.25 | 25.44 |
| HE80, M0.3 to M11.3-BF | 8 | 10.26 | -67.62 | -69.00 | -67.94 | -68.42 | -66.64 | -68.01 | -67.42 | -67.23 | -48.44 | -21.25 | 27.19 |
| HE80, M0.4 to M11.4-BF | 8 | 9.01  | -68.38 | -68.06 | -68.24 | -68.77 | -66.60 | -67.39 | -67.34 | -67.81 | -49.73 | -21.25 | 28.48 |
| HE80, M0.5 to M11.5-BF | 8 | 8.04  | -67.95 | -68.37 | -67.91 | -68.06 | -68.01 | -68.20 | -68.34 | -67.83 | -51.01 | -21.25 | 29.76 |
| HE80, M0.6 to M11.6-BF | 8 | 7.25  | -67.46 | -68.13 | -68.23 | -67.89 | -67.81 | -67.74 | -66.76 | -67.50 | -51.39 | -21.25 | 30.14 |
| HE80, M0.7 to M11.7-BF | 8 | 6.58  | -68.06 | -67.19 | -68.72 | -68.03 | -68.16 | -68.22 | -68.11 | -68.13 | -52.45 | -21.25 | 31.20 |
| HE80, M0.8 to M11.8-BF | 8 | 6.00  | -67.31 | -66.41 | -67.76 | -68.76 | -67.80 | -68.07 | -68.26 | -67.71 | -52.68 | -21.25 | 31.43 |
| HE80, M0 to M11-STBC   | 2 | 6.00  | -67.79 | -68.82 |        |        |        |        |        |        | -59.26 | -21.25 | 38.01 |
| HE80, M0 to M11-STBC   | 3 | 6.00  | -68.21 | -67.53 | -68.20 |        |        |        |        |        | -57.20 | -21.25 | 35.95 |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |       |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE80, M0 to M11-STBC | 4 | 6.00 | -68.46 | -67.36 | -68.60 | -67.28 |        |        |        |        | -55.86 | -21.25 | 34.61 |
| HE80, M0 to M11-STBC | 6 | 6.00 | -67.91 | -67.66 | -68.50 |        | -67.82 | -68.21 | -68.00 |        | -54.23 | -21.25 | 32.98 |
| HE80, M0 to M11-STBC | 8 | 6.00 | -67.32 | -67.52 | -67.92 | -68.35 | -67.46 | -67.12 | -68.80 | -67.25 | -52.65 | -21.25 | 31.40 |

## 5775 MHz (Average):

| Mode                   | Tx paths | correlated antenna gain (dBi) | Tx 1 Spurious (dBm) | Tx 2 Spurious (dBm) | Tx 3 Spurious (dBm) | Tx 4 Spurious (dBm) | Tx 5 Spurious (dBm) | Tx 6 Spurious (dBm) | Tx 7 Spurious (dBm) | Tx 8 Spurious (dBm) | Total (dBm) | FCC Average Limit (dBm) | Margin (dB) |
|------------------------|----------|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------|-------------------------|-------------|
| non HT80, 6 to 54 Mbps | 1        | 6.00                          | -73.41              |                     |                     |                     |                     |                     |                     |                     | -73.41      | -41.25                  | 32.16       |
| non HT80, 6 to 54 Mbps | 2        | 6.00                          | -74.64              | -74.50              |                     |                     |                     |                     |                     |                     | -65.56      | -41.25                  | 24.31       |
| non HT80, 6 to 54 Mbps | 3        | 6.00                          | -74.71              | -74.99              | -74.71              |                     |                     |                     |                     |                     | -64.03      | -41.25                  | 22.78       |
| non HT80, 6 to 54 Mbps | 4        | 6.00                          | -74.32              | -74.95              | -74.96              | -74.70              |                     |                     |                     |                     | -62.70      | -41.25                  | 21.45       |
| non HT80, 6 to 54 Mbps | 6        | 9.00                          | -74.82              | -74.71              | -74.68              |                     | -74.63              | -75.46              | -75.08              |                     | -58.11      | -41.25                  | 16.86       |
| non HT80, 6 to 54 Mbps | 8        | 9.00                          | -74.96              | -75.18              | -74.77              | -74.34              | -74.66              | -74.84              | -75.18              | -74.79              | -56.80      | -41.25                  | 15.55       |
| VHT80, M0.1 to M9.1    | 1        | 6.00                          | -75.31              |                     |                     |                     |                     |                     |                     |                     | -69.31      | -41.25                  | 28.06       |
| VHT80, M0.1 to M9.1    | 2        | 6.00                          | -75.63              | -75.93              |                     |                     |                     |                     |                     |                     | -66.77      | -41.25                  | 25.52       |
| VHT80, M0.2 to M9.2    | 2        | 6.00                          | -76.07              | -75.64              |                     |                     |                     |                     |                     |                     | -66.84      | -41.25                  | 25.59       |
| VHT80, M0.1 to M9.1    | 3        | 6.00                          | -75.55              | -75.97              | -75.82              |                     |                     |                     |                     |                     | -65.00      | -41.25                  | 23.75       |
| VHT80, M0.2 to M9.2    | 3        | 6.00                          | -75.40              | -75.62              | -75.72              |                     |                     |                     |                     |                     | -64.81      | -41.25                  | 23.56       |
| VHT80, M0.3 to M9.3    | 3        | 6.00                          | -75.73              | -75.57              | -75.85              |                     |                     |                     |                     |                     | -64.94      | -41.25                  | 23.69       |
| VHT80, M0.1 to M9.1    | 4        | 6.00                          | -74.80              | -74.55              | -74.69              | -75.52              |                     |                     |                     |                     | -62.85      | -41.25                  | 21.60       |
| VHT80, M0.2 to M9.2    | 4        | 6.00                          | -75.59              | -75.83              | -75.07              | -75.68              |                     |                     |                     |                     | -63.51      | -41.25                  | 22.26       |
| VHT80, M0.3 to M9.3    | 4        | 6.00                          | -75.30              | -75.88              | -75.54              | -75.13              |                     |                     |                     |                     | -63.43      | -41.25                  | 22.18       |
| VHT80, M0.4 to M9.4    | 4        | 6.00                          | -75.57              | -75.27              | -75.68              | -75.83              |                     |                     |                     |                     | -63.56      | -41.25                  | 22.31       |
| VHT80, M0.1 to M9.1    | 6        | 6.00                          | -74.85              | -75.34              | -75.66              |                     | -75.74              | -75.83              | -76.06              |                     | -61.78      | -41.25                  | 20.53       |
| VHT80, M0.2 to M9.2    | 6        | 6.00                          | -75.32              | -75.28              | -75.84              |                     | -76.16              | -75.46              | -75.94              |                     | -61.87      | -41.25                  | 20.62       |
| VHT80, M0.3 to M9.3    | 6        | 6.00                          | -75.44              | -75.78              | -75.92              |                     | -75.10              | -76.12              | -75.96              |                     | -61.92      | -41.25                  | 20.67       |
| VHT80, M0.4 to M9.4    | 6        | 6.00                          | -75.67              | -75.78              | -75.81              |                     | -75.95              | -75.48              | -75.98              |                     | -62.00      | -41.25                  | 20.75       |
| VHT80, M0.5 to M9.5    | 6        | 6.00                          | -75.64              | -75.90              | -75.72              |                     | -75.28              | -75.76              | -75.65              |                     | -61.87      | -41.25                  | 20.62       |
| VHT80, M0.6 to M9.6    | 6        | 6.00                          | -75.44              | -75.30              | -75.53              |                     | -75.22              | -75.92              | -75.46              |                     | -61.69      | -41.25                  | 20.44       |
| VHT80, M0.1 to M9.1    | 8        | 6.00                          | -75.46              | -75.10              | -75.62              | -75.44              | -75.81              | -75.28              | -75.77              | -75.69              | -60.48      | -41.25                  | 19.23       |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT80, M0.2 to M9.2    | 8 | 6.00  | -75.77 | -75.84 | -75.68 | -75.65 | -75.51 | -75.54 | -75.59 | -75.32 | -60.58 | -41.25 | 19.33 |
| VHT80, M0.3 to M9.3    | 8 | 6.00  | -75.65 | -75.36 | -75.42 | -75.70 | -75.83 | -75.80 | -75.62 | -76.13 | -60.65 | -41.25 | 19.40 |
| VHT80, M0.4 to M9.4    | 8 | 6.00  | -75.84 | -75.75 | -75.31 | -75.93 | -75.83 | -75.15 | -75.57 | -75.23 | -60.54 | -41.25 | 19.29 |
| VHT80, M0.5 to M9.5    | 8 | 6.00  | -75.52 | -75.86 | -75.25 | -75.23 | -75.17 | -75.93 | -75.79 | -75.53 | -60.50 | -41.25 | 19.25 |
| VHT80, M0.6 to M9.6    | 8 | 6.00  | -75.17 | -75.94 | -75.44 | -75.52 | -75.57 | -75.78 | -75.20 | -75.49 | -60.48 | -41.25 | 19.23 |
| VHT80, M0.7 to M9.7    | 8 | 6.00  | -75.70 | -75.70 | -75.54 | -75.82 | -75.49 | -75.44 | -75.43 | -75.60 | -60.56 | -41.25 | 19.31 |
| VHT80, M0.8 to M9.8    | 8 | 6.00  | -75.66 | -75.64 | -75.53 | -75.75 | -75.86 | -75.69 | -75.30 | -75.40 | -60.57 | -41.25 | 19.32 |
| VHT80, M0.1 to M9.1-BF | 2 | 9.01  | -75.93 | -75.40 |        |        |        |        |        |        | -63.64 | -41.25 | 22.39 |
| VHT80, M0.2 to M9.2-BF | 2 | 6.00  | -74.96 | -75.94 |        |        |        |        |        |        | -66.41 | -41.25 | 25.16 |
| VHT80, M0.1 to M9.1-BF | 3 | 10.77 | -75.39 | -75.65 | -75.42 |        |        |        |        |        | -59.94 | -41.25 | 18.69 |
| VHT80, M0.2 to M9.2-BF | 3 | 7.76  | -75.15 | -75.42 | -75.91 |        |        |        |        |        | -62.95 | -41.25 | 21.70 |
| VHT80, M0.3 to M9.3-BF | 3 | 6.00  | -76.10 | -75.28 | -75.65 |        |        |        |        |        | -64.89 | -41.25 | 23.64 |
| VHT80, M0.1 to M9.1-BF | 4 | 12.02 | -75.99 | -75.58 | -75.72 | -76.10 |        |        |        |        | -57.80 | -41.25 | 16.55 |
| VHT80, M0.2 to M9.2-BF | 4 | 9.01  | -75.45 | -75.73 | -75.26 | -75.55 |        |        |        |        | -60.46 | -41.25 | 19.21 |
| VHT80, M0.3 to M9.3-BF | 4 | 7.25  | -75.68 | -75.36 | -75.56 | -75.47 |        |        |        |        | -62.25 | -41.25 | 21.00 |
| VHT80, M0.4 to M9.4-BF | 4 | 6.00  | -75.96 | -75.28 | -75.23 | -75.79 |        |        |        |        | -63.53 | -41.25 | 22.28 |
| VHT80, M0.1 to M9.1-BF | 6 | 13.78 | -75.23 | -75.64 | -75.37 |        | -75.22 | -75.85 | -75.04 |        | -53.82 | -41.25 | 12.57 |
| VHT80, M0.2 to M9.2-BF | 6 | 10.77 | -75.51 | -75.55 | -75.54 |        | -75.66 | -75.57 | -75.69 |        | -57.03 | -41.25 | 15.78 |
| VHT80, M0.3 to M9.3-BF | 6 | 9.01  | -75.34 | -75.71 | -75.62 |        | -75.75 | -76.05 | -75.64 |        | -58.89 | -41.25 | 17.64 |
| VHT80, M0.4 to M9.4-BF | 6 | 7.76  | -75.56 | -75.72 | -75.88 |        | -75.40 | -75.06 | -75.81 |        | -60.02 | -41.25 | 18.77 |
| VHT80, M0.5 to M9.5-BF | 6 | 6.79  | -75.55 | -75.36 | -75.80 |        | -75.48 | -75.94 | -75.97 |        | -61.11 | -41.25 | 19.86 |
| VHT80, M0.6 to M9.6-BF | 6 | 6.00  | -75.89 | -75.27 | -75.19 |        | -75.71 | -75.33 | -75.81 |        | -61.74 | -41.25 | 20.49 |
| VHT80, M0.1 to M9.1-BF | 8 | 15.03 | -74.67 | -75.76 | -75.31 | -76.03 | -75.48 | -75.92 | -75.47 | -75.74 | -51.47 | -41.25 | 10.22 |
| VHT80, M0.2 to M9.2-BF | 8 | 12.02 | -75.73 | -76.11 | -75.55 | -75.99 | -75.93 | -75.27 | -75.44 | -75.94 | -54.68 | -41.25 | 13.43 |
| VHT80, M0.3 to M9.3-BF | 8 | 10.26 | -76.11 | -75.40 | -75.48 | -75.51 | -75.59 | -75.64 | -75.62 | -75.74 | -56.34 | -41.25 | 15.09 |
| VHT80, M0.4 to M9.4-BF | 8 | 9.01  | -75.19 | -75.46 | -75.56 | -75.69 | -75.81 | -75.71 | -75.03 | -75.35 | -57.43 | -41.25 | 16.18 |
| VHT80, M0.5 to M9.5-BF | 8 | 8.04  | -75.51 | -75.90 | -75.15 | -75.80 | -75.06 | -75.17 | -75.53 | -75.71 | -58.40 | -41.25 | 17.15 |
| VHT80, M0.6 to M9.6-BF | 8 | 7.25  | -75.46 | -75.98 | -75.58 | -75.16 | -74.85 | -75.50 | -75.23 | -74.85 | -59.03 | -41.25 | 17.78 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT80, M0.7 to M9.7-BF | 8 | 6.58 | -75.65 | -75.02 | -75.60 | -75.47 | -75.47 | -75.70 | -75.60 | -75.80 | -59.92 | -41.25 | 18.67 |
| VHT80, M0.8 to M9.8-BF | 8 | 6.00 | -75.39 | -75.58 | -75.42 | -75.55 | -75.60 | -75.83 | -75.64 | -75.07 | -60.47 | -41.25 | 19.22 |
| VHT80, M0 to M9-STBC   | 2 | 6.00 | -75.59 | -74.98 |        |        |        |        |        |        | -66.27 | -41.25 | 25.02 |
| VHT80, M0 to M9-STBC   | 3 | 6.00 | -75.97 | -75.82 | -75.30 |        |        |        |        |        | -64.92 | -41.25 | 23.67 |
| VHT80, M0 to M9-STBC   | 4 | 6.00 | -75.74 | -75.36 | -75.95 | -75.61 |        |        |        |        | -63.64 | -41.25 | 22.39 |
| VHT80, M0 to M9-STBC   | 6 | 6.00 | -75.94 | -75.39 | -75.94 |        | -75.36 | -76.08 | -75.79 |        | -61.96 | -41.25 | 20.71 |
| VHT80, M0 to M9-STBC   | 8 | 6.00 | -75.67 | -75.38 | -75.54 | -75.52 | -75.07 | -75.45 | -76.05 | -75.23 | -60.45 | -41.25 | 19.20 |
| HE80, M0.1 to M11.1    | 1 | 6.00 | -74.23 |        |        |        |        |        |        |        | -68.23 | -41.25 | 26.98 |
| HE80, M0.1 to M11.1    | 2 | 6.00 | -75.53 | -75.63 |        |        |        |        |        |        | -66.56 | -41.25 | 25.31 |
| HE80, M0.2 to M11.2    | 2 | 6.00 | -75.76 | -75.91 |        |        |        |        |        |        | -66.82 | -41.25 | 25.57 |
| HE80, M0.1 to M11.1    | 3 | 6.00 | -75.28 | -75.36 | -74.75 |        |        |        |        |        | -64.35 | -41.25 | 23.10 |
| HE80, M0.2 to M11.2    | 3 | 6.00 | -75.73 | -75.37 | -75.50 |        |        |        |        |        | -64.76 | -41.25 | 23.51 |
| HE80, M0.3 to M11.3    | 3 | 6.00 | -75.54 | -75.70 | -75.54 |        |        |        |        |        | -64.82 | -41.25 | 23.57 |
| HE80, M0.1 to M11.1    | 4 | 6.00 | -75.45 | -75.79 | -75.99 | -75.28 |        |        |        |        | -63.60 | -41.25 | 22.35 |
| HE80, M0.2 to M11.2    | 4 | 6.00 | -75.22 | -75.78 | -75.82 | -75.76 |        |        |        |        | -63.62 | -41.25 | 22.37 |
| HE80, M0.3 to M11.3    | 4 | 6.00 | -75.59 | -75.45 | -75.29 | -76.02 |        |        |        |        | -63.56 | -41.25 | 22.31 |
| HE80, M0.4 to M11.4    | 4 | 6.00 | -75.31 | -75.64 | -75.86 | -75.36 |        |        |        |        | -63.52 | -41.25 | 22.27 |
| HE80, M0.1 to M11.1    | 6 | 6.00 | -75.22 | -75.73 | -75.54 |        | -75.91 | -75.24 | -74.67 |        | -61.58 | -41.25 | 20.33 |
| HE80, M0.2 to M11.2    | 6 | 6.00 | -75.48 | -75.89 | -75.65 |        | -75.72 | -75.54 | -75.69 |        | -61.88 | -41.25 | 20.63 |
| HE80, M0.3 to M11.3    | 6 | 6.00 | -75.84 | -76.07 | -75.80 |        | -75.65 | -75.53 | -75.45 |        | -61.93 | -41.25 | 20.68 |
| HE80, M0.4 to M11.4    | 6 | 6.00 | -75.54 | -75.24 | -75.61 |        | -75.80 | -75.37 | -74.84 |        | -61.61 | -41.25 | 20.36 |
| HE80, M0.5 to M11.5    | 6 | 6.00 | -75.77 | -75.68 | -75.61 |        | -75.80 | -75.40 | -75.87 |        | -61.90 | -41.25 | 20.65 |
| HE80, M0.6 to M11.6    | 6 | 6.00 | -75.38 | -75.55 | -75.81 |        | -75.81 | -75.70 | -75.75 |        | -61.88 | -41.25 | 20.63 |
| HE80, M0.1 to M11.1    | 8 | 6.00 | -75.64 | -75.83 | -74.37 | -75.16 | -75.87 | -75.19 | -75.22 | -75.84 | -60.33 | -41.25 | 19.08 |
| HE80, M0.2 to M11.2    | 8 | 6.00 | -75.90 | -75.76 | -75.63 | -75.35 | -75.66 | -75.35 | -75.73 | -75.24 | -60.54 | -41.25 | 19.29 |
| HE80, M0.3 to M11.3    | 8 | 6.00 | -75.30 | -75.80 | -75.43 | -75.71 | -74.85 | -75.69 | -75.95 | -74.83 | -60.39 | -41.25 | 19.14 |
| HE80, M0.4 to M11.4    | 8 | 6.00 | -75.68 | -75.61 | -75.74 | -75.51 | -75.69 | -75.31 | -75.09 | -75.06 | -60.42 | -41.25 | 19.17 |
| HE80, M0.5 to M11.5    | 8 | 6.00 | -75.72 | -75.30 | -75.24 | -75.31 | -76.06 | -75.66 | -75.47 | -75.28 | -60.46 | -41.25 | 19.21 |


|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE80, M0.6 to M11.6    | 8 | 6.00  | -75.66 | -75.74 | -75.52 | -75.50 | -75.48 | -75.44 | -75.37 | -74.66 | -60.38 | -41.25 | 19.13 |
| HE80, M0.7 to M11.7    | 8 | 6.00  | -75.76 | -75.94 | -74.35 | -75.79 | -75.85 | -75.31 | -75.25 | -75.60 | -60.42 | -41.25 | 19.17 |
| HE80, M0.8 to M11.8    | 8 | 6.00  | -75.60 | -75.62 | -75.62 | -75.70 | -75.08 | -75.52 | -75.44 | -75.65 | -60.49 | -41.25 | 19.24 |
| HE80, M0.1 to M11.1-BF | 2 | 9.01  | -75.69 | -75.74 |        |        |        |        |        |        | -63.69 | -41.25 | 22.44 |
| HE80, M0.2 to M11.2-BF | 2 | 6.00  | -75.38 | -75.76 |        |        |        |        |        |        | -66.56 | -41.25 | 25.31 |
| HE80, M0.1 to M11.1-BF | 3 | 10.77 | -76.14 | -75.94 | -75.87 |        |        |        |        |        | -60.44 | -41.25 | 19.19 |
| HE80, M0.2 to M11.2-BF | 3 | 7.76  | -75.44 | -74.81 | -75.44 |        |        |        |        |        | -62.69 | -41.25 | 21.44 |
| HE80, M0.3 to M11.3-BF | 3 | 6.00  | -75.79 | -75.60 | -75.14 |        |        |        |        |        | -64.73 | -41.25 | 23.48 |
| HE80, M0.1 to M11.1-BF | 4 | 12.02 | -74.88 | -75.67 | -75.56 | -75.53 |        |        |        |        | -57.36 | -41.25 | 16.11 |
| HE80, M0.2 to M11.2-BF | 4 | 9.01  | -75.46 | -74.95 | -75.41 | -75.21 |        |        |        |        | -60.22 | -41.25 | 18.97 |
| HE80, M0.3 to M11.3-BF | 4 | 7.25  | -74.27 | -75.70 | -75.86 | -75.61 |        |        |        |        | -62.04 | -41.25 | 20.79 |
| HE80, M0.4 to M11.4-BF | 4 | 6.00  | -75.96 | -75.77 | -75.37 | -75.72 |        |        |        |        | -63.68 | -41.25 | 22.43 |
| HE80, M0.1 to M11.1-BF | 6 | 13.78 | -75.76 | -76.01 | -75.24 |        | -75.65 | -74.93 | -75.67 |        | -53.97 | -41.25 | 12.72 |
| HE80, M0.2 to M11.2-BF | 6 | 10.77 | -76.08 | -75.91 | -75.82 |        | -75.84 | -75.23 | -75.65 |        | -57.20 | -41.25 | 15.95 |
| HE80, M0.3 to M11.3-BF | 6 | 9.01  | -74.96 | -75.90 | -74.96 |        | -75.52 | -75.09 | -76.06 |        | -58.60 | -41.25 | 17.35 |
| HE80, M0.4 to M11.4-BF | 6 | 7.76  | -75.26 | -75.77 | -75.85 |        | -75.39 | -75.77 | -75.54 |        | -60.05 | -41.25 | 18.80 |
| HE80, M0.5 to M11.5-BF | 6 | 6.79  | -75.12 | -75.51 | -75.45 |        | -75.87 | -75.98 | -75.66 |        | -61.01 | -41.25 | 19.76 |
| HE80, M0.6 to M11.6-BF | 6 | 6.00  | -75.64 | -76.04 | -75.76 |        | -75.95 | -75.75 | -75.34 |        | -61.96 | -41.25 | 20.71 |
| HE80, M0.1 to M11.1-BF | 8 | 15.03 | -75.18 | -75.47 | -75.45 | -74.66 | -76.05 | -75.80 | -75.04 | -75.65 | -51.33 | -41.25 | 10.08 |
| HE80, M0.2 to M11.2-BF | 8 | 12.02 | -75.51 | -75.54 | -75.26 | -75.40 | -75.48 | -76.11 | -75.26 | -75.17 | -54.41 | -41.25 | 13.16 |
| HE80, M0.3 to M11.3-BF | 8 | 10.26 | -75.65 | -75.77 | -75.88 | -75.78 | -75.56 | -75.41 | -75.46 | -75.79 | -56.37 | -41.25 | 15.12 |
| HE80, M0.4 to M11.4-BF | 8 | 9.01  | -75.69 | -75.72 | -75.91 | -75.14 | -75.09 | -75.68 | -74.95 | -76.07 | -57.47 | -41.25 | 16.22 |
| HE80, M0.5 to M11.5-BF | 8 | 8.04  | -75.82 | -75.69 | -75.59 | -75.71 | -75.65 | -75.50 | -75.15 | -75.65 | -58.52 | -41.25 | 17.27 |
| HE80, M0.6 to M11.6-BF | 8 | 7.25  | -75.49 | -75.59 | -76.06 | -75.94 | -75.42 | -75.72 | -75.28 | -75.24 | -59.30 | -41.25 | 18.05 |
| HE80, M0.7 to M11.7-BF | 8 | 6.58  | -74.85 | -75.59 | -75.72 | -75.71 | -75.00 | -75.43 | -75.71 | -76.04 | -59.88 | -41.25 | 18.63 |
| HE80, M0.8 to M11.8-BF | 8 | 6.00  | -75.86 | -74.86 | -75.14 | -76.11 | -75.64 | -75.71 | -74.80 | -74.81 | -60.31 | -41.25 | 19.06 |
| HE80, M0 to M11-STBC   | 2 | 6.00  | -75.40 | -75.61 |        |        |        |        |        |        | -66.50 | -41.25 | 25.25 |
| HE80, M0 to M11-STBC   | 3 | 6.00  | -75.58 | -75.86 | -75.86 |        |        |        |        |        | -64.99 | -41.25 | 23.74 |



|                      |   |      |        |        |        |        |        |        |        |        |        |        |       |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE80, M0 to M11-STBC | 4 | 6.00 | -75.43 | -76.10 | -75.68 | -75.70 |        |        |        |        | -63.70 | -41.25 | 22.45 |
| HE80, M0 to M11-STBC | 6 | 6.00 | -75.69 | -75.38 | -75.68 |        | -75.90 | -75.66 | -76.08 |        | -61.95 | -41.25 | 20.70 |
| HE80, M0 to M11-STBC | 8 | 6.00 | -74.92 | -75.70 | -75.74 | -75.54 | -75.32 | -75.10 | -75.42 | -75.55 | -60.37 | -41.25 | 19.12 |


Please refer to the following plots for the worst case configuration  
5795MHz HE40, M0.1 to M11.1-BF  
Peak

Ant-a




Date: 3.JUL.2019 02:58:26

Ant-b




Date: 3.JUL.2019 03:18:03

Ant-c




Date: 3.JUL.2019 03:35:56

Ant-d




Date: 3.JUL.2019 03:51:08

Ant-e




Date: 3.JUL.2019 04:02:52

Ant-f




Date: 3.JUL.2019 04:14:23

### Ant-g



Date: 3.JUL.2019 04:21:06


### Ant-h




Date: 3.JUL.2019 04:27:38

Average  
5785MHz HT/VHT20, M0 to M7, M0.1 to M8.1-BF  
Ant-a

Ant-b




Date: 2.JUL.2019 21:08:45




Date: 2.JUL.2019 21:30:20

Ant-c



Date: 2.JUL.2019 21:50:31

Ant-d




Date: 2.JUL.2019 22:05:23






### Ant-g



Date: 2.JUL.2019 22:41:21

### Ant-h



Date: 2.JUL.2019 22:50:55

Test results for Band-edge (Emission Mask)  
5745 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Band-edge (dBm) | Tx 2 Band-edge (dBm) | Tx 3 Band-edge (dBm) | Tx 4 Band-edge (dBm) | Tx 5 Band-edge (dBm) | Tx 6 Band-edge (dBm) | Tx 7 Band-edge (dBm) | Tx 8 Band-edge (dBm) | Total (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -44.75               |                      |                      |                      |                      |                      |                      |                      | -38.75      | -27.00          | 11.75       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -44.56               | -46.46               |                      |                      |                      |                      |                      |                      | -36.40      | -27.00          | 9.40        |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -44.74               | -47.26               | -45.91               |                      |                      |                      |                      |                      | -35.08      | -27.00          | 8.08        |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -44.47               | -45.49               | -46.15               | -47.23               |                      |                      |                      |                      | -33.70      | -27.00          | 6.70        |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -44.68               | -47.29               | -47.11               |                      | -42.32               | -49.14               | -49.71               |                      | -29.14      | -27.00          | 2.14        |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -44.82               | -45.56               | -45.90               | -47.08               | -42.84               | -47.98               | -47.54               | -47.81               | -27.82      | -27.00          | 0.82        |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -44.19               | -46.92               |                      |                      |                      |                      |                      |                      | -33.33      | -27.00          | 6.33        |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -44.87               | -47.05               | -46.40               |                      |                      |                      |                      |                      | -30.47      | -27.00          | 3.47        |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -44.71               | -44.82               | -46.33               | -46.42               |                      |                      |                      |                      | -27.45      | -27.00          | 0.45        |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -50.62               | -49.69               | -49.92               |                      | -48.58               | -49.83               | -50.67               |                      | -28.27      | -27.00          | 1.27        |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -50.53               | -53.04               | -53.32               | -53.30               | -53.15               | -51.17               | -52.06               | -52.65               | -28.22      | -27.00          | 1.22        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -44.23               |                      |                      |                      |                      |                      |                      |                      | -38.23      | -27.00          | 11.23       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -45.33               | -47.03               |                      |                      |                      |                      |                      |                      | -37.09      | -27.00          | 10.09       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -45.13               | -47.03               |                      |                      |                      |                      |                      |                      | -36.96      | -27.00          | 9.96        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -45.40               | -46.63               | -46.08               |                      |                      |                      |                      |                      | -35.24      | -27.00          | 8.24        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -44.63               | -46.74               | -45.79               |                      |                      |                      |                      |                      | -34.86      | -27.00          | 7.86        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -44.75               | -46.65               | -46.71               |                      |                      |                      |                      |                      | -35.16      | -27.00          | 8.16        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -45.01               | -45.41               | -46.27               | -47.12               |                      |                      |                      |                      | -33.86      | -27.00          | 6.86        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -45.12               | -45.24               | -45.80               | -46.49               |                      |                      |                      |                      | -33.61      | -27.00          | 6.61        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -45.85               | -44.70               | -45.49               | -47.03               |                      |                      |                      |                      | -33.67      | -27.00          | 6.67        |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -45.14               | -45.56               | -45.71               | -45.97               |                      |                      |                      |                      | -33.56      | -27.00          | 6.56        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -44.67               | -46.97               | -46.95               |                      | -42.92               | -49.02               | -47.38               |                      | -29.06      | -27.00          | 2.06        |

|  |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | -44.62 | -47.18 | -46.24 |        | -42.94 | -49.40 | -50.02 |        | -29.86 | -27.00 | 2.86  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | -44.99 | -46.84 | -46.33 |        | -42.64 | -49.50 | -49.92 |        | -30.69 | -27.00 | 3.69  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | -45.21 | -46.19 | -46.70 |        | -42.94 | -49.31 | -49.63 |        | -31.39 | -27.00 | 4.39  |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | -44.59 | -46.62 | -46.98 |        | -43.86 | -49.35 | -49.96 |        | -32.16 | -27.00 | 5.16  |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | -44.98 | -46.95 | -46.88 |        | -43.48 | -49.18 | -49.66 |        | -32.53 | -27.00 | 5.53  |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | -45.36 | -45.35 | -46.29 | -47.23 | -43.02 | -47.87 | -47.29 | -47.35 | -27.90 | -27.00 | 0.90  |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | -46.05 | -45.77 | -46.18 | -46.96 | -42.69 | -47.79 | -47.62 | -46.93 | -27.91 | -27.00 | 0.91  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | -44.48 | -44.24 | -45.96 | -46.50 | -43.86 | -48.44 | -47.83 | -47.22 | -28.61 | -27.00 | 1.61  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | -45.63 | -44.04 | -45.52 | -46.42 | -42.64 | -47.97 | -47.54 | -47.38 | -28.99 | -27.00 | 1.99  |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | -45.06 | -45.18 | -46.50 | -46.81 | -43.56 | -48.61 | -48.21 | -46.56 | -29.98 | -27.00 | 2.98  |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | -45.37 | -44.56 | -45.68 | -46.62 | -43.45 | -48.78 | -47.56 | -47.32 | -30.21 | -27.00 | 3.21  |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | -45.22 | -45.02 | -46.17 | -46.60 | -43.52 | -47.85 | -47.54 | -46.36 | -30.50 | -27.00 | 3.50  |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | -45.69 | -45.51 | -46.04 | -46.63 | -43.72 | -47.62 | -48.13 | -46.77 | -31.03 | -27.00 | 4.03  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | -45.49 | -46.68 |        |        |        |        |        |        | -34.02 | -27.00 | 7.02  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | -45.41 | -47.30 |        |        |        |        |        |        | -37.24 | -27.00 | 10.24 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | -45.78 | -47.32 | -47.06 |        |        |        |        |        | -31.12 | -27.00 | 4.12  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | -45.06 | -46.83 | -46.45 |        |        |        |        |        | -33.51 | -27.00 | 6.51  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | -46.17 | -47.09 | -46.70 |        |        |        |        |        | -35.87 | -27.00 | 8.87  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | -44.79 | -45.80 | -45.82 | -47.18 |        |        |        |        | -27.77 | -27.00 | 0.77  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | -45.36 | -45.66 | -45.90 | -47.28 |        |        |        |        | -30.96 | -27.00 | 3.96  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | -44.83 | -44.77 | -44.74 | -47.11 |        |        |        |        | -31.98 | -27.00 | 4.98  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | -44.68 | -45.52 | -46.20 | -47.19 |        |        |        |        | -33.78 | -27.00 | 6.78  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -48.37 | -49.48 | -48.96 |        | -45.95 | -50.19 | -51.33 |        | -27.14 | -27.00 | 0.14  |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | -47.87 | -47.44 | -46.89 |        | -44.87 | -47.98 | -49.23 |        | -28.61 | -27.00 | 1.61  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | -45.33 | -46.76 | -45.95 |        | -39.96 | -49.91 | -49.82 |        | -28.04 | -27.00 | 1.04  |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | -45.66 | -47.20 | -46.31 |        | -40.04 | -49.41 | -49.74 |        | -29.44 | -27.00 | 2.44  |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | -44.44 | -46.73 | -46.65 |        | -40.11 | -48.93 | -49.66 |        | -30.20 | -27.00 | 3.20  |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | -45.07 | -46.55 | -46.64 |        | -40.21 | -49.35 | -48.86 |        | -31.10 | -27.00 | 4.10  |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -50.58 | -51.34 | -50.92 | -51.24 | -51.63 | -51.23 | -51.13 | -51.25 | -27.09 | -27.00 | 0.09  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -48.15 | -48.24 | -48.43 | -48.26 | -48.97 | -48.53 | -48.03 | -48.75 | -27.36 | -27.00 | 0.36  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -46.43 | -45.84 | -45.97 | -46.81 | -45.95 | -46.92 | -47.53 | -47.39 | -27.27 | -27.00 | 0.27  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -45.52 | -45.25 | -45.41 | -46.25 | -43.12 | -48.27 | -47.63 | -47.10 | -27.75 | -27.00 | 0.75  |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -45.07 | -45.33 | -46.52 | -46.80 | -42.50 | -48.48 | -48.05 | -47.55 | -28.79 | -27.00 | 1.79  |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -45.65 | -45.33 | -46.27 | -47.05 | -42.58 | -48.64 | -48.18 | -47.29 | -29.68 | -27.00 | 2.68  |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -44.83 | -44.83 | -45.10 | -47.03 | -43.26 | -48.19 | -47.72 | -46.49 | -30.03 | -27.00 | 3.03  |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -45.43 | -45.21 | -45.81 | -46.77 | -42.59 | -48.53 | -47.69 | -46.66 | -30.70 | -27.00 | 3.70  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -45.27 | -47.40 |        |        |        |        |        |        | -37.19 | -27.00 | 10.19 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -44.86 | -46.45 | -46.02 |        |        |        |        |        | -34.95 | -27.00 | 7.95  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -45.80 | -45.85 | -46.11 | -47.14 |        |        |        |        | -34.17 | -27.00 | 7.17  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -45.20 | -46.40 | -46.20 |        | -41.63 | -49.44 | -49.76 |        | -31.75 | -27.00 | 4.75  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -45.39 | -46.16 | -47.49 | -47.88 | -43.51 | -47.90 | -48.44 | -48.70 | -31.55 | -27.00 | 4.55  |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -42.23 |        |        |        |        |        |        |        | -36.23 | -27.00 | 9.23  |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -42.17 | -46.64 |        |        |        |        |        |        | -34.84 | -27.00 | 7.84  |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -45.02 | -47.30 |        |        |        |        |        |        | -37.00 | -27.00 | 10.00 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -45.71 | -46.50 | -45.37 |        |        |        |        |        | -35.06 | -27.00 | 8.06  |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -45.70 | -46.01 | -45.11 |        |        |        |        |        | -34.82 | -27.00 | 7.82  |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -45.26 | -45.39 | -45.54 |        |        |        |        |        | -34.62 | -27.00 | 7.62  |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -42.40 | -44.65 | -44.85 | -45.48 |        |        |        |        | -32.16 | -27.00 | 5.16  |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -42.24 | -44.90 | -45.16 | -45.97 |        |        |        |        | -32.30 | -27.00 | 5.30  |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -41.74 | -44.94 | -43.91 | -45.75 |        |        |        |        | -31.79 | -27.00 | 4.79  |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -42.44 | -45.02 | -45.03 | -46.48 |        |        |        |        | -32.46 | -27.00 | 5.46  |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -45.65 | -46.41 | -45.55 |        | -40.03 | -47.26 | -48.11 |        | -27.75 | -27.00 | 0.75  |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -45.75 | -46.82 | -45.88 |        | -38.59 | -47.35 | -47.66 |        | -27.68 | -27.00 | 0.68  |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -42.92 | -46.70 | -45.48 |        | -39.65 | -47.34 | -48.16 |        | -28.64 | -27.00 | 1.64  |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -41.84 | -46.63 | -45.72 |        | -40.20 | -47.28 | -47.52 |        | -29.21 | -27.00 | 2.21  |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -42.43 | -46.64 | -45.81 |        | -40.23 | -47.46 | -47.80 |        | -29.90 | -27.00 | 2.90  |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |      |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -42.30 | -46.24 | -45.80 |        | -40.22 | -47.80 | -48.28 |        | -30.28 | -27.00 | 3.28 |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -45.62 | -44.74 | -46.37 | -45.65 | -44.18 | -47.39 | -46.44 | -46.05 | -27.67 | -27.00 | 0.67 |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -45.73 | -44.67 | -45.68 | -45.60 | -41.39 | -46.94 | -46.67 | -46.98 | -27.02 | -27.00 | 0.02 |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -45.97 | -45.27 | -45.55 | -44.87 | -41.21 | -46.69 | -46.09 | -46.69 | -27.74 | -27.00 | 0.74 |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -42.33 | -45.45 | -45.81 | -47.03 | -39.63 | -46.78 | -47.14 | -47.22 | -27.70 | -27.00 | 0.70 |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -42.42 | -45.07 | -44.96 | -45.70 | -40.18 | -46.89 | -46.92 | -46.77 | -28.14 | -27.00 | 1.14 |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -42.40 | -45.33 | -45.08 | -47.04 | -39.37 | -46.49 | -46.52 | -47.15 | -28.37 | -27.00 | 1.37 |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -42.60 | -44.39 | -44.89 | -46.41 | -39.25 | -46.94 | -46.17 | -46.71 | -28.51 | -27.00 | 1.51 |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -43.11 | -44.81 | -44.99 | -46.33 | -40.11 | -46.79 | -47.07 | -47.38 | -29.33 | -27.00 | 2.33 |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -42.20 | -47.18 |        |        |        |        |        |        | -31.99 | -27.00 | 4.99 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -42.21 | -47.02 |        |        |        |        |        |        | -34.97 | -27.00 | 7.97 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -42.29 | -46.25 | -45.93 |        |        |        |        |        | -28.89 | -27.00 | 1.89 |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -42.48 | -46.33 | -45.91 |        |        |        |        |        | -32.01 | -27.00 | 5.01 |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -42.01 | -47.08 | -45.08 |        |        |        |        |        | -33.45 | -27.00 | 6.45 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -45.35 | -44.70 | -45.93 | -45.24 |        |        |        |        | -27.24 | -27.00 | 0.24 |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -41.67 | -44.46 | -44.86 | -45.56 |        |        |        |        | -28.83 | -27.00 | 1.83 |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -42.47 | -44.90 | -44.52 | -45.18 |        |        |        |        | -30.86 | -27.00 | 3.86 |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -42.92 | -43.56 | -44.33 | -45.43 |        |        |        |        | -31.94 | -27.00 | 4.94 |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -48.77 | -48.99 | -48.78 |        | -48.27 | -49.17 | -51.38 |        | -27.56 | -27.00 | 0.56 |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -46.85 | -46.22 | -46.43 |        | -45.01 | -47.50 | -47.45 |        | -27.94 | -27.00 | 0.94 |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -46.26 | -45.77 | -46.37 |        | -44.74 | -47.84 | -48.08 |        | -29.57 | -27.00 | 2.57 |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -42.36 | -46.68 | -45.12 |        | -40.25 | -48.75 | -47.63 |        | -28.52 | -27.00 | 1.52 |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -42.30 | -46.66 | -45.90 |        | -39.89 | -47.57 | -47.82 |        | -29.36 | -27.00 | 2.36 |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -43.10 | -45.63 | -44.30 |        | -40.22 | -49.32 | -48.44 |        | -30.30 | -27.00 | 3.30 |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -50.99 | -51.62 | -50.95 | -51.57 | -51.35 | -50.78 | -51.11 | -51.33 | -27.14 | -27.00 | 0.14 |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -47.56 | -47.96 | -48.26 | -48.41 | -47.78 | -48.11 | -48.43 | -48.30 | -27.04 | -27.00 | 0.04 |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -44.59 | -47.65 | -47.12 | -47.06 | -45.17 | -47.57 | -47.21 | -47.48 | -27.29 | -27.00 | 0.29 |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -45.05 | -44.95 | -45.22 | -45.57 | -44.03 | -46.93 | -44.86 | -46.58 | -27.27 | -27.00 | 0.27 |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |      |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -42.85 | -44.89 | -44.55 | -47.13 | -40.07 | -46.63 | -46.72 | -47.22 | -27.20 | -27.00 | 0.20 |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -43.18 | -45.30 | -44.63 | -46.20 | -39.93 | -46.82 | -47.29 | -46.99 | -28.02 | -27.00 | 1.02 |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -42.66 | -44.71 | -44.49 | -47.36 | -40.37 | -46.88 | -46.40 | -46.45 | -28.65 | -27.00 | 1.65 |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -42.87 | -44.25 | -44.81 | -46.61 | -39.62 | -46.86 | -47.12 | -47.11 | -29.05 | -27.00 | 2.05 |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -41.65 | -46.14 |        |        |        |        |        |        | -34.33 | -27.00 | 7.33 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -42.54 | -45.56 | -45.56 |        |        |        |        |        | -33.53 | -27.00 | 6.53 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -42.45 | -45.00 | -44.76 | -45.88 |        |        |        |        | -32.31 | -27.00 | 5.31 |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -42.54 | -46.28 | -45.08 |        | -40.09 | -47.86 | -47.35 |        | -30.15 | -27.00 | 3.15 |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -46.10 | -46.32 | -46.67 | -46.90 | -42.95 | -48.27 | -48.50 | -48.62 | -31.37 | -27.00 | 4.37 |

## 5825 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Band-edge (dBm) | Tx 2 Band-edge (dBm) | Tx 3 Band-edge (dBm) | Tx 4 Band-edge (dBm) | Tx 5 Band-edge (dBm) | Tx 6 Band-edge (dBm) | Tx 7 Band-edge (dBm) | Tx 8 Band-edge (dBm) | Total (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------------|-------------|
| non HT20, 6 to 54 Mbps             | 1        | 6.00                          | -50.50               |                      |                      |                      |                      |                      |                      |                      | -44.50      | -27.00          | 17.50       |
| non HT20, 6 to 54 Mbps             | 2        | 6.00                          | -50.46               | -50.32               |                      |                      |                      |                      |                      |                      | -41.38      | -27.00          | 14.38       |
| non HT20, 6 to 54 Mbps             | 3        | 6.00                          | -49.89               | -49.24               | -47.66               |                      |                      |                      |                      |                      | -38.06      | -27.00          | 11.06       |
| non HT20, 6 to 54 Mbps             | 4        | 6.00                          | -49.13               | -47.76               | -46.65               | -46.86               |                      |                      |                      |                      | -35.47      | -27.00          | 8.47        |
| non HT20, 6 to 54 Mbps             | 6        | 9.00                          | -50.01               | -49.03               | -47.82               |                      | -46.15               | -49.97               | -47.99               |                      | -31.49      | -27.00          | 4.49        |
| non HT20, 6 to 54 Mbps             | 8        | 9.00                          | -49.41               | -48.34               | -46.65               | -47.52               | -47.15               | -48.08               | -46.85               | -48.33               | -29.68      | -27.00          | 2.68        |
| non HT20, 6 to 54 Mbps-BF          | 2        | 9.01                          | -49.48               | -50.41               |                      |                      |                      |                      |                      |                      | -37.90      | -27.00          | 10.90       |
| non HT20, 6 to 54 Mbps-BF          | 3        | 10.77                         | -49.73               | -48.99               | -47.93               |                      |                      |                      |                      |                      | -33.28      | -27.00          | 6.28        |
| non HT20, 6 to 54 Mbps-BF          | 4        | 12.02                         | -49.78               | -48.36               | -46.82               | -46.95               |                      |                      |                      |                      | -29.78      | -27.00          | 2.78        |
| non HT20, 6 to 54 Mbps-BF          | 6        | 13.78                         | -51.20               | -49.77               | -48.76               |                      | -49.12               | -50.96               | -50.57               |                      | -28.40      | -27.00          | 1.40        |
| non HT20, 6 to 54 Mbps-BF          | 8        | 15.03                         | -51.62               | -51.54               | -51.65               | -51.06               | -49.87               | -51.10               | -51.73               | -51.89               | -27.20      | -27.00          | 0.20        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 1        | 6.00                          | -50.70               |                      |                      |                      |                      |                      |                      |                      | -44.70      | -27.00          | 17.70       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 2        | 6.00                          | -49.34               | -50.90               |                      |                      |                      |                      |                      |                      | -41.04      | -27.00          | 14.04       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 2        | 6.00                          | -50.51               | -50.52               |                      |                      |                      |                      |                      |                      | -41.50      | -27.00          | 14.50       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 3        | 6.00                          | -49.83               | -48.82               | -47.31               |                      |                      |                      |                      |                      | -37.75      | -27.00          | 10.75       |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 3        | 6.00                          | -50.32               | -49.05               | -47.95               |                      |                      |                      |                      |                      | -38.23      | -27.00          | 11.23       |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 3        | 6.00                          | -50.62               | -49.23               | -47.98               |                      |                      |                      |                      |                      | -38.37      | -27.00          | 11.37       |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 4        | 6.00                          | -49.17               | -47.87               | -46.82               | -47.22               |                      |                      |                      |                      | -35.66      | -27.00          | 8.66        |
| HT/VHT20, M8 to M15, M0.2 to M8.2  | 4        | 6.00                          | -49.61               | -47.39               | -47.16               | -47.57               |                      |                      |                      |                      | -35.81      | -27.00          | 8.81        |
| HT/VHT20, M16 to M23, M0.3 to M8.3 | 4        | 6.00                          | -48.92               | -48.26               | -47.57               | -46.89               |                      |                      |                      |                      | -35.82      | -27.00          | 8.82        |
| HT/VHT20, M24 to M31, M0.4 to M8.4 | 4        | 6.00                          | -48.98               | -47.84               | -46.83               | -47.21               |                      |                      |                      |                      | -35.62      | -27.00          | 8.62        |
| HT/VHT20, M0 to M7, M0.1 to M8.1   | 6        | 9.00                          | -50.07               | -49.20               | -47.32               |                      | -46.53               | -48.37               | -48.30               |                      | -31.36      | -27.00          | 4.36        |

|  |   |       |        |        |        |        |        |        |        |        |        |        |       |
|--|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 6 | 8.39  | -50.10 | -48.51 | -47.57 |        | -47.87 | -49.31 | -47.69 |        | -32.24 | -27.00 | 5.24  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 6 | 7.51  | -49.85 | -48.93 | -47.80 |        | -47.93 | -49.07 | -47.62 |        | -33.17 | -27.00 | 6.17  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 6 | 6.88  | -50.33 | -48.90 | -47.99 |        | -47.54 | -49.04 | -48.19 |        | -33.91 | -27.00 | 6.91  |
| VHT20, M0.5 to M8.5                    | 6 | 6.40  | -50.42 | -49.42 | -47.75 |        | -48.39 | -49.85 | -48.15 |        | -34.71 | -27.00 | 7.71  |
| VHT20, M0.6 to M8.6                    | 6 | 6.00  | -50.09 | -49.29 | -47.91 |        | -47.48 | -49.33 | -48.22 |        | -34.84 | -27.00 | 7.84  |
| HT/VHT20, M0 to M7, M0.1 to M8.1       | 8 | 9.00  | -49.44 | -47.32 | -47.35 | -47.62 | -47.45 | -48.61 | -46.63 | -47.89 | -29.69 | -27.00 | 2.69  |
| HT/VHT20, M8 to M15, M0.2 to M8.2      | 8 | 9.00  | -49.25 | -47.80 | -45.79 | -46.56 | -47.20 | -48.82 | -46.44 | -47.79 | -29.28 | -27.00 | 2.28  |
| HT/VHT20, M16 to M23, M0.3 to M8.3     | 8 | 8.13  | -48.98 | -48.14 | -47.53 | -46.76 | -48.00 | -47.93 | -45.99 | -47.37 | -30.34 | -27.00 | 3.34  |
| HT/VHT20, M24 to M31, M0.4 to M8.4     | 8 | 7.51  | -47.81 | -48.34 | -46.48 | -46.79 | -47.56 | -48.61 | -46.48 | -48.08 | -30.91 | -27.00 | 3.91  |
| VHT20, M0.5 to M8.5                    | 8 | 7.02  | -49.41 | -48.52 | -47.91 | -47.23 | -48.16 | -48.61 | -47.05 | -47.26 | -31.90 | -27.00 | 4.90  |
| VHT20, M0.6 to M8.6                    | 8 | 6.62  | -49.38 | -47.82 | -47.91 | -47.09 | -48.04 | -48.52 | -46.09 | -48.11 | -32.12 | -27.00 | 5.12  |
| VHT20, M0.7 to M8.7                    | 8 | 6.29  | -49.54 | -48.13 | -47.81 | -46.82 | -48.07 | -48.45 | -46.50 | -48.00 | -32.50 | -27.00 | 5.50  |
| VHT20, M0.8 to M8.8                    | 8 | 6.00  | -49.72 | -48.35 | -47.35 | -46.56 | -47.51 | -48.57 | -46.06 | -48.30 | -32.63 | -27.00 | 5.63  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 2 | 9.01  | -50.08 | -50.74 |        |        |        |        |        |        | -38.38 | -27.00 | 11.38 |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 2 | 6.00  | -50.52 | -50.61 |        |        |        |        |        |        | -41.56 | -27.00 | 14.56 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 3 | 10.77 | -50.17 | -49.16 | -47.86 |        |        |        |        |        | -33.42 | -27.00 | 6.42  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 3 | 7.76  | -50.32 | -49.15 | -46.57 |        |        |        |        |        | -35.86 | -27.00 | 8.86  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 3 | 6.00  | -49.98 | -49.21 | -47.79 |        |        |        |        |        | -38.12 | -27.00 | 11.12 |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 4 | 12.02 | -49.64 | -48.52 | -47.09 | -47.28 |        |        |        |        | -29.97 | -27.00 | 2.97  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF   | 4 | 9.01  | -48.16 | -47.73 | -46.97 | -46.95 |        |        |        |        | -32.39 | -27.00 | 5.39  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 4 | 7.25  | -49.41 | -47.28 | -46.86 | -47.17 |        |        |        |        | -34.30 | -27.00 | 7.30  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF  | 4 | 6.00  | -49.11 | -47.71 | -47.30 | -47.21 |        |        |        |        | -35.75 | -27.00 | 8.75  |
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF    | 6 | 13.78 | -51.89 | -49.67 | -49.29 |        | -50.68 | -51.22 | -49.45 |        | -28.70 | -27.00 | 1.70  |
| HT/VHT20, M8 to M15, M0.2 to M8.2 -BF  | 6 | 10.77 | -50.26 | -48.38 | -47.56 |        | -47.04 | -49.47 | -48.04 |        | -29.77 | -27.00 | 2.77  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF  | 6 | 9.01  | -49.69 | -49.06 | -46.76 |        | -47.45 | -49.57 | -48.11 |        | -31.51 | -27.00 | 4.51  |
| HT/VHT20, M24 to M31, M0.4 to M8.4 -BF | 6 | 7.76  | -49.39 | -49.12 | -47.58 |        | -48.51 | -49.57 | -47.57 |        | -33.00 | -27.00 | 6.00  |
| VHT20, M0.5 to M8.5-BF                 | 6 | 6.79  | -49.87 | -49.46 | -47.81 |        | -47.93 | -49.33 | -47.79 |        | -34.04 | -27.00 | 7.04  |
| VHT20, M0.6 to M8.6-BF                 | 6 | 6.00  | -50.31 | -48.55 | -47.70 |        | -47.03 | -49.71 | -48.27 |        | -34.67 | -27.00 | 7.67  |



|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT20, M0 to M7, M0.1 to M8.1-BF   | 8 | 15.03 | -51.73 | -51.89 | -50.47 | -51.04 | -51.20 | -51.29 | -51.33 | -50.47 | -27.09 | -27.00 | 0.09  |
| HT/VHT20, M8 to M15, M0.2 to M8.2-BF  | 8 | 12.02 | -49.40 | -48.68 | -47.98 | -48.45 | -46.59 | -49.02 | -48.54 | -48.24 | -27.23 | -27.00 | 0.23  |
| HT/VHT20, M16 to M23, M0.3 to M8.3-BF | 8 | 10.26 | -49.33 | -47.43 | -47.34 | -47.26 | -47.36 | -48.33 | -46.29 | -47.98 | -28.30 | -27.00 | 1.30  |
| HT/VHT20, M24 to M31, M0.4 to M8.4-BF | 8 | 9.01  | -49.03 | -47.88 | -47.18 | -47.19 | -47.34 | -48.17 | -46.48 | -47.96 | -29.55 | -27.00 | 2.55  |
| VHT20, M0.5 to M8.5-BF                | 8 | 8.04  | -49.34 | -48.02 | -46.93 | -46.94 | -48.09 | -48.85 | -46.44 | -47.95 | -30.65 | -27.00 | 3.65  |
| VHT20, M0.6 to M8.6-BF                | 8 | 7.25  | -49.50 | -48.00 | -46.61 | -47.27 | -47.07 | -48.68 | -47.08 | -48.21 | -31.43 | -27.00 | 4.43  |
| VHT20, M0.7 to M8.7-BF                | 8 | 6.58  | -49.18 | -48.10 | -45.70 | -46.71 | -47.42 | -48.17 | -46.82 | -47.82 | -31.76 | -27.00 | 4.76  |
| VHT20, M0.8 to M8.8-BF                | 8 | 6.00  | -48.84 | -47.83 | -47.08 | -46.88 | -46.77 | -48.10 | -46.24 | -48.12 | -32.37 | -27.00 | 5.37  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 2 | 6.00  | -49.15 | -50.48 |        |        |        |        |        |        | -40.76 | -27.00 | 13.76 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 3 | 6.00  | -47.59 | -49.07 | -48.34 |        |        |        |        |        | -37.52 | -27.00 | 10.52 |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 4 | 6.00  | -49.66 | -48.55 | -47.02 | -46.77 |        |        |        |        | -35.82 | -27.00 | 8.82  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 6 | 6.00  | -48.83 | -49.01 | -47.31 |        | -46.53 | -49.39 | -47.39 |        | -34.17 | -27.00 | 7.17  |
| HT/VHT20, M0 to M7, M0 to M8 -STBC    | 8 | 6.00  | -50.20 | -48.76 | -48.45 | -48.44 | -46.80 | -49.19 | -47.53 | -48.92 | -33.40 | -27.00 | 6.40  |
| HE20, M0.1 to M11.1                   | 1 | 6.00  | -48.34 |        |        |        |        |        |        |        | -42.34 | -27.00 | 15.34 |
| HE20, M0.1 to M11.1                   | 2 | 6.00  | -48.75 | -49.97 |        |        |        |        |        |        | -40.31 | -27.00 | 13.31 |
| HE20, M0.2 to M11.2                   | 2 | 6.00  | -48.72 | -50.52 |        |        |        |        |        |        | -40.52 | -27.00 | 13.52 |
| HE20, M0.1 to M11.1                   | 3 | 6.00  | -48.18 | -49.08 | -46.56 |        |        |        |        |        | -37.04 | -27.00 | 10.04 |
| HE20, M0.2 to M11.2                   | 3 | 6.00  | -48.88 | -48.89 | -46.99 |        |        |        |        |        | -37.39 | -27.00 | 10.39 |
| HE20, M0.3 to M11.3                   | 3 | 6.00  | -48.17 | -48.99 | -47.49 |        |        |        |        |        | -37.40 | -27.00 | 10.40 |
| HE20, M0.1 to M11.1                   | 4 | 6.00  | -48.07 | -47.83 | -46.71 | -47.13 |        |        |        |        | -35.38 | -27.00 | 8.38  |
| HE20, M0.2 to M11.2                   | 4 | 6.00  | -47.60 | -47.60 | -47.02 | -47.20 |        |        |        |        | -35.33 | -27.00 | 8.33  |
| HE20, M0.3 to M11.3                   | 4 | 6.00  | -48.26 | -47.87 | -47.32 | -47.27 |        |        |        |        | -35.64 | -27.00 | 8.64  |
| HE20, M0.4 to M11.4                   | 4 | 6.00  | -47.85 | -47.48 | -47.19 | -46.82 |        |        |        |        | -35.30 | -27.00 | 8.30  |
| HE20, M0.1 to M11.1                   | 6 | 9.00  | -48.52 | -48.29 | -47.99 |        | -44.80 | -48.30 | -48.14 |        | -30.67 | -27.00 | 3.67  |
| HE20, M0.2 to M11.2                   | 6 | 8.39  | -48.54 | -48.75 | -48.09 |        | -44.64 | -48.01 | -48.09 |        | -31.25 | -27.00 | 4.25  |
| HE20, M0.3 to M11.3                   | 6 | 7.51  | -48.58 | -48.55 | -47.54 |        | -43.92 | -48.36 | -48.00 |        | -31.83 | -27.00 | 4.83  |
| HE20, M0.4 to M11.4                   | 6 | 6.88  | -48.50 | -48.33 | -47.65 |        | -44.68 | -47.57 | -48.21 |        | -32.60 | -27.00 | 5.60  |
| HE20, M0.5 to M11.5                   | 6 | 6.40  | -48.88 | -49.02 | -47.69 |        | -44.55 | -47.83 | -48.49 |        | -33.26 | -27.00 | 6.26  |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.6 to M11.6    | 6 | 6.00  | -48.57 | -48.77 | -46.97 |        | -45.76 | -48.30 | -47.32 |        | -33.70 | -27.00 | 6.70  |
| HE20, M0.1 to M11.1    | 8 | 9.00  | -47.39 | -47.51 | -46.38 | -47.27 | -44.42 | -46.49 | -46.24 | -47.54 | -28.50 | -27.00 | 1.50  |
| HE20, M0.2 to M11.2    | 8 | 9.00  | -48.69 | -46.35 | -47.66 | -46.13 | -44.76 | -47.68 | -46.60 | -48.14 | -28.80 | -27.00 | 1.80  |
| HE20, M0.3 to M11.3    | 8 | 8.13  | -48.14 | -47.26 | -47.01 | -47.20 | -44.42 | -47.24 | -46.69 | -47.91 | -29.67 | -27.00 | 2.67  |
| HE20, M0.4 to M11.4    | 8 | 7.51  | -48.27 | -48.59 | -47.10 | -46.42 | -44.56 | -47.32 | -46.47 | -48.07 | -30.38 | -27.00 | 3.38  |
| HE20, M0.5 to M11.5    | 8 | 7.02  | -48.45 | -47.39 | -47.20 | -46.70 | -45.30 | -47.29 | -46.02 | -47.60 | -30.84 | -27.00 | 3.84  |
| HE20, M0.6 to M11.6    | 8 | 6.62  | -47.17 | -47.84 | -46.69 | -47.10 | -45.48 | -47.75 | -46.23 | -47.55 | -31.25 | -27.00 | 4.25  |
| HE20, M0.7 to M11.7    | 8 | 6.29  | -48.05 | -47.59 | -46.92 | -46.96 | -44.77 | -47.14 | -46.42 | -47.71 | -31.51 | -27.00 | 4.51  |
| HE20, M0.8 to M11.8    | 8 | 6.00  | -48.00 | -47.64 | -47.62 | -46.87 | -44.21 | -47.33 | -46.78 | -47.65 | -31.81 | -27.00 | 4.81  |
| HE20, M0.1 to M11.1-BF | 2 | 9.01  | -49.01 | -50.21 |        |        |        |        |        |        | -37.55 | -27.00 | 10.55 |
| HE20, M0.2 to M11.2-BF | 2 | 6.00  | -48.73 | -50.42 |        |        |        |        |        |        | -40.48 | -27.00 | 13.48 |
| HE20, M0.1 to M11.1-BF | 3 | 10.77 | -48.48 | -48.81 | -48.17 |        |        |        |        |        | -32.94 | -27.00 | 5.94  |
| HE20, M0.2 to M11.2-BF | 3 | 7.76  | -48.78 | -48.90 | -47.72 |        |        |        |        |        | -35.90 | -27.00 | 8.90  |
| HE20, M0.3 to M11.3-BF | 3 | 6.00  | -48.89 | -49.24 | -47.33 |        |        |        |        |        | -37.63 | -27.00 | 10.63 |
| HE20, M0.1 to M11.1-BF | 4 | 12.02 | -47.34 | -47.52 | -46.43 | -46.97 |        |        |        |        | -29.00 | -27.00 | 2.00  |
| HE20, M0.2 to M11.2-BF | 4 | 9.01  | -46.90 | -47.44 | -47.50 | -47.02 |        |        |        |        | -32.18 | -27.00 | 5.18  |
| HE20, M0.3 to M11.3-BF | 4 | 7.25  | -48.32 | -47.09 | -46.97 | -47.34 |        |        |        |        | -34.13 | -27.00 | 7.13  |
| HE20, M0.4 to M11.4-BF | 4 | 6.00  | -48.21 | -48.06 | -47.36 | -47.20 |        |        |        |        | -35.66 | -27.00 | 8.66  |
| HE20, M0.1 to M11.1-BF | 6 | 13.78 | -51.68 | -49.85 | -49.23 |        | -50.02 | -49.81 | -49.74 |        | -28.43 | -27.00 | 1.43  |
| HE20, M0.2 to M11.2-BF | 6 | 10.77 | -48.48 | -49.20 | -47.94 |        | -44.57 | -47.84 | -48.00 |        | -28.84 | -27.00 | 1.84  |
| HE20, M0.3 to M11.3-BF | 6 | 9.01  | -48.10 | -48.82 | -47.79 |        | -44.99 | -47.71 | -47.91 |        | -30.57 | -27.00 | 3.57  |
| HE20, M0.4 to M11.4-BF | 6 | 7.76  | -48.03 | -48.98 | -47.60 |        | -42.47 | -47.83 | -48.09 |        | -30.96 | -27.00 | 3.96  |
| HE20, M0.5 to M11.5-BF | 6 | 6.79  | -46.59 | -49.22 | -47.87 |        | -44.99 | -47.68 | -47.92 |        | -32.60 | -27.00 | 5.60  |
| HE20, M0.6 to M11.6-BF | 6 | 6.00  | -49.11 | -48.82 | -47.96 |        | -45.29 | -48.10 | -47.76 |        | -33.86 | -27.00 | 6.86  |
| HE20, M0.1 to M11.1-BF | 8 | 15.03 | -51.89 | -50.55 | -51.63 | -51.47 | -50.24 | -51.26 | -51.95 | -51.11 | -27.16 | -27.00 | 0.16  |
| HE20, M0.2 to M11.2-BF | 8 | 12.02 | -50.06 | -48.20 | -47.69 | -48.71 | -46.54 | -48.74 | -48.35 | -48.07 | -27.14 | -27.00 | 0.14  |
| HE20, M0.3 to M11.3-BF | 8 | 10.26 | -48.01 | -47.58 | -46.98 | -47.34 | -43.70 | -47.97 | -45.88 | -48.15 | -27.40 | -27.00 | 0.40  |
| HE20, M0.4 to M11.4-BF | 8 | 9.01  | -47.36 | -47.71 | -46.53 | -46.93 | -44.55 | -47.71 | -46.73 | -47.92 | -28.76 | -27.00 | 1.76  |

|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE20, M0.5 to M11.5-BF | 8 | 8.04 | -48.21 | -47.97 | -47.39 | -46.69 | -44.14 | -47.40 | -45.72 | -47.09 | -29.56 | -27.00 | 2.56  |
| HE20, M0.6 to M11.6-BF | 8 | 7.25 | -48.40 | -47.58 | -47.06 | -46.93 | -44.41 | -46.97 | -46.54 | -47.73 | -30.52 | -27.00 | 3.52  |
| HE20, M0.7 to M11.7-BF | 8 | 6.58 | -47.96 | -48.09 | -47.50 | -47.57 | -45.39 | -47.08 | -46.01 | -47.36 | -31.41 | -27.00 | 4.41  |
| HE20, M0.8 to M11.8-BF | 8 | 6.00 | -48.07 | -47.53 | -47.31 | -47.24 | -44.83 | -47.54 | -46.71 | -47.51 | -31.95 | -27.00 | 4.95  |
| HE20, M0 to M11-STBC   | 2 | 6.00 | -48.22 | -50.19 |        |        |        |        |        |        | -40.08 | -27.00 | 13.08 |
| HE20, M0 to M11-STBC   | 3 | 6.00 | -48.80 | -48.95 | -47.17 |        |        |        |        |        | -37.46 | -27.00 | 10.46 |
| HE20, M0 to M11-STBC   | 4 | 6.00 | -47.43 | -47.30 | -47.53 | -46.50 |        |        |        |        | -35.15 | -27.00 | 8.15  |
| HE20, M0 to M11-STBC   | 6 | 6.00 | -48.96 | -48.46 | -47.32 |        | -44.09 | -48.18 | -48.62 |        | -33.45 | -27.00 | 6.45  |
| HE20, M0 to M11-STBC   | 8 | 6.00 | -49.67 | -48.23 | -48.13 | -48.56 | -45.68 | -48.24 | -47.57 | -48.96 | -32.95 | -27.00 | 5.95  |

## 5755 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Band-edge (dBm) | Tx 2 Band-edge (dBm) | Tx 3 Band-edge (dBm) | Tx 4 Band-edge (dBm) | Tx 5 Band-edge (dBm) | Tx 6 Band-edge (dBm) | Tx 7 Band-edge (dBm) | Tx 8 Band-edge (dBm) | Total (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | -45.50               |                      |                      |                      |                      |                      |                      |                      | -39.50      | -27.00          | 12.50       |
| non HT40, 6 to 54 Mbps             | 2        | 6.00                          | -45.74               | -48.39               |                      |                      |                      |                      |                      |                      | -37.86      | -27.00          | 10.86       |
| non HT40, 6 to 54 Mbps             | 3        | 6.00                          | -45.49               | -49.31               | -48.80               |                      |                      |                      |                      |                      | -36.74      | -27.00          | 9.74        |
| non HT40, 6 to 54 Mbps             | 4        | 6.00                          | -46.25               | -47.15               | -48.62               | -46.98               |                      |                      |                      |                      | -35.14      | -27.00          | 8.14        |
| non HT40, 6 to 54 Mbps             | 6        | 9.00                          | -45.54               | -48.57               | -48.11               |                      | -42.09               | -48.62               | -48.78               |                      | -29.35      | -27.00          | 2.35        |
| non HT40, 6 to 54 Mbps             | 8        | 9.00                          | -46.10               | -47.60               | -47.28               | -46.84               | -42.19               | -47.60               | -47.24               | -47.71               | -28.10      | -27.00          | 1.10        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | -45.49               |                      |                      |                      |                      |                      |                      |                      | -39.49      | -27.00          | 12.49       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 6.00                          | -45.98               | -49.21               |                      |                      |                      |                      |                      |                      | -38.29      | -27.00          | 11.29       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | -45.76               | -49.12               |                      |                      |                      |                      |                      |                      | -38.11      | -27.00          | 11.11       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 6.00                          | -45.97               | -49.26               | -48.86               |                      |                      |                      |                      |                      | -37.00      | -27.00          | 10.00       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 6.00                          | -45.80               | -48.18               | -48.52               |                      |                      |                      |                      |                      | -36.55      | -27.00          | 9.55        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | -46.09               | -49.10               | -49.33               |                      |                      |                      |                      |                      | -37.13      | -27.00          | 10.13       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 6.00                          | -46.40               | -48.08               | -49.07               | -46.92               |                      |                      |                      |                      | -35.48      | -27.00          | 8.48        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 6.00                          | -46.30               | -47.60               | -47.65               | -46.93               |                      |                      |                      |                      | -35.06      | -27.00          | 8.06        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 6.00                          | -45.65               | -47.91               | -47.46               | -47.49               |                      |                      |                      |                      | -35.01      | -27.00          | 8.01        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | -46.64               | -48.24               | -48.33               | -47.18               |                      |                      |                      |                      | -35.52      | -27.00          | 8.52        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 6.00                          | -47.57               | -49.54               | -49.32               |                      | -42.29               | -48.61               | -50.80               |                      | -33.16      | -27.00          | 6.16        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 6.00                          | -46.91               | -48.76               | -49.49               |                      | -41.98               | -48.27               | -50.38               |                      | -32.78      | -27.00          | 5.78        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 6.00                          | -45.83               | -47.88               | -48.27               |                      | -42.17               | -48.36               | -50.27               |                      | -32.48      | -27.00          | 5.48        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 6.00                          | -46.50               | -48.59               | -48.66               |                      | -42.32               | -48.50               | -50.58               |                      | -32.81      | -27.00          | 5.81        |
| VHT40, M0.5 to M9.5                | 6        | 6.00                          | -46.15               | -49.07               | -49.47               |                      | -42.97               | -48.40               | -50.19               |                      | -33.12      | -27.00          | 6.12        |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | -43.41               | -47.10               | -47.37               |                      | -36.11               | -47.76               | -46.62               |                      | -28.36      | -27.00          | 1.36        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 6.00                          | -47.08               | -47.95               | -48.80               | -47.60               | -42.45               | -48.81               | -49.36               | -48.28               | -31.89      | -27.00          | 4.89        |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 6.00  | -46.07 | -48.22 | -48.97 | -47.20 | -41.92 | -48.42 | -49.44 | -48.03 | -31.51 | -27.00 | 4.51  |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 6.00  | -45.73 | -48.11 | -48.34 | -47.17 | -42.61 | -47.53 | -48.59 | -48.14 | -31.50 | -27.00 | 4.50  |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 6.00  | -43.72 | -47.89 | -49.20 | -47.56 | -41.80 | -48.28 | -48.94 | -47.48 | -30.99 | -27.00 | 3.99  |
| VHT40, M0.5 to M9.5                   | 8 | 6.00  | -44.37 | -47.97 | -48.62 | -47.13 | -42.53 | -48.19 | -49.44 | -47.97 | -31.35 | -27.00 | 4.35  |
| VHT40, M0.6 to M9.6                   | 8 | 6.00  | -43.13 | -46.03 | -46.90 | -45.93 | -36.40 | -47.45 | -46.19 | -46.16 | -27.82 | -27.00 | 0.82  |
| VHT40, M0.7 to M9.7                   | 8 | 6.00  | -42.25 | -46.08 | -46.96 | -45.58 | -35.72 | -47.38 | -46.74 | -44.81 | -27.25 | -27.00 | 0.25  |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | -44.39 | -48.02 | -47.96 | -47.24 | -41.99 | -48.14 | -49.36 | -47.85 | -31.13 | -27.00 | 4.13  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | -42.73 | -49.60 |        |        |        |        |        |        | -32.91 | -27.00 | 5.91  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | -46.99 | -49.06 |        |        |        |        |        |        | -38.89 | -27.00 | 11.89 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | -46.50 | -49.35 | -47.46 |        |        |        |        |        | -32.07 | -27.00 | 5.07  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | -45.50 | -47.29 | -46.93 |        |        |        |        |        | -33.97 | -27.00 | 6.97  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | -46.35 | -49.28 | -47.91 |        |        |        |        |        | -36.91 | -27.00 | 9.91  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | -46.09 | -48.22 | -49.00 | -47.73 |        |        |        |        | -29.58 | -27.00 | 2.58  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | -45.84 | -48.49 | -49.00 | -47.13 |        |        |        |        | -32.41 | -27.00 | 5.41  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | -45.31 | -47.67 | -48.76 | -47.59 |        |        |        |        | -33.87 | -27.00 | 6.87  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | -45.94 | -47.55 | -48.65 | -47.77 |        |        |        |        | -35.34 | -27.00 | 8.34  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | -49.61 | -51.62 | -51.30 |        | -45.92 | -50.26 | -52.50 |        | -28.03 | -27.00 | 1.03  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | -45.05 | -49.15 | -48.68 |        | -42.73 | -48.32 | -50.67 |        | -27.97 | -27.00 | 0.97  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | -45.89 | -48.88 | -49.07 |        | -42.71 | -48.26 | -50.52 |        | -29.90 | -27.00 | 2.90  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | -46.11 | -49.39 | -49.45 |        | -42.38 | -48.66 | -49.40 |        | -31.09 | -27.00 | 4.09  |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | -47.27 | -48.47 | -48.91 |        | -42.49 | -48.70 | -50.46 |        | -32.25 | -27.00 | 5.25  |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | -43.10 | -46.69 | -47.15 |        | -35.92 | -47.67 | -46.69 |        | -28.16 | -27.00 | 1.16  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | -52.75 | -51.30 | -51.74 | -51.48 | -49.47 | -51.34 | -51.46 | -51.60 | -27.24 | -27.00 | 0.24  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | -46.19 | -47.75 | -50.09 | -49.37 | -45.37 | -50.27 | -49.92 | -48.62 | -27.03 | -27.00 | 0.03  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | -44.46 | -47.76 | -48.88 | -47.22 | -42.50 | -47.64 | -49.49 | -48.11 | -27.08 | -27.00 | 0.08  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | -43.36 | -48.06 | -48.10 | -47.16 | -42.25 | -48.61 | -49.78 | -47.31 | -28.00 | -27.00 | 1.00  |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | -43.81 | -48.20 | -48.02 | -47.28 | -43.21 | -48.18 | -49.66 | -48.14 | -29.40 | -27.00 | 2.40  |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | -44.63 | -45.97 | -46.52 | -45.63 | -39.36 | -46.79 | -44.97 | -45.55 | -27.89 | -27.00 | 0.89  |

|                                   |   |      |        |        |        |        |        |        |        |        |        |        |       |
|-----------------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58 | -44.24 | -46.39 | -46.87 | -46.55 | -36.34 | -46.73 | -45.85 | -46.19 | -27.32 | -27.00 | 0.32  |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00 | -43.27 | -47.97 | -47.49 | -47.36 | -42.90 | -48.46 | -49.56 | -47.75 | -31.15 | -27.00 | 4.15  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00 | -44.23 | -49.97 |        |        |        |        |        |        | -37.21 | -27.00 | 10.21 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00 | -47.35 | -49.07 | -47.62 |        |        |        |        |        | -37.18 | -27.00 | 10.18 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00 | -43.41 | -47.71 | -48.06 | -47.31 |        |        |        |        | -34.14 | -27.00 | 7.14  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00 | -46.55 | -48.83 | -48.29 |        | -42.31 | -49.12 | -50.87 |        | -32.89 | -27.00 | 5.89  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00 | -45.46 | -49.03 | -49.35 | -49.44 | -42.86 | -50.29 | -49.21 | -49.79 | -32.31 | -27.00 | 5.31  |
| HE40, M0.1 to M11.1               | 1 | 6.00 | -43.48 |        |        |        |        |        |        |        | -37.48 | -27.00 | 10.48 |
| HE40, M0.1 to M11.1               | 2 | 6.00 | -43.87 | -48.19 |        |        |        |        |        |        | -36.50 | -27.00 | 9.50  |
| HE40, M0.2 to M11.2               | 2 | 6.00 | -43.72 | -47.58 |        |        |        |        |        |        | -36.22 | -27.00 | 9.22  |
| HE40, M0.1 to M11.1               | 3 | 6.00 | -43.15 | -49.27 | -47.88 |        |        |        |        |        | -35.16 | -27.00 | 8.16  |
| HE40, M0.2 to M11.2               | 3 | 6.00 | -43.87 | -49.08 | -47.62 |        |        |        |        |        | -35.51 | -27.00 | 8.51  |
| HE40, M0.3 to M11.3               | 3 | 6.00 | -42.81 | -48.96 | -47.81 |        |        |        |        |        | -34.88 | -27.00 | 7.88  |
| HE40, M0.1 to M11.1               | 4 | 6.00 | -43.76 | -46.27 | -47.30 | -46.73 |        |        |        |        | -33.76 | -27.00 | 6.76  |
| HE40, M0.2 to M11.2               | 4 | 6.00 | -44.43 | -47.25 | -47.53 | -47.67 |        |        |        |        | -34.47 | -27.00 | 7.47  |
| HE40, M0.3 to M11.3               | 4 | 6.00 | -43.17 | -46.90 | -47.86 | -47.28 |        |        |        |        | -33.84 | -27.00 | 6.84  |
| HE40, M0.4 to M11.4               | 4 | 6.00 | -43.27 | -46.19 | -47.65 | -46.63 |        |        |        |        | -33.58 | -27.00 | 6.58  |
| HE40, M0.1 to M11.1               | 6 | 6.00 | -43.54 | -47.62 | -48.16 |        | -39.37 | -48.90 | -48.00 |        | -30.55 | -27.00 | 3.55  |
| HE40, M0.2 to M11.2               | 6 | 6.00 | -44.15 | -48.13 | -48.24 |        | -39.37 | -48.41 | -48.50 |        | -30.72 | -27.00 | 3.72  |
| HE40, M0.3 to M11.3               | 6 | 6.00 | -43.85 | -46.99 | -47.91 |        | -39.26 | -48.71 | -48.18 |        | -30.49 | -27.00 | 3.49  |
| HE40, M0.4 to M11.4               | 6 | 6.00 | -43.91 | -47.77 | -47.55 |        | -39.82 | -48.96 | -48.48 |        | -30.86 | -27.00 | 3.86  |
| HE40, M0.5 to M11.5               | 6 | 6.00 | -43.26 | -47.86 | -47.97 |        | -39.66 | -48.37 | -49.02 |        | -30.68 | -27.00 | 3.68  |
| HE40, M0.6 to M11.6               | 6 | 6.00 | -43.80 | -47.84 | -48.44 |        | -39.59 | -48.69 | -49.02 |        | -30.81 | -27.00 | 3.81  |
| HE40, M0.1 to M11.1               | 8 | 6.00 | -43.60 | -47.04 | -47.72 | -46.56 | -39.46 | -47.82 | -47.40 | -48.01 | -29.75 | -27.00 | 2.75  |
| HE40, M0.2 to M11.2               | 8 | 6.00 | -44.30 | -46.35 | -47.30 | -46.98 | -39.70 | -48.41 | -47.82 | -47.63 | -29.95 | -27.00 | 2.95  |
| HE40, M0.3 to M11.3               | 8 | 6.00 | -44.05 | -46.66 | -47.49 | -47.14 | -40.19 | -48.20 | -48.01 | -48.21 | -30.20 | -27.00 | 3.20  |
| HE40, M0.4 to M11.4               | 8 | 6.00 | -43.64 | -47.07 | -47.33 | -47.13 | -39.56 | -48.42 | -48.11 | -48.67 | -29.94 | -27.00 | 2.94  |
| HE40, M0.5 to M11.5               | 8 | 6.00 | -43.86 | -46.82 | -47.49 | -47.75 | -39.28 | -48.62 | -47.72 | -47.54 | -29.80 | -27.00 | 2.80  |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE40, M0.6 to M11.6    | 8 | 6.00  | -43.91 | -46.92 | -47.03 | -46.89 | -39.50 | -48.55 | -47.60 | -47.69 | -29.82 | -27.00 | 2.82  |
| HE40, M0.7 to M11.7    | 8 | 6.00  | -44.67 | -46.20 | -47.84 | -47.06 | -39.07 | -48.47 | -48.17 | -48.19 | -29.81 | -27.00 | 2.81  |
| HE40, M0.8 to M11.8    | 8 | 6.00  | -43.53 | -47.06 | -47.94 | -47.50 | -39.23 | -48.18 | -47.95 | -48.26 | -29.79 | -27.00 | 2.79  |
| HE40, M0.1 to M11.1-BF | 2 | 9.01  | -44.35 | -47.84 |        |        |        |        |        |        | -33.73 | -27.00 | 6.73  |
| HE40, M0.2 to M11.2-BF | 2 | 6.00  | -44.85 | -47.90 |        |        |        |        |        |        | -37.10 | -27.00 | 10.10 |
| HE40, M0.1 to M11.1-BF | 3 | 10.77 | -43.73 | -48.61 | -47.83 |        |        |        |        |        | -30.62 | -27.00 | 3.62  |
| HE40, M0.2 to M11.2-BF | 3 | 7.76  | -44.27 | -48.73 | -47.34 |        |        |        |        |        | -33.83 | -27.00 | 6.83  |
| HE40, M0.3 to M11.3-BF | 3 | 6.00  | -43.64 | -48.73 | -47.63 |        |        |        |        |        | -35.32 | -27.00 | 8.32  |
| HE40, M0.1 to M11.1-BF | 4 | 12.02 | -42.71 | -46.34 | -47.51 | -47.27 |        |        |        |        | -27.44 | -27.00 | 0.44  |
| HE40, M0.2 to M11.2-BF | 4 | 9.01  | -44.36 | -46.30 | -48.03 | -46.97 |        |        |        |        | -31.17 | -27.00 | 4.17  |
| HE40, M0.3 to M11.3-BF | 4 | 7.25  | -43.72 | -47.25 | -48.00 | -47.31 |        |        |        |        | -32.94 | -27.00 | 5.94  |
| HE40, M0.4 to M11.4-BF | 4 | 6.00  | -44.29 | -46.30 | -47.27 | -47.07 |        |        |        |        | -34.04 | -27.00 | 7.04  |
| HE40, M0.1 to M11.1-BF | 6 | 13.78 | -46.95 | -51.15 | -50.32 |        | -45.51 | -50.57 | -52.65 |        | -27.22 | -27.00 | 0.22  |
| HE40, M0.2 to M11.2-BF | 6 | 10.77 | -47.16 | -47.24 | -47.76 |        | -41.58 | -48.62 | -47.94 |        | -27.35 | -27.00 | 0.35  |
| HE40, M0.3 to M11.3-BF | 6 | 9.01  | -43.93 | -47.84 | -47.29 |        | -39.52 | -48.90 | -48.72 |        | -27.69 | -27.00 | 0.69  |
| HE40, M0.4 to M11.4-BF | 6 | 7.76  | -43.90 | -47.81 | -47.48 |        | -39.79 | -49.02 | -48.26 |        | -29.07 | -27.00 | 2.07  |
| HE40, M0.5 to M11.5-BF | 6 | 6.79  | -43.75 | -47.30 | -47.63 |        | -39.73 | -48.40 | -48.54 |        | -29.93 | -27.00 | 2.93  |
| HE40, M0.6 to M11.6-BF | 6 | 6.00  | -43.31 | -47.89 | -47.58 |        | -38.95 | -48.90 | -48.91 |        | -30.32 | -27.00 | 3.32  |
| HE40, M0.1 to M11.1-BF | 8 | 15.03 | -52.64 | -51.98 | -51.92 | -51.43 | -48.03 | -52.02 | -52.72 | -51.21 | -27.16 | -27.00 | 0.16  |
| HE40, M0.2 to M11.2-BF | 8 | 12.02 | -47.44 | -47.89 | -49.29 | -49.61 | -45.06 | -49.99 | -49.68 | -49.87 | -27.22 | -27.00 | 0.22  |
| HE40, M0.3 to M11.3-BF | 8 | 10.26 | -46.30 | -48.33 | -47.24 | -48.86 | -41.94 | -48.26 | -47.38 | -47.64 | -27.08 | -27.00 | 0.08  |
| HE40, M0.4 to M11.4-BF | 8 | 9.01  | -43.15 | -47.12 | -47.61 | -46.95 | -40.16 | -48.47 | -48.04 | -48.06 | -27.06 | -27.00 | 0.06  |
| HE40, M0.5 to M11.5-BF | 8 | 8.04  | -43.55 | -46.99 | -47.64 | -47.15 | -39.73 | -47.65 | -48.22 | -48.00 | -27.89 | -27.00 | 0.89  |
| HE40, M0.6 to M11.6-BF | 8 | 7.25  | -44.65 | -47.00 | -47.86 | -47.32 | -39.82 | -48.51 | -48.17 | -47.87 | -28.96 | -27.00 | 1.96  |
| HE40, M0.7 to M11.7-BF | 8 | 6.58  | -43.46 | -46.84 | -48.02 | -47.32 | -39.91 | -47.57 | -46.75 | -48.19 | -29.34 | -27.00 | 2.34  |
| HE40, M0.8 to M11.8-BF | 8 | 6.00  | -43.39 | -47.45 | -47.79 | -46.17 | -39.23 | -48.51 | -47.87 | -47.94 | -29.68 | -27.00 | 2.68  |
| HE40, M0 to M11-STBC   | 2 | 6.00  | -43.89 | -47.32 |        |        |        |        |        |        | -36.26 | -27.00 | 9.26  |
| HE40, M0 to M11-STBC   | 3 | 6.00  | -43.06 | -47.90 | -47.84 |        |        |        |        |        | -34.86 | -27.00 | 7.86  |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |      |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| HE40, M0 to M11-STBC | 4 | 6.00 | -43.34 | -46.65 | -47.79 | -46.85 |        |        |        |        | -33.78 | -27.00 | 6.78 |
| HE40, M0 to M11-STBC | 6 | 6.00 | -43.51 | -47.43 | -47.43 |        | -39.99 | -48.17 | -48.59 |        | -30.78 | -27.00 | 3.78 |
| HE40, M0 to M11-STBC | 8 | 6.00 | -46.20 | -48.23 | -49.89 | -49.46 | -41.86 | -50.09 | -49.51 | -49.28 | -32.00 | -27.00 | 5.00 |



## 5795 MHz:

| Mode                               | Tx paths | correlated antenna gain (dBi) | Tx 1 Band-edge (dBm) | Tx 2 Band-edge (dBm) | Tx 3 Band-edge (dBm) | Tx 4 Band-edge (dBm) | Tx 5 Band-edge (dBm) | Tx 6 Band-edge (dBm) | Tx 7 Band-edge (dBm) | Tx 8 Band-edge (dBm) | Total (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------------|-------------|
| non HT40, 6 to 54 Mbps             | 1        | 6.00                          | -49.59               |                      |                      |                      |                      |                      |                      |                      | -43.59      | -27.00          | 16.59       |
| non HT40, 6 to 54 Mbps             | 2        | 6.00                          | -49.21               | -49.17               |                      |                      |                      |                      |                      |                      | -40.18      | -27.00          | 13.18       |
| non HT40, 6 to 54 Mbps             | 3        | 6.00                          | -49.95               | -48.38               | -48.87               |                      |                      |                      |                      |                      | -38.25      | -27.00          | 11.25       |
| non HT40, 6 to 54 Mbps             | 4        | 6.00                          | -50.16               | -48.53               | -48.31               | -50.60               |                      |                      |                      |                      | -37.27      | -27.00          | 10.27       |
| non HT40, 6 to 54 Mbps             | 6        | 9.00                          | -50.11               | -48.99               | -48.60               |                      | -50.49               | -48.83               | -49.68               |                      | -32.61      | -27.00          | 5.61        |
| non HT40, 6 to 54 Mbps             | 8        | 9.00                          | -50.37               | -48.93               | -48.88               | -50.81               | -50.57               | -47.99               | -50.57               | -50.80               | -31.71      | -27.00          | 4.71        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 1        | 6.00                          | -50.46               |                      |                      |                      |                      |                      |                      |                      | -44.46      | -27.00          | 17.46       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 2        | 6.00                          | -49.66               | -49.26               |                      |                      |                      |                      |                      |                      | -40.44      | -27.00          | 13.44       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 2        | 6.00                          | -49.20               | -48.76               |                      |                      |                      |                      |                      |                      | -39.96      | -27.00          | 12.96       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 3        | 6.00                          | -50.31               | -49.33               | -47.86               |                      |                      |                      |                      |                      | -38.28      | -27.00          | 11.28       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 3        | 6.00                          | -50.04               | -49.11               | -48.71               |                      |                      |                      |                      |                      | -38.48      | -27.00          | 11.48       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 3        | 6.00                          | -49.71               | -48.87               | -49.06               |                      |                      |                      |                      |                      | -38.43      | -27.00          | 11.43       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 4        | 6.00                          | -50.20               | -49.47               | -48.99               | -50.72               |                      |                      |                      |                      | -37.77      | -27.00          | 10.77       |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 4        | 6.00                          | -50.23               | -48.77               | -49.03               | -50.84               |                      |                      |                      |                      | -37.62      | -27.00          | 10.62       |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 4        | 6.00                          | -49.47               | -49.11               | -48.89               | -50.55               |                      |                      |                      |                      | -37.44      | -27.00          | 10.44       |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 4        | 6.00                          | -50.64               | -48.88               | -48.89               | -50.01               |                      |                      |                      |                      | -37.52      | -27.00          | 10.52       |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 6        | 6.00                          | -50.35               | -48.91               | -48.39               |                      | -50.03               | -48.63               | -50.50               |                      | -35.61      | -27.00          | 8.61        |
| HT/VHT40, M8 to M15, M0.2 to M9.2  | 6        | 6.00                          | -50.63               | -48.26               | -49.06               |                      | -50.32               | -48.30               | -50.17               |                      | -35.57      | -27.00          | 8.57        |
| HT/VHT40, M16 to M23, M0.3 to M9.3 | 6        | 6.00                          | -50.24               | -48.61               | -48.41               |                      | -50.06               | -49.16               | -49.82               |                      | -35.54      | -27.00          | 8.54        |
| HT/VHT40, M24 to M31, M0.4 to M9.4 | 6        | 6.00                          | -50.28               | -48.81               | -49.00               |                      | -50.40               | -48.40               | -50.56               |                      | -35.71      | -27.00          | 8.71        |
| VHT40, M0.5 to M9.5                | 6        | 6.00                          | -50.30               | -48.85               | -48.83               |                      | -50.26               | -48.67               | -49.77               |                      | -35.61      | -27.00          | 8.61        |
| VHT40, M0.6 to M9.6                | 6        | 6.00                          | -48.17               | -48.88               | -48.26               |                      | -48.87               | -48.78               | -48.54               |                      | -34.79      | -27.00          | 7.79        |
| HT/VHT40, M0 to M7, M0.1 to M9.1   | 8        | 6.00                          | -50.51               | -48.78               | -48.70               | -50.18               | -50.67               | -49.03               | -50.32               | -51.04               | -34.79      | -27.00          | 7.79        |

|                                       |   |       |        |        |        |        |        |        |        |        |        |        |       |
|---------------------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HT/VHT40, M8 to M15, M0.2 to M9.2     | 8 | 6.00  | -50.35 | -49.36 | -48.66 | -50.54 | -48.41 | -48.70 | -49.99 | -49.85 | -34.38 | -27.00 | 7.38  |
| HT/VHT40, M16 to M23, M0.3 to M9.3    | 8 | 6.00  | -50.43 | -48.65 | -48.82 | -50.91 | -48.59 | -48.34 | -49.90 | -50.99 | -34.43 | -27.00 | 7.43  |
| HT/VHT40, M24 to M31, M0.4 to M9.4    | 8 | 6.00  | -49.74 | -48.64 | -48.48 | -50.69 | -49.16 | -48.95 | -50.49 | -50.77 | -34.50 | -27.00 | 7.50  |
| VHT40, M0.5 to M9.5                   | 8 | 6.00  | -49.73 | -48.72 | -48.82 | -50.34 | -48.99 | -49.01 | -50.17 | -50.89 | -34.49 | -27.00 | 7.49  |
| VHT40, M0.6 to M9.6                   | 8 | 6.00  | -48.67 | -48.48 | -47.88 | -47.06 | -48.66 | -48.23 | -48.37 | -48.11 | -33.12 | -27.00 | 6.12  |
| VHT40, M0.7 to M9.7                   | 8 | 6.00  | -47.93 | -49.09 | -48.48 | -47.04 | -48.81 | -48.68 | -48.73 | -47.68 | -33.23 | -27.00 | 6.23  |
| VHT40, M0.8 to M9.8                   | 8 | 6.00  | -50.00 | -49.09 | -48.61 | -50.55 | -48.70 | -48.17 | -50.07 | -51.06 | -34.39 | -27.00 | 7.39  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 2 | 9.01  | -50.13 | -49.15 |        |        |        |        |        |        | -37.59 | -27.00 | 10.59 |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 2 | 6.00  | -49.79 | -49.66 |        |        |        |        |        |        | -40.71 | -27.00 | 13.71 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 3 | 10.77 | -49.84 | -48.84 | -49.15 |        |        |        |        |        | -33.72 | -27.00 | 6.72  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 3 | 7.76  | -50.49 | -49.05 | -49.22 |        |        |        |        |        | -37.01 | -27.00 | 10.01 |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 3 | 6.00  | -50.65 | -49.04 | -49.04 |        |        |        |        |        | -38.74 | -27.00 | 11.74 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 4 | 12.02 | -50.44 | -48.59 | -48.63 | -49.12 |        |        |        |        | -31.09 | -27.00 | 4.09  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 4 | 9.01  | -50.12 | -48.80 | -48.94 | -48.84 |        |        |        |        | -34.11 | -27.00 | 7.11  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 4 | 7.25  | -50.52 | -48.50 | -48.30 | -49.38 |        |        |        |        | -35.82 | -27.00 | 8.82  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 4 | 6.00  | -49.22 | -48.78 | -48.76 | -49.62 |        |        |        |        | -37.06 | -27.00 | 10.06 |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 6 | 13.78 | -52.09 | -50.83 | -50.13 |        | -51.97 | -51.73 | -51.87 |        | -29.81 | -27.00 | 2.81  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 6 | 10.77 | -50.45 | -49.04 | -48.69 |        | -47.73 | -49.09 | -49.95 |        | -30.52 | -27.00 | 3.52  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 6 | 9.01  | -50.46 | -48.76 | -48.57 |        | -48.61 | -47.83 | -50.20 |        | -32.18 | -27.00 | 5.18  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 6 | 7.76  | -50.16 | -48.95 | -48.87 |        | -48.44 | -48.46 | -50.51 |        | -33.62 | -27.00 | 6.62  |
| VHT40, M0.5 to M9.5-BF                | 6 | 6.79  | -50.82 | -48.40 | -48.49 |        | -49.08 | -48.68 | -50.55 |        | -34.66 | -27.00 | 7.66  |
| VHT40, M0.6 to M9.6-BF                | 6 | 6.00  | -48.70 | -48.90 | -48.97 |        | -48.15 | -48.57 | -48.66 |        | -34.87 | -27.00 | 7.87  |
| HT/VHT40, M0 to M7, M0.1 to M9.1-BF   | 8 | 15.03 | -52.00 | -51.76 | -52.63 | -51.84 | -51.96 | -52.37 | -52.42 | -52.14 | -28.07 | -27.00 | 1.07  |
| HT/VHT40, M8 to M15, M0.2 to M9.2-BF  | 8 | 12.02 | -50.77 | -51.01 | -50.81 | -50.91 | -50.37 | -50.86 | -49.92 | -51.62 | -29.71 | -27.00 | 2.71  |
| HT/VHT40, M16 to M23, M0.3 to M9.3-BF | 8 | 10.26 | -49.39 | -48.60 | -48.65 | -50.47 | -48.73 | -49.02 | -49.24 | -50.65 | -29.99 | -27.00 | 2.99  |
| HT/VHT40, M24 to M31, M0.4 to M9.4-BF | 8 | 9.01  | -50.39 | -48.89 | -48.58 | -50.49 | -47.76 | -48.91 | -50.29 | -50.86 | -31.35 | -27.00 | 4.35  |
| VHT40, M0.5 to M9.5-BF                | 8 | 8.04  | -50.58 | -48.81 | -48.76 | -50.60 | -48.79 | -48.94 | -49.38 | -50.44 | -32.39 | -27.00 | 5.39  |
| VHT40, M0.6 to M9.6-BF                | 8 | 7.25  | -48.35 | -48.56 | -48.07 | -47.25 | -47.98 | -48.69 | -48.49 | -48.68 | -31.95 | -27.00 | 4.95  |

|                                   |   |      |        |        |        |        |        |        |        |        |        |        |       |
|-----------------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT40, M0.7 to M9.7-BF            | 8 | 6.58 | -48.69 | -48.49 | -48.20 | -47.76 | -48.83 | -48.52 | -48.39 | -46.17 | -32.44 | -27.00 | 5.44  |
| VHT40, M0.8 to M9.8-BF            | 8 | 6.00 | -50.74 | -48.39 | -49.06 | -49.10 | -48.55 | -48.99 | -49.17 | -50.82 | -34.24 | -27.00 | 7.24  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 2 | 6.00 | -50.22 | -48.76 |        |        |        |        |        |        | -40.42 | -27.00 | 13.42 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 3 | 6.00 | -50.61 | -48.52 | -49.09 |        |        |        |        |        | -38.55 | -27.00 | 11.55 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 4 | 6.00 | -50.71 | -48.82 | -48.97 | -48.92 |        |        |        |        | -37.27 | -27.00 | 10.27 |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 6 | 6.00 | -50.41 | -49.13 | -48.85 |        | -49.15 | -48.32 | -50.60 |        | -35.55 | -27.00 | 8.55  |
| HT/VHT40, M0 to M7, M0 to M9-STBC | 8 | 6.00 | -50.86 | -50.66 | -50.16 | -51.21 | -49.91 | -50.84 | -50.56 | -50.28 | -35.51 | -27.00 | 8.51  |
| HE40, M0.1 to M11.1               | 1 | 6.00 | -49.27 |        |        |        |        |        |        |        | -43.27 | -27.00 | 16.27 |
| HE40, M0.1 to M11.1               | 2 | 6.00 | -50.45 | -48.69 |        |        |        |        |        |        | -40.47 | -27.00 | 13.47 |
| HE40, M0.2 to M11.2               | 2 | 6.00 | -50.53 | -49.06 |        |        |        |        |        |        | -40.72 | -27.00 | 13.72 |
| HE40, M0.1 to M11.1               | 3 | 6.00 | -50.85 | -48.93 | -49.14 |        |        |        |        |        | -38.79 | -27.00 | 11.79 |
| HE40, M0.2 to M11.2               | 3 | 6.00 | -50.32 | -48.75 | -48.98 |        |        |        |        |        | -38.53 | -27.00 | 11.53 |
| HE40, M0.3 to M11.3               | 3 | 6.00 | -50.26 | -49.10 | -48.68 |        |        |        |        |        | -38.52 | -27.00 | 11.52 |
| HE40, M0.1 to M11.1               | 4 | 6.00 | -50.51 | -49.20 | -49.27 | -49.49 |        |        |        |        | -37.57 | -27.00 | 10.57 |
| HE40, M0.2 to M11.2               | 4 | 6.00 | -49.75 | -48.90 | -49.10 | -49.28 |        |        |        |        | -37.22 | -27.00 | 10.22 |
| HE40, M0.3 to M11.3               | 4 | 6.00 | -50.55 | -48.75 | -49.03 | -49.25 |        |        |        |        | -37.32 | -27.00 | 10.32 |
| HE40, M0.4 to M11.4               | 4 | 6.00 | -50.13 | -49.23 | -49.12 | -49.13 |        |        |        |        | -37.36 | -27.00 | 10.36 |
| HE40, M0.1 to M11.1               | 6 | 6.00 | -50.72 | -48.61 | -48.32 |        | -48.69 | -48.62 | -49.06 |        | -35.16 | -27.00 | 8.16  |
| HE40, M0.2 to M11.2               | 6 | 6.00 | -50.47 | -48.64 | -49.11 |        | -48.80 | -48.84 | -49.03 |        | -35.33 | -27.00 | 8.33  |
| HE40, M0.3 to M11.3               | 6 | 6.00 | -50.88 | -49.49 | -48.71 |        | -48.67 | -48.71 | -48.53 |        | -35.31 | -27.00 | 8.31  |
| HE40, M0.4 to M11.4               | 6 | 6.00 | -50.10 | -48.37 | -48.14 |        | -48.17 | -49.03 | -49.06 |        | -34.98 | -27.00 | 7.98  |
| HE40, M0.5 to M11.5               | 6 | 6.00 | -50.37 | -48.38 | -48.58 |        | -48.26 | -48.60 | -48.52 |        | -34.95 | -27.00 | 7.95  |
| HE40, M0.6 to M11.6               | 6 | 6.00 | -50.06 | -49.44 | -49.08 |        | -48.29 | -48.57 | -48.11 |        | -35.09 | -27.00 | 8.09  |
| HE40, M0.1 to M11.1               | 8 | 6.00 | -50.51 | -49.44 | -48.76 | -49.27 | -48.55 | -49.11 | -50.20 | -48.92 | -34.27 | -27.00 | 7.27  |
| HE40, M0.2 to M11.2               | 8 | 6.00 | -50.35 | -49.26 | -48.97 | -48.52 | -48.47 | -48.60 | -48.08 | -48.50 | -33.76 | -27.00 | 6.76  |
| HE40, M0.3 to M11.3               | 8 | 6.00 | -50.16 | -49.21 | -48.69 | -49.47 | -49.07 | -49.00 | -48.33 | -49.25 | -34.09 | -27.00 | 7.09  |
| HE40, M0.4 to M11.4               | 8 | 6.00 | -48.66 | -48.26 | -49.07 | -49.04 | -48.91 | -48.85 | -48.88 | -48.37 | -33.71 | -27.00 | 6.71  |
| HE40, M0.5 to M11.5               | 8 | 6.00 | -50.59 | -49.08 | -48.87 | -48.43 | -48.23 | -48.48 | -48.73 | -48.66 | -33.80 | -27.00 | 6.80  |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE40, M0.6 to M11.6    | 8 | 6.00  | -48.33 | -47.63 | -49.01 | -49.47 | -48.77 | -48.66 | -48.86 | -48.63 | -33.61 | -27.00 | 6.61  |
| HE40, M0.7 to M11.7    | 8 | 6.00  | -49.21 | -49.29 | -48.51 | -49.05 | -48.59 | -48.62 | -48.52 | -48.51 | -33.74 | -27.00 | 6.74  |
| HE40, M0.8 to M11.8    | 8 | 6.00  | -47.67 | -49.25 | -49.17 | -49.30 | -48.45 | -48.69 | -48.10 | -48.76 | -33.61 | -27.00 | 6.61  |
| HE40, M0.1 to M11.1-BF | 2 | 9.01  | -50.23 | -49.22 |        |        |        |        |        |        | -37.68 | -27.00 | 10.68 |
| HE40, M0.2 to M11.2-BF | 2 | 6.00  | -49.65 | -48.86 |        |        |        |        |        |        | -40.22 | -27.00 | 13.22 |
| HE40, M0.1 to M11.1-BF | 3 | 10.77 | -50.48 | -48.84 | -49.05 |        |        |        |        |        | -33.86 | -27.00 | 6.86  |
| HE40, M0.2 to M11.2-BF | 3 | 7.76  | -50.15 | -48.87 | -48.51 |        |        |        |        |        | -36.59 | -27.00 | 9.59  |
| HE40, M0.3 to M11.3-BF | 3 | 6.00  | -50.46 | -48.30 | -48.77 |        |        |        |        |        | -38.31 | -27.00 | 11.31 |
| HE40, M0.1 to M11.1-BF | 4 | 12.02 | -49.58 | -49.18 | -48.34 | -49.42 |        |        |        |        | -31.06 | -27.00 | 4.06  |
| HE40, M0.2 to M11.2-BF | 4 | 9.01  | -50.23 | -49.10 | -48.22 | -48.05 |        |        |        |        | -33.79 | -27.00 | 6.79  |
| HE40, M0.3 to M11.3-BF | 4 | 7.25  | -50.46 | -48.73 | -48.78 | -49.36 |        |        |        |        | -36.01 | -27.00 | 9.01  |
| HE40, M0.4 to M11.4-BF | 4 | 6.00  | -50.36 | -48.56 | -48.98 | -49.53 |        |        |        |        | -37.28 | -27.00 | 10.28 |
| HE40, M0.1 to M11.1-BF | 6 | 13.78 | -52.01 | -50.62 | -50.38 |        | -50.90 | -50.77 | -51.93 |        | -29.49 | -27.00 | 2.49  |
| HE40, M0.2 to M11.2-BF | 6 | 10.77 | -50.71 | -49.13 | -49.16 |        | -47.72 | -48.32 | -48.68 |        | -30.31 | -27.00 | 3.31  |
| HE40, M0.3 to M11.3-BF | 6 | 9.01  | -50.22 | -48.92 | -48.92 |        | -48.38 | -49.02 | -48.57 |        | -32.18 | -27.00 | 5.18  |
| HE40, M0.4 to M11.4-BF | 6 | 7.76  | -50.14 | -49.04 | -49.23 |        | -48.24 | -48.14 | -48.46 |        | -33.28 | -27.00 | 6.28  |
| HE40, M0.5 to M11.5-BF | 6 | 6.79  | -50.23 | -48.74 | -48.92 |        | -48.75 | -49.18 | -48.52 |        | -34.45 | -27.00 | 7.45  |
| HE40, M0.6 to M11.6-BF | 6 | 6.00  | -50.62 | -49.23 | -49.06 |        | -48.48 | -48.70 | -48.02 |        | -35.16 | -27.00 | 8.16  |
| HE40, M0.1 to M11.1-BF | 8 | 15.03 | -52.42 | -52.22 | -51.86 | -52.28 | -52.65 | -52.40 | -51.90 | -52.28 | -28.18 | -27.00 | 1.18  |
| HE40, M0.2 to M11.2-BF | 8 | 12.02 | -50.38 | -51.13 | -50.53 | -50.90 | -50.84 | -50.38 | -50.50 | -50.96 | -29.64 | -27.00 | 2.64  |
| HE40, M0.3 to M11.3-BF | 8 | 10.26 | -48.78 | -49.05 | -49.05 | -48.57 | -48.50 | -49.01 | -48.49 | -49.04 | -29.51 | -27.00 | 2.51  |
| HE40, M0.4 to M11.4-BF | 8 | 9.01  | -48.91 | -49.67 | -48.87 | -49.37 | -48.37 | -48.04 | -48.43 | -48.35 | -30.68 | -27.00 | 3.68  |
| HE40, M0.5 to M11.5-BF | 8 | 8.04  | -48.50 | -49.14 | -48.44 | -49.12 | -49.22 | -48.89 | -48.56 | -48.62 | -31.73 | -27.00 | 4.73  |
| HE40, M0.6 to M11.6-BF | 8 | 7.25  | -48.83 | -49.07 | -48.82 | -49.58 | -48.37 | -48.97 | -48.56 | -48.40 | -32.53 | -27.00 | 5.53  |
| HE40, M0.7 to M11.7-BF | 8 | 6.58  | -48.01 | -48.69 | -47.89 | -49.29 | -47.75 | -48.72 | -48.24 | -48.37 | -32.73 | -27.00 | 5.73  |
| HE40, M0.8 to M11.8-BF | 8 | 6.00  | -48.83 | -49.61 | -48.40 | -48.84 | -48.73 | -48.94 | -48.34 | -48.95 | -33.78 | -27.00 | 6.78  |
| HE40, M0 to M11-STBC   | 2 | 6.00  | -47.88 | -49.12 |        |        |        |        |        |        | -39.45 | -27.00 | 12.45 |
| HE40, M0 to M11-STBC   | 3 | 6.00  | -48.69 | -49.25 | -48.94 |        |        |        |        |        | -38.18 | -27.00 | 11.18 |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |       |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE40, M0 to M11-STBC | 4 | 6.00 | -49.06 | -49.14 | -48.69 | -49.35 |        |        |        |        | -37.03 | -27.00 | 10.03 |
| HE40, M0 to M11-STBC | 6 | 6.00 | -48.73 | -49.54 | -48.10 |        | -49.07 | -48.94 | -48.80 |        | -35.06 | -27.00 | 8.06  |
| HE40, M0 to M11-STBC | 8 | 6.00 | -50.84 | -51.15 | -50.75 | -50.58 | -50.35 | -50.84 | -50.14 | -51.16 | -35.68 | -27.00 | 8.68  |

## 5775 MHz (Left Edge):

| Mode                   | Tx paths | correlated antenna gain (dBi) | Tx 1 Band-edge (dBm) | Tx 2 Band-edge (dBm) | Tx 3 Band-edge (dBm) | Tx 4 Band-edge (dBm) | Tx 5 Band-edge (dBm) | Tx 6 Band-edge (dBm) | Tx 7 Band-edge (dBm) | Tx 8 Band-edge (dBm) | Total (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------------|-------------|
| non HT80, 6 to 54 Mbps | 1        | 6.00                          | -38.19               |                      |                      |                      |                      |                      |                      |                      | -32.19      | -23.76          | 8.43        |
| non HT80, 6 to 54 Mbps | 2        | 6.00                          | -38.51               | -37.80               |                      |                      |                      |                      |                      |                      | -29.13      | -23.54          | 5.59        |
| non HT80, 6 to 54 Mbps | 3        | 6.00                          | -39.13               | -43.66               | -43.14               |                      |                      |                      |                      |                      | -30.70      | -23.95          | 6.75        |
| non HT80, 6 to 54 Mbps | 4        | 6.00                          | -38.72               | -44.65               | -44.18               | -45.36               |                      |                      |                      |                      | -30.27      | -23.91          | 6.36        |
| non HT80, 6 to 54 Mbps | 6        | 9.00                          | -37.98               | -47.97               | -44.31               |                      | -36.39               | -47.34               | -46.50               |                      | -24.16      | -23.65          | 0.51        |
| non HT80, 6 to 54 Mbps | 8        | 9.00                          | -42.77               | -43.47               | -44.94               | -39.93               | -39.27               | -45.23               | -44.90               | -49.79               | -24.74      | -24.47          | 0.27        |
| VHT80, M0.1 to M9.1    | 1        | 6.00                          | -39.81               |                      |                      |                      |                      |                      |                      |                      | -33.81      | -23.87          | 9.94        |
| VHT80, M0.1 to M9.1    | 2        | 6.00                          | -39.15               | -42.97               |                      |                      |                      |                      |                      |                      | -31.64      | -23.10          | 8.54        |
| VHT80, M0.2 to M9.2    | 2        | 6.00                          | -39.69               | -41.52               |                      |                      |                      |                      |                      |                      | -31.50      | -24.24          | 7.26        |
| VHT80, M0.1 to M9.1    | 3        | 6.00                          | -38.54               | -43.78               | -42.00               |                      |                      |                      |                      |                      | -30.11      | -23.43          | 6.68        |
| VHT80, M0.2 to M9.2    | 3        | 6.00                          | -38.67               | -44.63               | -40.90               |                      |                      |                      |                      |                      | -29.99      | -23.50          | 6.49        |
| VHT80, M0.3 to M9.3    | 3        | 6.00                          | -39.43               | -44.03               | -44.18               |                      |                      |                      |                      |                      | -31.17      | -24.02          | 7.15        |
| VHT80, M0.1 to M9.1    | 4        | 6.00                          | -38.92               | -43.68               | -43.04               | -40.76               |                      |                      |                      |                      | -29.16      | -24.02          | 5.14        |
| VHT80, M0.2 to M9.2    | 4        | 6.00                          | -40.17               | -43.75               | -43.64               | -43.54               |                      |                      |                      |                      | -30.46      | -24.50          | 5.96        |
| VHT80, M0.3 to M9.3    | 4        | 6.00                          | -38.94               | -44.75               | -44.40               | -44.33               |                      |                      |                      |                      | -30.30      | -23.84          | 6.46        |
| VHT80, M0.4 to M9.4    | 4        | 6.00                          | -39.05               | -43.09               | -41.16               | -42.68               |                      |                      |                      |                      | -29.17      | -24.02          | 5.15        |
| VHT80, M0.1 to M9.1    | 6        | 6.00                          | -39.42               | -43.69               | -44.71               |                      | -36.10               | -43.16               | -42.08               |                      | -26.62      | -24.10          | 2.53        |
| VHT80, M0.2 to M9.2    | 6        | 6.00                          | -38.41               | -44.30               | -44.71               |                      | -35.51               | -44.04               | -45.58               |                      | -26.49      | -23.32          | 3.17        |
| VHT80, M0.3 to M9.3    | 6        | 6.00                          | -38.83               | -43.40               | -44.31               |                      | -35.59               | -44.61               | -45.42               |                      | -26.57      | -23.32          | 3.25        |
| VHT80, M0.4 to M9.4    | 6        | 6.00                          | -37.88               | -43.15               | -44.63               |                      | -36.08               | -44.03               | -44.64               |                      | -26.47      | -22.76          | 3.71        |
| VHT80, M0.5 to M9.5    | 6        | 6.00                          | -38.90               | -43.06               | -44.06               |                      | -33.85               | -44.58               | -43.92               |                      | -25.52      | -23.76          | 1.76        |
| VHT80, M0.6 to M9.6    | 6        | 6.00                          | -42.62               | -43.60               | -41.37               |                      | -35.91               | -42.81               | -45.31               |                      | -26.93      | -26.91          | 0.02        |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |      |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| VHT80, M0.1 to M9.1    | 8 | 6.00  | -38.58 | -42.49 | -44.29 | -41.95 | -32.94 | -44.09 | -42.87 | -42.00 | -24.19 | -23.21 | 0.98 |
| VHT80, M0.2 to M9.2    | 8 | 6.00  | -39.04 | -43.54 | -44.92 | -44.48 | -33.35 | -44.76 | -45.08 | -44.05 | -24.95 | -23.36 | 1.60 |
| VHT80, M0.3 to M9.3    | 8 | 6.00  | -38.68 | -42.76 | -43.99 | -44.45 | -33.52 | -45.11 | -45.11 | -42.17 | -24.80 | -23.36 | 1.44 |
| VHT80, M0.4 to M9.4    | 8 | 6.00  | -39.61 | -43.73 | -44.95 | -44.80 | -33.59 | -44.35 | -42.72 | -43.30 | -25.02 | -23.95 | 1.07 |
| VHT80, M0.5 to M9.5    | 8 | 6.00  | -39.74 | -41.31 | -43.51 | -42.14 | -34.07 | -44.65 | -44.81 | -43.08 | -25.00 | -24.10 | 0.91 |
| VHT80, M0.6 to M9.6    | 8 | 6.00  | -39.30 | -43.87 | -43.99 | -43.78 | -33.70 | -45.81 | -43.44 | -42.48 | -24.99 | -24.06 | 0.93 |
| VHT80, M0.7 to M9.7    | 8 | 6.00  | -38.77 | -42.21 | -44.61 | -44.08 | -32.96 | -45.45 | -42.55 | -42.70 | -24.41 | -23.62 | 0.79 |
| VHT80, M0.8 to M9.8    | 8 | 6.00  | -39.50 | -42.74 | -43.30 | -41.96 | -35.54 | -42.86 | -43.81 | -42.63 | -25.53 | -25.43 | 0.10 |
| VHT80, M0.1 to M9.1-BF | 2 | 9.01  | -39.08 | -42.61 |        |        |        |        |        |        | -28.47 | -23.50 | 4.97 |
| VHT80, M0.2 to M9.2-BF | 2 | 6.00  | -38.92 | -43.49 |        |        |        |        |        |        | -31.61 | -23.65 | 7.96 |
| VHT80, M0.1 to M9.1-BF | 3 | 10.77 | -38.54 | -44.23 | -43.35 |        |        |        |        |        | -25.73 | -23.02 | 2.71 |
| VHT80, M0.2 to M9.2-BF | 3 | 7.76  | -39.47 | -44.48 | -44.71 |        |        |        |        |        | -29.63 | -23.76 | 5.87 |
| VHT80, M0.3 to M9.3-BF | 3 | 6.00  | -39.24 | -41.61 | -43.77 |        |        |        |        |        | -30.38 | -23.84 | 6.54 |
| VHT80, M0.1 to M9.1-BF | 4 | 12.02 | -39.58 | -42.65 | -43.02 | -42.53 |        |        |        |        | -23.66 | -23.58 | 0.08 |
| VHT80, M0.2 to M9.2-BF | 4 | 9.01  | -38.80 | -43.70 | -44.79 | -42.67 |        |        |        |        | -26.81 | -23.50 | 3.31 |
| VHT80, M0.3 to M9.3-BF | 4 | 7.25  | -39.44 | -43.29 | -43.48 | -44.40 |        |        |        |        | -28.92 | -23.62 | 5.31 |
| VHT80, M0.4 to M9.4-BF | 4 | 6.00  | -39.39 | -42.76 | -42.54 | -41.86 |        |        |        |        | -29.39 | -24.10 | 5.30 |
| VHT80, M0.1 to M9.1-BF | 6 | 13.78 | -42.80 | -50.11 | -49.70 |        | -42.27 | -50.96 | -52.36 |        | -24.58 | -24.43 | 0.15 |
| VHT80, M0.2 to M9.2-BF | 6 | 10.77 | -40.45 | -44.26 | -45.01 |        | -39.23 | -45.69 | -44.52 |        | -23.90 | -23.32 | 0.58 |
| VHT80, M0.3 to M9.3-BF | 6 | 9.01  | -38.66 | -43.54 | -44.41 |        | -36.98 | -44.15 | -45.07 |        | -24.12 | -23.10 | 1.02 |
| VHT80, M0.4 to M9.4-BF | 6 | 7.76  | -38.87 | -44.19 | -44.59 |        | -33.87 | -44.33 | -43.93 |        | -23.85 | -23.58 | 0.27 |
| VHT80, M0.5 to M9.5-BF | 6 | 6.79  | -39.37 | -42.87 | -44.03 |        | -32.81 | -44.46 | -44.38 |        | -24.17 | -23.84 | 0.33 |
| VHT80, M0.6 to M9.6-BF | 6 | 6.00  | -39.43 | -42.86 | -44.40 |        | -33.42 | -43.80 | -43.41 |        | -25.28 | -24.13 | 1.15 |
| VHT80, M0.1 to M9.1-BF | 8 | 15.03 | -46.78 | -52.02 | -51.57 | -50.18 | -42.49 | -52.79 | -52.48 | -52.53 | -24.30 | -23.54 | 0.76 |
| VHT80, M0.2 to M9.2-BF | 8 | 12.02 | -42.58 | -48.75 | -48.59 | -47.13 | -39.35 | -49.37 | -49.93 | -49.29 | -23.98 | -23.69 | 0.29 |
| VHT80, M0.3 to M9.3-BF | 8 | 10.26 | -42.65 | -48.26 | -43.28 | -44.45 | -39.01 | -44.95 | -44.12 | -43.01 | -23.74 | -23.61 | 0.13 |
| VHT80, M0.4 to M9.4-BF | 8 | 9.01  | -39.37 | -43.57 | -43.29 | -44.29 | -38.86 | -43.49 | -45.20 | -43.72 | -24.08 | -24.06 | 0.02 |
| VHT80, M0.5 to M9.5-BF | 8 | 8.04  | -39.27 | -44.59 | -43.47 | -44.08 | -35.69 | -45.44 | -44.67 | -41.31 | -23.87 | -23.54 | 0.33 |

|                               |          |             |               |               |               |               |               |               |               |               |               |               |             |
|-------------------------------|----------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|-------------|
| VHT80, M0.6 to M9.6-BF        | 8        | 7.25        | -38.54        | -44.08        | -43.01        | -44.52        | -33.34        | -45.43        | -43.80        | -42.96        | -23.46        | -23.32        | 0.14        |
| <b>VHT80, M0.7 to M9.7-BF</b> | <b>8</b> | <b>6.58</b> | <b>-39.89</b> | <b>-42.19</b> | <b>-42.68</b> | <b>-44.16</b> | <b>-33.74</b> | <b>-45.45</b> | <b>-42.62</b> | <b>-42.35</b> | <b>-24.29</b> | <b>-24.28</b> | <b>0.01</b> |
| VHT80, M0.8 to M9.8-BF        | 8        | 6.00        | -38.35        | -40.73        | -43.72        | -41.82        | -33.63        | -44.10        | -42.19        | -41.84        | -24.28        | -23.17        | 1.11        |
| VHT80, M0 to M9-STBC          | 2        | 6.00        | -38.32        | -41.86        |               |               |               |               |               |               | -30.73        | -23.47        | 7.26        |
| VHT80, M0 to M9-STBC          | 3        | 6.00        | -39.32        | -44.02        | -40.57        |               |               |               |               |               | -30.12        | -23.73        | 6.40        |
| VHT80, M0 to M9-STBC          | 4        | 6.00        | -38.85        | -44.38        | -44.28        | -41.84        |               |               |               |               | -29.69        | -22.91        | 6.78        |
| VHT80, M0 to M9-STBC          | 6        | 6.00        | -39.62        | -42.77        | -42.61        |               | -33.12        | -41.46        | -43.23        |               | -24.84        | -23.87        | 0.97        |
| VHT80, M0 to M9-STBC          | 8        | 6.00        | -39.52        | -48.74        | -49.01        | -46.61        | -35.79        | -50.18        | -49.78        | -49.30        | -27.42        | -24.10        | 3.32        |
| HE80, M0.1 to M11.1           | 1        | 6.00        | -39.73        |               |               |               |               |               |               |               | -33.73        | -24.47        | 9.26        |
| HE80, M0.1 to M11.1           | 2        | 6.00        | -40.51        | -41.48        |               |               |               |               |               |               | -31.96        | -26.02        | 5.94        |
| HE80, M0.2 to M11.2           | 2        | 6.00        | -38.66        | -43.43        |               |               |               |               |               |               | -31.41        | -23.39        | 8.02        |
| HE80, M0.1 to M11.1           | 3        | 6.00        | -41.99        | -42.59        | -40.62        |               |               |               |               |               | -30.88        | -26.72        | 4.16        |
| HE80, M0.2 to M11.2           | 3        | 6.00        | -40.12        | -41.66        | -42.53        |               |               |               |               |               | -30.55        | -26.65        | 3.90        |
| HE80, M0.3 to M11.3           | 3        | 6.00        | -42.18        | -41.54        | -42.40        |               |               |               |               |               | -31.25        | -26.95        | 4.31        |
| HE80, M0.1 to M11.1           | 4        | 6.00        | -41.10        | -42.76        | -42.63        | -41.43        |               |               |               |               | -29.90        | -26.61        | 3.29        |
| HE80, M0.2 to M11.2           | 4        | 6.00        | -39.34        | -39.89        | -42.65        | -41.61        |               |               |               |               | -28.66        | -24.24        | 4.42        |
| HE80, M0.3 to M11.3           | 4        | 6.00        | -41.63        | -40.60        | -42.20        | -41.25        |               |               |               |               | -29.36        | -26.76        | 2.60        |
| HE80, M0.4 to M11.4           | 4        | 6.00        | -40.55        | -42.31        | -41.95        | -42.57        |               |               |               |               | -29.75        | -25.91        | 3.84        |
| HE80, M0.1 to M11.1           | 6        | 6.00        | -39.72        | -40.07        | -43.38        |               | -33.28        | -41.64        | -41.78        |               | -24.67        | -23.98        | 0.69        |
| HE80, M0.2 to M11.2           | 6        | 6.00        | -39.02        | -41.55        | -42.30        |               | -33.56        | -43.59        | -42.89        |               | -25.03        | -23.24        | 1.79        |
| HE80, M0.3 to M11.3           | 6        | 6.00        | -39.81        | -40.16        | -42.76        |               | -33.14        | -43.49        | -42.40        |               | -24.75        | -24.02        | 0.73        |
| HE80, M0.4 to M11.4           | 6        | 6.00        | -38.60        | -42.28        | -41.01        |               | -33.22        | -43.27        | -44.08        |               | -24.76        | -23.06        | 1.70        |
| HE80, M0.5 to M11.5           | 6        | 6.00        | -42.22        | -45.94        | -45.90        |               | -35.78        | -46.66        | -47.42        |               | -27.82        | -26.91        | 0.91        |
| HE80, M0.6 to M11.6           | 6        | 6.00        | -41.74        | -46.24        | -47.49        |               | -35.61        | -47.11        | -46.40        |               | -27.71        | -26.65        | 1.06        |
| HE80, M0.1 to M11.1           | 8        | 6.00        | -39.06        | -42.19        | -43.38        | -42.38        | -33.29        | -41.86        | -43.78        | -40.18        | -24.18        | -23.24        | 0.94        |
| HE80, M0.2 to M11.2           | 8        | 6.00        | -40.61        | -46.39        | -45.55        | -46.64        | -35.40        | -46.90        | -46.11        | -44.93        | -26.80        | -26.43        | 0.37        |
| HE80, M0.3 to M11.3           | 8        | 6.00        | -42.40        | -46.57        | -46.47        | -45.77        | -35.60        | -45.64        | -45.96        | -47.04        | -27.22        | -26.94        | 0.28        |
| HE80, M0.4 to M11.4           | 8        | 6.00        | -41.39        | -46.41        | -46.70        | -47.22        | -35.35        | -46.27        | -45.90        | -46.62        | -27.02        | -25.84        | 1.19        |



|                        |   |       |        |        |        |        |        |        |        |        |        |        |      |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| HE80, M0.5 to M11.5    | 8 | 6.00  | -42.02 | -46.56 | -45.20 | -45.44 | -35.50 | -46.28 | -46.02 | -45.81 | -27.01 | -26.87 | 0.14 |
| HE80, M0.6 to M11.6    | 8 | 6.00  | -42.55 | -46.95 | -46.70 | -45.55 | -35.29 | -46.90 | -46.08 | -45.62 | -27.07 | -26.98 | 0.09 |
| HE80, M0.7 to M11.7    | 8 | 6.00  | -36.27 | -42.83 | -42.55 | -42.51 | -33.64 | -43.12 | -43.83 | -40.27 | -23.93 | -23.54 | 0.39 |
| HE80, M0.8 to M11.8    | 8 | 6.00  | -39.01 | -40.73 | -42.04 | -41.25 | -33.75 | -42.23 | -43.35 | -41.24 | -24.22 | -23.87 | 0.35 |
| HE80, M0.1 to M11.1-BF | 2 | 9.01  | -40.19 | -41.25 |        |        |        |        |        |        | -28.67 | -26.24 | 2.43 |
| HE80, M0.2 to M11.2-BF | 2 | 6.00  | -39.34 | -42.57 |        |        |        |        |        |        | -31.65 | -23.84 | 7.81 |
| HE80, M0.1 to M11.1-BF | 3 | 10.77 | -41.89 | -42.13 | -42.92 |        |        |        |        |        | -26.75 | -26.54 | 0.21 |
| HE80, M0.2 to M11.2-BF | 3 | 7.76  | -39.46 | -42.37 | -43.44 |        |        |        |        |        | -28.89 | -23.91 | 4.98 |
| HE80, M0.3 to M11.3-BF | 3 | 6.00  | -39.05 | -41.54 | -43.83 |        |        |        |        |        | -30.27 | -23.32 | 6.95 |
| HE80, M0.1 to M11.1-BF | 4 | 12.02 | -41.76 | -45.64 | -45.91 | -46.72 |        |        |        |        | -26.49 | -26.46 | 0.03 |
| HE80, M0.2 to M11.2-BF | 4 | 9.01  | -42.56 | -41.58 | -43.48 | -41.63 |        |        |        |        | -27.21 | -26.72 | 0.49 |
| HE80, M0.3 to M11.3-BF | 4 | 7.25  | -39.44 | -41.74 | -41.72 | -43.13 |        |        |        |        | -28.03 | -23.65 | 4.38 |
| HE80, M0.4 to M11.4-BF | 4 | 6.00  | -38.97 | -41.13 | -41.13 | -40.32 |        |        |        |        | -28.27 | -23.61 | 4.66 |
| HE80, M0.1 to M11.1-BF | 6 | 13.78 | -44.23 | -51.39 | -51.18 |        | -42.77 | -50.81 | -51.72 |        | -25.41 | -23.69 | 1.72 |
| HE80, M0.2 to M11.2-BF | 6 | 10.77 | -42.20 | -49.25 | -49.15 |        | -42.73 | -48.81 | -49.54 |        | -27.14 | -26.43 | 0.71 |
| HE80, M0.3 to M11.3-BF | 6 | 9.01  | -42.20 | -49.25 | -49.15 |        | -42.65 | -48.81 | -49.54 |        | -28.87 | -26.98 | 1.89 |
| HE80, M0.4 to M11.4-BF | 6 | 7.76  | -41.42 | -45.98 | -43.39 |        | -38.76 | -43.62 | -43.11 |        | -26.58 | -25.91 | 0.67 |
| HE80, M0.5 to M11.5-BF | 6 | 6.79  | -40.50 | -40.54 | -42.08 |        | -35.83 | -41.72 | -44.14 |        | -25.38 | -25.24 | 0.14 |
| HE80, M0.6 to M11.6-BF | 6 | 6.00  | -41.68 | -46.51 | -42.04 |        | -35.52 | -42.97 | -44.89 |        | -26.87 | -26.80 | 0.07 |
| HE80, M0.1 to M11.1-BF | 8 | 15.03 | -47.27 | -51.61 | -51.60 | -51.33 | -42.43 | -52.44 | -52.23 | -51.77 | -24.35 | -24.10 | 0.25 |
| HE80, M0.2 to M11.2-BF | 8 | 12.02 | -42.27 | -49.63 | -49.27 | -49.23 | -39.61 | -49.86 | -49.68 | -49.41 | -24.25 | -24.06 | 0.19 |
| HE80, M0.3 to M11.3-BF | 8 | 10.26 | -47.07 | -53.75 | -53.55 | -53.56 | -42.68 | -43.33 | -53.28 | -52.22 | -28.16 | -26.46 | 1.70 |
| HE80, M0.4 to M11.4-BF | 8 | 9.01  | -44.20 | -50.57 | -49.63 | -50.68 | -38.80 | -50.49 | -50.20 | -50.44 | -27.46 | -26.39 | 1.07 |
| HE80, M0.5 to M11.5-BF | 8 | 8.04  | -44.40 | -50.14 | -50.38 | -42.70 | -39.47 | -43.03 | -43.91 | -41.83 | -26.19 | -25.80 | 0.39 |
| HE80, M0.6 to M11.6-BF | 8 | 7.25  | -39.20 | -42.05 | -42.73 | -40.80 | -34.22 | -42.94 | -43.51 | -42.49 | -23.46 | -23.36 | 0.11 |
| HE80, M0.7 to M11.7-BF | 8 | 6.58  | -41.02 | -40.37 | -40.93 | -43.11 | -35.98 | -42.78 | -43.37 | -41.21 | -24.80 | -24.13 | 0.67 |
| HE80, M0.8 to M11.8-BF | 8 | 6.00  | -37.50 | -40.79 | -43.04 | -41.80 | -33.49 | -42.76 | -43.53 | -41.97 | -24.06 | -23.99 | 0.07 |
| HE80, M0 to M11-STBC   | 2 | 6.00  | -40.75 | -40.54 |        |        |        |        |        |        | -31.64 | -26.54 | 5.10 |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |      |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| HE80, M0 to M11-STBC | 3 | 6.00 | -41.78 | -42.23 | -40.87 |        |        |        |        |        | -30.82 | -26.61 | 4.21 |
| HE80, M0 to M11-STBC | 4 | 6.00 | -38.69 | -40.07 | -42.77 | -39.11 |        |        |        |        | -27.88 | -26.13 | 1.75 |
| HE80, M0 to M11-STBC | 6 | 6.00 | -40.77 | -46.83 | -43.37 |        | -35.20 | -44.02 | -45.96 |        | -26.86 | -26.69 | 0.17 |
| HE80, M0 to M11-STBC | 8 | 6.00 | -40.08 | -48.10 | -49.42 | -48.00 | -36.36 | -48.75 | -49.30 | -48.91 | -27.87 | -24.24 | 3.63 |

## 5775 MHz (Right Edge):

| Mode                   | Tx paths | correlated antenna gain (dBi) | Tx 1 Band-edge (dBm) | Tx 2 Band-edge (dBm) | Tx 3 Band-edge (dBm) | Tx 4 Band-edge (dBm) | Tx 5 Band-edge (dBm) | Tx 6 Band-edge (dBm) | Tx 7 Band-edge (dBm) | Tx 8 Band-edge (dBm) | Total (dBm) | FCC Limit (dBm) | Margin (dB) |
|------------------------|----------|-------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|-----------------|-------------|
| non HT80, 6 to 54 Mbps | 1        | 6.00                          | -48.77               |                      |                      |                      |                      |                      |                      |                      | -48.77      | -27.00          | 21.77       |
| non HT80, 6 to 54 Mbps | 2        | 6.00                          | -48.45               | -46.99               |                      |                      |                      |                      |                      |                      | -38.65      | -27.00          | 11.65       |
| non HT80, 6 to 54 Mbps | 3        | 6.00                          | -48.37               | -47.03               | -46.37               |                      |                      |                      |                      |                      | -36.41      | -27.00          | 9.41        |
| non HT80, 6 to 54 Mbps | 4        | 6.00                          | -48.11               | -47.65               | -46.75               | -48.45               |                      |                      |                      |                      | -35.67      | -27.00          | 8.67        |
| non HT80, 6 to 54 Mbps | 6        | 9.00                          | -48.72               | -46.85               | -45.15               |                      | -47.35               | -47.07               | -47.54               |                      | -30.20      | -27.00          | 3.20        |
| non HT80, 6 to 54 Mbps | 8        | 9.00                          | -47.88               | -47.65               | -46.39               | -48.54               | -46.48               | -54.57               | -53.23               | -48.00               | -30.32      | -27.00          | 3.32        |
| VHT80, M0.1 to M9.1    | 1        | 6.00                          | -48.26               |                      |                      |                      |                      |                      |                      |                      | -42.26      | -27.00          | 15.26       |
| VHT80, M0.1 to M9.1    | 2        | 6.00                          | -49.01               | -48.15               |                      |                      |                      |                      |                      |                      | -39.55      | -27.00          | 12.55       |
| VHT80, M0.2 to M9.2    | 2        | 6.00                          | -49.33               | -48.71               |                      |                      |                      |                      |                      |                      | -40.00      | -27.00          | 13.00       |
| VHT80, M0.1 to M9.1    | 3        | 6.00                          | -48.47               | -47.85               | -47.49               |                      |                      |                      |                      |                      | -37.15      | -27.00          | 10.15       |
| VHT80, M0.2 to M9.2    | 3        | 6.00                          | -49.38               | -48.27               | -48.03               |                      |                      |                      |                      |                      | -37.75      | -27.00          | 10.75       |
| VHT80, M0.3 to M9.3    | 3        | 6.00                          | -49.34               | -47.30               | -47.61               |                      |                      |                      |                      |                      | -37.22      | -27.00          | 10.22       |
| VHT80, M0.1 to M9.1    | 4        | 6.00                          | -48.65               | -48.44               | -46.84               | -49.15               |                      |                      |                      |                      | -36.16      | -27.00          | 9.16        |
| VHT80, M0.2 to M9.2    | 4        | 6.00                          | -49.32               | -48.08               | -47.61               | -49.55               |                      |                      |                      |                      | -36.54      | -27.00          | 9.54        |
| VHT80, M0.3 to M9.3    | 4        | 6.00                          | -48.96               | -48.24               | -47.85               | -48.78               |                      |                      |                      |                      | -36.41      | -27.00          | 9.41        |
| VHT80, M0.4 to M9.4    | 4        | 6.00                          | -49.06               | -47.93               | -46.93               | -48.84               |                      |                      |                      |                      | -36.09      | -27.00          | 9.09        |
| VHT80, M0.1 to M9.1    | 6        | 6.00                          | -48.88               | -48.44               | -47.71               |                      | -48.24               | -46.22               | -48.72               |                      | -34.15      | -27.00          | 7.15        |
| VHT80, M0.2 to M9.2    | 6        | 6.00                          | -49.02               | -48.28               | -46.86               |                      | -47.81               | -47.44               | -48.72               |                      | -34.18      | -27.00          | 7.18        |
| VHT80, M0.3 to M9.3    | 6        | 6.00                          | -49.35               | -48.25               | -46.74               |                      | -47.96               | -47.28               | -48.21               |                      | -34.11      | -27.00          | 7.11        |
| VHT80, M0.4 to M9.4    | 6        | 6.00                          | -49.27               | -46.98               | -47.33               |                      | -47.86               | -46.81               | -48.35               |                      | -33.91      | -27.00          | 6.91        |
| VHT80, M0.5 to M9.5    | 6        | 6.00                          | -48.64               | -47.58               | -47.37               |                      | -48.07               | -46.87               | -47.37               |                      | -33.83      | -27.00          | 6.83        |
| VHT80, M0.6 to M9.6    | 6        | 6.00                          | -48.99               | -47.85               | -46.20               |                      | -47.72               | -47.14               | -46.15               |                      | -33.45      | -27.00          | 6.45        |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT80, M0.1 to M9.1    | 8 | 6.00  | -49.08 | -47.80 | -46.49 | -49.22 | -48.16 | -46.86 | -46.58 | -55.38 | -33.06 | -27.00 | 6.06  |
| VHT80, M0.2 to M9.2    | 8 | 6.00  | -49.66 | -48.35 | -47.32 | -49.33 | -47.68 | -47.57 | -47.39 | -48.70 | -33.14 | -27.00 | 6.14  |
| VHT80, M0.3 to M9.3    | 8 | 6.00  | -48.06 | -47.13 | -47.80 | -48.98 | -47.43 | -47.40 | -46.81 | -49.39 | -32.77 | -27.00 | 5.77  |
| VHT80, M0.4 to M9.4    | 8 | 6.00  | -48.85 | -47.99 | -46.67 | -48.72 | -47.39 | -47.15 | -46.61 | -48.98 | -32.67 | -27.00 | 5.67  |
| VHT80, M0.5 to M9.5    | 8 | 6.00  | -49.18 | -48.32 | -47.55 | -49.60 | -47.87 | -46.70 | -47.21 | -48.92 | -33.04 | -27.00 | 6.04  |
| VHT80, M0.6 to M9.6    | 8 | 6.00  | -48.53 | -48.02 | -47.30 | -49.45 | -47.44 | -47.30 | -47.37 | -47.77 | -32.81 | -27.00 | 5.81  |
| VHT80, M0.7 to M9.7    | 8 | 6.00  | -48.55 | -48.25 | -46.18 | -48.96 | -47.01 | -47.03 | -46.62 | -48.24 | -32.47 | -27.00 | 5.47  |
| VHT80, M0.8 to M9.8    | 8 | 6.00  | -48.81 | -47.71 | -47.88 | -49.08 | -47.21 | -46.30 | -46.99 | -49.24 | -32.76 | -27.00 | 5.76  |
| VHT80, M0.1 to M9.1-BF | 2 | 9.01  | -49.05 | -47.64 |        |        |        |        |        |        | -36.27 | -27.00 | 9.27  |
| VHT80, M0.2 to M9.2-BF | 2 | 6.00  | -49.24 | -48.06 |        |        |        |        |        |        | -39.60 | -27.00 | 12.60 |
| VHT80, M0.1 to M9.1-BF | 3 | 10.77 | -48.41 | -47.75 | -46.97 |        |        |        |        |        | -32.13 | -27.00 | 5.13  |
| VHT80, M0.2 to M9.2-BF | 3 | 7.76  | -49.16 | -47.27 | -47.18 |        |        |        |        |        | -35.25 | -27.00 | 8.25  |
| VHT80, M0.3 to M9.3-BF | 3 | 6.00  | -49.44 | -47.52 | -47.00 |        |        |        |        |        | -37.09 | -27.00 | 10.09 |
| VHT80, M0.1 to M9.1-BF | 4 | 12.02 | -48.22 | -47.38 | -47.21 | -48.92 |        |        |        |        | -29.84 | -27.00 | 2.84  |
| VHT80, M0.2 to M9.2-BF | 4 | 9.01  | -49.35 | -47.82 | -46.98 | -49.43 |        |        |        |        | -33.24 | -27.00 | 6.24  |
| VHT80, M0.3 to M9.3-BF | 4 | 7.25  | -49.73 | -48.11 | -47.53 | -49.52 |        |        |        |        | -35.35 | -27.00 | 8.35  |
| VHT80, M0.4 to M9.4-BF | 4 | 6.00  | -48.76 | -47.42 | -47.56 | -48.56 |        |        |        |        | -36.01 | -27.00 | 9.01  |
| VHT80, M0.1 to M9.1-BF | 6 | 13.78 | -52.09 | -50.72 | -50.46 |        | -51.77 | -50.23 | -51.92 |        | -29.57 | -27.00 | 2.57  |
| VHT80, M0.2 to M9.2-BF | 6 | 10.77 | -49.32 | -47.04 | -47.56 |        | -47.84 | -47.78 | -47.66 |        | -29.26 | -27.00 | 2.26  |
| VHT80, M0.3 to M9.3-BF | 6 | 9.01  | -48.91 | -47.83 | -47.33 |        | -47.66 | -47.50 | -47.05 |        | -30.88 | -27.00 | 3.88  |
| VHT80, M0.4 to M9.4-BF | 6 | 7.76  | -49.33 | -47.50 | -47.32 |        | -47.74 | -47.15 | -47.08 |        | -32.08 | -27.00 | 5.08  |
| VHT80, M0.5 to M9.5-BF | 6 | 6.79  | -48.62 | -48.06 | -47.40 |        | -47.95 | -47.59 | -47.47 |        | -33.26 | -27.00 | 6.26  |
| VHT80, M0.6 to M9.6-BF | 6 | 6.00  | -49.03 | -47.73 | -47.24 |        | -48.18 | -47.48 | -46.81 |        | -33.91 | -27.00 | 6.91  |
| VHT80, M0.1 to M9.1-BF | 8 | 15.03 | -52.19 | -52.07 | -51.61 | -51.47 | -51.47 | -52.08 | -51.62 | -51.68 | -27.70 | -27.00 | 0.70  |
| VHT80, M0.2 to M9.2-BF | 8 | 12.02 | -50.56 | -49.76 | -49.96 | -50.73 | -49.59 | -50.36 | -49.52 | -50.50 | -29.05 | -27.00 | 2.05  |
| VHT80, M0.3 to M9.3-BF | 8 | 10.26 | -48.42 | -48.11 | -47.16 | -48.80 | -47.86 | -47.13 | -46.00 | -48.82 | -28.40 | -27.00 | 1.40  |
| VHT80, M0.4 to M9.4-BF | 8 | 9.01  | -48.81 | -47.55 | -47.36 | -48.80 | -47.31 | -47.45 | -47.16 | -48.46 | -29.77 | -27.00 | 2.77  |
| VHT80, M0.5 to M9.5-BF | 8 | 8.04  | -49.10 | -47.60 | -47.29 | -49.25 | -47.89 | -46.59 | -47.50 | -47.29 | -30.66 | -27.00 | 3.66  |


|                        |   |      |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| VHT80, M0.6 to M9.6-BF | 8 | 7.25 | -49.41 | -48.40 | -46.97 | -49.52 | -47.55 | -47.63 | -46.38 | -47.19 | -31.47 | -27.00 | 4.47  |
| VHT80, M0.7 to M9.7-BF | 8 | 6.58 | -48.19 | -47.98 | -47.34 | -48.36 | -47.51 | -46.98 | -46.67 | -47.66 | -31.94 | -27.00 | 4.94  |
| VHT80, M0.8 to M9.8-BF | 8 | 6.00 | -47.91 | -48.02 | -47.52 | -48.55 | -47.93 | -46.66 | -47.03 | -47.16 | -32.53 | -27.00 | 5.53  |
| VHT80, M0 to M9-STBC   | 2 | 6.00 | -49.05 | -47.93 |        |        |        |        |        |        | -39.44 | -27.00 | 12.44 |
| VHT80, M0 to M9-STBC   | 3 | 6.00 | -48.71 | -47.29 | -47.17 |        |        |        |        |        | -36.90 | -27.00 | 9.90  |
| VHT80, M0 to M9-STBC   | 4 | 6.00 | -49.00 | -47.82 | -47.21 | -48.98 |        |        |        |        | -36.16 | -27.00 | 9.16  |
| VHT80, M0 to M9-STBC   | 6 | 6.00 | -48.94 | -47.45 | -46.89 |        | -47.57 | -47.51 | -46.35 |        | -33.60 | -27.00 | 6.60  |
| VHT80, M0 to M9-STBC   | 8 | 6.00 | -50.26 | -50.16 | -50.03 | -50.51 | -50.41 | -50.22 | -49.50 | -50.83 | -35.20 | -27.00 | 8.20  |
| HE80, M0.1 to M11.1    | 1 | 6.00 | -47.37 |        |        |        |        |        |        |        | -41.37 | -27.00 | 14.37 |
| HE80, M0.1 to M11.1    | 2 | 6.00 | -47.68 | -47.28 |        |        |        |        |        |        | -38.46 | -27.00 | 11.46 |
| HE80, M0.2 to M11.2    | 2 | 6.00 | -47.83 | -47.03 |        |        |        |        |        |        | -38.40 | -27.00 | 11.40 |
| HE80, M0.1 to M11.1    | 3 | 6.00 | -47.38 | -46.29 | -45.52 |        |        |        |        |        | -35.56 | -27.00 | 8.56  |
| HE80, M0.2 to M11.2    | 3 | 6.00 | -48.41 | -47.60 | -46.17 |        |        |        |        |        | -36.52 | -27.00 | 9.52  |
| HE80, M0.3 to M11.3    | 3 | 6.00 | -48.22 | -46.03 | -46.99 |        |        |        |        |        | -36.22 | -27.00 | 9.22  |
| HE80, M0.1 to M11.1    | 4 | 6.00 | -46.36 | -45.61 | -45.86 | -48.28 |        |        |        |        | -34.39 | -27.00 | 7.39  |
| HE80, M0.2 to M11.2    | 4 | 6.00 | -48.18 | -47.70 | -46.43 | -48.26 |        |        |        |        | -35.56 | -27.00 | 8.56  |
| HE80, M0.3 to M11.3    | 4 | 6.00 | -47.17 | -47.84 | -46.23 | -48.26 |        |        |        |        | -35.28 | -27.00 | 8.28  |
| HE80, M0.4 to M11.4    | 4 | 6.00 | -48.23 | -47.78 | -46.95 | -47.25 |        |        |        |        | -35.51 | -27.00 | 8.51  |
| HE80, M0.1 to M11.1    | 6 | 6.00 | -47.67 | -45.63 | -45.26 |        | -46.10 | -46.77 | -45.07 |        | -32.21 | -27.00 | 5.21  |
| HE80, M0.2 to M11.2    | 6 | 6.00 | -47.45 | -46.79 | -46.71 |        | -47.63 | -46.45 | -45.59 |        | -32.93 | -27.00 | 5.93  |
| HE80, M0.3 to M11.3    | 6 | 6.00 | -46.71 | -47.27 | -46.53 |        | -47.41 | -46.14 | -45.53 |        | -32.77 | -27.00 | 5.77  |
| HE80, M0.4 to M11.4    | 6 | 6.00 | -48.51 | -47.37 | -45.70 |        | -47.32 | -46.83 | -46.30 |        | -33.13 | -27.00 | 6.13  |
| HE80, M0.5 to M11.5    | 6 | 6.00 | -48.17 | -46.81 | -46.45 |        | -47.20 | -45.65 | -46.13 |        | -32.88 | -27.00 | 5.88  |
| HE80, M0.6 to M11.6    | 6 | 6.00 | -47.87 | -47.82 | -46.81 |        | -46.89 | -46.97 | -45.97 |        | -33.22 | -27.00 | 6.22  |
| HE80, M0.1 to M11.1    | 8 | 6.00 | -47.44 | -47.08 | -46.53 | -47.71 | -46.70 | -46.18 | -45.64 | -46.43 | -31.64 | -27.00 | 4.64  |
| HE80, M0.2 to M11.2    | 8 | 6.00 | -47.81 | -47.59 | -47.15 | -48.71 | -47.46 | -45.97 | -44.96 | -46.84 | -31.89 | -27.00 | 4.89  |
| HE80, M0.3 to M11.3    | 8 | 6.00 | -48.18 | -47.29 | -46.97 | -47.54 | -47.34 | -46.08 | -44.58 | -45.35 | -31.48 | -27.00 | 4.48  |
| HE80, M0.4 to M11.4    | 8 | 6.00 | -47.54 | -47.18 | -46.71 | -45.99 | -46.99 | -45.78 | -46.36 | -46.30 | -31.54 | -27.00 | 4.54  |

|                        |   |       |        |        |        |        |        |        |        |        |        |        |       |
|------------------------|---|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| HE80, M0.5 to M11.5    | 8 | 6.00  | -48.07 | -47.41 | -46.62 | -46.19 | -46.94 | -45.49 | -46.04 | -46.70 | -31.59 | -27.00 | 4.59  |
| HE80, M0.6 to M11.6    | 8 | 6.00  | -47.64 | -47.39 | -45.74 | -47.27 | -47.33 | -46.43 | -46.46 | -46.68 | -31.79 | -27.00 | 4.79  |
| HE80, M0.7 to M11.7    | 8 | 6.00  | -47.15 | -47.44 | -45.61 | -47.30 | -47.36 | -46.05 | -46.07 | -47.11 | -31.68 | -27.00 | 4.68  |
| HE80, M0.8 to M11.8    | 8 | 6.00  | -47.77 | -47.22 | -46.34 | -47.22 | -45.69 | -46.60 | -45.68 | -45.44 | -31.39 | -27.00 | 4.39  |
| HE80, M0.1 to M11.1-BF | 2 | 9.01  | -47.21 | -46.42 |        |        |        |        |        |        | -34.77 | -27.00 | 7.77  |
| HE80, M0.2 to M11.2-BF | 2 | 6.00  | -47.79 | -47.45 |        |        |        |        |        |        | -38.61 | -27.00 | 11.61 |
| HE80, M0.1 to M11.1-BF | 3 | 10.77 | -46.74 | -47.22 | -45.30 |        |        |        |        |        | -30.80 | -27.00 | 3.80  |
| HE80, M0.2 to M11.2-BF | 3 | 7.76  | -48.63 | -46.81 | -45.47 |        |        |        |        |        | -34.25 | -27.00 | 7.25  |
| HE80, M0.3 to M11.3-BF | 3 | 6.00  | -48.21 | -46.34 | -46.51 |        |        |        |        |        | -36.17 | -27.00 | 9.17  |
| HE80, M0.1 to M11.1-BF | 4 | 12.02 | -46.20 | -47.03 | -46.22 | -46.21 |        |        |        |        | -28.36 | -27.00 | 1.36  |
| HE80, M0.2 to M11.2-BF | 4 | 9.01  | -48.40 | -47.95 | -46.77 | -47.30 |        |        |        |        | -32.53 | -27.00 | 5.53  |
| HE80, M0.3 to M11.3-BF | 4 | 7.25  | -48.76 | -47.63 | -47.08 | -47.44 |        |        |        |        | -34.41 | -27.00 | 7.41  |
| HE80, M0.4 to M11.4-BF | 4 | 6.00  | -47.34 | -47.21 | -46.39 | -46.87 |        |        |        |        | -34.92 | -27.00 | 7.92  |
| HE80, M0.1 to M11.1-BF | 6 | 13.78 | -52.23 | -50.22 | -49.66 |        | -50.12 | -49.90 | -51.49 |        | -28.94 | -27.00 | 1.94  |
| HE80, M0.2 to M11.2-BF | 6 | 10.77 | -48.02 | -47.78 | -46.50 |        | -45.53 | -46.62 | -44.91 |        | -27.87 | -27.00 | 0.87  |
| HE80, M0.3 to M11.3-BF | 6 | 9.01  | -47.90 | -47.69 | -46.16 |        | -46.63 | -46.06 | -46.60 |        | -29.99 | -27.00 | 2.99  |
| HE80, M0.4 to M11.4-BF | 6 | 7.76  | -48.50 | -46.23 | -46.46 |        | -46.50 | -45.30 | -45.91 |        | -30.84 | -27.00 | 3.84  |
| HE80, M0.5 to M11.5-BF | 6 | 6.79  | -48.32 | -47.15 | -46.64 |        | -46.97 | -46.73 | -46.40 |        | -32.42 | -27.00 | 5.42  |
| HE80, M0.6 to M11.6-BF | 6 | 6.00  | -48.86 | -47.84 | -46.66 |        | -47.29 | -47.16 | -46.15 |        | -33.46 | -27.00 | 6.46  |
| HE80, M0.1 to M11.1-BF | 8 | 15.03 | -51.77 | -51.69 | -52.14 | -52.16 | -51.88 | -51.26 | -52.05 | -52.08 | -27.81 | -27.00 | 0.81  |
| HE80, M0.2 to M11.2-BF | 8 | 12.02 | -50.30 | -49.99 | -50.29 | -50.46 | -49.60 | -50.48 | -49.76 | -50.63 | -29.12 | -27.00 | 2.12  |
| HE80, M0.3 to M11.3-BF | 8 | 10.26 | -48.44 | -47.09 | -47.07 | -47.15 | -46.76 | -46.60 | -46.67 | -46.73 | -27.74 | -27.00 | 0.74  |
| HE80, M0.4 to M11.4-BF | 8 | 9.01  | -48.33 | -46.92 | -47.57 | -47.22 | -46.75 | -45.63 | -45.91 | -46.73 | -28.77 | -27.00 | 1.77  |
| HE80, M0.5 to M11.5-BF | 8 | 8.04  | -48.83 | -47.22 | -46.78 | -46.92 | -46.55 | -46.28 | -46.34 | -46.40 | -29.78 | -27.00 | 2.78  |
| HE80, M0.6 to M11.6-BF | 8 | 7.25  | -48.03 | -47.32 | -46.50 | -47.74 | -47.62 | -46.51 | -46.02 | -45.02 | -30.46 | -27.00 | 3.46  |
| HE80, M0.7 to M11.7-BF | 8 | 6.58  | -47.99 | -47.33 | -47.10 | -47.15 | -46.91 | -45.46 | -46.78 | -46.16 | -31.19 | -27.00 | 4.19  |
| HE80, M0.8 to M11.8-BF | 8 | 6.00  | -48.56 | -47.34 | -46.75 | -47.24 | -47.23 | -46.25 | -46.35 | -45.66 | -31.82 | -27.00 | 4.82  |
| HE80, M0 to M11-STBC   | 2 | 6.00  | -47.75 | -47.36 |        |        |        |        |        |        | -38.54 | -27.00 | 11.54 |

|                      |   |      |        |        |        |        |        |        |        |        |        |        |      |
|----------------------|---|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
| HE80, M0 to M11-STBC | 3 | 6.00 | -47.51 | -46.95 | -44.83 |        |        |        |        |        | -35.50 | -27.00 | 8.50 |
| HE80, M0 to M11-STBC | 4 | 6.00 | -47.09 | -45.75 | -45.95 | -47.10 |        |        |        |        | -34.41 | -27.00 | 7.41 |
| HE80, M0 to M11-STBC | 6 | 6.00 | -48.38 | -47.01 | -47.27 |        | -46.40 | -46.12 | -46.00 |        | -33.01 | -27.00 | 6.01 |
| HE80, M0 to M11-STBC | 8 | 6.00 | -50.07 | -50.52 | -49.41 | -50.33 | -50.69 | -50.37 | -49.98 | -50.80 | -35.22 | -27.00 | 8.22 |


Please refer to the following plots for the worst case configuration  
5775MHz VHT80, M0.7 to M9.7-BF

Ant-a



Date: 27.AUG.2019 18:25:12


Ant-b



Date: 27.AUG.2019 19:43:11




Ant-c



Date: 27.AUG.2019 21:24:24


Ant-d




Date: 27.AUG.2019 22:46:45

Ant-e

Ant-f




Date: 28.AUG.2019 00:36:17




Date: 28.AUG.2019 01:21:56

Ant-g



Date: 28.AUG.2019 02:28:07

Ant-h



Date: 28.AUG.2019 09:05:58

--- END OF REPORT ---