




Radio 1 ≤8dBi Antenna Gain




4950-10MHz-802.11a-1-a




4950-10MHz-802.11a-1-b




4955-10MHz-802.11a-1-a




4955-10MHz-802.11a-1-b



4980-10MHz-802.11a-1-a




4980-10MHz-802.11a-1-b




Date: 16 MAY 2024 20:59:28

4950-10MHz-802.11n-1-a




Date: 16 MAY 2024 21:00:09

4950-10MHz-802.11n-1-b




Date: 16 MAY 2024 21:02:09

4955-10MHz-802.11n-1-a




Date: 16 MAY 2024 21:01:25

4955-10MHz-802.11n-1-b




Date: 16 MAY 2024 21:02:58

4980-10MHz-802.11n-1-a




Date: 16 MAY 2024 21:03:39

4980-10MHz-802.11n-1-b




Date: 16 MAY 2024 21:12:05

4950-20MHz-802.11n-1-a




Date: 16 MAY 2024 21:12:51

4950-20MHz-802.11n-1-b




Date: 16 MAY 2024 21:13:46

4965-20MHz-802.11n-1-a




Date: 16 MAY 2024 21:14:27

4965-20MHz-802.11n-1-b




Date: 16 MAY 2024 21:16:05

4980-20MHz-802.11n-1-a




Date: 16 MAY 2024 21:15:23


4980-20MHz-802.11n-1-b




4950-10MHz-802.11ac-1-a




4950-10MHz-802.11ac-1-b




4955-10MHz-802.11ac-1-a




4955-10MHz-802.11ac-1-b




4980-10MHz-802.11ac-1-a




4980-10MHz-802.11ac-1-b




4950-20MHz-802.11ac-1-a




4950-20MHz-802.11ac-1-b




4965-20MHz-802.11ac-1-a




4965-20MHz-802.11ac-1-b



4980-20MHz-802.11ac-1-a




4980-20MHz-802.11ac-1-b




Date: 29 MAY 2024 19:25:34

4950-10MHz-802.11a-1-a




Date: 29 MAY 2024 19:25:54

4950-10MHz-802.11a-1-b




Date: 29 MAY 2024 19:26:14

4955-10MHz-802.11a-1-a




Date: 29 MAY 2024 19:26:34

4955-10MHz-802.11a-1-b




Date: 29 MAY 2024 19:26:54

4980-10MHz-802.11a-1-a




Date: 29 MAY 2024 19:27:14

4980-10MHz-802.11a-1-b




Date: 16 MAY 2024 21:08:03

4950-10MHz-802.11n-1-a




Date: 16 MAY 2024 21:08:27

4950-10MHz-802.11n-1-b




Date: 16 MAY 2024 21:08:00

4955-10MHz-802.11n-1-a




Date: 16 MAY 2024 21:08:25

4955-10MHz-802.11n-1-b




Date: 16 MAY 2024 21:10:09

4980-10MHz-802.11n-1-a




Date: 16 MAY 2024 21:10:33


4980-10MHz-802.11n-1-b




4950-20MHz-802.11n-1-a




4950-20MHz-802.11n-1-b




4965-20MHz-802.11n-1-a




4965-20MHz-802.11n-1-b



4980-20MHz-802.11n-1-a




4980-20MHz-802.11n-1-b




Date: 16 MAY 2024 20:27:21

4950-10MHz-802.11ac-1-a




Date: 16 MAY 2024 20:27:46

4950-10MHz-802.11ac-1-b




Date: 16 MAY 2024 20:28:51

4955-10MHz-802.11ac-1-a




Date: 16 MAY 2024 20:29:15

4955-10MHz-802.11ac-1-b




Date: 16 MAY 2024 20:32:36

4980-10MHz-802.11ac-1-a




Date: 16 MAY 2024 20:33:01

4980-10MHz-802.11ac-1-b




Date: 16 MAY 2024 20:49:15

4950-20MHz-802.11ac-1-a




Date: 16 MAY 2024 20:49:41

4950-20MHz-802.11ac-1-b




Date: 16 MAY 2024 20:52:29

4965-20MHz-802.11ac-1-a




Date: 16 MAY 2024 20:52:55

4965-20MHz-802.11ac-1-b



Date: 16 MAY 2024 20:54:39

4980-20MHz-802.11ac-1-a



Date: 16 MAY 2024 20:55:05

4980-20MHz-802.11ac-1-b

7 FCC §90.1215 & RSS-111 § 5.4 – Transmitter Peak to Average Ratio

7.1 Applicable Standards

FCC §90.1215: The transmitting power of stations operating in the 4940–4990 MHz band must not exceed the maximum limits in this section. (e) The ratio of the peak excursion of the modulation envelope (measured using a peak hold function) to the maximum conducted output power shall not exceed 13 dB across any 1 MHz bandwidth or the emission bandwidth whichever is less.


RSS-111, Clause 5.4: The PAPR of the equipment shall not exceed 13 dB for more than 0.1% of the time, using a signal that corresponds to the highest PAPR during periods of continuous transmission.

7.2 Test Procedure

ANSI C63.26-2015 section 5.2.3.5.

ANSI C63.26-2015 section 5.2.4.

7.3 Test Setup Block Diagram



7.4 Test Equipment List and Details

BACL No.	Manufacturers	Descriptions	Models	Serial Numbers	Calibration Dates	Calibration Interval
912	Rhode & Schwarz	Signal Analyzer	FSV40	1321.3008k39-101203-UW	2023-06-02	13 months
-	-	RF Cable	-	-	Each time ¹	N/A
-	-	20dB Attenuator	-	-	Each time ¹	N/A

Note¹: Equipment was calibrated for each test.

Statement of Traceability: **BACL Corp.** attests that all of the calibrations on the equipment items listed above were traceable to NIST or to another internationally recognized National Metrology Institute (NMI), and were compliant with the latest version of A2LA policy P102 “A2LA Policy on Metrological Traceability”.

7.5 Test Environmental Conditions

Temperature:	18.8° C
Relative Humidity:	34 %
ATM Pressure:	101.8 kPa

The testing was performed by Kevin Chau from 2024-04-16 to 2024-06-11 in the RF Site.

7.6 Test Results

15dBi SISO

Radio	Freq. (MHz)	Mode	Peak PSD (dBm/MHz)	Avg PSD (dBm/MHz)	Corrected Avg PSD (dBm/MHz)	Ratio (dB)	Limit (dB)
Radio 2	4950	802.11a10	14.01	-0.56	2.57	11.44	≤ 13
	4955		14.16	-0.75	2.38	11.78	≤ 13
	4980		14.36	-0.70	2.43	11.93	≤ 13
Radio 1	4950		14.25	-0.26	2.87	11.38	≤ 13
	4955		14.33	-0.21	2.92	11.41	≤ 13
	4980		14.49	-0.05	3.08	11.41	≤ 13
Radio 2	4950	802.11n10	1.84	-9.12	-8.81	10.65	≤ 13
	4955		1.85	-9.06	-8.75	10.60	≤ 13
	4980		1.91	-9.03	-8.72	10.63	≤ 13
Radio 1	4950		1.91	-8.40	-7.92	9.83	≤ 13
	4955		1.96	-8.27	-7.79	9.75	≤ 13
	4980		1.92	-8.61	-8.13	10.05	≤ 13
Radio 2	4950	802.11n20	1.90	-7.72	-7.54	9.44	≤ 13
	4965		1.54	-8.49	-8.31	9.85	≤ 13
	4980		1.98	-8.01	-7.83	9.81	≤ 13
Radio 1	4950		1.72	-8.31	-8.05	9.77	≤ 13
	4965		1.51	-8.54	-8.28	9.79	≤ 13
	4980		1.97	-7.83	-7.57	9.54	≤ 13
Radio 2	4950	802.11ac10	1.82	-9.66	-9.31	11.13	≤ 13
	4955		1.98	-9.46	-9.11	11.09	≤ 13
	4980		1.94	-9.51	-9.16	11.10	≤ 13
Radio 1	4950		1.95	-8.37	-7.92	9.87	≤ 13
	4955		1.93	-8.24	-7.79	9.72	≤ 13
	4980		1.95	-8.58	-8.13	10.08	≤ 13
Radio 2	4950	802.11ac20	1.73	-8.35	-8.17	9.90	≤ 13
	4965		1.38	-7.80	-7.62	9.00	≤ 13
	4980		1.77	-7.69	-7.51	9.28	≤ 13

Radio 1	4950		1.79	-8.37	-8.04	9.83	≤ 13
	4965		1.64	-8.19	-7.86	9.50	≤ 13
	4980		1.98	-7.70	-7.37	9.35	≤ 13

Note: above PSD values are based on higher value between two ports on each radio

15dBi MIMO

Radio	Freq. (MHz)	Mode	Peak PSD (dBm/MHz)	Avg PSD (dBm/MHz)	Corrected Avg PSD (dBm/MHz)	Ratio (dB)	Limit (dB)
Radio 2	4950	802.11a10	13.809	-1.244	1.886	11.92	≤ 13
	4955		13.746	-1.494	1.636	12.11	≤ 13
	4980		13.593	-1.542	1.588	12.01	≤ 13
Radio 1	4950		14.422	-1.100	2.03	12.39	≤ 13
	4955		14.130	-0.833	2.297	11.83	≤ 13
	4980		14.697	-0.670	2.46	12.24	≤ 13
Radio 2	4950	802.11n10	1.655	-9.740	-9.43	11.09	≤ 13
	4955		1.785	-9.734	-9.424	11.21	≤ 13
	4980		1.637	-9.546	-9.236	10.87	≤ 13
Radio 1	4950		1.891	-8.499	-8.019	9.91	≤ 13
	4955		1.605	-8.885	-8.405	10.01	≤ 13
	4980		1.776	-8.319	-7.839	9.62	≤ 13
Radio 2	4950	802.11n20	1.870	-8.683	-8.503	10.37	≤ 13
	4965		1.543	-8.313	-8.133	9.68	≤ 13
	4980		1.937	-8.151	-7.971	9.91	≤ 13
Radio 1	4950		1.898	-8.689	-8.429	10.33	≤ 13
	4965		1.610	-8.264	-8.004	9.61	≤ 13
	4980		1.385	-8.503	-8.243	9.63	≤ 13
Radio 2	4950	802.11ac10	1.921	-9.554	-9.204	11.13	≤ 13
	4955		1.641	-10.133	-9.783	11.42	≤ 13
	4980		1.964	-9.436	-9.086	11.05	≤ 13
Radio 1	4950		1.943	-8.560	-8.11	10.05	≤ 13
	4955		1.735	-8.914	-8.464	10.20	≤ 13
	4980		1.897	-8.509	-8.059	9.96	≤ 13
Radio 2	4950	802.11ac20	1.837	-8.672	-8.492	10.33	≤ 13
	4965		1.277	-8.656	-8.476	9.75	≤ 13
	4980		1.899	-8.616	-8.436	10.34	≤ 13
Radio 1	4950		1.507	-8.634	-8.304	9.81	≤ 13
	4965		1.188	-8.395	-8.065	9.25	≤ 13
	4980		1.495	-8.566	-8.236	9.73	≤ 13

≤8dBi SISO

Radio	Freq. (MHz)	Mode	Peak PSD (dBm/MHz)	Avg PSD (dBm/MHz)	Corrected Avg PSD (dBm/MHz)	Ratio (dB)	Limit (dB)
Radio 1	4950	802.11a10	17.27	1.31	4.44	12.83	≤ 13
	4955		17.29	1.58	4.71	12.58	≤ 13
	4980		17.27	1.55	4.68	12.59	≤ 13
	4950	802.11n10	7.77	-1.00	-0.52	8.29	≤ 13
	4955		7.80	-0.94	-0.46	8.26	≤ 13
	4980		7.80	-1.56	-1.08	8.88	≤ 13
	4950	802.11n20	7.99	-0.77	-0.51	8.50	≤ 13
	4965		7.85	-0.77	-0.51	8.36	≤ 13
	4980		7.72	-1.35	-1.09	8.81	≤ 13
	4950	802.11ac10	7.80	-1.02	-0.57	8.37	≤ 13
	4955		7.82	-0.90	-0.45	8.27	≤ 13
	4980		7.93	-1.46	-1.01	8.94	≤ 13
	4950	802.11ac20	7.24	-0.72	-0.39	7.63	≤ 13
	4965		7.81	-0.92	-0.59	8.40	≤ 13
	4980		7.96	-1.49	-1.16	9.12	≤ 13

Note: above PSD values are based on higher value between two ports on each radio


≤ 8 dB MIMO

Radio	Freq. (MHz)	Mode	Peak PSD (dBm/MHz)	Avg PSD (dBm/MHz)	Corrected Avg PSD (dBm/MHz)	Ratio (dB)	Limit (dB)
Radio 1	4950	802.11a10	19.764	4.567	7.697	12.07	≤ 13
	4955		19.705	3.575	6.705	13.00	≤ 13
	4980		20.006	3.926	7.056	12.95	≤ 13
	4950	802.11n10	7.825	-0.740	-0.26	8.09	≤ 13
	4955		7.982	-0.605	-0.125	8.11	≤ 13
	4980		7.385	-0.650	-0.17	7.56	≤ 13
	4950	802.11n20	7.696	2.529	2.789	4.91	≤ 13
	4965		7.510	-1.209	-0.949	8.46	≤ 13
	4980		7.776	-2.008	-1.748	9.52	≤ 13
	4950	802.11ac10	7.880	-0.695	-0.245	8.13	≤ 13
	4955		7.826	-0.610	-0.16	7.99	≤ 13
	4980		7.578	-0.769	-0.319	7.90	≤ 13
	4950	802.11ac20	7.530	-1.314	-0.984	8.51	≤ 13
	4965		7.342	-1.264	-0.934	8.28	≤ 13
	4980		7.902	-2.003	-1.673	9.58	≤ 13

Note: Corrected PSD applies Duty Cycle Correction Factor


Please refer to below tables for the plots.

Radio 2 15dBi Antenna Gain




Date: 11 JUN 2024 17:54:45

4950-10MHz-802.11a-1-a




Date: 11 JUN 2024 17:54:51

4950-10MHz-802.11a-1-b




Date: 11 JUN 2024 18:07:42

4950-10MHz-802.11a-2-a




Date: 11 JUN 2024 18:07:49

4950-10MHz-802.11a-2-b




Date: 10 JUN 2024 16:23:33

4950-10MHz-802.11n-1-a




Date: 10 JUN 2024 16:23:39

4950-10MHz-802.11n-1-b




Date: 10 JUN 2024 16:23:45

4950-10MHz-802.11n-2-a




Date: 10 JUN 2024 16:23:51

4950-10MHz-802.11n-2-b




Date: 10 JUN 2024 16:28:57

4950-10MHz-802.11ac-1-a




Date: 10 JUN 2024 16:29:03

4950-10MHz-802.11ac-1-b




Date: 10 JUN 2024 16:29:09

4950-10MHz-802.11ac-2-a




Date: 10 JUN 2024 16:29:15

4950-10MHz-802.11ac-2-b




Date: 11 JUN 2024 17:54:57

4955-10MHz-802.11a-1-a




Date: 11 JUN 2024 17:55:04

4955-10MHz-802.11a-1-b




Date: 11 JUN 2024 18:07:55

4955-10MHz-802.11a-2-a




Date: 11 JUN 2024 18:08:01

4955-10MHz-802.11a-2-b




Date: 10 JUN 2024 16:23:57

4955-10MHz-802.11n-1-a




Date: 10 JUN 2024 16:24:03


4955-10MHz-802.11n-1-b




4955-10MHz-802.11n-2-a




4955-10MHz-802.11n-2-b




4955-10MHz-802.11ac-1-a




4955-10MHz-802.11ac-1-b



4955-10MHz-802.11ac-2-a




4955-10MHz-802.11ac-2-b




Date: 11 JUN 2024 17:55:10

4980-10MHz-802.11a-1-a




Date: 11 JUN 2024 17:55:16

4980-10MHz-802.11a-1-b




Date: 11 JUN 2024 18:08:07

4980-10MHz-802.11a-2-a




Date: 11 JUN 2024 18:08:12

4980-10MHz-802.11a-2-b




Date: 10 JUN 2024 16:24:22

4980-10MHz-802.11n-1-a




Date: 10 JUN 2024 16:24:28

4980-10MHz-802.11n-1-b




Date: 10 JUN 2024 16:24:34

4980-10MHz-802.11n-2-a




Date: 10 JUN 2024 16:24:40

4980-10MHz-802.11n-2-b




Date: 10 JUN 2024 16:29:46

4980-10MHz-802.11ac-1-a




Date: 10 JUN 2024 16:29:52

4980-10MHz-802.11ac-1-b



Date: 10 JUN 2024 16:29:58


4980-10MHz-802.11ac-2-a



Date: 10 JUN 2024 16:30:04


4980-10MHz-802.11ac-2-b

Radio 1 15dBi Antenna Gain




Date: 11 JUN 2024 18:14:17

4950-10MHz-802.11a-1-a




Date: 11 JUN 2024 18:14:23

4950-10MHz-802.11a-1-b




Date: 11 JUN 2024 18:21:48

4950-10MHz-802.11a-2-a




Date: 11 JUN 2024 18:21:54

4950-10MHz-802.11a-2-b




Date: 10 JUN 2024 16:49:41

4950-10MHz-802.11n-1-a




Date: 10 JUN 2024 16:49:47

4950-10MHz-802.11n-1-b




Date: 10 JUN 2024 16:48:53

4950-10MHz-802.11n-2-a




Date: 10 JUN 2024 16:48:59

4950-10MHz-802.11n-2-b




Date: 10 JUN 2024 17:04:04

4950-10MHz-802.11ac-1-a




Date: 10 JUN 2024 17:04:10

4950-10MHz-802.11ac-1-b




Date: 10 JUN 2024 17:04:16

4950-10MHz-802.11ac-2-a




Date: 10 JUN 2024 17:04:22

4950-10MHz-802.11ac-2-b




Date: 10 JUN 2024 16:56:03

4950-20MHz-802.11n-1-a




Date: 10 JUN 2024 16:56:10

4950-20MHz-802.11n-1-b




Date: 10 JUN 2024 16:56:16

4950-20MHz-802.11n-2-a




Date: 10 JUN 2024 16:56:22

4950-20MHz-802.11n-2-b




Date: 10 JUN 2024 17:10:29

4950-20MHz-802.11ac-1-a




Date: 10 JUN 2024 17:10:35

4950-20MHz-802.11ac-1-b




Date: 10 JUN 2024 17:10:41

4950-20MHz-802.11ac-2-a




Date: 10 JUN 2024 17:10:47

4950-20MHz-802.11ac-2-b




Date: 11 JUN 2024 18:14:29

4955-10MHz-802.11a-1-a




Date: 11 JUN 2024 18:14:35

4955-10MHz-802.11a-1-b




Date: 11 JUN 2024 18:22:00

4955-10MHz-802.11a-2-a




Date: 11 JUN 2024 18:22:06


4955-10MHz-802.11a-2-b




4955-10MHz-802.11n-1-a




4955-10MHz-802.11n-1-b




4955-10MHz-802.11n-2-a




4955-10MHz-802.11n-2-b



4955-10MHz-802.11ac-1-a




4955-10MHz-802.11ac-1-b




Date: 10 JUN 2024 17:04:41

4955-10MHz-802.11ac-2-a




Date: 10 JUN 2024 17:04:47

4955-10MHz-802.11ac-2-b




Date: 10 JUN 2024 16:56:28

4965-20MHz-802.11n-1-a




Date: 10 JUN 2024 16:56:34

4965-20MHz-802.11n-1-b




Date: 10 JUN 2024 16:56:40

4965-20MHz-802.11n-2-a




Date: 10 JUN 2024 16:56:46

4965-20MHz-802.11n-2-b




Date: 10 JUN 2024 17:10:53

4965-20MHz-802.11ac-1-a




Date: 10 JUN 2024 17:10:59

4965-20MHz-802.11ac-1-b




Date: 10 JUN 2024 17:11:05

4965-20MHz-802.11ac-2-a




Date: 10 JUN 2024 17:11:11

4965-20MHz-802.11ac-2-b




Date: 11 JUN 2024 18:14:41

4980-10MHz-802.11a-1-a




Date: 11 JUN 2024 18:14:47

4980-10MHz-802.11a-1-b




Date: 11 JUN 2024 18:22:12

4980-10MHz-802.11a-2-a




Date: 11 JUN 2024 18:22:18

4980-10MHz-802.11a-2-b




Date: 10 JUN 2024 16:50:29

4980-10MHz-802.11n-2-a




Date: 10 JUN 2024 16:50:35

4980-10MHz-802.11n-2-b



Date: 10 JUN 2024 16:50:41

4980-10MHz-802.11n-2-a



Date: 10 JUN 2024 16:50:47

4980-10MHz-802.11n-2-b