

Active GNSS

GNSS IP66&IP67 Active 30dB RHCP Antenna

W4053T4572 – 1560 to 1606MHz



Features & Applications:

-  1560~ 1606MHz
-  Radiator polarization: RHCP
-  LNA Gain 30dB
-  Lineup: Antenna-Filter1-LNA1-Filter2-LNA2
-  Current consumption: <10mA
-  IP66 & IP67
-  GPS, Glonass, Beidou
-  Active antenna for timing
-  Location based services

ELECTRICAL SPECIFICATIONS @ 25°C

General Specifications		
Antenna type	Nominal Impedance	Polarization
Patch antenna	50 Ω	RHCP
Frequency (MHz)	1561.098 ± 2.046/ 1575.42 ± 1.023/ 1602.5625 ± 4	
Return Loss (dB)	<-4 dB @ 1561 MHz <-10 dB @ 1575 MHz <-10 dB @ 1602 MHz	
Gain (Radiating element)	1 dBic ± 1 dB	
LNA Gain	30dB ± 2 dB	
Current consumption	<10 mA	

MECHANICAL SPECIFICATIONS

W4053T4572

Dimension (Diameter x Height)	Weight	Color	Cable type	Connector Type	Cable length
Φ 42.17 x 21 mm (Φ 1.66" x .827")	420 g	Gray	LMR-100 (VW-1/FT-1 flame rating)	TNC Male	4572 mm / 180 in

ENVIRONMENTAL SPECIFICATIONS

W4053T4572

Storage Temperature	Operating Temperature	Ingress Protection	RoHS Compliant
-40 / +85° C	-40 / +85° C	IP66 & IP67	Yes


Active GNSS

GNSS IP66&IP67 Active 30dB RHCP Antenna

W4053T4572 – 1560 to 1606MHz

Mechanical Drawing

W4053T4572




Unit:mm


Charts

Test data

Return Loss




Efficiency




Charts

Test data

Gain







RHCP Gain and LHCP Gain



Charts

Test data

Radiation Pattern (without ground plane)



Active GNSS

GNSS IP66&IP67 Active 30dB RHCP Antenna

W4053T4572 – 1560 to 1606MHz

PACKAGING

W4053T4572

<p>1.Put the bracket and the bolt into a PE bag</p>	 
<p>2.Put the antenna into a bubble bag</p>	  <div data-bbox="1291 703 1542 850" style="border: 1px solid blue; padding: 5px;"> <p>品名: W4053T4572 数量: 1 PCS 日期: 2022-04-11</p> </div>
<p>3.1 bracket and 1 antenna as a set, put it into a cell of the box, 36 sets per carton box.</p>	  

Pulse Electronics, a YAGEO Company
15255 Innovation Drive, Suite #100
San Diego, CA 92128

For More Information:
[Americas - antennas.us@pulseelectronics.com](mailto:antennas.us@pulseelectronics.com) | [Europe – antennas.eu@pulseelectronics.com](mailto:antennas.eu@pulseelectronics.com) | [Asia – antennas.as@pulseelectronics.com](mailto:antennas.as@pulseelectronics.com) | [Questions? +1-800-ANTENNA](tel:+1800-ANTENNA)
 Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright , 2020. Pulse Electronics, Inc. All rights reserved.