


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2437MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.37929G	-28.83	-21.20	-7.63	8.04	0.00	-36.87	-44.94	-46.07	-38.96	-46.62
2.36G	2.5235G	1M	PK	2.48524G	-27.11	-21.20	-5.91	8.04	0.00	-35.15	-45.19	-46.68	-36.38	-46.24

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2437MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.37602G	-42.00	-41.20	-0.80	8.04	0.00	-50.04	-54.95	-55.60	-56.65	-57.46
2.36G	2.5235G	1M	AV	2.48508G	-42.99	-41.20	-1.79	8.04	0.00	-51.03	-56.94	-57.02	-57.17	-57.09

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2457MHz

13/06/2023




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2457MHz

13/06/2023




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [PK]

2462MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38894G	-36.46	-21.20	-15.26	8.04	0.00	-44.50	-53.58	-53.78	-46.43	-53.78
2.36G	2.5235G	1M	PK	2.48393G	-27.40	-21.20	-6.20	8.04	0.00	-35.44	-39.08	-46.49	-43.26	-40.34

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSE Bandedge [AV]

2462MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.37602G	-49.66	-41.20	-8.46	8.04	0.00	-57.70	-62.99	-63.91	-63.29	-64.93
2.36G	2.5235G	1M	AV	2.48361G	-41.76	-41.20	-0.56	8.04	0.00	-49.80	-54.74	-59.39	-56.04	-54.59

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2412MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.3891G	-30.20	-21.20	-9.00	8.04	0.00	-38.24	-44.63	-43.88	-47.25	-42.54
2.36G	2.5235G	1M	PK	2.48508G	-36.13	-21.20	-14.93	8.04	0.00	-44.17	-50.04	-50.17	-50.90	-49.73

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2412MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-42.36	-41.20	-1.16	8.04	0.00	-50.40	-55.65	-56.16	-59.39	-55.49
2.36G	2.5235G	1M	AV	2.48587G	-47.27	-41.20	-6.07	8.04	0.00	-55.31	-61.21	-61.21	-61.09	-61.86

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2417MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-29.53	-21.20	-8.33	8.04	0.00	-37.57	-45.40	-40.89	-45.40	-44.46
2.36G	2.5235G	1M	PK	2.48998G	-32.26	-21.20	-11.06	8.04	0.00	-40.30	-48.44	-48.08	-42.99	-48.77

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2417MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.89	-41.20	-0.69	8.04	0.00	-49.93	-55.85	-55.06	-56.95	-56.16
2.36G	2.5235G	1M	AV	2.48606G	-44.87	-41.20	-3.67	8.04	0.00	-52.91	-58.82	-59.29	-58.82	-58.82

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2437MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.37946G	-28.80	-21.20	-7.60	8.04	0.00	-36.84	-44.71	-45.07	-39.00	-47.88
2.36G	2.5235G	1M	PK	2.48557G	-26.86	-21.20	-5.66	8.04	0.00	-34.90	-45.92	-46.01	-36.07	-45.87

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2437MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.37586G	-41.74	-41.20	-0.54	8.04	0.00	-49.78	-54.84	-55.18	-56.28	-57.31
2.36G	2.5235G	1M	AV	2.48377G	-42.30	-41.20	-1.10	8.04	0.00	-50.34	-56.39	-56.72	-55.90	-56.46

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2457MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38551G	-31.11	-21.20	-9.91	8.04	0.00	-39.15	-47.87	-47.99	-41.27	-48.33
2.36G	2.5235G	1M	PK	2.48393G	-29.53	-21.20	-8.33	8.04	0.00	-37.57	-43.77	-46.16	-44.38	-41.41

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2457MHz

13/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.37586G	-43.86	-41.20	-2.66	8.04	0.00	-51.90	-57.03	-57.39	-58.29	-59.30
2.36G	2.5235G	1M	AV	2.48361G	-41.99	-41.20	-0.79	8.04	0.00	-50.03	-55.99	-57.30	-55.78	-55.36

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

2462MHz

13/06/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	PK	2.38502G	-38.74	-21.20	-17.54	8.04	0.00	-46.78	-52.39	-53.27	-53.34	-52.31
2.36G	2.5235G	1M	PK	2.48377G	-29.86	-21.20	-8.66	8.04	0.00	-37.90	-43.43	-46.24	-44.16	-42.63

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

2462MHz

13/06/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
2.36G	2.5235G	1M	AV	2.37602G	-49.69	-41.20	-8.49	8.04	0.00	-57.73	-62.92	-63.59	-63.67	-65.12
2.36G	2.5235G	1M	AV	2.48361G	-42.31	-41.20	-1.11	8.04	0.00	-50.35	-55.77	-59.19	-56.50	-55.04



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38976G	2.52	-48.75	-48.75	-46.23	-41.20	-5.03
802.11g_Nss1,(6Mbps)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	2.52	-44.43	-44.43	-41.91	-41.20	-0.71
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.36G	2.5235G	AV	2.38992G	2.52	-43.83	-43.83	-41.31	-41.20	-0.11

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38976G	2.52	-48.75	-48.75	-46.23	-41.20	-5.03
2412MHz	Pass	2.36G	2.5235G	AV	2.4962G	2.52	-54.05	-54.05	-51.53	-41.20	-10.33
2412MHz	Pass	2.36G	2.5235G	PK	2.38861G	2.52	-36.88	-36.88	-34.36	-21.20	-13.16
2412MHz	Pass	2.36G	2.5235G	PK	2.48639G	2.52	-42.17	-42.17	-39.65	-21.20	-18.45
2437MHz	Pass	2.36G	2.5235G	AV	2.38829G	2.52	-52.16	-52.16	-49.64	-41.20	-8.44
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	2.52	-53.58	-53.58	-51.06	-41.20	-9.86
2437MHz	Pass	2.36G	2.5235G	PK	2.37128G	2.52	-39.76	-39.76	-37.24	-21.20	-16.04
2437MHz	Pass	2.36G	2.5235G	PK	2.48475G	2.52	-41.68	-41.68	-39.16	-21.20	-17.96
2462MHz	Pass	2.36G	2.5235G	AV	2.36082G	2.52	-52.21	-52.21	-49.69	-41.20	-8.49
2462MHz	Pass	2.36G	2.5235G	AV	2.48753G	2.52	-49.28	-49.28	-46.76	-41.20	-5.56
2462MHz	Pass	2.36G	2.5235G	PK	2.36768G	2.52	-39.66	-39.66	-37.14	-21.20	-15.94
2462MHz	Pass	2.36G	2.5235G	PK	2.48704G	2.52	-37.79	-37.79	-35.27	-21.20	-14.07
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	2.52	-44.43	-44.43	-41.91	-41.20	-0.71
2412MHz	Pass	2.36G	2.5235G	AV	2.52252G	2.52	-53.47	-53.47	-50.95	-41.20	-9.75
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	2.52	-31.35	-31.35	-28.83	-21.20	-7.63
2412MHz	Pass	2.36G	2.5235G	PK	2.50061G	2.52	-41.61	-41.61	-39.09	-21.20	-17.89
2437MHz	Pass	2.36G	2.5235G	AV	2.38534G	2.52	-51.50	-51.50	-48.98	-41.20	-7.78
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	2.52	-52.59	-52.59	-50.07	-41.20	-8.87
2437MHz	Pass	2.36G	2.5235G	PK	2.37357G	2.52	-39.08	-39.08	-36.56	-21.20	-15.36
2437MHz	Pass	2.36G	2.5235G	PK	2.49031G	2.52	-41.05	-41.05	-38.53	-21.20	-17.33
2462MHz	Pass	2.36G	2.5235G	AV	2.36213G	2.52	-52.04	-52.04	-49.52	-41.20	-8.32
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	2.52	-44.78	-44.78	-42.26	-41.20	-1.06
2462MHz	Pass	2.36G	2.5235G	PK	2.36311G	2.52	-39.57	-39.57	-37.05	-21.20	-15.85
2462MHz	Pass	2.36G	2.5235G	PK	2.48377G	2.52	-28.80	-28.80	-26.28	-21.20	-5.08
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.36G	2.5235G	AV	2.38992G	2.52	-43.83	-43.83	-41.31	-41.20	-0.11
2412MHz	Pass	2.36G	2.5235G	AV	2.50829G	2.52	-53.53	-53.53	-51.01	-41.20	-9.81
2412MHz	Pass	2.36G	2.5235G	PK	2.38992G	2.52	-30.26	-30.26	-27.74	-21.20	-6.54
2412MHz	Pass	2.36G	2.5235G	PK	2.48491G	2.52	-41.58	-41.58	-39.06	-21.20	-17.86
2417MHz	Pass	2.36G	2.5235G	AV	2.38976G	2.52	-45.35	-45.35	-42.83	-41.20	-1.63
2417MHz	Pass	2.36G	2.5235G	AV	2.38992G	2.52	-45.35	-45.35	-42.83	-41.20	-1.63
2417MHz	Pass	2.36G	2.5235G	AV	2.49244G	2.52	-53.30	-53.30	-50.78	-41.20	-9.58
2417MHz	Pass	2.36G	2.5235G	PK	2.38959G	2.52	-29.84	-29.84	-27.32	-21.20	-6.12
2417MHz	Pass	2.36G	2.5235G	PK	2.51843G	2.52	-41.48	-41.48	-38.96	-21.20	-17.76
2437MHz	Pass	2.36G	2.5235G	AV	2.38894G	2.52	-51.28	-51.28	-48.76	-41.20	-7.56
2437MHz	Pass	2.36G	2.5235G	AV	2.38976G	2.52	-51.28	-51.28	-48.76	-41.20	-7.56
2437MHz	Pass	2.36G	2.5235G	AV	2.48361G	2.52	-51.91	-51.91	-49.39	-41.20	-8.19
2437MHz	Pass	2.36G	2.5235G	PK	2.38976G	2.52	-39.18	-39.18	-36.66	-21.20	-15.46
2437MHz	Pass	2.36G	2.5235G	PK	2.48671G	2.52	-40.29	-40.29	-37.77	-21.20	-16.57
2457MHz	Pass	2.36G	2.5235G	AV	2.36G	2.52	-52.05	-52.05	-49.53	-41.20	-8.33
2457MHz	Pass	2.36G	2.5235G	AV	2.48361G	2.52	-45.57	-45.57	-43.05	-41.20	-1.85
2457MHz	Pass	2.36G	2.5235G	PK	2.36016G	2.52	-39.94	-39.94	-37.42	-21.20	-16.22
2457MHz	Pass	2.36G	2.5235G	PK	2.48491G	2.52	-28.75	-28.75	-26.23	-21.20	-5.03
2462MHz	Pass	2.36G	2.5235G	AV	2.36082G	2.52	-52.69	-52.69	-50.17	-41.20	-8.97
2462MHz	Pass	2.36G	2.5235G	AV	2.48361G	2.52	-44.49	-44.49	-41.97	-41.20	-0.77
2462MHz	Pass	2.36G	2.5235G	PK	2.36687G	2.52	-40.82	-40.82	-38.30	-21.20	-17.10
2462MHz	Pass	2.36G	2.5235G	PK	2.4841G	2.52	-31.69	-31.69	-29.17	-21.20	-7.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2412MHz

04/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38861G	-34.36	-21.20	-13.16	2.52	0.00	-36.88	-36.88
2.36G	2.5235G	1M	PK	2.48639G	-39.65	-21.20	-18.45	2.52	0.00	-42.17	-42.17

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2412MHz

04/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-46.23	-41.20	-5.03	2.52	0.00	-48.75	-48.75
2.36G	2.5235G	1M	AV	2.4962G	-51.53	-41.20	-10.33	2.52	0.00	-54.05	-54.05

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2437MHz

04/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.37128G	-37.24	-21.20	-16.04	2.52	0.00	-39.76	-39.76
2.36G	2.5235G	1M	PK	2.48475G	-39.16	-21.20	-17.96	2.52	0.00	-41.68	-41.68

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2437MHz

04/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38829G	-49.64	-41.20	-8.44	2.52	0.00	-52.16	-52.16
2.36G	2.5235G	1M	AV	2.48361G	-51.06	-41.20	-9.86	2.52	0.00	-53.58	-53.58

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [PK]

2462MHz

04/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36768G	-37.14	-21.20	-15.94	2.52	0.00	-39.66	-39.66
2.36G	2.5235G	1M	PK	2.48704G	-35.27	-21.20	-14.07	2.52	0.00	-37.79	-37.79

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSE Bandedge [AV]

2462MHz

04/05/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.36082G	-49.69	-41.20	-8.49	2.52	0.00	-52.21	-52.21
2.36G	2.5235G	1M	AV	2.48753G	-46.76	-41.20	-5.56	2.52	0.00	-49.28	-49.28

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2412MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-28.83	-21.20	-7.63	2.52	0.00	-31.35	-31.35
2.36G	2.5235G	1M	PK	2.50061G	-39.09	-21.20	-17.89	2.52	0.00	-41.61	-41.61

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2412MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.91	-41.20	-0.71	2.52	0.00	-44.43	-44.43
2.36G	2.5235G	1M	AV	2.52252G	-50.95	-41.20	-9.75	2.52	0.00	-53.47	-53.47

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2437MHz

21/03/2023




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2437MHz

21/03/2023




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [PK]

2462MHz

21/03/2023




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSE Bandedge [AV]

2462MHz

21/03/2023




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2412MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38992G	-27.74	-21.20	-6.54	2.52	0.00	-30.26	-30.26
2.36G	2.5235G	1M	PK	2.48491G	-39.06	-21.20	-17.86	2.52	0.00	-41.58	-41.58

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2412MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38992G	-41.31	-41.20	-0.11	2.52	0.00	-43.83	-43.83
2.36G	2.5235G	1M	AV	2.50829G	-51.01	-41.20	-9.81	2.52	0.00	-53.53	-53.53

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2417MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38959G	-27.32	-21.20	-6.12	2.52	0.00	-29.84	-29.84
2.36G	2.5235G	1M	PK	2.51843G	-38.96	-21.20	-17.76	2.52	0.00	-41.48	-41.48

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2417MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38976G	-42.83	-41.20	-1.63	2.52	0.00	-45.35	-45.35
2.36G	2.5235G	1M	AV	2.38992G	-42.83	-41.20	-1.63	2.52	0.00	-45.35	-45.35
2.36G	2.5235G	1M	AV	2.49244G	-50.78	-41.20	-9.58	2.52	0.00	-53.30	-53.30

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2437MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.38976G	-36.66	-21.20	-15.46	2.52	0.00	-39.18	-39.18
2.36G	2.5235G	1M	PK	2.46671G	-37.77	-21.20	-16.57	2.52	0.00	-40.29	-40.29

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2437MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.38894G	-48.76	-41.20	-7.56	2.52	0.00	-51.28	-51.28
2.36G	2.5235G	1M	AV	2.38976G	-48.76	-41.20	-7.56	2.52	0.00	-51.28	-51.28
2.36G	2.5235G	1M	AV	2.48361G	-49.39	-41.20	-8.19	2.52	0.00	-51.91	-51.91

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2457MHz

21/03/2023



Limit:PK

ERP:PK

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36016G	-37.42	-21.20	-16.22	2.52	0.00	-39.94	-39.94
2.36G	2.5235G	1M	PK	2.48491G	-26.23	-21.20	-5.03	2.52	0.00	-28.75	-28.75

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2457MHz

21/03/2023



Limit:AV

ERP:AV

Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.36G	-49.53	-41.20	-8.33	2.52	0.00	-52.05	-52.05
2.36G	2.5235G	1M	AV	2.48361G	-43.05	-41.20	-1.85	2.52	0.00	-45.57	-45.57

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

2462MHz

21/03/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	PK	2.36687G	-38.30	-21.20	-17.10	2.52	0.00	-40.82	-40.82
2.36G	2.5235G	1M	PK	2.4841G	-29.17	-21.20	-7.97	2.52	0.00	-31.69	-31.69

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

2462MHz

21/03/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
2.36G	2.5235G	1M	AV	2.36082G	-50.17	-41.20	-8.97	2.52	0.00	-52.69	-52.69
2.36G	2.5235G	1M	AV	2.48361G	-41.97	-41.20	-0.77	2.52	0.00	-44.49	-44.49




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	7.3101G	43.45	54.00	-10.55	3	Horizontal	354	1.78	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	7.3149G	40.95	54.00	-13.05	3	Vertical	86	1.80	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	7.29912G	40.45	54.00	-13.55	3	Horizontal	288	2.31	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 24
01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86608G	47.66	74.00	-26.34	41.77	3	Vertical	163	1.80	-	33.00	5.77	32.88
AV	4.87058G	34.72	54.00	-19.28	28.83	3	Vertical	163	1.80	-	33.00	5.77	32.88
PK	7.32024G	52.92	74.00	-21.08	41.35	3	Vertical	271	1.80	-	37.60	7.16	33.19
AV	7.29732G	40.36	54.00	-13.64	28.79	3	Vertical	271	1.80	-	37.59	7.15	33.17

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 24
01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86608G	47.81	74.00	-26.19	41.92	3	Horizontal	86	1.80	-	33.00	5.77	32.88
AV	4.86716G	34.71	54.00	-19.29	28.82	3	Horizontal	86	1.80	-	33.00	5.77	32.88
PK	7.31994G	53.09	74.00	-20.91	41.52	3	Horizontal	288	2.31	-	37.60	7.16	33.19
AV	7.29912G	40.45	54.00	-13.55	28.88	3	Horizontal	288	2.31	-	37.60	7.15	33.18

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 24
01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86452G	46.69	74.00	-27.31	40.81	3	Vertical	5	1.48	-	33.00	5.76	32.88
AV	4.86134G	35.09	54.00	-18.91	29.21	3	Vertical	5	1.48	-	33.00	5.76	32.88
PK	7.31598G	52.39	74.00	-21.61	40.81	3	Vertical	86	1.80	-	37.60	7.16	33.18
AV	7.3149G	40.95	54.00	-13.05	29.37	3	Vertical	86	1.80	-	37.60	7.16	33.18

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
 Setting 24
 01-I-M-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8623G	46.63	74.00	-27.37	40.75	3	Horizontal	312	1.77	-	33.00	5.76	32.88
AV	4.8692G	35.06	54.00	-18.94	29.17	3	Horizontal	312	1.77	-	33.00	5.77	32.88
PK	7.30572G	52.63	74.00	-21.37	41.06	3	Horizontal	75	1.48	-	37.60	7.15	33.18
AV	7.30236G	40.72	54.00	-13.28	29.15	3	Horizontal	75	1.48	-	37.60	7.15	33.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Z_4TX
 Setting 23
 01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86356G	47.76	74.00	-26.24	41.88	3	Vertical	286	1.80	-	33.00	5.76	32.88
AV	4.874G	37.24	54.00	-16.76	31.35	3	Vertical	286	1.80	-	33.00	5.77	32.88
PK	7.30776G	52.73	74.00	-21.27	41.16	3	Vertical	18	1.80	-	37.60	7.15	33.18
AV	7.3101G	43.41	54.00	-10.59	31.83	3	Vertical	18	1.80	-	37.60	7.16	33.18

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX



EUT_Z_4TX
Setting 23
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87664G	46.97	74.00	-27.03	41.06	3	Horizontal	186	2.42	-	33.00	5.78	32.87
AV	4.87394G	38.11	54.00	-15.89	32.22	3	Horizontal	186	2.42	-	33.00	5.77	32.88
PK	7.31172G	53.21	74.00	-20.79	41.63	3	Horizontal	354	1.78	-	37.60	7.16	33.18
AV	7.3101G	43.45	54.00	-10.55	31.87	3	Horizontal	354	1.78	-	37.60	7.16	33.18




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	7.30512G	40.29	54.00	-13.71	3	Vertical	49	1.80	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 24
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85978G	46.85	74.00	-27.15	40.97	3	Vertical	81	2.37	-	33.00	5.76	32.88
AV	4.86878G	34.56	54.00	-19.44	28.67	3	Vertical	81	2.37	-	33.00	5.77	32.88
PK	7.29996G	52.54	74.00	-21.46	40.97	3	Vertical	49	1.80	-	37.60	7.15	33.18
AV	7.30512G	40.29	54.00	-13.71	28.72	3	Vertical	49	1.80	-	37.60	7.15	33.18

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX



EUT_Y_1TX
Setting 24
01-I-J-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87562G	47.22	74.00	-26.78	41.31	3	Horizontal	342	1.58	-	33.00	5.78	32.87
AV	4.86812G	34.64	54.00	-19.36	28.75	3	Horizontal	342	1.58	-	33.00	5.77	32.88
PK	7.31694G	53.10	74.00	-20.90	41.52	3	Horizontal	312	1.80	-	37.60	7.16	33.18
AV	7.31418G	40.14	54.00	-13.86	28.56	3	Horizontal	312	1.80	-	37.60	7.16	33.18



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.71335G	42.08	54.00	-11.92	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71335G	47.27	74.00	-26.73	-7.79	3	Vertical	326	1.56	-	55.06	24.91	3.71	36.41
AV	1.71335G	42.08	54.00	-11.92	-7.79	3	Vertical	326	1.56	"Worst"	49.87	24.91	3.71	36.41

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.71227G	53.69	74.00	-20.31	-7.80	3	Horizontal	310	1.63	-	61.49	24.90	3.71	36.41
AV	1.71227G	39.61	54.00	-14.39	-7.80	3	Horizontal	310	1.63	"Worst"	47.41	24.90	3.71	36.41