



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.410001G	0.40	6.425675G	-31.15	-19.50	-11.65	2
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	6.197502G	1.16	6.26315G	-42.68	-38.79	-3.89	2
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	5.9764G	1.46	5.8692G	-42.04	-36.78	-5.26	1
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.05159G	0.56	6.2404G	-38.15	-34.12	-4.03	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.946952G	0.34	5.98685G	-51.61	-39.66	-11.95	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.9638G	1.39	5.90445G	-48.4	-38.58	-9.82	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.9866G	10.35	6.1184G	-35.35	-29.65	-5.7	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.99261G	2.04	6.27G	-45.57	-37.88	-7.69	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.861873G	1.10	6.8656G	-30.24	-18.90	-11.34	1
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	6.854348G	0.42	6.78715G	-41.08	-38.83	-2.25	2
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	6.7796G	1.11	6.6687G	-43.10	-37.27	-5.83	1
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.69199G	0.65	6.881G	-40.20	-34.85	-5.35	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.846652G	-0.45	6.8434G	-33.39	-20.53	-12.86	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.849199G	0.38	6.78575G	-49.85	-39.39	-10.46	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.791G	1.53	6.6589G	-47.19	-38.47	-8.72	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.6822G	1.98	6.9122G	-46.48	-38.02	-8.46	1








Result



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.947252G	1.45	5.944475G	-30.25	-18.58	-11.67	1
5955MHz	Pass	5.961848G	1.63	5.965775G	-28.39	-16.37	-12.02	2
6195MHz	Pass	6.202473G	1.80	6.2057G	-30.18	-18.27	-11.91	1
6195MHz	Pass	6.201873G	0.70	6.205825G	-31.88	-19.30	-12.58	2
6415MHz	Pass	6.421373G	0.48	6.4258G	-32.19	-19.58	-12.61	1
6415MHz	Pass	6.410001G	0.40	6.425675G	-31.15	-19.50	-11.65	2
6535MHz	Pass	6.542123G	1.55	6.54555G	-29.60	-18.05	-11.55	1
6535MHz	Pass	6.528152G	0.22	6.5461G	-33.93	-19.91	-14.02	2
6695MHz	Pass	6.702148G	0.92	6.705725G	-31.38	-19.10	-12.28	1
6695MHz	Pass	6.701573G	0.39	6.7057G	-31.25	-19.70	-11.55	2
6855MHz	Pass	6.861873G	1.10	6.8656G	-30.24	-18.90	-11.34	1
6855MHz	Pass	6.848177G	0.81	6.844175G	-32.06	-19.19	-12.87	2
11a40_40MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968299G	-0.61	6.0226G	-46.62	-40.56	-6.06	1
5965MHz	Pass	5.968299G	-0.37	5.90735G	-46.81	-40.15	-6.66	2
6205MHz	Pass	6.210449G	1.21	6.14715G	-40.92	-34.51	-6.41	1
6205MHz	Pass	6.197502G	1.16	6.26315G	-42.68	-38.79	-3.89	2
6405MHz	Pass	6.401801G	0.84	6.46315G	-42.55	-38.08	-4.47	1
6405MHz	Pass	6.399701G	0.51	6.4631G	-44.95	-39.47	-5.48	2
6565MHz	Pass	6.568249G	0.78	6.62305G	-41.42	-38.48	-2.94	1
6565MHz	Pass	6.560301G	0.13	6.5071G	-43.10	-39.44	-3.66	2
6685MHz	Pass	6.679951G	0.81	6.7431G	-41.48	-39.07	-2.41	1
6685MHz	Pass	6.687599G	0.27	6.7411G	-42.01	-38.63	-3.38	2
6845MHz	Pass	6.848299G	1.01	6.789G	-39.26	-31.28	-7.98	1
6845MHz	Pass	6.854348G	0.42	6.78715G	-41.08	-38.83	-2.25	2
11a80_80MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9764G	1.46	5.8692G	-42.04	-36.78	-5.26	1
5985MHz	Pass	5.9809G	1.79	5.8671G	-42.58	-37.07	-5.51	2
6225MHz	Pass	6.2086G	1.25	6.1095G	-44.25	-36.90	-7.35	1
6225MHz	Pass	6.2175G	1.20	6.1069G	-47.36	-37.81	-9.55	2
6385MHz	Pass	6.3816G	0.85	6.2672G	-47.25	-37.88	-9.37	1
6385MHz	Pass	6.3794G	0.63	6.2673G	-49.06	-38.45	-10.61	2
6625MHz	Pass	6.6226G	1.21	6.5073G	-45.87	-37.12	-8.75	1
6625MHz	Pass	6.6173G	0.41	6.5073G	-48.15	-38.67	-9.48	2
6705MHz	Pass	6.7124G	0.79	6.5874G	-45.44	-38.07	-7.37	1
6705MHz	Pass	6.7164G	0.24	6.5875G	-47.19	-38.50	-8.69	2
6785MHz	Pass	6.7796G	1.11	6.6687G	-43.10	-37.27	-5.83	1
6785MHz	Pass	6.7681G	0.97	6.6688G	-43.99	-37.29	-6.70	2
11a160_160MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05159G	0.56	6.2404G	-38.15	-34.12	-4.03	1
6025MHz	Pass	6.05039G	0.93	5.7712G	-45.06	-39.07	-5.99	2
6185MHz	Pass	6.21099G	1.23	6.4168G	-40.87	-36.04	-4.83	1
6185MHz	Pass	6.21199G	0.65	6.101G	-26.86	-19.36	-7.50	2
6345MHz	Pass	6.30021G	0.38	6.0906G	-47.33	-39.62	-7.71	1
6345MHz	Pass	6.30101G	0.09	6.2618G	-27.52	-19.95	-7.57	2
6665MHz	Pass	6.69199G	0.65	6.881G	-40.20	-34.85	-5.35	1
6665MHz	Pass	6.69179G	-0.44	6.4188G	-47.69	-40.06	-7.63	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.946952G	0.34	5.98685G	-51.61	-39.66	-11.95	1
5955MHz	Pass	5.963023G	0.12	5.922925G	-53.5	-39.87	-13.63	2
6195MHz	Pass	6.204273G	0.48	6.1636G	-52.13	-39.39	-12.74	1
6195MHz	Pass	6.201798G	0	6.18305G	-35	-20	-15	2
6415MHz	Pass	6.423648G	-0.12	6.40335G	-34.73	-20.27	-14.46	1
6415MHz	Pass	6.424198G	0.34	6.4267G	-34.64	-19.82	-14.82	2






Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.526452G	0.13	6.5027G	-54.47	-39.83	-14.64	1
6535MHz	Pass	6.544023G	-0.21	6.50275G	-55.12	-40.21	-14.91	2
6695MHz	Pass	6.685677G	-0.1	6.671425G	-44.58	-30.34	-14.24	1
6695MHz	Pass	6.686302G	-0.25	6.670125G	-45.81	-32.37	-13.44	2
6855MHz	Pass	6.863998G	0.45	6.823225G	-52.9	-39.55	-13.35	1
6855MHz	Pass	6.846652G	-0.45	6.8434G	-33.39	-20.53	-12.86	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9638G	1.39	5.90445G	-48.4	-38.58	-9.82	1
5965MHz	Pass	5.96595G	1.19	5.9041G	-50.09	-38.87	-11.22	2
6205MHz	Pass	6.200251G	1.04	6.264G	-49.97	-38.96	-11.01	1
6205MHz	Pass	6.20595G	0.97	6.1454G	-52.16	-38.98	-13.18	2
6405MHz	Pass	6.402451G	0.7	6.464G	-52.13	-39.28	-12.85	1
6405MHz	Pass	6.407G	0.47	6.46445G	-53.15	-39.61	-13.54	2
6565MHz	Pass	6.572248G	0.84	6.5049G	-50.98	-38.78	-12.2	1
6565MHz	Pass	6.562751G	0.38	6.6245G	-52.34	-39.6	-12.74	2
6685MHz	Pass	6.68575G	0.6	6.7451G	-51.06	-39.12	-11.94	1
6685MHz	Pass	6.6843G	0.04	6.7431G	-51.61	-38.88	-12.73	2
6845MHz	Pass	6.849199G	0.38	6.78575G	-49.85	-39.39	-10.46	1
6845MHz	Pass	6.848649G	-0.18	6.78525G	-50.84	-40.09	-10.75	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9866G	10.35	6.1184G	-35.35	-29.65	-5.7	1
5985MHz	Pass	5.9902G	8.74	6.104G	-37.83	-30.73	-7.1	2
6225MHz	Pass	6.2202G	2.54	6.3467G	-47.4	-37.34	-10.06	1
6225MHz	Pass	6.2152G	2.03	6.3467G	-48.65	-37.56	-11.09	2
6385MHz	Pass	6.3865G	1.54	6.506G	-48.15	-38.43	-9.72	1
6385MHz	Pass	6.40569G	1.35	6.5103G	-49.45	-38.65	-10.8	2
6625MHz	Pass	6.617G	2.4	6.5018G	-47.57	-37.34	-10.23	1
6625MHz	Pass	6.63G	1.42	6.4999G	-49.4	-38.58	-10.82	2
6705MHz	Pass	6.7082G	1.95	6.8316G	-47.99	-38.05	-9.94	1
6705MHz	Pass	6.6962G	1.37	6.5816G	-48.35	-38.63	-9.72	2
6785MHz	Pass	6.7669G	2.18	6.6617G	-46.79	-37.82	-8.97	1
6785MHz	Pass	6.791G	1.53	6.6589G	-47.19	-38.47	-8.72	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99261G	2.04	6.27G	-45.57	-37.88	-7.69	1
6025MHz	Pass	5.99121G	1.99	5.7804G	-46.52	-37.88	-8.64	2
6185MHz	Pass	6.22679G	2.19	6.4374G	-46.7	-37.81	-8.89	1
6185MHz	Pass	6.15841G	1.51	6.4352G	-47.87	-38.49	-9.38	2
6345MHz	Pass	6.31741G	1.6	6.584G	-46.42	-37.92	-8.5	1
6345MHz	Pass	6.325G	1.44	6.0928G	-48.38	-38.56	-9.82	2
6665MHz	Pass	6.6822G	1.98	6.9122G	-46.48	-38.02	-8.46	1
6665MHz	Pass	6.6576G	0.95	6.4206G	-48.58	-38.79	-9.79	2











6.525-6.875GHz\_11a40\_40MHz\_Nss1,(6Mbps)\_2TX

MASK

6565MHz\_TX

CF (Hz)  
6.565G

Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS





12/10/2023


Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568249G	0.78	6.62305G	-41.42	-38.48	-2.94	1
6.560301G	0.13	6.5071G	-43.10	-39.44	-3.66	2







5.925-6.425GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

MASK

6225MHz\_TX

CF (Hz)  
6.225G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m


Detector Type  
RMS



12/10/2023

Port 1 

Port 2 



6.525-6.875GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

MASK

6625MHz\_TX

CF (Hz)  
6.625G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




12/10/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6226G	1.21	6.5073G	-45.87	-37.12	-8.75	1
6.6173G	0.41	6.5073G	-48.15	-38.67	-9.48	2



6.525-6.875GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

MASK

6785MHz\_TX

CF (Hz)  
6.785G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS





12/10/2023


Port 1 



Port 2 



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7796G	1.11	6.6687G	-43.10	-37.27	-5.83	1
6.7681G	0.97	6.6688G	-43.99	-37.29	-6.70	2

























5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

CF (Hz)  
6.225G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS





11/10/2023

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2202G	2.54	6.3467G	-47.40	-37.34	-10.06	1
6.2152G	2.03	6.3467G	-48.65	-37.56	-11.09	2





6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

CF (Hz)  
6.785G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS

11/10/2023

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7669G	2.18	6.6617G	-46.79	-37.82	-8.97	1
6.791G	1.53	6.6589G	-47.19	-38.47	-8.72	2

