




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE [PK]

6855MHz

11/10/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	7.42647G	-58.06	-21.20	-36.86	9.01	0.00	-67.07	-71.58	-68.96
1G	40G	1M	PK	13.71278G	-57.50	-7.00	-50.50	9.01	0.00	-66.51	-71.92	-67.98

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX



CSE [AV]


6855MHz


11/10/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.39234G	-63.59	-41.20	-22.39	9.01	0.00	-72.60	-75.04	-76.26
1G	40G	1M	AV	13.70547G	-63.05	-27.00	-36.05	9.01	0.00	-72.06	-74.55	-75.67










6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6565MHz

11/10/2023



Legend for CSE [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Sum:PK (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	7.39356G	-57.82	-21.20	-36.62	9.01	0.00	-66.83	-68.28	-72.30
1G	40G	1M	PK	13.13509G	-59.25	-7.00	-52.25	9.01	0.00	-68.26	-83.42	-68.39

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6565MHz

11/10/2023



Legend for CSE [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Sum:AV (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.38625G	-62.27	-41.20	-21.07	9.01	0.00	-71.28	-73.31	-75.56
1G	40G	1M	AV	13.129G	-64.60	-27.00	-37.60	9.01	0.00	-73.61	-76.10	-77.21




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6685MHz

11/10/2023



Legend for CSE [PK]:

- Limit:PK (Red line)
- ERP:PK (Green line)
- Sum:PK (Black line)
- Port 1 (Blue line)
- Port 2 (Blue line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	7.396G	-57.34	-21.20	-36.14	9.01	0.00	-66.35	-70.87	-68.24
1G	40G	1M	PK	13.37519G	-63.71	-21.20	-42.51	9.01	0.00	-72.72	-76.47	-75.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [AV]

6685MHz

11/10/2023



Legend for CSE [AV]:

- Limit:AV (Red line)
- ERP:AV (Green line)
- Sum:AV (Black line)
- Port 1 (Blue line)
- Port 2 (Blue line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.41063G	-63.96	-41.20	-22.76	9.01	0.00	-72.97	-75.93	-76.04
1G	40G	1M	AV	13.37031G	-68.99	-41.20	-27.79	9.01	0.00	-78.00	-80.91	-81.11




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

CSE [PK]

6845MHz

11/10/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	13.67378G	-60.13	-7.00	-53.13	9.01	0.00	-69.14	-75.78	-70.20
1G	40G	1M	PK	20.51584G	-58.21	-21.20	-37.01	9.01	0.00	-67.22	-78.89	-67.53

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX



CSE [AV]



6845MHz


11/10/2023






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.40697G	-63.89	-41.20	-22.69	9.01	0.00	-72.90	-75.95	-75.87
1G	40G	1M	AV	13.68841G	-64.94	-27.00	-37.94	9.01	0.00	-73.95	-76.33	-77.70














6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6785MHz

11/10/2023



Legend for CSE [PK]:

- Limit-PK (Red line)
- ERP-PK (Green line)
- Sum-PK (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	7.38625G	-57.52	-21.20	-36.32	9.01	0.00	-66.53	-68.50	-70.90
1G	40G	1M	PK	13.57019G	-65.78	-7.00	-58.78	9.01	0.00	-74.79	-78.39	-77.29

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6785MHz



11/10/2023






Legend for CSE [AV]:



- Limit-AV (Red line)
- ERP-AV (Green line)
- Sum-AV (Blue line)
- Port 1 (Black line)
- Port 2 (Purple line)

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	7.40088G	-63.95	-41.20	-22.75	9.01	0.00	-72.96	-75.62	-76.35
1G	40G	1M	AV	13.57019G	-69.28	-27.00	-42.28	9.01	0.00	-78.29	-81.87	-80.79













Summary


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.962748G	-1.77	5.9656G	-32.77	-21.82	-10.95	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	5.961751G	-2.86	6.02205G	-45.53	-42.73	-2.80	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	6.3726G	-0.99	6.5612G	-46.60	-40.99	-5.61	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.37239G	-1.30	6.588G	-44.27	-41.30	-2.97	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.963773G	-1.10	5.98535G	-51.33	-40.42	-10.91	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.968549G	0.23	6.02515G	-48.52	-39.63	-8.89	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.381G	-0.57	6.5576G	-46.30	-40.57	-5.73	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.36919G	-0.51	6.5978G	-44.04	-40.51	-3.53	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	6.701273G	-1.02	6.705525G	-31.33	-20.62	-10.71	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	6.693048G	-2.54	6.6288G	-44.97	-41.88	-3.09	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	6.771G	-0.70	6.9764G	-46.01	-40.70	-5.31	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.61961G	-0.60	6.9756G	-43.39	-40.60	-2.79	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.541823G	-1.15	6.5461G	-32.41	-21.16	-11.25	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.839101G	-2.02	6.90525G	-51.06	-42.02	-9.04	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.7696G	-0.20	6.9657G	-45.88	-40.20	-5.68	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.63921G	0.52	6.9616G	-43.29	-39.48	-3.81	1






Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962748G	-1.77	5.9656G	-32.77	-21.82	-10.95	1
6195MHz	Pass	6.187527G	-1.13	6.205575G	-33.13	-21.13	-12.00	1
6415MHz	Pass	6.407502G	-1.68	6.404425G	-33.30	-21.68	-11.62	1
6535MHz	Pass	6.528127G	-1.49	6.56665G	-53.23	-41.49	-11.74	1
6695MHz	Pass	6.701273G	-1.02	6.705525G	-31.33	-20.62	-10.71	1
6855MHz	Pass	6.848777G	-2.16	6.885225G	-53.07	-42.16	-10.91	1
11a40_40MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961751G	-2.86	6.02205G	-45.53	-42.73	-2.80	1
6205MHz	Pass	6.202701G	-2.40	6.26315G	-47.33	-42.40	-4.93	1
6405MHz	Pass	6.398102G	-2.92	6.46185G	-47.86	-42.36	-5.50	1
6565MHz	Pass	6.559951G	-2.42	6.62305G	-47.45	-42.30	-5.15	1
6685MHz	Pass	6.693048G	-2.54	6.6288G	-44.97	-41.88	-3.09	1
6845MHz	Pass	6.842001G	-2.74	6.9031G	-47.49	-42.74	-4.75	1
11a80_80MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9908G	-0.51	6.1068G	-47.18	-40.51	-6.67	1
6225MHz	Pass	6.2322G	-0.27	6.3713G	-46.75	-40.27	-6.48	1
6385MHz	Pass	6.3726G	-0.99	6.5612G	-46.60	-40.99	-5.61	1
6625MHz	Pass	6.6184G	-0.54	6.503G	-46.53	-40.54	-5.99	1
6705MHz	Pass	6.6916G	-0.52	6.5841G	-45.95	-40.52	-5.43	1
6785MHz	Pass	6.771G	-0.70	6.9764G	-46.01	-40.70	-5.31	1
11a160_160MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0326G	-0.89	6.379G	-44.30	-40.89	-3.41	1
6185MHz	Pass	6.21119G	-0.95	6.5538G	-43.98	-40.95	-3.03	1
6345MHz	Pass	6.37239G	-1.30	6.588G	-44.27	-41.30	-2.97	1
6665MHz	Pass	6.61961G	-0.60	6.9756G	-43.39	-40.60	-2.79	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963773G	-1.10	5.98535G	-51.33	-40.42	-10.91	1
6195MHz	Pass	6.186752G	-1.36	6.162425G	-53.46	-41.36	-12.10	1
6415MHz	Pass	6.422723G	-1.60	6.3759G	-53.02	-41.60	-11.42	1
6535MHz	Pass	6.541823G	-1.15	6.5461G	-32.41	-21.16	-11.25	1
6695MHz	Pass	6.685652G	-1.16	6.72875G	-53.03	-41.16	-11.87	1
6855MHz	Pass	6.845852G	-1.37	6.8438G	-32.83	-21.41	-11.42	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968549G	0.23	6.02515G	-48.52	-39.63	-8.89	1
6205MHz	Pass	6.199501G	-0.37	6.26625G	-50.24	-40.37	-9.87	1
6405MHz	Pass	6.408099G	-2.60	6.34585G	-51.69	-42.60	-9.09	1
6565MHz	Pass	6.567699G	-1.83	6.50095G	-51.80	-41.83	-9.97	1
6685MHz	Pass	6.676102G	-2.18	6.7445G	-51.35	-42.18	-9.17	1
6845MHz	Pass	6.839101G	-2.02	6.90525G	-51.06	-42.02	-9.04	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9792G	-0.13	6.1056G	-46.86	-40.13	-6.73	1
6225MHz	Pass	6.2202G	-0.15	6.3657G	-46.54	-40.15	-6.39	1
6385MHz	Pass	6.381G	-0.57	6.5576G	-46.30	-40.57	-5.73	1
6625MHz	Pass	6.6284G	0.30	6.7515G	-46.55	-39.70	-6.85	1
6705MHz	Pass	6.7099G	-0.04	6.5791G	-45.90	-40.04	-5.86	1
6785MHz	Pass	6.7696G	-0.20	6.9657G	-45.88	-40.20	-5.68	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05979G	-0.03	6.3682G	-44.09	-40.03	-4.06	1
6185MHz	Pass	6.1994G	-0.06	6.5522G	-43.83	-40.06	-3.77	1
6345MHz	Pass	6.36919G	-0.51	6.5978G	-44.04	-40.51	-3.53	1
6665MHz	Pass	6.63921G	0.52	6.9616G	-43.29	-39.48	-3.81	1













































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.408477G	-1.79	6.425125G	-30.7	-21.09	-9.61	1
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	5.970349G	-2.66	6.02295G	-44.6	-42.66	-1.94	2
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	5.9989G	0.69	6.0811G	-37.1	-31.95	-5.15	2
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.36979G	-1.4	6.589G	-43.6	-41.4	-2.2	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.963748G	-1.15	5.986975G	-51.22	-41.15	-10.07	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.96565G	-2.25	6.02445G	-48.51	-42.25	-6.26	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.3944G	-1.85	6.5252G	-46.69	-41.85	-4.84	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.36519G	-2.61	6.7158G	-44.21	-42.61	-1.6	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.847452G	-1.93	6.865525G	-31.84	-21.99	-9.85	2
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	6.681901G	-2.35	6.62715G	-46.06	-42.35	-3.71	2
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	6.7712G	-0.72	6.9611G	-46.29	-40.72	-5.57	2
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.62101G	-0.62	6.9532G	-43.14	-40.62	-2.52	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.544123G	-0.97	6.545925G	-31.23	-20.87	-10.36	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.837252G	-4.26	6.9389G	-51.47	-44.26	-7.21	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.7876G	-2.23	6.9689G	-46.08	-42.23	-3.85	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.64301G	-1.2	6.9582G	-43.29	-41.2	-2.09	1





Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961898G	-1.78	5.96545G	-32.18	-21.58	-10.6	1
5955MHz	Pass	5.961623G	-0.35	5.965725G	-31.86	-20.37	-11.49	2
6195MHz	Pass	6.188777G	-1.41	6.226225G	-54.29	-41.41	-12.88	1
6195MHz	Pass	6.187552G	-1.69	6.159775G	-53.88	-41.69	-12.19	2
6415MHz	Pass	6.408477G	-1.79	6.425125G	-30.7	-21.09	-9.61	1
6415MHz	Pass	6.407552G	-0.82	6.380375G	-53.42	-40.82	-12.6	2
6535MHz	Pass	6.541298G	-1.63	6.5454G	-31.51	-21.53	-9.98	1
6535MHz	Pass	6.542523G	-0.18	6.5456G	-31.88	-19.18	-12.7	2
6695MHz	Pass	6.702523G	-1.12	6.7055G	-32.88	-21.13	-11.75	1
6695MHz	Pass	6.688752G	-1.41	6.72565G	-53.51	-41.41	-12.1	2
6855MHz	Pass	6.862798G	-1.85	6.865575G	-32.52	-21.91	-10.61	1
6855MHz	Pass	6.847452G	-1.93	6.865525G	-31.84	-21.99	-9.85	2
11a40_40MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968199G	-3.78	6.0232G	-48.72	-42.57	-6.15	1
5965MHz	Pass	5.970349G	-2.66	6.02295G	-44.6	-42.66	-1.94	2
6205MHz	Pass	6.199151G	-2.65	6.26305G	-47.94	-42.65	-5.29	1
6205MHz	Pass	6.209999G	-2.83	6.263G	-48.98	-42.83	-6.15	2
6405MHz	Pass	6.408799G	-3.11	6.4631G	-48.53	-43.11	-5.42	1
6405MHz	Pass	6.398052G	-2.43	6.4632G	-46.66	-42.43	-4.23	2
6565MHz	Pass	6.562601G	-2.89	6.623G	-48.51	-42.89	-5.62	1
6565MHz	Pass	6.567549G	-1.75	6.6232G	-45.46	-41.42	-4.04	2
6685MHz	Pass	6.687199G	-2.31	6.62725G	-46.88	-42.31	-4.57	1
6685MHz	Pass	6.681901G	-2.35	6.62715G	-46.06	-42.35	-3.71	2
6845MHz	Pass	6.839901G	-2.99	6.788G	-48.66	-42.62	-6.04	1
6845MHz	Pass	6.848199G	-3.07	6.78715G	-48.15	-43.07	-5.08	2
11a80_80MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9777G	-0.56	6.1029G	-47.13	-40.19	-6.94	1
5985MHz	Pass	5.9989G	0.69	6.0811G	-37.1	-31.95	-5.15	2
6225MHz	Pass	6.2285G	-0.19	6.3817G	-46.7	-40.19	-6.51	1
6225MHz	Pass	6.2399G	-0.81	6.3814G	-46.83	-40.81	-6.02	2
6385MHz	Pass	6.3789G	-0.62	6.5652G	-46.47	-40.62	-5.85	1
6385MHz	Pass	6.3786G	-0.65	6.5602G	-46.58	-40.65	-5.93	2
6625MHz	Pass	6.6207G	-0.81	6.5055G	-46.72	-40.81	-5.91	1
6625MHz	Pass	6.6186G	0.1	6.5078G	-45.33	-39.22	-6.11	2
6705MHz	Pass	6.6988G	-0.56	6.5675G	-46.34	-40.56	-5.78	1
6705MHz	Pass	6.7023G	-0.55	6.5694G	-46.18	-40.55	-5.63	2
6785MHz	Pass	6.7782G	-0.66	6.9715G	-46.38	-40.66	-5.72	1
6785MHz	Pass	6.7712G	-0.72	6.9611G	-46.29	-40.72	-5.57	2
11a160_160MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04879G	-0.57	6.392G	-44.02	-40.57	-3.45	1
6025MHz	Pass	6.05199G	-0.01	6.2592G	-42.91	-38.91	-4	2
6185MHz	Pass	6.21059G	-0.82	6.5522G	-44.04	-40.82	-3.22	1
6185MHz	Pass	6.21099G	-0.92	6.548G	-43.92	-40.92	-3	2
6345MHz	Pass	6.37779G	-1	6.5918G	-44.06	-41	-3.06	1
6345MHz	Pass	6.36979G	-1.4	6.589G	-43.6	-41.4	-2.2	2
6665MHz	Pass	6.62101G	-0.62	6.9532G	-43.14	-40.62	-2.52	1
6665MHz	Pass	6.62081G	-0.05	6.9586G	-42.57	-40.05	-2.52	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963273G	-2.66	5.987275G	-53.86	-42.66	-11.2	1
5955MHz	Pass	5.963748G	-1.15	5.986975G	-51.22	-41.15	-10.07	2
6195MHz	Pass	6.203323G	-1.66	6.22745G	-53.52	-41.66	-11.86	1
6195MHz	Pass	6.204398G	-1.87	6.225525G	-53.12	-41.87	-11.25	2
6415MHz	Pass	6.421073G	-2.24	6.373275G	-53.12	-42.24	-10.88	1
6415MHz	Pass	6.423973G	-1.66	6.369875G	-52.59	-41.66	-10.93	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.543098G	-1.77	6.565425G	-52.7	-41.77	-10.93	1
6535MHz	Pass	6.544123G	-0.97	6.545925G	-31.23	-20.87	-10.36	2
6695MHz	Pass	6.704373G	-1.34	6.732225G	-52.76	-41.34	-11.42	1
6695MHz	Pass	6.685752G	-1.55	6.72775G	-53.02	-41.55	-11.47	2
6855MHz	Pass	6.863123G	-2.02	6.888175G	-52.79	-42.02	-10.77	1
6855MHz	Pass	6.845752G	-2.08	6.89225G	-53.09	-42.08	-11.01	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.968749G	-2.08	6.0242G	-48.02	-41.47	-6.55	1
5965MHz	Pass	5.96565G	-2.25	6.02445G	-48.51	-42.25	-6.26	2
6205MHz	Pass	6.199301G	-3.66	6.14445G	-52.34	-43.66	-8.68	1
6205MHz	Pass	6.208899G	-3.27	6.1344G	-52.4	-43.27	-9.13	2
6405MHz	Pass	6.4039G	-3.2	6.3447G	-51.99	-43.2	-8.79	1
6405MHz	Pass	6.410649G	-3.31	6.3464G	-51.56	-43.22	-8.34	2
6565MHz	Pass	6.559951G	-3.65	6.4911G	-52.08	-43.65	-8.43	1
6565MHz	Pass	6.571898G	-2.8	6.505G	-51.29	-42.8	-8.49	2
6685MHz	Pass	6.687349G	-3.5	6.7451G	-51.69	-43.5	-8.19	1
6685MHz	Pass	6.682701G	-3.86	6.60455G	-51.77	-43.86	-7.91	2
6845MHz	Pass	6.841801G	-3.91	6.77165G	-51.57	-43.91	-7.66	1
6845MHz	Pass	6.837252G	-4.26	6.9389G	-51.47	-44.26	-7.21	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.988G	-1.63	6.1475G	-47.57	-41.63	-5.94	1
5985MHz	Pass	6.0022G	0.14	6.1065G	-45	-39.86	-5.14	2
6225MHz	Pass	6.2299G	-1.32	6.3605G	-46.64	-41.32	-5.32	1
6225MHz	Pass	6.2263G	-1.32	6.3705G	-46.65	-41.32	-5.33	2
6385MHz	Pass	6.3944G	-1.85	6.5252G	-46.69	-41.85	-4.84	1
6385MHz	Pass	6.3835G	-1.58	6.5473G	-46.42	-41.58	-4.84	2
6625MHz	Pass	6.6293G	-1.66	6.7589G	-46.67	-41.66	-5.01	1
6625MHz	Pass	6.6139G	-1.29	6.7491G	-46.59	-41.29	-5.3	2
6705MHz	Pass	6.6976G	-1.43	6.5815G	-46.35	-41.43	-4.92	1
6705MHz	Pass	6.7194G	-1.43	6.5679G	-46.26	-41.43	-4.83	2
6785MHz	Pass	6.7788G	-2.02	6.9709G	-45.93	-42.02	-3.91	1
6785MHz	Pass	6.7876G	-2.23	6.9689G	-46.08	-42.23	-3.85	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0414G	-1.49	6.3726G	-44.09	-41.49	-2.6	1
6025MHz	Pass	6.0442G	-0.24	6.2706G	-43.89	-40.24	-3.65	2
6185MHz	Pass	6.21339G	-1.62	6.5596G	-43.75	-41.62	-2.13	1
6185MHz	Pass	6.21839G	-1.19	6.558G	-43.61	-41.19	-2.42	2
6345MHz	Pass	6.38899G	-1.73	6.5878G	-44.23	-41.72	-2.51	1
6345MHz	Pass	6.36519G	-2.61	6.7158G	-44.21	-42.61	-1.6	2
6665MHz	Pass	6.64301G	-1.2	6.9582G	-43.29	-41.2	-2.09	1
6665MHz	Pass	6.63181G	-0.89	6.9588G	-43.49	-40.89	-2.6	2







6.525-6.875GHz_11a20_20MHz_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

CF (Hz)
6.855G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS






22/09/2023



Port 1


Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.862798G	-1.85	6.865575G	-32.52	-21.91	-10.61	1
6.847452G	-1.93	6.865325G	-31.84	-21.99	-9.85	2









5.925-6.425GHz_11a80_80MHz_Nss1,(6Mbps)_2TX

MASK

6225MHz_TX

CF (Hz)
6.225G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS





22/09/2023


Port 1 


Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2285G	-0.19	6.3817G	-46.70	-40.19	-6.51	1
6.2399G	-0.81	6.3814G	-46.83	-40.81	-6.02	2























6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

CF (Hz)
6.565G

Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m


Detector Type
RMS



09/09/2023

Port 1 

Port 2 



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

CF (Hz)
6.845G

Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS





09/09/2023


Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.841801G	-3.91	6.77165G	-51.57	-43.91	-7.66	1
6.837252G	-4.26	6.9389G	-51.47	-44.26	-7.21	2







6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

CF (Hz)
6.785G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m


Detector Type
RMS




09/09/2023

Port 1 

Port 2 







Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_4TX	Pass	5.960674G	-0.5	5.9835G	-48.32	-39.63	-8.69	4
11a40_40MHz_Nss1,(6Mbps)_4TX	Pass	6.413048G	-2.37	6.4631G	-45.97	-42.37	-3.6	3
11a80_80MHz_Nss1,(6Mbps)_4TX	Pass	6.382G	-0.72	6.5628G	-46.58	-40.72	-5.86	2
11a160_160MHz_Nss1,(6Mbps)_4TX	Pass	6.37179G	-1.54	6.5934G	-43.78	-41.54	-2.24	2
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.964048G	-1.15	5.985025G	-49.44	-40.75	-8.69	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.967149G	-2.18	6.0249G	-47.99	-42.18	-5.81	4
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.3835G	-1.54	6.5632G	-46.18	-41.54	-4.64	1
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.31341G	-2	6.5952G	-43.87	-42	-1.87	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_4TX	Pass	6.541848G	-0.71	6.545475G	-31.52	-20.41	-11.11	2
11a40_40MHz_Nss1,(6Mbps)_4TX	Pass	6.690049G	-2.6	6.62715G	-45.13	-42.6	-2.53	3
11a80_80MHz_Nss1,(6Mbps)_4TX	Pass	6.7762G	-1.02	6.9646G	-46.06	-41.02	-5.04	4
11a160_160MHz_Nss1,(6Mbps)_4TX	Pass	6.69019G	-0.47	6.9534G	-42.83	-40.47	-2.36	1
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.845802G	-2.34	6.824175G	-52.54	-42.34	-10.2	2
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.84345G	-3.78	6.92875G	-50.76	-43.78	-6.98	3
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.7929G	-2.43	6.965G	-45.85	-42.43	-3.42	2
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.62981G	-1.53	6.9794G	-43.26	-41.53	-1.73	4



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963123G	-1.54	5.96565G	-32.73	-21.64	-11.09	1
5955MHz	Pass	5.961848G	-0.43	5.9655G	-30.39	-20.6	-9.79	2
5955MHz	Pass	5.962498G	-0.98	5.965725G	-33.03	-21.02	-12.01	3
5955MHz	Pass	5.960674G	-0.5	5.9835G	-48.32	-39.63	-8.69	4
6195MHz	Pass	6.202548G	-1.12	6.230475G	-53.88	-41.12	-12.76	1
6195MHz	Pass	6.201273G	-1.72	6.20545G	-32.61	-21.76	-10.85	2
6195MHz	Pass	6.188152G	-0.93	6.205375G	-31.37	-20.95	-10.42	3
6195MHz	Pass	6.202873G	-1.13	6.22485G	-53.81	-41.13	-12.68	4
6415MHz	Pass	6.407527G	-1.66	6.383225G	-53.32	-41.66	-11.66	1
6415MHz	Pass	6.408427G	-0.95	6.381875G	-53.22	-40.95	-12.27	2
6415MHz	Pass	6.422473G	-0.97	6.425425G	-31.15	-20.99	-10.16	3
6415MHz	Pass	6.421273G	-0.93	6.4256G	-31.76	-21.01	-10.75	4
6535MHz	Pass	6.542223G	-1.41	6.567925G	-52.96	-41.41	-11.55	1
6535MHz	Pass	6.541848G	-0.71	6.545475G	-31.52	-20.41	-11.11	2
6535MHz	Pass	6.541973G	-0.96	6.5649G	-53.02	-40.96	-12.06	3
6535MHz	Pass	6.527852G	-1.67	6.584275G	-53.11	-41.67	-11.44	4
6695MHz	Pass	6.688502G	-1.52	6.7254G	-53.12	-41.52	-11.6	1
6695MHz	Pass	6.702523G	-1.28	6.723975G	-52.93	-41	-11.93	2
6695MHz	Pass	6.701273G	-1.21	6.68435G	-33.08	-21.26	-11.82	3
6695MHz	Pass	6.688152G	-1.88	6.72595G	-53.76	-41.88	-11.88	4
6855MHz	Pass	6.862823G	-1.93	6.8843G	-53.08	-41.93	-11.15	1
6855MHz	Pass	6.847527G	-1.5	6.886125G	-53.46	-41.5	-11.96	2
6855MHz	Pass	6.849401G	-1.61	6.82415G	-53.44	-41.61	-11.83	3
6855MHz	Pass	6.861573G	-1.45	6.8253G	-53.31	-41.45	-11.86	4
11a40_40MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971298G	-6.01	6.02335G	-52.55	-46.01	-6.54	1
5965MHz	Pass	5.968349G	-4.03	6.02295G	-49.34	-44.03	-5.31	2
5965MHz	Pass	5.970699G	-5.07	6.02285G	-51.39	-45.07	-6.32	3
5965MHz	Pass	5.969249G	-4.17	6.02275G	-49.56	-43.86	-5.7	4
6205MHz	Pass	6.210699G	-2.59	6.2629G	-47.16	-42.58	-4.58	1
6205MHz	Pass	6.209799G	-2.68	6.26125G	-47.56	-41.85	-5.71	2
6205MHz	Pass	6.210549G	-2.37	6.2631G	-47.14	-42.37	-4.77	3
6205MHz	Pass	6.202951G	-2.18	6.26305G	-46.09	-42.18	-3.91	4
6405MHz	Pass	6.399651G	-2.99	6.34725G	-48.48	-42.79	-5.69	1
6405MHz	Pass	6.400401G	-2.3	6.4632G	-46.25	-42.3	-3.95	2
6405MHz	Pass	6.413048G	-2.37	6.4631G	-45.97	-42.37	-3.6	3
6405MHz	Pass	6.402601G	-2.4	6.3472G	-46.43	-42.4	-4.03	4
6565MHz	Pass	6.558402G	-2.64	6.62285G	-47.98	-42.6	-5.38	1
6565MHz	Pass	6.562151G	-1.76	6.62295G	-45.23	-41.38	-3.85	2
6565MHz	Pass	6.570349G	-2.48	6.62295G	-46.41	-42.48	-3.93	3
6565MHz	Pass	6.560051G	-2.62	6.6232G	-46.68	-42.62	-4.06	4
6685MHz	Pass	6.680551G	-2.59	6.6272G	-46.31	-41.82	-4.49	1
6685MHz	Pass	6.678852G	-2.35	6.62725G	-45.46	-42.15	-3.31	2
6685MHz	Pass	6.690049G	-2.6	6.62715G	-45.13	-42.6	-2.53	3
6685MHz	Pass	6.681251G	-2.74	6.6272G	-46.96	-42.36	-4.6	4
6845MHz	Pass	6.840751G	-2.78	6.9028G	-48.12	-42.61	-5.51	1
6845MHz	Pass	6.847399G	-2.81	6.7874G	-47.52	-42.81	-4.71	2
6845MHz	Pass	6.842001G	-2.86	6.78715G	-46.68	-42.86	-3.82	3
6845MHz	Pass	6.839601G	-2.57	6.9031G	-46.91	-42.57	-4.34	4
11a80_80MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.979G	-1.48	6.1663G	-47.82	-41.48	-6.34	1
5985MHz	Pass	5.9884G	-0.07	6.1113G	-47.04	-40.07	-6.97	2
5985MHz	Pass	5.982G	-1.05	6.1828G	-47.54	-41.05	-6.49	3
5985MHz	Pass	5.9819G	-0.71	6.1038G	-46.98	-40.71	-6.27	4



Mask_Non-Beamforming_Serving Radio_4T1S

Appendix D.17

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2374G	-0.29	6.3633G	-46.69	-40.29	-6.4	1
6225MHz	Pass	6.2201G	-0.71	6.3677G	-46.72	-40.71	-6.01	2
6225MHz	Pass	6.2207G	0.18	6.3442G	-46.55	-39.82	-6.73	3
6225MHz	Pass	6.2207G	-0.09	6.3553G	-46.54	-40.09	-6.45	4
6385MHz	Pass	6.3819G	-0.65	6.5511G	-46.59	-40.65	-5.94	1
6385MHz	Pass	6.382G	-0.72	6.5628G	-46.58	-40.72	-5.86	2
6385MHz	Pass	6.3809G	-0.11	6.5684G	-46.48	-40.11	-6.37	3
6385MHz	Pass	6.3764G	-0.16	6.5626G	-46.37	-40.16	-6.21	4
6625MHz	Pass	6.6082G	-0.86	6.7467G	-46.84	-40.86	-5.98	1
6625MHz	Pass	6.6207G	0.08	6.507G	-44.92	-38.81	-6.11	2
6625MHz	Pass	6.6211G	-0.51	6.7473G	-46.68	-40.51	-6.17	3
6625MHz	Pass	6.6174G	-0.41	6.5072G	-45.92	-40.11	-5.81	4
6705MHz	Pass	6.7023G	-0.37	6.5623G	-46.3	-40.37	-5.93	1
6705MHz	Pass	6.7013G	-0.71	6.5807G	-46.06	-40.71	-5.35	2
6705MHz	Pass	6.6964G	-0.44	6.5856G	-46.07	-40.42	-5.65	3
6705MHz	Pass	6.7141G	-0.5	6.5838G	-46.24	-40.5	-5.74	4
6785MHz	Pass	6.7796G	-0.72	6.9667G	-46.01	-40.72	-5.29	1
6785MHz	Pass	6.7732G	-0.38	6.9702G	-46.01	-40.38	-5.63	2
6785MHz	Pass	6.7774G	-0.32	6.9788G	-46.18	-40.32	-5.86	3
6785MHz	Pass	6.7762G	-1.02	6.9646G	-46.06	-41.02	-5.04	4
11a160_160MHz_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0294G	-0.67	6.3894G	-44.31	-40.67	-3.64	1
6025MHz	Pass	6.05059G	0.1	6.2596G	-42.71	-38.77	-3.94	2
6025MHz	Pass	6.0398G	-0.76	6.3786G	-44.21	-40.76	-3.45	3
6025MHz	Pass	6.05199G	0.2	6.2566G	-41.97	-38.04	-3.93	4
6185MHz	Pass	6.21819G	-0.05	6.5618G	-43.16	-40.05	-3.11	1
6185MHz	Pass	6.22119G	-1.01	6.562G	-44.03	-41.01	-3.02	2
6185MHz	Pass	6.21799G	-0.46	6.5542G	-43.7	-40.46	-3.24	3
6185MHz	Pass	6.2G	-0.38	6.5594G	-43.93	-40.38	-3.55	4
6345MHz	Pass	6.30021G	-0.67	6.59G	-43.71	-40.67	-3.04	1
6345MHz	Pass	6.37179G	-1.54	6.5934G	-43.78	-41.54	-2.24	2
6345MHz	Pass	6.30161G	-0.5	6.594G	-43.79	-40.5	-3.29	3
6345MHz	Pass	6.29981G	-1.44	6.588G	-44.2	-41.44	-2.76	4
6665MHz	Pass	6.69019G	-0.47	6.9534G	-42.83	-40.47	-2.36	1
6665MHz	Pass	6.62061G	0.03	6.9714G	-42.66	-39.97	-2.69	2
6665MHz	Pass	6.61841G	-0.88	6.9492G	-43.36	-40.88	-2.48	3
6665MHz	Pass	6.61821G	-0.58	6.9512G	-42.96	-40.58	-2.38	4
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963548G	-2.71	5.92385G	-53.76	-42.67	-11.09	1
5955MHz	Pass	5.964048G	-1.15	5.985025G	-49.44	-40.75	-8.69	2
5955MHz	Pass	5.963798G	-1.51	5.985925G	-51.97	-41.12	-10.85	3
5955MHz	Pass	5.964298G	-0.92	5.986575G	-49.74	-40.8	-8.94	4
6195MHz	Pass	6.204148G	-1.77	6.20605G	-32.62	-20.97	-11.65	1
6195MHz	Pass	6.203123G	-1.69	6.1594G	-53.65	-41.69	-11.96	2
6195MHz	Pass	6.203448G	-1.5	6.15845G	-53.64	-41.5	-12.14	3
6195MHz	Pass	6.203998G	-0.89	6.1631G	-52.9	-40.89	-12.01	4
6415MHz	Pass	6.405927G	-2.27	6.384075G	-52.95	-42.27	-10.68	1
6415MHz	Pass	6.405977G	-1.02	6.3832G	-52.69	-41.02	-11.67	2
6415MHz	Pass	6.423073G	-1.22	6.383675G	-52.66	-41.22	-11.44	3
6415MHz	Pass	6.422198G	-1.33	6.374725G	-52	-41.33	-10.67	4
6535MHz	Pass	6.544348G	-1.53	6.5684G	-52.5	-41.53	-10.97	1
6535MHz	Pass	6.543823G	-1.23	6.56685G	-52.27	-41.23	-11.04	2
6535MHz	Pass	6.543998G	-1.57	6.568825G	-52.19	-41.57	-10.62	3
6535MHz	Pass	6.543998G	-2.08	6.5695G	-52.63	-42.08	-10.55	4
6695MHz	Pass	6.704248G	-1.99	6.7374G	-52.58	-41.99	-10.59	1
6695MHz	Pass	6.686352G	-2.37	6.736125G	-52.73	-42.37	-10.36	2




Mask_Non-Beamforming_Serving Radio_4T1S



Appendix D.17



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6695MHz	Pass	6.703523G	-2.06	6.73665G	-53.01	-42.06	-10.95	3
6695MHz	Pass	6.686477G	-2.24	6.72915G	-52.54	-42.24	-10.3	4
6855MHz	Pass	6.845802G	-2.37	6.814025G	-52.92	-42.37	-10.55	1
6855MHz	Pass	6.845802G	-2.34	6.824175G	-52.54	-42.34	-10.2	2
6855MHz	Pass	6.846402G	-2.09	6.824G	-52.93	-42.09	-10.84	3
6855MHz	Pass	6.845727G	-1.86	6.899525G	-52.79	-41.86	-10.93	4
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969099G	-3.81	6.0264G	-52.35	-43.81	-8.54	1
5965MHz	Pass	5.973548G	-1.98	6.0235G	-48.27	-41.98	-6.29	2
5965MHz	Pass	5.968499G	-2.91	6.02365G	-50.71	-42.75	-7.96	3
5965MHz	Pass	5.967149G	-2.18	6.0249G	-47.99	-42.18	-5.81	4
6205MHz	Pass	6.209699G	-3.37	6.26425G	-52.53	-43.37	-9.16	1
6205MHz	Pass	6.202601G	-3.43	6.2655G	-52.39	-43.43	-8.96	2
6205MHz	Pass	6.20675G	-2.89	6.1456G	-52.23	-42.89	-9.34	3
6205MHz	Pass	6.210149G	-2.89	6.26395G	-51.88	-42.89	-8.99	4
6405MHz	Pass	6.412148G	-3.98	6.3454G	-51.6	-43.98	-7.62	1
6405MHz	Pass	6.411798G	-3.27	6.3418G	-51.55	-43.27	-8.28	2
6405MHz	Pass	6.408799G	-3.3	6.49505G	-51.85	-43.3	-8.55	3
6405MHz	Pass	6.398702G	-3.31	6.344G	-51.33	-43.31	-8.02	4
6565MHz	Pass	6.571798G	-3.6	6.49995G	-51.87	-43.6	-8.27	1
6565MHz	Pass	6.557552G	-2.58	6.502G	-50.95	-42.58	-8.37	2
6565MHz	Pass	6.567099G	-2.84	6.50655G	-51.6	-42.76	-8.84	3
6565MHz	Pass	6.558352G	-3.53	6.5058G	-51.53	-43.51	-8.02	4
6685MHz	Pass	6.6855G	-3.54	6.58515G	-51.44	-43.54	-7.9	1
6685MHz	Pass	6.68665G	-3.52	6.75035G	-51.36	-43.52	-7.84	2
6685MHz	Pass	6.687549G	-3.43	6.75855G	-51.64	-43.43	-8.21	3
6685MHz	Pass	6.681551G	-3.96	6.77665G	-51.57	-43.96	-7.61	4
6845MHz	Pass	6.840001G	-3.85	6.94075G	-51.33	-43.85	-7.48	1
6845MHz	Pass	6.8435G	-3.69	6.9429G	-51.34	-43.69	-7.65	2
6845MHz	Pass	6.84345G	-3.78	6.92875G	-50.76	-43.78	-6.98	3
6845MHz	Pass	6.842551G	-3.45	6.93005G	-51.19	-43.45	-7.74	4
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9924G	-2.38	6.1604G	-47.54	-42.38	-5.16	1
5985MHz	Pass	5.9834G	-0.65	6.1081G	-46.61	-40.65	-5.96	2
5985MHz	Pass	5.9903G	-1.93	6.1665G	-47.5	-41.93	-5.57	3
5985MHz	Pass	5.9994G	-1.24	6.1045G	-46.6	-41.05	-5.55	4
6225MHz	Pass	6.2212G	-0.75	6.3826G	-46.29	-40.75	-5.54	1
6225MHz	Pass	6.2348G	-1.26	6.3483G	-46.56	-41.26	-5.3	2
6225MHz	Pass	6.2425G	-0.96	6.3585G	-46.43	-40.96	-5.47	3
6225MHz	Pass	6.2138G	-0.77	6.3632G	-46.22	-40.77	-5.45	4
6385MHz	Pass	6.3835G	-1.54	6.5632G	-46.18	-41.54	-4.64	1
6385MHz	Pass	6.3929G	-1.6	6.5331G	-46.48	-41.6	-4.88	2
6385MHz	Pass	6.3912G	-1.05	6.5485G	-46.33	-41.05	-5.28	3
6385MHz	Pass	6.3741G	-1.2	6.5376G	-46.27	-41.2	-5.07	4
6625MHz	Pass	6.6344G	-1.75	6.7624G	-46.49	-41.75	-4.74	1
6625MHz	Pass	6.6263G	-1.08	6.7499G	-46.11	-41.08	-5.03	2
6625MHz	Pass	6.6271G	-1.82	6.7514G	-46.73	-41.82	-4.91	3
6625MHz	Pass	6.612G	-1.51	6.7486G	-46.63	-41.51	-5.12	4
6705MHz	Pass	6.7033G	-1.48	6.5501G	-46.26	-41.48	-4.78	1
6705MHz	Pass	6.7083G	-1.49	6.5637G	-46.02	-41.49	-4.53	2
6705MHz	Pass	6.7126G	-1.5	6.5706G	-46.23	-41.5	-4.73	3
6705MHz	Pass	6.6899G	-1.74	6.5544G	-46.12	-41.74	-4.38	4
6785MHz	Pass	6.7797G	-1.69	6.9671G	-46.05	-41.69	-4.36	1
6785MHz	Pass	6.7929G	-2.43	6.965G	-45.85	-42.43	-3.42	2
6785MHz	Pass	6.7807G	-1.76	6.9603G	-46.12	-41.76	-4.36	3
6785MHz	Pass	6.7803G	-2.02	6.9624G	-45.87	-42.02	-3.85	4







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.043G	-1.24	6.3666G	-43.63	-41.24	-2.39	1
6025MHz	Pass	6.0138G	-0.17	6.3604G	-43.4	-40.17	-3.23	2
6025MHz	Pass	6.05179G	-1.13	6.363G	-43.84	-41.13	-2.71	3
6025MHz	Pass	6.043G	-0.31	6.2706G	-43.56	-40.31	-3.25	4
6185MHz	Pass	6.21919G	-1.27	6.5536G	-43.73	-41.27	-2.46	1
6185MHz	Pass	6.21499G	-1.33	6.5654G	-43.77	-41.33	-2.44	2
6185MHz	Pass	6.1888G	-1.15	6.5636G	-43.65	-41.15	-2.5	3
6185MHz	Pass	6.21439G	-0.36	6.5556G	-43.65	-40.36	-3.29	4
6345MHz	Pass	6.36659G	-1.14	6.7012G	-44	-41.14	-2.86	1
6345MHz	Pass	6.31341G	-2	6.5952G	-43.87	-42	-1.87	2
6345MHz	Pass	6.36819G	-1.68	6.5886G	-43.9	-41.68	-2.22	3
6345MHz	Pass	6.3536G	-1.23	6.713G	-43.79	-41.23	-2.56	4
6665MHz	Pass	6.63921G	-1.13	6.9696G	-43.34	-41.13	-2.21	1
6665MHz	Pass	6.64121G	-1.2	6.9678G	-43.19	-41.2	-1.99	2
6665MHz	Pass	6.63801G	-1.03	6.963G	-43.36	-41.03	-2.33	3
6665MHz	Pass	6.62981G	-1.53	6.9794G	-43.26	-41.53	-1.73	4















































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	6.201848G	0.10	6.205625G	-30.80	-19.97	-10.83	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	6.399151G	0.63	6.46255G	-42.65	-38.97	-3.68	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	5.974G	0.95	5.8672G	-43.49	-37.97	-5.52	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.04979G	0.29	6.2576G	-42.11	-37.10	-5.01	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.963423G	1.68	5.9242G	-49.08	-37.22	-11.86	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.9639G	0.37	5.90335G	-50.82	-39.63	-11.19	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.9762G	1.82	6.1086G	-46.12	-38.18	-7.94	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.05459G	2.08	6.2666G	-46.37	-37.54	-8.83	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	6.702498G	-0.40	6.705525G	-31.33	-20.41	-10.92	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	6.570549G	0.45	6.5089G	-40.97	-38.66	-2.31	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	6.7782G	0.57	6.6672G	-44.77	-38.26	-6.51	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.6794G	0.19	6.9002G	-44.18	-38.02	-6.16	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.544198G	1.01	6.523G	-32.29	-19.43	-12.86	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.688149G	0.22	6.62575G	-50.92	-39.49	-11.43	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.7814G	2.23	6.6634G	-47.61	-37.72	-9.89	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.6626G	2.24	6.9108G	-47.22	-37.76	-9.46	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.959399G	0.93	5.944375G	-29.62	-17.47	-12.15	1
6195MHz	Pass	6.201848G	0.10	6.205625G	-30.80	-19.97	-10.83	1
6415MHz	Pass	6.421298G	-0.11	6.42575G	-32.94	-20.12	-12.82	1
6535MHz	Pass	6.542248G	-0.38	6.524075G	-32.46	-20.28	-12.18	1
6695MHz	Pass	6.702498G	-0.40	6.705525G	-31.33	-20.41	-10.92	1
6855MHz	Pass	6.847527G	0.21	6.866025G	-33.42	-19.83	-13.59	1
11a40_40MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.967649G	1.30	5.93305G	-29.39	-20.28	-9.11	1
6205MHz	Pass	6.207199G	1.25	6.1736G	-30.53	-20.09	-10.44	1
6405MHz	Pass	6.399151G	0.63	6.46255G	-42.65	-38.97	-3.68	1
6565MHz	Pass	6.570549G	0.45	6.5089G	-40.97	-38.66	-2.31	1
6685MHz	Pass	6.688099G	0.34	6.74275G	-41.90	-39.47	-2.43	1
6845MHz	Pass	6.842451G	0.70	6.7871G	-41.37	-38.96	-2.41	1
11a80_80MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.974G	0.95	5.8672G	-43.49	-37.97	-5.52	1
6225MHz	Pass	6.2204G	1.14	6.1074G	-45.32	-37.63	-7.69	1
6385MHz	Pass	6.3799G	0.33	6.2685G	-47.13	-37.83	-9.30	1
6625MHz	Pass	6.6178G	0.67	6.509G	-45.75	-37.72	-8.03	1
6705MHz	Pass	6.7113G	0.43	6.5874G	-45.94	-38.06	-7.88	1
6785MHz	Pass	6.7782G	0.57	6.6672G	-44.77	-38.26	-6.51	1
11a160_160MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04979G	0.29	6.2576G	-42.11	-37.10	-5.01	1
6185MHz	Pass	6.21159G	0.79	6.4004G	-39.84	-34.29	-5.55	1
6345MHz	Pass	6.30141G	0.18	6.0922G	-48.16	-39.82	-8.34	1
6665MHz	Pass	6.6794G	0.19	6.9002G	-44.18	-38.02	-6.16	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963423G	1.68	5.9242G	-49.08	-37.22	-11.86	1
6195MHz	Pass	6.185702G	1.47	6.226G	-50.88	-37.66	-13.22	1
6415MHz	Pass	6.408102G	0.92	6.42645G	-31.82	-18.58	-13.24	1
6535MHz	Pass	6.544198G	1.01	6.523G	-32.29	-19.43	-12.86	1
6695MHz	Pass	6.704223G	1.29	6.6697G	-44.83	-31.38	-13.45	1
6855MHz	Pass	6.847127G	1.37	6.8223G	-51.66	-38.63	-13.03	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9639G	0.37	5.90335G	-50.82	-39.63	-11.19	1
6205MHz	Pass	6.212498G	0.23	6.1454G	-51.89	-39.77	-12.12	1
6405MHz	Pass	6.412048G	0.07	6.46735G	-53.78	-39.93	-13.85	1
6565MHz	Pass	6.5637G	0.52	6.5054G	-52.83	-39.30	-13.53	1
6685MHz	Pass	6.688149G	0.22	6.62575G	-50.92	-39.49	-11.43	1
6845MHz	Pass	6.840251G	0.74	6.9057G	-50.96	-39.26	-11.70	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9762G	1.82	6.1086G	-46.12	-38.18	-7.94	1
6225MHz	Pass	6.19941G	1.83	6.3454G	-48.26	-37.86	-10.40	1
6385MHz	Pass	6.3871G	1.52	6.5095G	-49.70	-38.48	-11.22	1
6625MHz	Pass	6.6072G	1.90	6.7471G	-48.36	-38.10	-10.26	1
6705MHz	Pass	6.6988G	1.96	6.8255G	-47.88	-37.76	-10.12	1
6785MHz	Pass	6.7814G	2.23	6.6634G	-47.61	-37.72	-9.89	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05459G	2.08	6.2666G	-46.37	-37.54	-8.83	1
6185MHz	Pass	6.1736G	2.58	6.4272G	-46.42	-37.03	-9.39	1
6345MHz	Pass	6.31101G	1.61	6.5956G	-48.13	-38.39	-9.74	1
6665MHz	Pass	6.6626G	2.24	6.9108G	-47.22	-37.76	-9.46	1

