

Cisco Webex Share

Cisco Webex Share Product Overview

The Cisco Webex™ Share is a simple and easy-to-use device that provides high quality cable-free content sharing on any display. It transforms your TV to a Webex wireless presentation screen: It enables you to wirelessly present on any TV via your Cisco Webex app-enabled devices. You can share your device screen with your teams in physical meeting rooms. You can also securely share content to your virtual teams through the Cisco Webex service.

The Cisco Webex Share revolutionizes the way we work by combining key requirements for team collaboration in the physical meeting room into a single device and connects it to the cloud for continuous workflow.

Figure 1. Cisco Webex Share



The Cisco Webex Share is a device that you plug into your TV's HDMI port, powered by the included USB to Ethernet PoE Adapter. The Cisco Webex Share must be installed for use at least 20cm away from all persons. With integrated microphone, ultrasonic transducer for motion detection and proximity pairing, the Cisco Webex Share brings intelligence to meeting experience. Not only is the Cisco Webex Share beautiful to behold and effortless to use, it is also affordable to acquire and easy to install and deploy.

The Cisco Webex Share is the latest addition to the portfolio of Cisco Webex video and audio conferencing devices that register to the Cisco Collaboration Cloud.

Figure 2. Display with Cisco Webex Share connected



Cisco Webex Share Features and Benefits

Feature	Benefit
Content sharing	<ul style="list-style-type: none"> • High quality cable-free content sharing by transforming your TV to a Webex wireless presentation screen
Room Analytics (sensors)	<ul style="list-style-type: none"> • Room Occupancy: usage stats allow your team to optimize space utilization • Climate Monitoring: intelligent algorithms to help your company minimize its heating and cooling costs on spaces that aren't in use • Intelligent lighting keeps the lights on when the room is in use and signals the lighting system its time to turn off the lights when the room is empty
Powered by the Webex Cloud (usability – personal assistant)	<ul style="list-style-type: none"> • Extends the Cisco Webex App into your conference room, enabling Cloud-based user task automation • Context awareness • With its Big green button, the Webex Share device is just a button push away from assisting you in ...

Feature	Benefit
Seamless meeting experience	<ul style="list-style-type: none"> • With Webex calendar integration enable, the Cisco Webex Share knows when you have a meeting to join. • Cisco Webex Share and Cisco Webex service solution together provide end-to-end encryption, so your communications and content are secure
Continuous Innovation	<ul style="list-style-type: none"> • Regular SW updates delivered OTA (over the air) enable new features and provide increased functionality over time
Intelligent Proximity (ultrasound, ToF, BTLE Beacons)	<p>Cisco Webex Proximity and ultrasound pairing technology enable the following:</p> <ul style="list-style-type: none"> • Cisco Webex Share automatically wakes up when it detects a Cisco Webex app-enabled user entering the room and suggests an activity to choose from • Basic endpoint control of the Cisco Webex Share can be done through your Cisco Webex app-enabled mobile device

Cisco Webex Share Prominent Feature/Differentiator

The Power of the Cisco Webex Platform Enables Continuous Teamwork

The Cisco Webex Share is revolutionary in its capability, usability, and design, but the ability to connect teams beyond the physical meeting room is thanks to the power of the Cisco Webex platform. The consistency, simplicity, and reliability of experience across the Cisco Webex Share and other Cisco Webex app-enabled devices is made possible by these key features of the Cisco Webex platform:

- **Cloud based:** The Cisco Webex Share is registered and delivered simply and securely with end-to-end encryption through the Cisco[®] Collaboration Cloud and offered on a subscription basis, so you can add or update services automatically or on demand.
- **App based:** Once they are shared or created on the Cisco Webex Share and associated with a Cisco Webex virtual space, content and messages live persistently and can be accessed from any mobile device – laptop, smartphone, tablet – on the Cisco Webex app from wherever you are. This means work and knowledge can be transferred seamlessly from one team member to the next, from one time-zone to another.
- **Activity based:** The meeting and sharing capabilities you enjoy on the Cisco Webex Share are the same capabilities you will experience on any other Cisco Webex app-enabled personal device. So you can start your work on the Cisco Webex Share and continue on your personal and mobile devices, or vice versa.

Cisco Webex Share Platform Support

Product Family	Platforms Supported
Cisco Webex Share	Requires activation and connection to the Cisco Collaboration Cloud

Cisco Webex Share Product Specifications

Type	Specifications
Components	<p>Fully integrated unit is delivered with:</p> <ul style="list-style-type: none"> • Ultrasonic transducer for pairing • 2-Microphone for Voice Activity Detection • Factory-Reset button • Status LED • Ethernet 10/100/1000 Mbps. • Wi-Fi 802.11a/b/g/n/ac 2x2 MIMO (2.4 and 5 GHz) • Bluetooth 4.1 with BTLE
Inputs and outputs	<ul style="list-style-type: none"> • HDMI output port: 1080P, 60FPS • Networking / Power Adapter: USB to Ethernet with PoE Adapter
Media Feature	<ul style="list-style-type: none"> • Real-time media (H264) decoding
Network Features	<ul style="list-style-type: none"> • IPv4 • RESTful • Session Description Protocol (SDP) • User Datagram Protocol (UDP) (used only for Real-Time Transport Protocol streams) • Dynamic Host Configuration Protocol (DHCP) client • Gratuitous Address Resolution Protocol (GARP) • Domain Name System (DNS) • Secure HTTP (HTTPS) • Real-Time Transport Protocol (RTP) • Real-Time Control Protocol (RTCP) • Network Time Protocol (NTP)
WiFi Enterprise Security	<ul style="list-style-type: none"> • WEP, WPA2_PSK, PEAP_MSCHAPV2, PEAP_GTC, EAP_TLS and Open
Power	<ul style="list-style-type: none"> • USB Type-C Power • 5VDC • Power consumption: 3.2 W max
Physical dimensions (H x W x D)	<ul style="list-style-type: none"> • 16mm x 69mm x 13mm
Weight	<ul style="list-style-type: none"> • 62g
Physical dimensions and weight of packaging (H x W x D)	<ul style="list-style-type: none"> • Consolidated package size: 12.42 inches x 6.30 inches x 5.40 inches (163 mm x 163 mm x 69 mm) • Shipping weight (including packaging): 364 grams

Type	Specifications
Operating temperature	<ul style="list-style-type: none"> 0° to 40°C (32° to 95°F)
Humidity	<ul style="list-style-type: none"> relative humidity 10% to 90% (noncondensing)
Certifications and compliance	<ul style="list-style-type: none"> UL 60950-1 2nd Ed. Am2 FCC CFR 47 Part 15B (EMC) – Class B FCC Listed (Radio Equipment)
Language support	<ul style="list-style-type: none"> English Additional languages to be supported in future software release
Software and User Interface	<ul style="list-style-type: none"> Cisco Webex Share OS, provisioned by the Cisco Collaboration Cloud Control Cisco Webex Share directly with Cisco Webex app-enabled personal devices
System management	<ul style="list-style-type: none"> Cisco Webex Share is managed in the administrator portal in Cisco Webex, giving system status and overview, activation, configuration, metrics, and troubleshooting.

Certification and Compliance Notices:

NOTICE:

This device complies with Part 15 of the FCC Rules [and with Industry Canada licence-exempt RSS standard(s)].

Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

NOTICE:

Changes or modifications made to this equipment not expressly approved by (manufacturer name) may void the FCC authorization to operate this equipment.

Warranty Information

The Cisco Webex Share has a 90-day limited liability warranty.

Cisco Service and Support

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco Collaboration investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform. For more information about these services, please visit:

<http://www.cisco.com/go/collaborationservices>.

Cisco Capital

Financing to Help You Achieve Your Objectives

Cisco Capital[®] can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. [Learn more](#)

Call to Action

- Download the [Cisco Webex](#) app today



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)