



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5230MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.46359G	-61.81	-27.00	-34.81	9.01	0.00	-70.82	-72.56	-75.63
1G	40G	1M	PK	38.00613G	-58.12	-27.00	-31.12	9.01	0.00	-67.13	-70.29	-70.00

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [AV]

5230MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.60009G	-76.22	-41.20	-35.02	9.01	0.00	-85.23	-88.00	-88.50
1G	40G	1M	AV	20.92291G	-62.13	-41.20	-20.93	9.01	0.00	-71.14	-72.23	-77.69

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5270MHz

02/06/2023





F-Start[Hz]	F-Stop[Hz]	RBW[Hz]	Type	Freq[Hz]	EIRP[dBm]	Limit[dBm]	Margin[dB]	DG[dB]	Ref1[dB]	Psum[dBm]	P1[dBm]	P2[dBm]
1G	40G	1M	PK	7.90422G	-57.73	-27.00	-30.73	9.01	0.00	-66.74	-67.58	-74.27
1G	40G	1M	PK	10.51113G	-62.55	-27.00	-35.55	9.01	0.00	-71.56	-72.27	-79.78

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [AV]

5270MHz

02/06/2023





F-Start[Hz]	F-Stop[Hz]	RBW[Hz]	Type	Freq[Hz]	EIRP[dBm]	Limit[dBm]	Margin[dB]	DG[dB]	Ref1[dB]	Psum[dBm]	P1[dBm]	P2[dBm]
1G	40G	1M	AV	10.60009G	-76.66	-41.20	-35.46	9.01	0.00	-85.67	-88.48	-88.89
1G	40G	1M	AV	21.085G	-62.20	-41.20	-21.00	9.01	0.00	-71.21	-71.98	-79.12

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5310MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.59156G	-69.76	-27.00	-42.76	9.01	0.00	-78.77	-81.56	-82.01
1G	40G	1M	PK	32.93613G	-56.84	-27.00	-29.84	9.01	0.00	-65.85	-69.99	-67.96

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [AV]

5310MHz

02/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.61959G	-74.28	-41.20	-33.08	9.01	0.00	-83.29	-85.85	-86.80
1G	40G	1M	AV	38.98113G	-65.98	-41.20	-24.78	9.01	0.00	-74.99	-77.57	-78.48

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5510MHz

02/06/2023



- Limit.PK
- ERP.PK
- Sum.PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.99984G	-66.47	-21.20	-45.27	9.01	0.00	-75.48	-81.38	-76.77
1G	40G	1M	PK	37.63319G	-57.97	-27.00	-30.97	9.01	0.00	-66.98	-71.67	-68.78

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

CSE [AV]

5510MHz

02/06/2023



- Limit.AV
- ERP.AV
- Sum.AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.26497G	-59.49	-41.20	-18.29	9.01	0.00	-68.50	-68.81	-80.08
1G	40G	1M	AV	11.01934G	-71.59	-41.20	-30.39	9.01	0.00	-80.60	-85.01	-82.55

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5550MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.09734G	-64.55	-21.20	-43.35	9.01	0.00	-73.56	-78.04	-75.47
1G	40G	1M	PK	32.93856G	-57.67	-27.00	-30.67	9.01	0.00	-66.68	-67.92	-72.74

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


CSE [AV]

5550MHz

02/06/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.32469G	-59.20	-41.20	-18.00	9.01	0.00	-68.21	-68.44	-81.00
1G	40G	1M	AV	11.09978G	-70.39	-41.20	-29.19	9.01	0.00	-79.40	-82.89	-81.97





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5710MHz Straddle 5.47-5.725GHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.41909G	-62.90	-21.20	-41.70	9.01	0.00	-71.91	-80.08	-72.63
1G	40G	1M	PK	17.1265G	-55.28	-27.00	-28.28	9.01	0.00	-64.29	-65.00	-72.48

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX



CSE [AV]

5710MHz Straddle 5.47-5.725GHz

02/06/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	11.42641G	-69.66	-41.20	-28.46	9.01	0.00	-78.67	-84.23	-80.09
1G	40G	1M	AV	38.97381G	-66.01	-41.20	-24.81	9.01	0.00	-75.02	-77.74	-78.35








5.725-5.85GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [PK]

5795MHz

02/06/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.59947G	-59.49	-21.20	-38.29	9.01	0.00	-68.50	-72.45	-70.73
1G	40G	1M	PK	17.38122G	-54.69	-27.00	-27.69	9.01	0.00	-63.70	-66.92	-66.51

5.725-5.85GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

CSE [AV]

5795MHz

02/06/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	11.58972G	-67.16	-41.20	-25.96	9.01	0.00	-76.17	-78.71	-79.71
1G	40G	1M	AV	38.99575G	-65.91	-41.20	-24.71	9.01	0.00	-74.92	-78.07	-77.79

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

CSE [PK]

5210MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.40388G	-67.08	-27.00	-40.08	9.01	0.00	-76.09	-79.71	-78.57
1G	40G	1M	PK	32.93247G	-56.70	-27.00	-29.70	9.01	0.00	-65.71	-71.40	-67.08

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

CSE [AV]

5210MHz

02/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.60009G	-76.84	-41.20	-35.64	9.01	0.00	-85.85	-88.92	-88.81
1G	40G	1M	AV	39.01281G	-66.32	-41.20	-25.12	9.01	0.00	-75.33	-78.08	-78.61

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

CSE [PK]

5290MHz

02/06/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.52209G	-67.71	-27.00	-40.71	9.01	0.00	-76.72	-83.25	-77.81
1G	40G	1M	PK	32.86422G	-57.69	-27.00	-30.69	9.01	0.00	-66.70	-70.19	-69.28

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

CSE [AV]

5290MHz

02/06/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.60375G	-75.28	-41.20	-34.08	9.01	0.00	-84.29	-87.27	-87.34
1G	40G	1M	AV	38.98844G	-66.00	-41.20	-24.80	9.01	0.00	-75.01	-78.25	-77.81

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

CSE [PK]

5530MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.05956G	-66.92	-21.20	-45.72	9.01	0.00	-75.93	-78.49	-79.45
1G	40G	1M	PK	32.92394G	-57.35	-27.00	-30.35	9.01	0.00	-66.36	-71.11	-68.13

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

CSE [AV]

5530MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.29422G	-59.15	-41.20	-17.95	9.01	0.00	-68.16	-68.42	-80.54
1G	40G	1M	AV	11.05956G	-71.26	-41.20	-30.06	9.01	0.00	-80.27	-82.95	-83.64

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

CSE [PK]

5610MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.23384G	-66.08	-21.20	-44.88	9.01	0.00	-75.09	-79.02	-77.35
1G	40G	1M	PK	32.85203G	-58.03	-27.00	-31.03	9.01	0.00	-67.04	-72.34	-68.56

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

CSE [AV]

5610MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.41488G	-60.51	-41.20	-19.31	9.01	0.00	-69.52	-69.79	-81.78
1G	40G	1M	AV	11.21922G	-72.63	-41.20	-31.43	9.01	0.00	-81.64	-85.51	-83.93

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

CSE [PK]

5690MHz Straddle 5.47-5.725GHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.37644G	-64.06	-21.20	-42.86	9.01	0.00	-73.07	-77.07	-75.28
1G	40G	1M	PK	32.97025G	-57.07	-27.00	-30.07	9.01	0.00	-66.08	-69.23	-68.95

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

CSE [AV]

5690MHz Straddle 5.47-5.725GHz

02/06/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	11.37644G	-71.15	-41.20	-29.95	9.01	0.00	-80.16	-83.45	-82.90
1G	40G	1M	AV	22.75956G	-65.03	-41.20	-23.83	9.01	0.00	-74.04	-81.87	-74.82

5.725-5.85GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

CSE [PK]

5775MHz

02/06/2023



- Limit-PK
- ERP-PK
- Sum-PK
- Port 1
- Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.55438G	-63.16	-21.20	-41.96	9.01	0.00	-72.17	-77.98	-73.49
1G	40G	1M	PK	32.87641G	-56.50	-27.00	-29.50	9.01	0.00	-65.51	-67.95	-69.18

5.725-5.85GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

CSE [AV]

5775MHz

02/06/2023



- Limit-AV
- ERP-AV
- Sum-AV
- Port 1
- Port 2



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	11.5495G	-68.30	-41.20	-27.10	9.01	0.00	-77.31	-78.51	-83.48
1G	40G	1M	AV	38.97991G	-66.07	-41.20	-24.87	9.01	0.00	-75.08	-78.66	-77.59

5.15-5.25GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

CSE [PK]

5250MHz Straddle 5.15-5.25GHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.46481G	-67.17	-27.00	-40.17	9.01	0.00	-76.18	-51.11	-77.87
1G	40G	1M	PK	32.97391G	-57.74	-27.00	-30.74	9.01	0.00	-66.75	-69.43	-70.11

5.15-5.25GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

CSE [AV]

5250MHz Straddle 5.15-5.25GHz

02/06/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.62081G	-75.58	-41.20	-34.38	9.01	0.00	-84.59	-87.21	-88.03
1G	40G	1M	AV	39.01159G	-66.14	-41.20	-24.94	9.01	0.00	-75.15	-78.97	-77.47





5.25-5.35GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

CSE [PK]

5250MHz Straddle 5.25-5.35GHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	10.43556G	-68.04	-27.00	-41.04	9.01	0.00	-77.05	-78.36	-82.89
1G	40G	1M	PK	32.94831G	-57.73	-27.00	-30.73	9.01	0.00	-66.74	-68.59	-71.34

5.25-5.35GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

CSE [AV]

5250MHz Straddle 5.25-5.35GHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	10.63666G	-75.54	-41.20	-34.34	9.01	0.00	-84.55	-88.05	-87.12
1G	40G	1M	AV	38.99697G	-66.05	-41.20	-24.85	9.01	0.00	-75.06	-78.96	-77.33

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

CSE [PK]

5570MHz

02/06/2023





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	PK	11.03031G	-66.86	-21.20	-45.66	9.01	0.00	-75.87	-77.62	-80.65
1G	40G	1M	PK	38.01466G	-56.62	-27.00	-29.62	9.01	0.00	-65.63	-66.97	-71.40

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

CSE [AV]

5570MHz

02/06/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
1G	40G	1M	AV	8.35516G	-60.40	-41.20	-19.20	9.01	0.00	-69.41	-69.61	-82.80
1G	40G	1M	AV	11.09125G	-74.90	-41.20	-33.70	9.01	0.00	-83.91	-86.48	-87.40



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1.	Pass	AV	13.57132G	54.42	68.20	-13.78	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1.	Pass	AV	4.86904G	33.41	54.00	-20.59	3	Vertical	275	1.50	-
Mode 1.	Pass	AV	4.87838G	31.25	54.00	-22.75	3	Vertical	52	2.12	-
Mode 1.	Pass	AV	7.32321G	37.52	54.00	-16.48	3	Vertical	122	1.20	-
Mode 1.	Pass	AV	10.4772G	42.32	68.20	-25.88	3	Vertical	113	2.45	-
Mode 1.	Pass	AV	10.49528G	47.21	68.20	-20.99	3	Vertical	144	1.40	-
Mode 1.	Pass	AV	13.57062G	51.28	68.20	-16.92	3	Vertical	210	2.20	-
Mode 1.	Pass	PK	4.87688G	45.31	74.00	-28.69	3	Vertical	275	1.50	-
Mode 1.	Pass	PK	4.87867G	44.36	74.00	-29.64	3	Vertical	52	2.12	-
Mode 1.	Pass	PK	7.31857G	48.62	74.00	-25.38	3	Vertical	122	1.20	-
Mode 1.	Pass	PK	10.47296G	53.85	88.20	-34.35	3	Vertical	113	2.45	-
Mode 1.	Pass	PK	10.49623G	55.78	88.20	-32.42	3	Vertical	144	1.40	-
Mode 1.	Pass	PK	13.57125G	58.69	88.20	-29.51	3	Vertical	210	2.20	-
Mode 1.	Pass	AV	4.87848G	32.25	54.00	-21.75	3	Horizontal	132	1.32	-
Mode 1.	Pass	AV	4.88006G	33.45	54.00	-20.55	3	Horizontal	256	1.50	-
Mode 1.	Pass	AV	7.32342G	38.62	54.00	-15.38	3	Horizontal	210	2.20	-
Mode 1.	Pass	AV	10.47194G	42.44	68.20	-25.76	3	Horizontal	157	1.50	-
Mode 1.	Pass	AV	10.49953G	46.62	68.20	-21.58	3	Horizontal	150	1.00	-
Mode 1.	Pass	AV	13.57132G	54.42	68.20	-13.78	3	Horizontal	300	2.60	-
Mode 1.	Pass	PK	4.86724G	44.68	74.00	-29.32	3	Horizontal	256	1.50	-
Mode 1.	Pass	PK	4.87872G	45.32	74.00	-28.68	3	Horizontal	132	1.32	-
Mode 1.	Pass	PK	7.31979G	47.52	74.00	-26.48	3	Horizontal	210	2.20	-
Mode 1.	Pass	PK	10.47302G	54.50	88.20	-33.70	3	Horizontal	157	1.50	-
Mode 1.	Pass	PK	10.49762G	56.78	88.20	-31.42	3	Horizontal	150	1.00	-
Mode 1.	Pass	PK	13.57237G	58.66	88.20	-29.54	3	Horizontal	300	2.60	-


Radiated Emissions above 1GHz\_Mode 1



02/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.86904G	33.41	54.00	-20.59	5.29	3	Vertical	275	1.50	28.12	32.68	6.90	34.29
AV	4.87838G	31.25	54.00	-22.75	5.33	3	Vertical	52	2.12	25.92	32.71	6.90	34.28
AV	7.32321G	37.52	54.00	-16.48	10.54	3	Vertical	122	1.20	26.98	36.81	8.54	34.81
AV	10.4772G	42.32	68.20	-25.88	14.54	3	Vertical	113	2.45	27.78	39.00	10.38	34.84
AV	10.49528G	47.21	68.20	-20.99	14.56	3	Vertical	144	1.40	32.65	39.00	10.39	34.83
AV	13.57062G	51.28	68.20	-16.92	18.86	3	Vertical	210	2.20	32.42	40.00	11.62	32.76
PK	4.87688G	45.31	74.00	-28.69	5.33	3	Vertical	275	1.50	39.98	32.71	6.90	34.28
PK	4.87867G	44.36	74.00	-29.64	5.33	3	Vertical	52	2.12	39.03	32.71	6.90	34.28
PK	7.31857G	48.62	74.00	-25.38	10.57	3	Vertical	122	1.20	38.05	36.83	8.54	34.80
PK	10.47296G	53.85	88.20	-34.35	14.53	3	Vertical	113	2.45	39.32	39.00	10.38	34.85
PK	10.49623G	55.78	88.20	-32.42	14.56	3	Vertical	144	1.40	41.22	39.00	10.39	34.83
PK	13.57125G	58.69	88.20	-29.51	18.86	3	Vertical	210	2.20	39.83	40.00	11.62	32.76

Radiated Emissions above 1GHz\_Mode 1



02/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87848G	32.25	54.00	-21.75	5.33	3	Horizontal	132	1.32	26.92	32.71	6.90	34.28
AV	4.88006G	33.45	54.00	-20.55	5.34	3	Horizontal	256	1.50	28.11	32.72	6.90	34.28
AV	7.32342G	38.62	54.00	-15.38	10.54	3	Horizontal	210	2.20	28.08	36.81	8.54	34.81
AV	10.47194G	42.44	68.20	-25.76	14.53	3	Horizontal	157	1.50	27.91	39.00	10.38	34.85
AV	10.49953G	46.62	68.20	-21.58	14.56	3	Horizontal	150	1.00	32.06	39.00	10.39	34.83
AV	13.57132G	54.42	68.20	-13.78	18.86	3	Horizontal	300	2.60	35.56	40.00	11.62	32.76
PK	4.86724G	44.68	74.00	-29.32	5.28	3	Horizontal	256	1.50	39.40	32.67	6.90	34.29
PK	4.87872G	45.32	74.00	-28.68	5.33	3	Horizontal	132	1.32	39.99	32.71	6.90	34.28
PK	7.31979G	47.52	74.00	-26.48	10.56	3	Horizontal	210	2.20	36.96	36.82	8.54	34.80
PK	10.47302G	54.50	88.20	-33.70	14.53	3	Horizontal	157	1.50	39.97	39.00	10.38	34.85
PK	10.49762G	56.78	88.20	-31.42	14.56	3	Horizontal	150	1.00	42.22	39.00	10.39	34.83
PK	13.57237G	58.66	88.20	-29.54	18.86	3	Horizontal	300	2.60	39.80	40.00	11.62	32.76