





Summary


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	5.947752G	-0.37	5.944525G	-30.25	-20.41	-9.84	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.946677G	-2.86	5.919575G	-54.52	-42.86	-11.66	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	6.198702G	-2.23	6.14705G	-45.22	-42.23	-2.99	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.971398G	-1.47	5.905G	-50.58	-41.47	-9.11	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	5.9913G	0.38	5.8672G	-47.92	-39.22	-8.7	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.3907G	0.06	6.5078G	-46.12	-39.94	-6.18	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.1986G	2.26	6.4002G	-33.73	-32.31	-1.42	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.16061G	-0.13	6.5584G	-43.91	-40.13	-3.78	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_1TX	Pass	6.861198G	-1.18	6.844275G	-31.76	-19.88	-11.88	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.527402G	-0.85	6.565475G	-51.5	-40.85	-10.65	1
11a40_40MHz_Nss1,(6Mbps)_1TX	Pass	6.847099G	-3.08	6.7892G	-44.97	-41.86	-3.11	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	6.84375G	-2.33	6.78665G	-50.15	-42.29	-7.86	1
11a80_80MHz_Nss1,(6Mbps)_1TX	Pass	6.698G	0.24	6.5895G	-45.54	-37.72	-7.82	1
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	6.7141G	0.65	6.8251G	-44.58	-39.34	-5.24	1
11a160_160MHz_Nss1,(6Mbps)_1TX	Pass	6.68999G	1.88	6.8804G	-33.78	-33.7	-0.08	1
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	6.63261G	0.01	6.9692G	-43.31	-39.99	-3.32	1







Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
595MHz	Pass	5.947752G	-0.37	5.944525G	-30.25	-20.41	-9.84	1
6195MHz	Pass	6.202173G	0.1	6.184375G	-30.97	-19.4	-11.57	1
6415MHz	Pass	6.422748G	-0.66	6.40435G	-32.38	-20.06	-12.32	1
6535MHz	Pass	6.527452G	-0.73	6.52415G	-33.62	-20.73	-12.89	1
6695MHz	Pass	6.701498G	-0.21	6.70595G	-32.9	-20.44	-12.46	1
6855MHz	Pass	6.861198G	-1.18	6.844275G	-31.76	-19.88	-11.88	1
11a40_40MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961201G	-2.16	5.9091G	-44.58	-41.31	-3.27	1
6205MHz	Pass	6.198702G	-2.23	6.14705G	-45.22	-42.23	-2.99	1
6405MHz	Pass	6.411148G	-2.49	6.3493G	-46.24	-41.01	-5.23	1
6565MHz	Pass	6.561201G	-2.54	6.50895G	-45.75	-41.78	-3.97	1
6685MHz	Pass	6.689549G	-2.12	6.7413G	-44.61	-41.42	-3.19	1
6845MHz	Pass	6.847099G	-3.08	6.7892G	-44.97	-41.86	-3.11	1
11a80_80MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9913G	0.38	5.8672G	-47.92	-39.22	-8.7	1
6225MHz	Pass	6.2221G	0.03	6.1073G	-49.22	-39.54	-9.68	1
6385MHz	Pass	6.3765G	-0.35	6.2673G	-50.59	-39.43	-11.16	1
6625MHz	Pass	6.6212G	-0.11	6.5279G	-43.13	-33.05	-10.08	1
6705MHz	Pass	6.698G	0.24	6.5895G	-45.54	-37.72	-7.82	1
6785MHz	Pass	6.7888G	-0.5	6.6691G	-47.12	-38.67	-8.45	1
11a160_160MHz_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.97821G	1.08	6.2388G	-36.46	-34.96	-1.5	1
6185MHz	Pass	6.1986G	2.26	6.4002G	-33.73	-32.31	-1.42	1
6345MHz	Pass	6.30121G	1.66	6.5594G	-35.28	-33.78	-1.5	1
6665MHz	Pass	6.68999G	1.88	6.8804G	-33.78	-33.7	-0.08	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
595MHz	Pass	5.946677G	-2.86	5.919575G	-54.52	-42.86	-11.66	1
6195MHz	Pass	6.202148G	-0.87	6.161525G	-52.86	-40.87	-11.99	1
6415MHz	Pass	6.406302G	-0.8	6.381825G	-52.79	-40.8	-11.99	1
6535MHz	Pass	6.527402G	-0.85	6.565475G	-51.5	-40.85	-10.65	1
6695MHz	Pass	6.704148G	-0.28	6.7249G	-50.17	-39.25	-10.92	1
6855MHz	Pass	6.846777G	-0.81	6.82145G	-52.4	-40.81	-11.59	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.971398G	-1.47	5.905G	-50.58	-41.47	-9.11	1
6205MHz	Pass	6.2059G	-1.92	6.14375G	-51.55	-41.92	-9.63	1
6405MHz	Pass	6.408399G	-2.28	6.3399G	-51.53	-42.28	-9.25	1
6565MHz	Pass	6.567049G	-2.57	6.5055G	-51.11	-42.53	-8.58	1
6685MHz	Pass	6.691398G	-2.09	6.7439G	-50.2	-42.09	-8.11	1
6845MHz	Pass	6.84375G	-2.33	6.78665G	-50.15	-42.29	-7.86	1
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.991G	0.72	5.8638G	-46.4	-39.28	-7.12	1
6225MHz	Pass	6.235G	0.11	6.3483G	-46.18	-39.89	-6.29	1
6385MHz	Pass	6.3907G	0.06	6.5078G	-46.12	-39.94	-6.18	1
6625MHz	Pass	6.6157G	-0.29	6.752G	-46.27	-40.29	-5.98	1
6705MHz	Pass	6.7141G	0.65	6.8251G	-44.58	-39.34	-5.24	1
6785MHz	Pass	6.7743G	-0.47	6.9639G	-46.06	-40.47	-5.59	1
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0362G	-0.08	6.3682G	-44.09	-40.08	-4.01	1
6185MHz	Pass	6.16061G	-0.13	6.5584G	-43.91	-40.13	-3.78	1
6345MHz	Pass	6.38059G	-0.17	6.5976G	-44.1	-40.17	-3.93	1
6665MHz	Pass	6.63261G	0.01	6.9692G	-43.31	-39.99	-3.32	1














































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.187827G	-0.01	6.205425G	-29.9	-20.03	-9.87	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.405702G	-0.59	6.404G	-31.76	-20.39	-11.37	2
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	6.212948G	-2.04	6.1471G	-44.83	-42.04	-2.79	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.972198G	-1.01	5.9059G	-49.33	-41.01	-8.32	1
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	6.2166G	1.55	6.1073G	-42.97	-38.12	-4.85	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.2119G	0.27	6.3456G	-45.86	-39.73	-6.13	2
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.29941G	1.86	6.5588G	-32.77	-32.67	-0.1	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.355G	-0.47	6.5914G	-44.01	-40.47	-3.54	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
11a20_20MHz_Nss1,(6Mbps)_2TX	Pass	6.528752G	-0.2	6.5454G	-30.75	-20.28	-10.47	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.846852G	-0.67	6.823975G	-50.86	-40.67	-10.19	1
11a40_40MHz_Nss1,(6Mbps)_2TX	Pass	6.573398G	-2.68	6.5072G	-44.77	-42.68	-2.09	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.692948G	-1.8	6.7436G	-49.88	-41.8	-8.08	1
11a80_80MHz_Nss1,(6Mbps)_2TX	Pass	6.6983G	1.38	6.5886G	-41.47	-37.89	-3.58	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.769G	-0.71	6.9441G	-46.06	-40.71	-5.35	2
11a160_160MHz_Nss1,(6Mbps)_2TX	Pass	6.70159G	1.86	6.8796G	-33.06	-32.86	-0.2	1
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.68959G	0.18	6.9822G	-43.17	-39.82	-3.35	2





Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
11a20_20MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962473G	0.24	5.94395G	-32.51	-20.08	-12.43	1
5955MHz	Pass	5.962448G	0.67	5.944375G	-30.19	-19.38	-10.81	2
6195MHz	Pass	6.200624G	-0.34	6.16595G	-52.18	-40.06	-12.12	1
6195MHz	Pass	6.187827G	-0.01	6.205425G	-29.9	-20.03	-9.87	2
6415MHz	Pass	6.408377G	-0.36	6.40425G	-32.05	-20.37	-11.68	1
6415MHz	Pass	6.407777G	-0.7	6.383025G	-52.71	-40.7	-12.01	2
6535MHz	Pass	6.528752G	-0.43	6.5455G	-31.63	-20.44	-11.19	1
6535MHz	Pass	6.528752G	-0.2	6.5454G	-30.75	-20.28	-10.47	2
6695MHz	Pass	6.702773G	-0.58	6.705625G	-31.99	-20.63	-11.36	1
6695MHz	Pass	6.702448G	-0.15	6.72565G	-52.65	-40.15	-12.5	2
6855MHz	Pass	6.847177G	-1.12	6.8247G	-52.09	-41.12	-10.97	1
6855MHz	Pass	6.848102G	-0.99	6.825025G	-52.41	-40.83	-11.58	2
11a40_40MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.961901G	-2.47	5.9091G	-45.93	-41.32	-4.61	1
5965MHz	Pass	5.968699G	-2.23	6.02305G	-47.04	-42.11	-4.93	2
6205MHz	Pass	6.212948G	-2.04	6.1471G	-44.83	-42.04	-2.79	1
6205MHz	Pass	6.210499G	-1.88	6.263G	-45.19	-41.83	-3.36	2
6405MHz	Pass	6.410499G	-2.1	6.46115G	-44.8	-41.41	-3.39	1
6405MHz	Pass	6.401851G	-2.19	6.463G	-45.67	-41.64	-4.03	2
6565MHz	Pass	6.573398G	-2.68	6.5072G	-44.77	-42.68	-2.09	1
6565MHz	Pass	6.561201G	-2.33	6.5091G	-44.6	-41.28	-3.32	2
6685MHz	Pass	6.688449G	-2.31	6.74305G	-44.57	-42.31	-2.26	1
6685MHz	Pass	6.687449G	-2.13	6.6273G	-45.18	-42.13	-3.05	2
6845MHz	Pass	6.841901G	-2.77	6.903G	-45.08	-42.77	-2.31	1
6845MHz	Pass	6.848549G	-2.6	6.78715G	-45.62	-42.6	-3.02	2
11a80_80MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9818G	0.47	5.8675G	-44.77	-38.46	-6.31	1
5985MHz	Pass	5.9791G	0.71	5.8673G	-44.37	-38.09	-6.28	2
6225MHz	Pass	6.2166G	1.03	6.1073G	-42.76	-37.58	-5.18	1
6225MHz	Pass	6.2166G	1.55	6.1073G	-42.97	-38.12	-4.85	2
6385MHz	Pass	6.3918G	0.79	6.2672G	-44.1	-38.71	-5.39	1
6385MHz	Pass	6.3818G	0.96	6.267G	-44.42	-38.5	-5.92	2
6625MHz	Pass	6.6284G	0.26	6.5077G	-43	-38.99	-4.01	1
6625MHz	Pass	6.6218G	1.1	6.5068G	-43.52	-38.13	-5.39	2
6705MHz	Pass	6.7137G	1.21	6.5891G	-40.79	-36.33	-4.46	1
6705MHz	Pass	6.6983G	1.38	6.5886G	-41.47	-37.89	-3.58	2
6785MHz	Pass	6.7816G	0.75	6.6674G	-42.55	-38.02	-4.53	1
6785MHz	Pass	6.7788G	0.7	6.6689G	-41.95	-38.1	-3.85	2
11a160_160MHz_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05119G	0.67	5.7776G	-42.94	-39.33	-3.61	1
6025MHz	Pass	6.05939G	0.9	5.771G	-41.98	-39.1	-2.88	2
6185MHz	Pass	6.21019G	1.99	6.4004G	-32.79	-30.53	-2.26	1
6185MHz	Pass	6.20939G	2.53	6.4006G	-32.65	-32.09	-0.56	2
6345MHz	Pass	6.29801G	1.89	6.5608G	-34.05	-33.5	-0.55	1
6345MHz	Pass	6.29941G	1.86	6.5588G	-32.77	-32.67	-0.1	2
6665MHz	Pass	6.70159G	1.86	6.8796G	-33.06	-32.86	-0.2	1
6665MHz	Pass	6.69199G	2	6.8786G	-34	-33.66	-0.34	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.945727G	0.13	5.92355G	-51.64	-39.69	-11.95	1
5955MHz	Pass	5.964198G	0.14	5.943675G	-31.33	-19.87	-11.46	2
6195MHz	Pass	6.187752G	-0.38	6.16425G	-52.29	-40.17	-12.12	1
6195MHz	Pass	6.187127G	-0.2	6.161675G	-52.86	-40.2	-12.66	2
6415MHz	Pass	6.407627G	-0.57	6.3836G	-52.04	-40.57	-11.47	1
6415MHz	Pass	6.405702G	-0.59	6.404G	-31.76	-20.39	-11.37	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6535MHz	Pass	6.543348G	-0.58	6.5664G	-51.76	-40.58	-11.18	1
6535MHz	Pass	6.526502G	-0.62	6.5042G	-51.8	-40.62	-11.18	2
6695MHz	Pass	6.703348G	-0.15	6.72675G	-50.74	-40.15	-10.59	1
6695MHz	Pass	6.701773G	-0.17	6.7257G	-50.63	-40.17	-10.46	2
6855MHz	Pass	6.846852G	-0.67	6.823975G	-50.86	-40.67	-10.19	1
6855MHz	Pass	6.847102G	-0.85	6.82235G	-52.03	-40.85	-11.18	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.972198G	-1.01	5.9059G	-49.33	-41.01	-8.32	1
5965MHz	Pass	5.970649G	-0.87	6.0252G	-49.65	-40.87	-8.78	2
6205MHz	Pass	6.212498G	-1.91	6.1442G	-51.31	-41.91	-9.4	1
6205MHz	Pass	6.200301G	-1.44	6.14305G	-51	-41.44	-9.56	2
6405MHz	Pass	6.404G	-2.06	6.34565G	-51.16	-42.06	-9.1	1
6405MHz	Pass	6.40305G	-2.07	6.34545G	-50.92	-42.06	-8.86	2
6565MHz	Pass	6.573248G	-2.36	6.50045G	-51.63	-42.36	-9.27	1
6565MHz	Pass	6.562101G	-2.17	6.50635G	-51.2	-42.01	-9.19	2
6685MHz	Pass	6.692948G	-1.8	6.7436G	-49.88	-41.8	-8.08	1
6685MHz	Pass	6.682751G	-1.57	6.7436G	-49.74	-41.48	-8.26	2
6845MHz	Pass	6.839101G	-2.17	6.78625G	-50.37	-41.97	-8.4	1
6845MHz	Pass	6.850499G	-2.06	6.786G	-50.17	-42.06	-8.11	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99G	0.84	6.1064G	-46.12	-39.15	-6.97	1
5985MHz	Pass	5.9888G	1.01	5.865G	-45.66	-38.95	-6.71	2
6225MHz	Pass	6.2127G	0.17	6.356G	-46.26	-39.83	-6.43	1
6225MHz	Pass	6.2119G	0.27	6.3456G	-45.86	-39.73	-6.13	2
6385MHz	Pass	6.3903G	-0.14	6.5587G	-46.48	-40.14	-6.34	1
6385MHz	Pass	6.3978G	-0.1	6.5068G	-46.26	-40.1	-6.16	2
6625MHz	Pass	6.6218G	-0.11	6.7454G	-46.23	-40.11	-6.12	1
6625MHz	Pass	6.6334G	-0.09	6.7489G	-45.71	-40.09	-5.62	2
6705MHz	Pass	6.7124G	0.86	6.582G	-44.78	-39.14	-5.64	1
6705MHz	Pass	6.7095G	0.86	6.5829G	-44.64	-39.14	-5.5	2
6785MHz	Pass	6.7946G	-0.23	6.9677G	-45.9	-40.23	-5.67	1
6785MHz	Pass	6.769G	-0.71	6.9441G	-46.06	-40.71	-5.35	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05539G	0.18	6.37G	-44.09	-39.82	-4.27	1
6025MHz	Pass	6.0108G	0.23	6.3812G	-43.97	-39.77	-4.2	2
6185MHz	Pass	6.1704G	0.36	6.5542G	-43.87	-39.64	-4.23	1
6185MHz	Pass	6.1718G	0.11	6.571G	-43.63	-39.89	-3.74	2
6345MHz	Pass	6.31881G	-0.32	6.5886G	-43.88	-40.32	-3.56	1
6345MHz	Pass	6.355G	-0.47	6.5914G	-44.01	-40.47	-3.54	2
6665MHz	Pass	6.69459G	0.15	6.9828G	-43.27	-39.85	-3.42	1
6665MHz	Pass	6.68959G	0.18	6.9822G	-43.17	-39.82	-3.35	2







6.525-6.875GHz\_11a20\_20MHz\_Nss1,(6Mbps)\_2TX

MASK

6855MHz\_TX

CF (Hz)  
6.855G

Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS





21/09/2023


Port 1 



Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847177G	-1.12	6.8247G	-52.09	-41.12	-10.97	1
6.848102G	-0.99	6.825025G	-52.41	-40.83	-11.58	2

















6.525-6.875GHz\_11a80\_80MHz\_Nss1,(6Mbps)\_2TX

MASK

6785MHz\_TX

CF (Hz)  
6.785G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS





21/09/2023

Port 1


Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7816G	0.75	6.6674G	-42.55	-38.02	-4.53	1
6.7788G	0.70	6.6689G	-41.95	-38.10	-3.85	2











6.525-6.875GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

CF (Hz)  
6.535G

Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS







08/09/2023


Port 1 


Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.543348G	-0.58	6.5664G	-51.76	-40.58	-11.18	1
6.526502G	-0.62	6.5042G	-51.80	-40.62	-11.18	2









6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

CF (Hz)  
6.845G

Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



08/09/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.839101G	-2.17	6.78625G	-50.37	-41.97	-8.40	1
6.850499G	-2.06	6.786G	-50.17	-42.06	-8.11	2



5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

CF (Hz)  
6.225G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




08/09/2023


Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2127G	0.17	6.356G	-46.26	-39.83	-6.43	1
6.2119G	0.27	6.3456G	-45.86	-39.73	-6.13	2







6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

CF (Hz)  
6.785G

Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



08/09/2023

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7946G	-0.23	6.9677G	-45.90	-40.23	-5.67	1
6.769G	-0.71	6.9441G	-46.06	-40.71	-5.35	2

