



Request for Modular/Limited Modular Approval

Date: May 14, 2021		
Subject: Manufacturer's Declaration for	11	□ - Split Modular Approval□ - Limited Split Modular Approval

Confidentiality Request for: <u>LDKWPWIFI6</u>

8 Basic Requirements – FCC Part 15.212(a)(1)				
For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the Fo	ollowing Pages Requirement Met			
Modular Approval Requirement 1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module	Kequire	ment Met		
does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning	⊠ - YES	□ - NO(*)		
capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i) 2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii)	⊠ - YES	□ - NO(*)		
3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	⊠ - YES	□ - NO(*)		
4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	⊠ - YES	□ - NO(*)		
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	□ - YES	⊠ - NO (*)		
6. The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	⊠ - YES	□ - NO(*)		




Cisco Systems, Inc.

7. The modular transmitter must comply with all specific rule or operating requirements appl the transmitter, including all the conditions provided in the integration instructions by the gracopy of these instructions must be included in the application for equipment authorizate example, there are very strict operational and timing requirements that must be met transmitter is authorized for operation under Section 15.231. For instance, data transmitter, except for operation under Section 15.231(e), in which case there are separ strength level and timing requirements. Compliance with these requirements must be 15.212(a)(1)(vii)	rantee. A tion. For before a hission is rate field	⊠ - YES	□ - NO(*)		
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)			□ - NO(*)		
Limited Module Description – When Applicable * If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.					
Software Considerations – KDB 594280 / KDB 442812 (One of the following 2					
Requirement	Re	quirement M	let		
such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	□ Provided in Separate Cover Letter □		□ - N/A		
2. For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.		in Separate			
	Cover I	Letter			
Split Modular Requirements Requirement Provided in Manual					
For split modular transmitters, specific descriptions for secure communications	110	riacu III IVIAII	uul		
	- Provided Cover I	in Separate Letter	⊠ - N/A		



OEM Integration Manual Guidance – KDB 996369 D03 Section 2						
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third parties to use and/or integrate the module into a host device.						
Requirement		_				
		⊠ - No,				
		If No, and LMA applies, the applicant can optionally choose to				
		not make the following detailed info public. However there still				
Is this module intended for	□ - YES	needs to be basic integration instruction				
sale to third parties?	□ - 1ES	the information below must still be inc description. If the applicant wishes to k				
		this will require a separate statement co				
		module is not for sale to third partie	es and that integration			
		instructions are internal confidence				
Items	required to be in the manu	nal – See KDB 996369 D03, Section 2				
As of May 1, 2019, the FCC requ	uires ALL the following info	ormation to be in the installation manual				
		or all these items indicating clearly when				
		idicate "Not Applicable". Also if a modu				
		arties, the user instructions may not need ption, but this should include a cover let				
List of applicable FCC rules. K			ter as cited above.			
* *	elated to the transmitter.					
2. Summarize the specific operation		6369 D03. Section 2.3				
		loss, reduction of power for point to point				
	ional installation info					
3. Limited Module Procedures. K						
	_	ses to verify the host meets the necessary	□ A 11 T4 1 4 -			
limiting conditions b. When RF exposure evaluation is necessary, state how control will be maintained such the left are provided in						
	is ensured, such as Class II fo		the left are provided in the Modular Integration			
4. Trace antenna designs. KDB 9		of new nosts, etc.	Guide (or UM) for Full			
		nnectors, isolation requirements, tests for	Modular Approval			
		dures for ensuring compliance. If	(MA) or LMA.			
		ential must be identified and information				
	operational description.		□ - An LMA applies			
5. RF exposure considerations. KI		ow host manufacturers to use the	and is approved ONLY			
		sary: first to the host manufacturer to	for use by the grantee in			
		from body) and second additional text	their own products, and not intended for sale to			
	evided to the end user in the h		3 rd parties as provided in			
6. Antennas. KDB 996369 D03, S	Section 2.7		a separate cover letter.			
a. List of antennas included in the application and all applicable professional installer Therefore the						
		t shall also identify the antenna types	information shown to			
		ni-directional" is not considered a type)	the left is found in the			
7. Label and compliance information. KDB 996369 D03, Section 2.8 theory of operation						
	dvice to host integrators that they need to provide a physical or e-label stating Contains FCC ID: " with their finished product					
	3. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9 a. Test modes that should be taken into consideration by host integrators including					
	ations necessary for stand-alone and simultaneous configurations.					
b. Provide information	tion on how to configure test	modes for evaluation				
9. Additional testing, Part 15 Subp	oart B disclaimer. KDB 9963	69 D03, Section 2.10				





Sincerely,

Cisco Systems, Inc. Name: Adam Walb

Title: Compliance Manager Phone # +1 408 526 4124 Email: awalb@cisco.com

Adam Walt