

Watkins Manufacturing 1280 Park Center Dr. Vista CA, 92081 1-800-999-4688: Phone 1-760-598-6752: Fax Hotspring.com

August 8, 2013 Federal Communications Commission Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046

Request for Single Modular Approval

Watkins Manufacturing Corp. FCC ID: LDL-7X01DA11 FCC Part 15 Certification

Dear Application Examiner,

Watkins Manufacturing module FCC ID: LDL-7X01DA11 (Model WH4711) is seeking FCC authorization as a Single Modular transmitter. The requirements of the FCC Part 15.212 are met for all requirements listed below with the exceptions indicated.

1. The modular transmitter must have its own RF shielding

The radio portion of this module has its own RF shielding. Please see the photos provided with the application.

2. The modular transmitter must have buffered modulation/data inputs

The module has a memory management unit inside and buffers the data inputs from UART.

3. The modular transmitter must have its own power supply regulation

The module contains its own voltage regulation. In case of changes in the supply voltage VCC (for example caused by temperature changes or other effects), the internal voltage will be stabilized.

4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204c

The WH4711 has been tested to operate with a specific antenna that has a peak gain of -2 dBi or 0.0 dBi or less and has a monopole construction (omnidirectional pattern).

5. The modular transmitter must be tested in a stand-alone configuration

The module was tested in a stand-alone configuration and was fixed on a development board. Please see the test report provided with this application.

6. The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.

Please see the label provided with this application. That label will be affixed to all modules.

7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements.

The module is compliant with all applicable FCC rules. Detailed instructions are provided in the product operation document.

8. The modular transmitter must comply with any applicable RF exposure requirements.

The EUT and the antenna in this application are compliant with RF exposure requirement as per KDB 447498 D01 Mobile Portable RF Exposure v05r01 using MPE evaluation method for fixed use. The MPE evaluation is addressed in the RF Exposure Exhibit.

Kind Regards,

Steve Macey

Engineering, Watkins Manufacturing Corp.

1280 Park Center Dr.

Vista, CA 92081

Phone: 760-305-4191 Fax: 760-598-6752

Steve.macey@watkinsmfg.com