

Medtronic

September 07, 2016

Equipment Authorization Branch
Federal Communications Commission
Columbia, MD 21046

Re: Medtronic, Inc.
Confidentiality Request
FCC ID: LF524970A

Ladies and Gentlemen:

It is with this understanding that we respectfully request the agency to honor our request to maintain the following items confidential.

Per 47 CFR 0.457(d) and 0.459

- (1) identification of the specific information for which confidential treatment is sought:

Schematics

Block Diagram

Theory of Operation / Operational description

The materials set forth in these exhibits, which are segregated from the non-confidential exhibits of the application, are those for which confidentiality is sought.

- (2) identification of the Commission proceeding in which the information was submitted or a description of the circumstances giving rise to the submission:

The proceeding is that involving the certification of FCC ID: LF524970A

- (3) explanation of the degree to which the information is commercial or financial, or contains a trade secret or is privileged:

This information is embodied in circuit diagrams, detailed explanations, parts lists, a block diagram and internal photographs of a device designed for patients under the care of a medical professional. As such, this material is treated as highly confidential business information and information that could convey trade secrets pertaining to manufacturing and design techniques.

- (4) explanation of the degree to which the information concerns a service that is subject to competition:

The information for which confidentiality is sought is employed in the design and manufacture of medical device systems that are offered on a highly competitive basis. Customers for this equipment have a variety of competing sources of supply from both domestic and foreign suppliers.

- (5) explanation of how disclosure of the information could result in substantial competitive harm:

Disclosure would, in effect, give away the fruits of the labors of Medtronic's engineering personnel, who have designed the equipment and the manufacturing processes. Disclosure would also offer competitors additional unwarranted insight into the state of product development thereby allowing such competitors an advantage that would not be available to Medtronic.

- (6) identification of any measures taken by the submitting party to prevent unauthorized disclosure:

The information for which confidential treatment is sought is kept confidential by Medtronic and not made available to third parties except pursuant to arrangements designed to prevent public disclosure.

- (7) identification of whether the information is available to the public and the extent of any previous disclosure of the information to third parties:

To the knowledge of those preparing this application, the information has not been disclosed publicly heretofore. The protection sought is narrowly drawn and pertains to certain specific implementations of the technology incorporated into the device for which certification is sought..

- (8) justification of the period during which the submitting party asserts that material should not be available for public disclosure:

This material should not be disclosed for at least five years. While improvements in design are likely to be made during this period, disclosure of the design information would lead to insights into both designs and manufacturing techniques and could have an adverse competitive effect for many years to come. This application contains information that will be used in future applications for similar devices. Moreover, the communications aspects of this device are employed in the transmission of highly private medical information to the device. As such, it is important that information pertaining to the design and operation of this device not be made available to unauthorized persons who might attempt to use knowledge of the design to compromise the applications for which the equipment will be employed

Respectfully,



Daniel Johnson
Radio/Telecom Regulatory Affairs Specialist
Medtronic, Inc.
8200 Coral Sea St. N.E.
Mounds View, MN
55112
Daniel.L.Johnson@medtronic.com
Office: 763-526-0820