


1. THIS SPECIFICATION IS CONTROLLED BY CRHF PACKAGE ENGINEERING. THIS SPECIFICATION IS INTENDED TO BE THE FINAL LABEL DESIGN OUTPUT GENERATED FROM A COMBINATION OF LABEL PARTS WITHIN THE ASSOCIATED PDM BOM.
2. THESE LABEL IMAGES ARE THE COMBINATION OF THE TEMPLATE FILE, MODEL DATA RECORD, SAMPLE TRIGGER DATA AND REPRESENTATIVE VIEWS OF THE LABEL DIE LINES.
3. PRINTING REQUIREMENTS - THE LABELS ARE TO BE PRINTED USING A 300 DPI ZEBRA THERMAL TRANSFER PRINTER.
4. THE LOT OR SERIAL NUMBER, USE BY DATE, DATE OF MANUFACTURE, PIN NUMBER, ADDRESS CODE, GTIN, PRODUCT NUMBER (REF) AND BAR CODES ARE SHOWN FOR EXAMPLE ONLY. THESE FIELDS ARE VARIABLE AND ARE TO BE SUPPLIED BY MANUFACTURING AT THE TIME OF PRINTING.
5. SPACING AND TEXT WRAPPING SHOWN IN THE IMAGES MAY DIFFER SLIGHTLY FROM ACTUAL PRINTED LABEL, AS LONG AS CONTENT OF PRINTED VERSION IS ACCURATE. THE IMAGES INCLUDE REPRESENTATION OF THE PRE-PRINTED LABEL STOCK. BRANDING, PART NUMBER BAR CODES (2D OR OTHER) AND OTHER PRE-PRINTED AREAS OR ADDITIONAL STICKERS MAY CHANGE AND ARE ACCEPTABLE.
6. THE LABEL PRINTED IN MANUFACTURING MUST BE AT AN EQUAL OR LATER MODEL DATA AND TEMPLATE REVISION AS SHOWN ON THE IMAGE.
7. (FOR LABEL SET ONLY) THE TRIGGER DATA SHOWN ON THE LABEL SET IMAGE MAY NOT MATCH THE PRINTED LABEL.

SPEC TAB	MFG ADDRESS
A86274-001	Tolochenaz, Switzerland
A86274-002	Juncos, Puerto Rico, USA

DeviceImageSpec\_02

 MEDTRONIC, INC. MINNEAPOLIS, MINNESOTA USA	TITLE LABEL IMAGE SPEC-PERCEPTA CRT-P MRI SURESCAN W1TR01 US				
	MEDTRONIC CONFIDENTIAL THIS DOCUMENT IS THE PROPERTY OF MEDTRONIC, INC. AND MUST BE ACCOUNTED FOR. INFORMATION HEREON IS CONFIDENTIAL. DO NOT REPRODUCE IT, REVEAL IT TO UNAUTHORIZED PERSONS OR SEND IT OUTSIDE MEDTRONIC WITHOUT PROPER AUTHORIZATION.				
	LABEL IMAGE SPEC TEMPLATE: A83320 REV C				
	DATE 07-Feb-2017	SCALE N/A	ENGINEERING JUDY SALZER		
MODEL W1TR01	Size B	PART NUMBER A86274	REV B	SHEET 1 of 3	

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™

CRT-P

(Model) W1TR01  
SN WWW000000W  
2000-00-00  
2000-00-00  
REF W1TR01

RA, IS-1  
RV, IS-1  
LV, IS-1

OAE-DDDR

ACCELEROMETER

MR Conditional

Burst+: RA  
Ramp: RA

Package contents: 1x Implantable device, Torque wrench, Product documentation

**DDD**

Upper tracking rate and lower rate:  $\uparrow$  130 bpm,  $\downarrow$  50 bpm

Sensitivity: RA: 0.3 mV

Sensitivity: RV: 0.9 mV

A-V interval (paced and sensed):  $\rightarrow$  130 ms,  $\rightarrow$  100 ms

Amplitude and pulse width: RA:  $\downarrow$  3.5 V,  $\leftrightarrow$  0.4 ms

Amplitude and pulse width: RV:  $\downarrow$  3.5 V,  $\leftrightarrow$  0.4 ms

Amplitude and pulse width: LV:  $\downarrow$  3.5 V,  $\leftrightarrow$  0.4 ms

Pacing polarity: LV: LVtip - Can, 0 ms

V pacing and V-V pace delay: 0 ms

Pacing polarity: RA, RV: AUTO

Therapies: AT, AF: OFF

PVARP: AUTO

Adaptive

**Rx Only**  
FCC ID: LFSBLEIMPLANT2

STERILE EO

55 °C  
131 °F

-18 °C  
0 °F

Medtronic, Inc., 710 Medtronic Parkway, Minneapolis, MN 55432 USA  
Manufactured in: Tolochenaz, Switzerland  
Product of Switzerland  
www.medtronic.com

M968371A001 B - M970299A001 A

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™

CRT-P

(Model) W1TR01  
SN WWW000000W  
2000-00-00  
2000-00-00  
REF W1TR01

RA, IS-1  
RV, IS-1  
LV, IS-1

OAE-DDDR

ACCELEROMETER

MR Conditional

Burst+: RA  
Ramp: RA

Package contents: 1x Implantable device, Torque wrench

**DDD**

Upper tracking rate and lower rate:  $\uparrow$  130 bpm,  $\downarrow$  50 bpm

Sensitivity: RA: 0.3 mV

Sensitivity: RV: 0.9 mV

A-V interval (paced and sensed):  $\rightarrow$  130 ms,  $\rightarrow$  100 ms

Amplitude and pulse width: RA:  $\downarrow$  3.5 V,  $\leftrightarrow$  0.4 ms

Amplitude and pulse width: RV:  $\downarrow$  3.5 V,  $\leftrightarrow$  0.4 ms

Amplitude and pulse width: LV:  $\downarrow$  3.5 V,  $\leftrightarrow$  0.4 ms

Pacing polarity: LV: LVtip - Can, 0 ms

V pacing and V-V pace delay: 0 ms

Pacing polarity: RA, RV: AUTO

Therapies: AT, AF: OFF

PVARP: AUTO

Adaptive

**Rx Only**  
FCC ID: LFSBLEIMPLANT2

STERILE EO

55 °C  
131 °F

-18 °C  
0 °F

Medtronic, Inc., 710 Medtronic Parkway, Minneapolis, MN 55432 USA  
Manufactured in: Tolochenaz, Switzerland  
www.medtronic.com

M968371A001 B - M970299A001 A

Sterile Pack Label

M968371A001 B - M970299A001 A

2000-00-00  
YYYY-MM-DD

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

FYR Labels

Medtronic **Bluetooth**

Percepta™ CRT-P MRI SureScan™ W1TR01

Implantation date: 2000-00-00  
YYYY-MM-DD

REF W1TR01

SN WWW000000W

Medtronic **Bluetooth**

Percepta™ CRT-P MRI SureScan™ W1TR01

Implantation date: 2000-00-00  
YYYY-MM-DD

SN WWW000000W

Medtronic **Bluetooth**

Percepta™ CRT-P MRI SureScan™ W1TR01

Implantation date: 2000-00-00  
YYYY-MM-DD

SN WWW000000W

Shelf Box Label

**Medtronic** OAE-DDDR

Percepta™ CRT-P MRI SureScan™ W1TR01

3x IS-1 BI

REF W1TR01  
SN WWW000000W  
2000-00-00  
YYYY-MM-DD

(01)0000000000000(17)000000(21)WWW000000W

M968371A001 B - M970299A001 A

End Label 1

**Medtronic** OAE-DDDR

Percepta™ CRT-P MRI SureScan™ W1TR01

3x IS-1 BI

- EffectivCRT™ Diagnostic
- EffectivCRT™ During AF Algorithm
- AdaptivCRT™ Algorithm
- PhysioCurve™ Design

REF W1TR01  
SN WWW000000W  
2000-00-00  
YYYY-MM-DD

M968371A001 B - M970299A001 A

PIN: W0WW000000W

End Label 2

**SPEC TAB**  
**A86274-001**

NOTE: IMAGES NOT TO SCALE  
LABEL IMAGE SPEC TEMPLATE: A83320 REV C

PART NUMBER	REV	SHEET
A86274	B	2 of 3

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™

CRT-P

(Model) W1TR01  
SN WWW000000W  
2000-00-00  
2000-00-00  
REF W1TR01

RA, IS-1  
RV, IS-1  
LV, IS-1

OAE-DDDR

ACCELEROMETER

MR Conditional

Burst+: RA  
Ramp: RA

Package contents: 1x Implantable device, Torque wrench, Product documentation

**DDD**

Upper tracking rate and lower rate  
 ↑ 130 bpm  
 ↓ 50 bpm

Amplitude and pulse width: RV  
 ↓ 3.5 V  
 ↔ 0.4 ms

Amplitude and pulse width: LV  
 ↓ 3.5 V  
 ↔ 0.4 ms

A-V interval (paced and sensed)  
 → 130 ms  
 → 100 ms

Amplitude and pulse width: RA  
 ↓ 3.5 V  
 ↔ 0.4 ms

Adaptive

AUTO  
Sensing polarity: RA, RV

OFF  
Therapies: AT, AF

AUTO  
PVARP

RVtip - Can  
Pacing polarity: LV

LV->RV  
0 ms

V pacing and V-V pace delay

AUTO  
Pacing polarity: RA, RV

**Rx Only**  
FCC ID: LFSBLEIMPLANT2

STERILE EO

55 °C  
131 °F

-18 °C  
0 °F

Medtronic, Inc., 710 Medtronic Parkway, Minneapolis, MN 55432 USA  
Manufactured in: Juncos, Puerto Rico, USA  
Product of USA  
www.medtronic.com

M968371A001 B - M970299A001 A

Shelf Box Label

**Medtronic** OAE-DDDR

Percepta™ CRT-P MRI SureScan™ W1TR01

3x IS-1 BI

REF W1TR01  
SN WWW000000W  
2000-00-00  
2000-00-00

(01)0000000000000(17)000000(21)WWW000000W

M968371A001 B - M970299A001 A

End Label 1

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™

CRT-P

(Model) W1TR01  
SN WWW000000W  
2000-00-00  
2000-00-00  
REF W1TR01

RA, IS-1  
RV, IS-1  
LV, IS-1

OAE-DDDR

ACCELEROMETER

MR Conditional

Burst+: RA  
Ramp: RA

Package contents: 1x Implantable device, Torque wrench

**DDD**

Upper tracking rate and lower rate  
 ↑ 130 bpm  
 ↓ 50 bpm

Amplitude and pulse width: RV  
 ↓ 3.5 V  
 ↔ 0.4 ms

Amplitude and pulse width: LV  
 ↓ 3.5 V  
 ↔ 0.4 ms

A-V interval (paced and sensed)  
 → 130 ms  
 → 100 ms

Amplitude and pulse width: RA  
 ↓ 3.5 V  
 ↔ 0.4 ms

Adaptive

AUTO  
Sensing polarity: RA, RV

OFF  
Therapies: AT, AF

AUTO  
PVARP

RVtip - Can  
Pacing polarity: LV

LV->RV  
0 ms

V pacing and V-V pace delay

AUTO  
Pacing polarity: RA, RV

**Rx Only**  
FCC ID: LFSBLEIMPLANT2

STERILE EO

55 °C  
131 °F

-18 °C  
0 °F

Medtronic, Inc., 710 Medtronic Parkway, Minneapolis, MN 55432 USA  
Manufactured in: Juncos, Puerto Rico, USA  
www.medtronic.com

M968371A001 B - M970299A001 A

Sterile Pack Label

**Medtronic** OAE-DDDR

Percepta™ CRT-P MRI SureScan™ W1TR01

3x IS-1 BI

• EffectivCRT™ Diagnostic  
• EffectivCRT™ During AF Algorithm  
• AdaptivCRT™ Algorithm  
• PhysioCurve™ Design

REF W1TR01  
SN WWW000000W  
2000-00-00  
2000-00-00

M968371A001 B - M970299A001 A

PIN: W0WW00000W

End Label 2

M968371A001 B - M970299A001 A

2000-00-00  
YYYY-MM-DD

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

Medtronic W1TR01 Percepta™ CRT-P MRI SureScan™ SN WWW000000W

FYR Labels

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™ W1TR01

Implementation date: 2000-00-00  
YYYY-MM-DD

REF W1TR01

SN WWW000000W

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™ W1TR01

Implementation date: 2000-00-00  
YYYY-MM-DD

SN WWW000000W

**Medtronic** **Bluetooth**

Percepta™ CRT-P MRI SureScan™ W1TR01

Implementation date: 2000-00-00  
YYYY-MM-DD

SN WWW000000W

**SPEC TAB**  
**A86274-002**

NOTE: IMAGES NOT TO SCALE  
LABEL IMAGE SPEC TEMPLATE: A83320 REV C

PART NUMBER	REV	SHEET
A86274	B	3 of 3