


~~/P~~ MEDTRONIC 2090 PWR OUT C-05
REF -50.0 dBm ATTEN 10 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR




CENTER 403.27 MHz SPAN 10.05 MHz
#RES BW 1.0 MHz #VBW 1 MHz #SWP 20 msec

~~/P~~ MEDTRONIC 2090 PWR OUT C-10
REF -50.0 dBm ATTEN 10 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR




CENTER 404.85 MHz SPAN 10.05 MHz
#RES BW 1.0 MHz #VBW 1 MHz #SWP 20 msec

1/0 MEDTRONIC 2090 PWR OUT C-01
REF -50.0 dBm ATTEN 10 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR



CENTER 402.16 MHz
#RES BW 1.0 MHz


#VBW 1 MHz

SPAN 10.05 MHz
#SWP 20 msec

1/0 MEDTRONIC 2090 PWR OUT C-05
REF -50.0 dBm ATTEN 10 dB

PEAK
LOG
5
dB/

VA SB
SC FC
CORR




CENTER 403.27 MHz
#RES BW 1.0 MHz

#VBW 1 MHz


SPAN 10.05 MHz
#SWP 20 msec

1/1 MEDTRONIC 2090 PWR OUT C-05 ANTENNA 0 MKR 403.37 MHz
REF -50.0 dBm ATTEN 10 dB -50.33 dBm




CENTER 403.37 MHz SPAN 10.05 MHz
#RES BW 1.0 MHz #VBW 1 MHz #SWP 20 msec

1/1 MEDTRONIC 2090 PWR OUT C-05 ANTENNA 1
REF -50.0 dBm ATTEN 10 dB



CENTER 403.37 MHz SPAN 10.05 MHz
#RES BW 1.0 MHz #VBW 1 MHz #SWP 20 msec

Agilent



Freq/Channel

Center Freq
402.000000 MHz

Start Freq
401.500000 MHz

Stop Freq
402.500000 MHz


CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent



Freq/Channel

Center Freq
405.000000 MHz

Start Freq
404.500000 MHz

Stop Freq
405.500000 MHz


CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent



Print Setup

Printer Type
Custom

Define
Custom


Orientation
Portrait

Prints/Page
1 2

Eject Page

More
1 of 2

Agilent



Freq/Channel

Center Freq
403.350000 MHz

Start Freq
403.300000 MHz


Stop Freq
403.400000 MHz

CF Step
10.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	23.028	33.09	-	-	33.09	48.00	-14.91
2	22.516	32.56	-	-	32.56	48.00	-15.44
3	22.260	29.51	-	-	29.51	48.00	-18.49
4	23.541	31.45	-	-	31.45	48.00	-16.55
5	6.910	30.77	-	-	30.77	48.00	-17.23
6	7.167	31.29	-	-	31.29	48.00	-16.71
7	5.887	30.13	-	-	30.13	48.00	-17.87
8	.510	29.73	-	-	29.73	48.00	-18.27
9	8.190	31.11	-	-	31.11	48.00	-16.89
10	8.446	31.30	-	-	31.30	48.00	-16.70



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	22.527	39.60	-	-	39.60	48.00	-8.40
2	23.040	40.84	-	-	40.84	48.00	-7.16
3	23.552	39.19	-	-	39.19	48.00	-8.81
4	22.015	37.77	-	-	37.77	48.00	-10.23
5	22.783	35.85	-	-	35.85	48.00	-12.15
6	20.991	36.94	-	-	36.94	48.00	-11.06
7	22.271	35.32	-	-	35.32	48.00	-12.68
8	21.503	37.52	-	-	37.52	48.00	-10.48
9	22.784	35.97	-	-	35.97	48.00	-12.03
10	21.759	34.80	-	-	34.80	48.00	-13.20