



RADIATED EMISSIONS

DATA SHEETS for the TRANSMITTER PORTION

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	51.87	V	74	-22.13	Peak	2.31	135	
4824	49.35	V	54	-4.65	Avg	2.31	135	
7236	45.09	V	74	-28.91	Peak	1.88	135	
7236	35.39	V	54	-18.61	Avg	1.88	135	
9648	49.81	V	--	--	Peak	2.51	135	Not in Restricted Band
9648	40.44	V	--	--	Avg	2.51	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	48.97	V	74	-25.03	Peak	2.79	135	
4824	44.66	V	54	-9.34	Avg	2.79	135	
7236	44.67	V	74	-29.33	Peak	1.66	135	
7236	34.2	V	54	-19.8	Avg	1.66	135	
9648	48.44	V	--	--	Peak	1.57	135	Not in Restricted Band
9648	48.44	V	--	--	Avg	1.57	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	45.58	H	74	-28.42	Peak	2.55	135	
4824	42.08	H	54	-11.92	Avg	2.55	135	
7236	47.19	H	74	-26.81	Peak	1.86	135	
7236	38.57	H	54	-15.43	Avg	1.86	135	
9648	50.31	H	--	--	Peak	1.86	135	Not in Restricted Band
9648	43.75	H	--	--	Avg	1.86	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	46.13	H	74	-27.87	Peak	2.05	135	
4824	42.55	H	54	-11.45	Avg	2.05	135	
7236	46.35	H	74	-27.65	Peak	2.12	135	
7236	38.25	H	54	-15.75	Avg	2.12	135	
9648	49.42	H	--	--	Peak	1.98	135	Not in Restricted Band
9648	43.29	H	--	--	Avg	1.98	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	49.72	V	74	-24.28	Peak	1.56	180	
4874	47.33	V	54	-6.67	Avg	1.56	180	
7311	45.86	V	74	-28.14	Peak	1.53	225	
7311	37.97	V	54	-16.03	Avg	1.53	225	
9748	50.49	V	--	--	Peak	2.81	180	Not in Restricted Band
9748	45.58	V	--	--	Avg	2.81	180	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	49.48	V	74	-24.52	Peak	2.55	0	
4874	47.01	V	54	-6.99	Avg	2.55	0	
7311	46.56	V	74	-27.44	Peak	1.34	135	
7311	38.82	V	54	-15.18	Avg	1.34	135	
9748	50.15	V	--	--	Peak	2.19	135	Not in Restricted Band
9748	44.2	V	--	--	Avg	2.19	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	49.49	H	74	-24.51	Peak	1.92	135	
4874	47.58	H	54	-6.42	Avg	1.92	135	
7311	47.23	H	74	-26.77	Peak	1.54	135	
7311	39.71	H	54	-14.29	Avg	1.54	135	
9748	51.7	H	--	--	Peak	2.61	135	Not in Restricted Band
9748	47.2	H	--	--	Avg	2.61	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Mode

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	49.44	V	74	-24.56	Peak	1.89	135	
4924	47.21	V	54	-6.79	Avg	1.89	135	
7386	43.77	V	74	-30.23	Peak	2.32	135	
7386	29.65	V	54	-24.35	Avg	2.32	135	
9848	49.65	V	--	--	Peak	2.19	135	Not in Restricted Band
9848	43.94	V	--	--	Avg	2.19	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Belt Mode

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	46.81	V	74	-27.19	Peak	1.46	135	
4924	42.82	V	54	-11.18	Avg	1.46	135	
7386	45.73	V	74	-28.27	Peak	1.48	135	
7386	34.85	V	54	-19.15	Avg	1.48	135	
9848	48.73	V	--	--	Peak	1.39	135	Not in Restricted Band
9848	41.82	V	--	--	Avg	1.39	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	47.61	H	74	-26.39	Peak	1.96	135	
4924	45.04	H	54	-8.96	Avg	1.96	135	
7386	44.23	H	74	-29.77	Peak	1.53	135	
7386	32.43	H	54	-21.57	Avg	1.53	135	
9848	49.54	H	--	--	Peak	2.52	135	Not in Restricted Band
9848	43.24	H	--	--	Avg	2.52	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	45.21	H	74	-28.79	Peak	1.26	135	
4924	42.13	H	54	-11.87	Avg	1.26	135	
7386	42.2	H	74	-31.8	Peak	2.39	135	
7386	29.41	H	54	-24.59	Avg	2.39	135	
9848	48.36	H	--	--	Peak	2.26	135	Not in Restricted Band
9848	39.66	H	--	--	Avg	2.26	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	50.57	V	74	-23.43	Peak	2.55	180	
4824	48.77	V	54	-5.23	Avg	2.55	180	
7236	47.14	V	74	-26.86	Peak	1.52	135	
7236	40.47	V	54	-13.53	Avg	1.52	135	
9648	49.55	V	--	--	Peak	1.81	135	Not in Restricted Band
9648	44.65	V	--	--	Avg	1.81	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	49.41	H	74	-24.59	Peak	2.66	135	
4824	47.54	H	54	-6.46	Avg	2.66	135	
7236	43.54	H	74	-30.46	Peak	2.51	135	
7236	32.12	H	54	-21.88	Avg	2.51	135	
9648	49.87	H	--	--	Peak	1.73	135	Not in Restricted Band
9648	44.89	H	--	--	Avg	1.73	135	Not in Restricted Band
12060	46.91	H	74	-27.09	Peak	1.63	45	
12060	34.11	H	54	-19.89	Avg	1.63	45	
14472		H	74	-74	Peak			No Emission Detected
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission Detected
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission Detected
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission Detected
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission Detected
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	47.07	V	74	-26.93	Peak	2.01	135	
4874	44.23	V	54	-9.77	Avg	2.01	135	
7311	47.27	V	74	-26.73	Peak	1.78	180	
7311	40.53	V	54	-13.47	Avg	1.78	180	
9748	48.35	V	--	--	Peak	1.14	135	Not in Restricted Band
9748	38.32	V	--	--	Avg	1.14	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission
12185		V	54	-54	Avg			Detected
14622		V	--	--	Peak			No Emission
14622		V	--	--	Avg			Detected
17059		V	--	--	Peak			No Emission
17059		V	--	--	Avg			Detected
19496		V	74	-74	Peak			No Emission
19496		V	54	-54	Avg			Detected
21933		V	--	--	Peak			No Emission
21933		V	--	--	Avg			Detected
22001		V	74	-74	Peak			No Emission
22001		V	54	-54	Avg			Detected
24370		V	--	--	Peak			No Emission
24370		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	49.46	H	74	-24.54	Peak	2.01	135	
4874	47.39	H	54	-6.61	Avg	2.01	135	
7311	45.17	H	74	-28.83	Peak	2.87	180	
7311	36.28	H	54	-17.72	Avg	2.87	180	
9748	46.99	H	--	--	Peak	2.59	135	Not in Restricted Band
9748	36.46	H	--	--	Avg	2.59	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

**Channel 11 - 802.11 b Mode
 Transmit Mode - Belt Axis**

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	48.06	V	74	-25.94	Peak	2.56	135	
4924	45.22	V	54	-8.78	Avg	2.56	135	
7386	46.24	V	74	-27.76	Peak	1.88	135	
7386	37.88	V	54	-16.12	Avg	1.88	135	
9848	45.91	V	--	--	Peak	1.54	135	Not in Restricted Band
9848	37.38	V	--	--	Avg	1.54	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

**Channel 11 - 802.11 b Mode
 Transmit Mode - Belt Axis**

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	46.53	H	74	-27.47	Peak	2.87	135	
4924	42.6	H	54	-11.4	Avg	2.87	135	
7386	45.11	H	74	-28.89	Peak	2.44	135	
7386	33.03	H	54	-20.97	Avg	2.44	135	
9848	47.87	H	--	--	Peak	2.45	135	Not in Restricted Band
9848	40.27	H	--	--	Avg	2.45	135	Not in Restricted Band
12310	47.77	H	74	-26.23	Peak	1.71	135	
12310	34.55	H	54	-19.45	Avg	1.71	135	
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	48.34	V	74	-25.66	Peak	2.29	180	
4824	43.11	V	54	-10.89	Avg	2.29	180	
7236	45.37	V	74	-28.63	Peak	2.42	315	
7236	37.71	V	54	-16.29	Avg	2.42	315	
9648	47.89	V	--	--	Peak	1.45	135	Not in Restricted Band
9648	38.92	V	--	--	Avg	1.45	135	Not in Restricted Band
12060	47.09	V	74	-26.91	Peak	2.03	135	
12060	34.22	V	54	-19.78	Avg	2.03	135	
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	43.91	H	74	-30.09	Peak	1.88	135	
4824	39.17	H	54	-14.83	Avg	1.88	135	
7236	43.89	H	74	-30.11	Peak	2.99	315	
7236	31.95	H	54	-22.05	Avg	2.99	315	
9648	47.44	H	--	--	Peak	1.98	135	Not in Restricted Band
9648	35.94	H	--	--	Avg	1.98	135	Not in Restricted Band
12060	47.01	H	74	-26.99	Peak	1.95	135	
12060	34.08	H	54	-19.92	Avg	1.95	135	
14472		H	74	-74	Peak			No Emission Detected
14472		H	54	-54	Avg			
16884		H	--	--	Peak			No Emission Detected
16884		H	--	--	Avg			
19296		H	74	-74	Peak			No Emission Detected
19296		H	54	-54	Avg			
21708		H	--	--	Peak			No Emission Detected
21708		H	--	--	Avg			
24120		H	--	--	Peak			No Emission Detected
24120		H	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	45.3	V	74	-28.7	Peak	2.42	135	
4874	41.64	V	54	-12.36	Avg	2.42	135	
7311	44.31	V	74	-29.69	Peak	2.41	135	
7311	33.68	V	54	-20.32	Avg	2.41	135	
9748	47.81	V	--	--	Peak	2.42	135	Not in Restricted Band
9748	34.04	V	--	--	Avg	2.42	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission
12185		V	54	-54	Avg			Detected
14622		V	--	--	Peak			No Emission
14622		V	--	--	Avg			Detected
17059		V	--	--	Peak			No Emission
17059		V	--	--	Avg			Detected
19496		V	74	-74	Peak			No Emission
19496		V	54	-54	Avg			Detected
21933		V	--	--	Peak			No Emission
21933		V	--	--	Avg			Detected
22001		V	74	-74	Peak			No Emission
22001		V	54	-54	Avg			Detected
24370		V	--	--	Peak			No Emission
24370		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	45.73	V	74	-28.27	Peak	2.64	135	
4924	41.07	V	54	-12.93	Avg	2.64	135	
7386	44.08	V	74	-29.92	Peak	1.81	135	
7386	30.23	V	54	-23.77	Avg	1.81	135	
9848	46.84	V	--	--	Peak	1.81	180	Not in Restricted Band
9848	37.07	V	--	--	Avg	1.81	180	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	44.58	H	74	-29.42	Peak	2.41	135	
4924	40.59	H	54	-13.41	Avg	2.41	135	
7386	43.85	H	74	-30.15	Peak	1.99	135	
7386	31.42	H	54	-22.58	Avg	1.99	135	
9848	47.51	H	--	--	Peak	2.05	135	Not in Restricted Band
9848	38.66	H	--	--	Avg	2.05	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/07/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	44.82	V	74	-29.18	Peak	2.12	135	
4824	41.01	V	54	-12.99	Avg	2.12	135	
7236	45.33	V	74	-28.67	Peak	2.11	135	
7236	31.35	V	54	-22.65	Avg	2.11	135	
9648	51.83	V	--	--	Peak	1.09	135	Not in Restricted Band
9648	46.71	V	--	--	Avg	1.09	135	Not in Restricted Band
12060	46.96	V	74	-27.04	Peak	1.32	135	
12060	34.76	V	54	-19.24	Avg	1.32	135	
14472	53.26	V	74	-20.74	Peak	1.61	135	
14472	39.98	V	54	-14.02	Avg	1.61	135	
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/07/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	49.55	H	74	-24.45	Peak	1.25	135	
4824	46.51	H	54	-7.49	Avg	1.25	135	
7236	44.53	H	74	-29.47	Peak	1.61	135	
7236	30.98	H	54	-23.02	Avg	1.61	135	
9648	51.06	H	--	--	Peak	1.69	135	Not in Restricted Band
9648	46.21	H	--	--	Avg	1.69	135	Not in Restricted Band
12060	48.01	H	74	-25.99	Peak	1.77	135	
12060	34.51	H	54	-19.49	Avg	1.77	135	
14472		H	74	-74	Peak			No Emission Detected
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission Detected
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission Detected
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission Detected
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission Detected
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/07/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	46.99	V	74	-27.01	Peak	1.19	135	
4874	43.53	V	54	-10.47	Avg	1.19	135	
7311	45.34	V	74	-28.66	Peak	1	135	
7311	33.66	V	54	-20.34	Avg	1	135	
9748	47.99	V	--	--	Peak	1.17	135	Not in Restricted Band
9748	41.49	V	--	--	Avg	1.17	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/07/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	50.97	H	74	-23.03	Peak	1	135	
4874	48.25	H	54	-5.75	Avg	1	135	
7311	46.65	H	74	-27.35	Peak	2.02	135	
7311	36.87	H	54	-17.13	Avg	2.02	135	
9748	50.09	H	--	--	Peak	1.27	135	Not in Restricted Band
9748	44.58	H	--	--	Avg	1.27	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/07/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	45.71	V	74	-28.29	Peak	2.31	135	
4924	42.01	V	54	-11.99	Avg	2.31	135	
7386	43.94	V	74	-30.06	Peak	1.04	135	
7386	33.64	V	54	-20.36	Avg	1.04	135	
9848	49.95	V	--	--	Peak	1.36	135	Not in Restricted Band
9848	44.04	V	--	--	Avg	1.36	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/07/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	49.89	H	74	-24.11	Peak	1.77	135	
4924	47.48	H	54	-6.52	Avg	1.77	135	
7386	45.31	H	74	-28.69	Peak	1.91	135	
7386	31.53	H	54	-22.47	Avg	1.91	135	
9848	52.64	H	--	--	Peak	1.85	315	Not in Restricted Band
9848	49.71	H	--	--	Avg	1.85	315	Not in Restricted Band
12310	47.31	H	74	-26.69	Peak	1.38	90	
12310	34.84	H	54	-19.16	Avg	1.38	90	
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	43.36	V	74	-30.64	Peak	1.41	135	
4824	38.59	V	54	-15.41	Avg	1.41	135	
7236	44.53	V	74	-29.47	Peak	1.34	135	
7236	32.16	V	54	-21.84	Avg	1.34	135	
9648	49.72	V	--	--	Peak	1.54	135	Not in Restricted Band
9648	40.86	V	--	--	Avg	1.54	135	Not in Restricted Band
12060	47.02	V	74	-26.98	Peak	1.54	135	
12060	34.59	V	54	-19.41	Avg	1.54	135	
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	45.84	H	74	-28.16	Peak	2.61	135	
4824	42.68	H	54	-11.32	Avg	2.61	135	
7236	43.32	H	74	-30.68	Peak	1.96	22	
7236	31.71	H	54	-22.29	Avg	1.96	225	
9648	47.64	H	--	--	Peak	1.89	135	Not in Restricted Band
9648	35.32	H	--	--	Avg	1.89	135	Not in Restricted Band
12060	47.11	H	74	-26.89	Peak	1.38	135	
12060	34.51	H	54	-19.49	Avg	1.38	135	
14472		H	74	-74	Peak			No Emission Detected
14472		H	54	-54	Avg			
16884		H	--	--	Peak			No Emission Detected
16884		H	--	--	Avg			
19296		H	74	-74	Peak			No Emission Detected
19296		H	54	-54	Avg			
21708		H	--	--	Peak			No Emission Detected
21708		H	--	--	Avg			
24120		H	--	--	Peak			No Emission Detected
24120		H	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	44.92	V	74	-29.08	Peak	2.04	135	
4874	40.41	V	54	-13.59	Avg	2.04	135	
7311	42.05	V	74	-31.95	Peak	1.31	135	
7311	30.45	V	54	-23.55	Avg	1.31	135	
9748	48.45	V	--	--	Peak	1.32	135	Not in Restricted Band
9748	41.51	V	--	--	Avg	1.32	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission
12185		V	54	-54	Avg			Detected
14622		V	--	--	Peak			No Emission
14622		V	--	--	Avg			Detected
17059		V	--	--	Peak			No Emission
17059		V	--	--	Avg			Detected
19496		V	74	-74	Peak			No Emission
19496		V	54	-54	Avg			Detected
21933		V	--	--	Peak			No Emission
21933		V	--	--	Avg			Detected
22001		V	74	-74	Peak			No Emission
22001		V	54	-54	Avg			Detected
24370		V	--	--	Peak			No Emission
24370		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	45.04	V	74	-28.96	Peak	1.01	135	
4924	40.66	V	54	-13.34	Avg	1.01	135	
7386	42.27	V	74	-31.73	Peak	1.29	135	
7386	29.42	V	54	-24.58	Avg	1.29	135	
9848	47.98	V	--	--	Peak	1.11	315	Not in Restricted Band
9848	40.24	V	--	--	Avg	1.11	315	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	44.91	H	74	-29.09	Peak	2.24	135	
4924	40.85	H	54	-13.15	Avg	2.24	135	
7386	44.98	H	74	-29.02	Peak	1.76	135	
7386	35.08	H	54	-18.92	Avg	1.76	135	
9848	47.03	H	--	--	Peak	2.09	135	Not in Restricted Band
9848	39.53	H	--	--	Avg	2.09	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	44.94	V	74	-29.06	Peak	1.43	135	
4824	41.42	V	54	-12.58	Avg	1.43	135	
7236	43.74	V	74	-30.26	Peak	2.23	90	
7236	32.24	V	54	-21.76	Avg	2.23	90	
9648	48.84	V	--	--	Peak	2.13	135	Not in Restricted Band
9648	40.58	V	--	--	Avg	2.13	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	47.56	V	74	-26.44	Peak	2.82	135	
4824	45.04	V	54	-8.96	Avg	2.82	135	
7236	40.38	V	74	-33.62	Peak	1.91	180	
7236	27.96	V	54	-26.04	Avg	1.91	180	
9648	44.07	V	--	--	Peak	1.76	135	Not in Restricted Band
9648	31.48	V	--	--	Avg	1.76	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode

Setting = 42,000 Feedback Value = (0X65B5)

Transmit Mode - Charging Axis

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	54.32	V	74	-19.68	Peak	1.23	135	
4824	52.89	V	54	-1.11	Avg	1.23	135	
7236	43.74	V	74	-30.26	Peak	2.21	135	
7236	33.41	V	54	-20.59	Avg	2.21	315	
9648	49.52	V	--	--	Peak	2.21	135	Not in Restricted Band
9648	43.23	V	--	--	Avg	2.12	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	45.77	H	74	-28.23	Peak	1.83	135	
4824	42.21	H	54	-11.79	Avg	1.83	135	
7236	40.58	H	74	-33.42	Peak	1.94	135	
7236	28.08	H	54	-25.92	Avg	1.94	135	
9648	47.04	H	--	--	Peak	1.49	125	Not in Restricted Band
9648	33.73	H	--	--	Avg	1.49	125	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	49.31	H	74	-24.69	Peak	2.63	90	
4824	46.97	H	54	-7.03	Avg	2.63	90	
7236	43.26	H	74	-30.74	Peak	2.16	180	
7236	32.71	H	54	-21.29	Avg	2.16	180	
9648	49.28	H	--	--	Peak	1.95	135	Not in Restricted Band
9648	42.12	H	--	--	Avg	1.95	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 b Mode

Setting = 42,000 Feedback Value = (0X65B5)

Transmit Mode - Charging Axis

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	49.65	H	74	-24.35	Peak	1.58	90	
4824	48.31	H	54	-5.69	Avg	1.58	90	
7236	43.25	H	74	-30.75	Peak	2.08	45	
7236	30.65	H	54	-23.35	Avg	2.08	45	
9648	47.52	H	--	--	Peak	2.23	270	Not in Restricted Band
9648	38.71	H	--	--	Avg	2.23	270	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	47.15	V	74	-26.85	Peak	1.55	180	
4874	44.81	V	54	-9.19	Avg	1.55	180	
7311	43.43	V	74	-30.57	Peak	1.39	180	
7311	34.02	V	54	-19.98	Avg	1.39	180	
9748	46.72	V	--	--	Peak	2.09	225	Not in Restricted Band
9748	36.79	V	--	--	Avg	2.09	225	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	48.93	V	74	-25.07	Peak	1.22	135	
4874	47.03	V	54	-6.97	Avg	1.22	135	
7311	45.21	V	74	-28.79	Peak	2.12	0	
7311	34.75	V	54	-19.25	Avg	2.12	0	
9748	49.47	V	--	--	Peak	2.46	180	Not in Restricted Band
9748	42.72	V	--	--	Avg	2.46	180	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Charging Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	52.14	V	74	-21.86	Peak	2.21	135	
4874	50.83	V	54	-3.17	Avg	2.21	135	
7311	44.34	V	74	-29.66	Peak	2.59	135	
7311	33.55	V	54	-20.45	Avg	2.59	135	
9748	46.42	V	--	--	Peak	2.07	135	Not in Restricted Band
9748	35.34	V	--	--	Avg	2.07	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	48.47	H	74	-25.53	Peak	1.88	135	
4874	45.97	H	54	-8.03	Avg	1.88	135	
7311	44.61	H	74	-29.39	Peak	2.45	190	
7311	31.52	H	54	-22.48	Avg	2.45	190	
9748	47.17	H	--	--	Peak	2.14	90	Not in Restricted Band
9748	36.41	H	--	--	Avg	2.14	90	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development

Radio 802.11 b/g Phaser

Model: WL261176

Configuration: In the OC2-L Printer

Date: 11/11/06

Lab: B

Tested By: Kyle Fujimoto

**Channel 6 - 802.11 b Mode
Transmit Mode - Belt Axis**

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	48.11	H	74	-25.89	Peak	2.54	180	
4874	45.07	H	54	-8.93	Avg	2.54	180	
7311	46.29	H	74	-27.71	Peak	2.71	90	
7311	37.71	H	54	-16.29	Avg	2.71	90	
9748	47.67	H	--	--	Peak	2.51	225	Not in Restricted Band
9748	40.62	H	--	--	Avg	2.51	225	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 b Mode
Transmit Mode - Charging Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	49.91	H	74	-24.09	Peak	1.94	135	
4874	48.43	H	54	-5.57	Avg	1.94	135	
7311	45.11	H	74	-28.89	Peak	2.15	180	
7311	35.63	H	54	-18.37	Avg	2.15	180	
9748	47.59	H	--	--	Peak	2.13	135	Not in Restricted Band
9748	38.44	H	--	--	Avg	2.13	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	43.36	V	74	-30.64	Peak	2.24	150	
4924	38.31	V	54	-15.69	Avg	2.24	150	
7386	44.44	V	74	-29.56	Peak	1.82	150	
7386	28.95	V	54	-25.05	Avg	1.82	150	
9848	46.32	V	--	--	Peak	1.82	150	Not in Restricted Band
9848	36.03	V	--	--	Avg	1.82	150	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	47.18	V	74	-26.82	Peak	1.69	225	
4924	44.61	V	54	-9.39	Avg	1.69	225	
7386	45.51	V	74	-28.49	Peak	2.18	135	
7386	32.81	V	54	-21.19	Avg	2.18	135	
9848	48.93	V	--	--	Peak	2.08	180	Not in Restricted Band
9848	42.21	V	--	--	Avg	2.08	180	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Charging Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	46.98	V	74	-27.02	Peak	2.58	135	
4924	42.27	V	54	-11.73	Avg	2.58	135	
7386	43.92	V	74	-30.08	Peak	2.11	135	
7386	33.08	V	54	-20.92	Avg	2.11	135	
9848	46.02	V	--	--	Peak	1.47	135	Not in Restricted Band
9848	30.39	V	--	--	Avg	1.47	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	47.16	H	74	-26.84	Peak	2.07	135	
4924	39.31	H	54	-14.69	Avg	2.07	135	
7386	42.16	H	74	-31.84	Peak	1.59	135	
7386	31.32	H	54	-22.68	Avg	1.59	135	
9848	46.92	H	--	--	Peak	2.18	90	Not in Restricted Band
9848	36.26	H	--	--	Avg	2.18	90	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	46.74	H	74	-27.26	Peak	2.22	270	
4924	42.82	H	54	-11.18	Avg	2.22	270	
7386	45.34	H	74	-28.66	Peak	2.72	225	
7386	36.66	H	54	-17.34	Avg	2.72	225	
9848	46.44	H	--	--	Peak	1.56	90	Not in Restricted Band
9848	35.99	H	--	--	Avg	1.56	90	Not in Restricted Band
12310	47.51	H	74	-26.49	Peak	1.49	180	
12310	34.65	H	54	-19.35	Avg	1.49	180	
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 b Mode
Transmit Mode - Charging Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	48.93	H	74	-25.07	Peak	2.47	135	
4924	46.85	H	54	-7.15	Avg	2.47	135	
7386	42.44	H	74	-31.56	Peak	2.42	135	
7386	32.93	H	54	-21.07	Avg	2.42	135	
9848	46.05	H	--	--	Peak	2.06	135	Not in Restricted Band
9848	36.02	H	--	--	Avg	2.06	135	Not in Restricted Band
12310	47.26	H	74	-26.74	Peak	1.83	135	
12310	34.51	H	54	-19.49	Avg	1.83	135	
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	39.75	V	74	-34.25	Peak	1.83	135	
4824	23.93	V	54	-30.07	Avg	1.83	135	
7236	46.11	V	74	-27.89	Peak	2.56	135	
7236	32.26	V	54	-21.74	Avg	2.56	135	
9648	48.05	V	74	-25.95	Peak	1.38	180	Not in Restricted Band
9648	35.81	V	54	-18.19	Avg	1.38	180	Not in Restricted Band
12060	47.01	V	74	-26.99	Peak	2.27	135	
12060	35.01	V	54	-18.99	Avg	2.27	135	
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	44.84	H	74	-29.16	Peak	2.03	135	
4824	31.14	H	54	-22.86	Avg	2.03	135	
7236	44.41	H	74	-29.59	Peak	2.56	135	
7236	30.65	H	54	-23.35	Avg	2.56	135	
9648	44.42	H	74	-29.58	Peak	2.26	135	Not in Restricted Band
9648	32.59	H	54	-21.41	Avg	2.26	135	Not in Restricted Band
12060		H	74	-74	Peak	2.27	135	No Emission
12060		H	54	-54	Avg	2.27	135	Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	46.01	V	74	-27.99	Peak	1.96	225	
4874	34.25	V	54	-19.75	Avg	1.96	225	
7311	45.98	V	74	-28.02	Peak	1.44	135	
7311	32.12	V	54	-21.88	Avg	1.44	135	
9748	46.19	V	--	--	Peak	1.75	135	Not in Restricted Band
9748	32.39	V	--	--	Avg	1.75	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	45.32	H	74	-28.68	Peak	2.02	135	
4874	32.07	H	54	-21.93	Avg	2.02	135	
7311	44.73	H	74	-29.27	Peak	1.72	90	
7311	28.99	H	54	-25.01	Avg	1.72	90	
9748	46.19	H	--	--	Peak	2.45	225	Not in Restricted Band
9748	32.11	H	--	--	Avg	2.45	225	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	46.66	V	74	-27.34	Peak	1.78	180	
4924	33.14	V	54	-20.86	Avg	1.78	180	
7386	44.7	V	74	-29.3	Peak	2.34	135	
7386	29.6	V	54	-24.4	Avg	2.34	135	
9848	47.76	V	74	-26.24	Peak	2.29	135	Not in Restricted Band
9848	38.19	V	54	-15.81	Avg	2.29	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	46.49	H	74	-27.51	Peak	1.54	135	
4924	32.55	H	54	-21.45	Avg	1.54	135	
7386	42.73	H	74	-31.27	Peak	1	135	
7386	29.53	H	54	-24.47	Avg	1	135	
9848	45.48	H	74	-28.52	Peak	1.98	135	Not in Restricted Band
9848	32.79	H	54	-21.21	Avg	1.98	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	40.36	V	74	-33.64	Peak	2.77	135	
4824	28.31	V	54	-25.69	Avg	2.77	135	
7236	45.43	V	74	-28.57	Peak	2.56	135	
7236	32.07	V	54	-21.93	Avg	2.56	135	
9648	47.39	V	74	-26.61	Peak	2.41	135	Not in Restricted Band
9648	36.26	V	54	-17.74	Avg	2.41	135	Not in Restricted Band
12060		V	74	-74	Peak	2.27	135	No Emission Detected
12060		V	54	-54	Avg	2.27	135	No Emission Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			No Emission Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			No Emission Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			No Emission Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			No Emission Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			No Emission Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	39.93	H	74	-34.07	Peak	3.12	135	
4824	25.82	H	54	-28.18	Avg	3.12	135	
7236	42.88	H	74	-31.12	Peak	2.56	135	
7236	28.72	H	54	-25.28	Avg	2.56	135	
9648	46.69	H	74	-27.31	Peak	2.1	135	Not in Restricted Band
9648	34.38	H	54	-19.62	Avg	2.1	135	Not in Restricted Band
12060		H	74	-74	Peak	2.27	135	No Emission
12060		H	54	-54	Avg	2.27	135	Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	44.31	V	74	-29.69	Peak	1	135	
4874	29.83	V	54	-24.17	Avg	1	135	
7311	46.41	V	74	-27.59	Peak	1.25	135	
7311	32.87	V	54	-21.13	Avg	1.25	135	
9748	47.01	V	--	--	Peak	1.71	135	Not in Restricted Band
9748	35.77	V	--	--	Avg	1.71	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	42.89	H	74	-31.11	Peak	1	135	
4874	30.39	H	54	-23.61	Avg	1	135	
7311	45.31	H	74	-28.69	Peak	1	135	
7311	32.21	H	54	-21.79	Avg	1	135	
9748	45.49	H	--	--	Peak	1.71	135	Not in Restricted Band
9748	32.22	H	--	--	Avg	1.71	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	40.62	V	74	-33.38	Peak	1.57	135	
4924	28.05	V	54	-25.95	Avg	1.57	135	
7386	42.58	V	74	-31.42	Peak	1.22	135	
7386	28.74	V	54	-25.26	Avg	1.22	135	
9848	46.23	V	74	-27.77	Peak	1.59	135	Not in Restricted Band
9848	34.79	V	54	-19.21	Avg	1.59	135	Not in Restricted Band
12310	48.07	V	74	-25.93	Peak	1.33	135	
12310	34.75	V	54	-19.25	Avg	1.33	135	
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the LP3-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	43.11	H	74	-30.89	Peak	1	135	
4924	29.76	H	54	-24.24	Avg	1	135	
7386	43.85	H	74	-30.15	Peak	2.08	135	
7386	29.21	H	54	-24.79	Avg	2.08	135	
9848	46.13	H	74	-27.87	Peak	1.79	135	Not in Restricted Band
9848	31.311	H	54	-22.689	Avg	1.79	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	43.87	V	74	-30.13	Peak	1.54	225	
4824	29.09	V	54	-24.91	Avg	1.54	225	
7236	47.21	V	74	-26.79	Peak	1.54	135	
7236	33.09	V	54	-20.91	Avg	1.54	135	
9648	47.12	V	74	-26.88	Peak	2.88	135	Not in Restricted Band
9648	38.31	V	54	-15.69	Avg	2.88	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	46.58	H	74	-27.42	Peak	2.86	135	
4824	35.09	H	54	-18.91	Avg	2.86	135	
7236	43.01	H	74	-30.99	Peak	1.96	135	
7236	28.23	H	54	-25.77	Avg	1.96	135	
9648	47.69	H	74	-26.31	Peak	1.76	135	Not in Restricted Band
9648	37.95	H	54	-16.05	Avg	1.76	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	45.51	V	74	-28.49	Peak	2.48	135	
4874	31.05	V	54	-22.95	Avg	2.48	135	
7311	47.93	V	74	-26.07	Peak	1.89	135	
7311	34.54	V	54	-19.46	Avg	1.89	135	
9748	46.22	V	--	--	Peak	1.94	180	Not in Restricted Band
9748	34.96	V	--	--	Avg	1.94	180	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			Not in Restricted Band
24370		V	--	--	Avg			Not in Restricted Band

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	46.28	H	74	-27.72	Peak	1.85	135	
4874	31.69	H	54	-22.31	Avg	1.85	135	
7311	45.85	H	74	-28.15	Peak	2.78	180	
7311	30.35	H	54	-23.65	Avg	2.78	180	
9748	47.02	H	--	--	Peak	1.66	135	Not in Restricted Band
9748	37.01	H	--	--	Avg	1.66	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			Not in Restricted Band
24370		H	--	--	Avg			Not in Restricted Band

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	42.38	V	74	-31.62	Peak	1.75	135	
4924	28.17	V	54	-25.83	Avg	1.75	135	
7386	47.17	V	74	-26.83	Peak	2.01	153	
7386	33.57	V	54	-20.43	Avg	2.01	135	
9848	46.56	V	74	-27.44	Peak	1.94	135	Not in Restricted Band
9848	37.11	V	54	-16.89	Avg	1.94	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	42.62	H	74	-31.38	Peak	1.95	135	
4924	32.65	H	54	-21.35	Avg	1.95	135	
7386	41.48	H	74	-32.52	Peak	2.21	135	
7386	29.29	H	54	-24.71	Avg	2.21	135	
9848	47.61	H	74	-26.39	Peak	1.53	135	Not in Restricted Band
9848	37.21	H	54	-16.79	Avg	1.53	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	40.98	V	74	-33.02	Peak	1.91	135	
4824	27.01	V	54	-26.99	Avg	1.91	135	
7236	41.11	V	74	-32.89	Peak	1.74	180	
7236	27.98	V	54	-26.02	Avg	1.74	180	
9648	47.23	V	74	-26.77	Peak	2.53	135	Not in Restricted Band
9648	38.89	V	54	-15.11	Avg	2.53	135	Not in Restricted Band
12060	45.63	V	74	-28.37	Peak	2.35	135	
12060	34.19	V	54	-19.81	Avg	2.35	135	
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	42.2	H	74	-31.8	Peak	2.48	135	
4824	27.01	H	54	-26.99	Avg	2.48	135	
7236	43.74	H	74	-30.26	Peak	1.73	135	
7236	29.04	H	54	-24.96	Avg	1.73	135	
9648	43.05	H	74	-30.95	Peak	1.83	135	Not in Restricted Band
9648	32.78	H	54	-21.22	Avg	1.83	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 54,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	44.01	V	74	-29.99	Peak	2.52	135	
4874	29.74	V	54	-24.26	Avg	2.52	135	
7311	44.14	V	74	-29.86	Peak	1.83	135	
7311	30.5	V	54	-23.5	Avg	1.83	135	
9748	45.71	V	--	--	Peak	2.16	135	Not in Restricted Band
9748	31.14	V	--	--	Avg	2.16	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 54,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	42.88	H	74	-31.12	Peak	1.79	135	
4874	29.74	H	54	-24.26	Avg	1.79	135	
7311	45.15	H	74	-28.85	Peak	2.79	180	
7311	31.88	H	54	-22.12	Avg	2.79	180	
9748	43.92	H	--	--	Peak	1.67	135	Not in Restricted Band
9748	31.31	H	--	--	Avg	1.67	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	40.19	V	74	-33.81	Peak	2.44	135	
4924	26.77	V	54	-27.23	Avg	2.44	135	
7386	44.55	V	74	-29.45	Peak	2.21	135	
7386	28.96	V	54	-25.04	Avg	2.21	135	
9848	46.75	V	74	-27.25	Peak	1.77	135	Not in Restricted Band
9848	31.56	V	54	-22.44	Avg	1.77	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF2t-L Printer

Date: 11/09/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	39.83	H	74	-34.17	Peak	2.21	135	
4924	27.02	H	54	-26.98	Avg	2.21	135	
7386	42.04	H	74	-31.96	Peak	2.02	135	
7386	28.79	H	54	-25.21	Avg	2.02	135	
9848	45.52	H	74	-28.48	Peak	1.71	135	Not in Restricted Band
9848	31.37	H	54	-22.63	Avg	1.71	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	48.49	V	74	-25.51	Peak	1.45	90	
4824	35.28	V	54	-18.72	Avg	1.45	90	
7236	47.18	V	74	-26.82	Peak	2.39	180	
7236	32.25	V	54	-21.75	Avg	2.39	180	
9648	49.26	V	74	-24.74	Peak	1.25	180	Not in Restricted Band
9648	37.44	V	54	-16.56	Avg	1.25	180	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	45.79	H	74	-28.21	Peak	1.83	135	
4824	35.42	H	54	-18.58	Avg	1.83	135	
7236	41.68	H	74	-32.32	Peak	2.07	135	
7236	28.68	H	54	-25.32	Avg	2.07	135	
9648	50.81	H	74	-23.19	Peak	1.85	135	Not in Restricted Band
9648	46.23	H	54	-7.77	Avg	1.85	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	41.82	V	74	-32.18	Peak	2.19	225	
4874	31.68	V	54	-22.32	Avg	2.19	225	
7311	43.38	V	74	-30.62	Peak	1.07	135	
7311	31.66	V	54	-22.34	Avg	1.07	135	
9748	47.68	V	--	--	Peak	1.52	135	Not in Restricted Band
9748	38.97	V	--	--	Avg	1.52	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			Not in Restricted Band
24370		V	--	--	Avg			Not in Restricted Band

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 54,000 Feedback Value = (0X5526)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	49.51	H	74	-24.49	Peak	1.62	135	
4874	35.61	H	54	-18.39	Avg	1.62	135	
7311	42.54	H	74	-31.46	Peak	1.38	135	
7311	29.59	H	54	-24.41	Avg	1.38	135	
9748	51.63	H	--	--	Peak	1.85	225	Not in Restricted Band
9748	46.35	H	--	--	Avg	1.85	225	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			Not in Restricted Band
24370		H	--	--	Avg			Not in Restricted Band

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	43.28	V	74	-30.72	Peak	1.34	135	
4924	33.41	V	54	-20.59	Avg	1.34	135	
7386	42.67	V	74	-31.33	Peak	1.89	90	
7386	29.68	V	54	-24.32	Avg	1.89	90	
9848	47.62	V	74	-26.38	Peak	1.39	135	Not in Restricted Band
9848	39.19	V	54	-14.81	Avg	1.39	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the MF4t-L Printer

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	48.21	H	74	-25.79	Peak	1.61	135	
4924	34.94	H	54	-19.06	Avg	1.61	135	
7386	42.41	H	74	-31.59	Peak	1.21	135	
7386	30.09	H	54	-23.91	Avg	1.21	135	
9848	49.91	H	74	-24.09	Peak	1.41	135	Not in Restricted Band
9848	42.82	H	54	-11.18	Avg	1.41	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF4t-L

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	43.65	V	74	-30.35	Peak	1.83	135	
4824	26.38	V	54	-27.62	Avg	1.83	135	
7236	47.21	V	74	-26.79	Peak	1.25	150	
7236	33.26	V	54	-20.74	Avg	1.25	150	
9648	48.58	V	74	-25.42	Peak	1.38	180	Not in Restricted Band
9648	35.62	V	54	-18.38	Avg	1.38	180	Not in Restricted Band
12060	47.65	V	74	-26.35	Peak	2.25	135	
12060	36.58	V	54	-17.42	Avg	2.25	135	
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF4t-L

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 52,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	46.85	H	74	-27.15	Peak	2.12	180	
4824	33.26	H	54	-20.74	Avg	2.12	180	
7236	47.35	H	74	-26.65	Peak	2.25	135	
7236	33.25	H	54	-20.75	Avg	2.25	135	
9648	44.41	H	74	-29.59	Peak	1.36	135	Not in Restricted Band
9648	32.57	H	54	-21.43	Avg	1.36	135	Not in Restricted Band
12060		H	74	-74	Peak	2.28	135	No Emission
12060		H	54	-54	Avg	2.28	135	Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF4t-L

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 54,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	45.21	V	74	-28.79	Peak	1.95	225	
4874	33.36	V	54	-20.64	Avg	1.95	225	
7311	46.02	V	74	-27.98	Peak	1.46	135	
7311	33.25	V	54	-20.75	Avg	1.46	135	
9748	47.15	V	--	--	Peak	1.98	135	Not in Restricted Band
9748	33.29	V	--	--	Avg	1.98	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF4t-L

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 54,000 Feedback Value = (0X6725)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	44.31	H	74	-29.69	Peak	2.05	150	
4874	31.25	H	54	-22.75	Avg	2.05	150	
7311	43.36	H	74	-30.64	Peak	1.73	90	
7311	27.36	H	54	-26.64	Avg	1.73	90	
9748	47.69	H	--	--	Peak	2.56	225	Not in Restricted Band
9748	36.59	H	--	--	Avg	2.56	225	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF4t-L

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	48.65	V	74	-25.35	Peak	1.82	180	
4924	35.69	V	54	-18.31	Avg	1.82	180	
7386	46.15	V	74	-27.85	Peak	2.36	135	
7386	31.25	V	54	-22.75	Avg	2.36	135	
9848	49.35	V	74	-24.65	Peak	2.56	135	Not in Restricted Band
9848	40.15	V	54	-13.85	Avg	2.56	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: MF4t-L

Date: 11/06/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 53,500 Feedback Value = (0X753E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	48.46	H	74	-25.54	Peak	1.64	135	
4924	34.52	H	54	-19.48	Avg	1.64	135	
7386	43.59	H	74	-30.41	Peak	1.02	135	
7386	30.25	H	54	-23.75	Avg	1.02	135	
9848	46.26	H	74	-27.74	Peak	2.12	135	Not in Restricted Band
9848	33.21	H	54	-20.79	Avg	2.12	135	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	41.34	V	74	-32.66	Peak	2.74	135	
4824	27.72	V	54	-26.28	Avg	2.74	135	
7236	44.31	V	74	-29.69	Peak	2.27	135	
7236	30.01	V	54	-23.99	Avg	2.27	135	
9648	45.08	V	--	--	Peak	1.67	135	Not in Restricted Band
9648	31.91	V	--	--	Avg	1.67	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	43.26	V	74	-30.74	Peak	1.88	135	
4824	31.05	V	54	-22.95	Avg	1.88	135	
7236	40.89	V	74	-33.11	Peak	1.97	90	
7236	29.83	V	54	-24.17	Avg	1.97	90	
9648	46.18	V	--	--	Peak	1.67	135	Not in Restricted Band
9648	31.99	V	--	--	Avg	1.67	135	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			Detected
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			Detected
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			Detected
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			Detected
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			Detected
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode

Setting = 42,000 Feedback Value = (0X65B5)

Transmit Mode - Charging Axis

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	42.15	V	74	-31.85	Peak	2.43	135	
4824	31.31	V	54	-22.69	Avg	2.43	135	
7236	42.55	V	74	-31.45	Peak	1.43	135	
7236	28.88	V	54	-25.12	Avg	1.43	135	
9648	45.37	V	--	--	Peak	1.27	180	Not in Restricted Band
9648	32.21	V	--	--	Avg	1.27	180	Not in Restricted Band
12060		V	74	-74	Peak			No Emission Detected
12060		V	54	-54	Avg			
14472		V	74	-74	Peak			No Emission Detected
14472		V	54	-54	Avg			
16884		V	--	--	Peak			No Emission Detected
16884		V	--	--	Avg			
19296		V	74	-74	Peak			No Emission Detected
19296		V	54	-54	Avg			
21708		V	--	--	Peak			No Emission Detected
21708		V	--	--	Avg			
24120		V	--	--	Peak			No Emission Detected
24120		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	45.25	H	74	-28.75	Peak	2.08	135	
4824	31.67	H	54	-22.33	Avg	2.08	135	
7236	42.21	H	74	-31.79	Peak	2.25	135	
7236	29.13	H	54	-24.87	Avg	2.25	135	
9648	42.12	H	--	--	Peak	2.25	90	Not in Restricted Band
9648	31.45	H	--	--	Avg	2.25	90	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 42,000 Feedback Value = (0X65B5)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	41.74	H	74	-32.26	Peak	2.36	135	
4824	31.71	H	54	-22.29	Avg	2.36	135	
7236	41.94	H	74	-32.06	Peak	1.61	135	
7236	29.77	H	54	-24.23	Avg	1.61	135	
9648	43.79	H	--	--	Peak	2.32	135	Not in Restricted Band
9648	31.15	H	--	--	Avg	2.32	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 1 - 802.11 g Mode

Setting = 42,000 Feedback Value = (0X65B5)

Transmit Mode - Charging Axis

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4824	43.23	H	74	-30.77	Peak	2.49	225	
4824	32.09	H	54	-21.91	Avg	2.49	225	
7236	42.66	H	74	-31.34	Peak	1.64	135	
7236	28.83	H	54	-25.17	Avg	1.64	135	
9648	43.33	H	--	--	Peak	1.56	135	Not in Restricted Band
9648	30.88	H	--	--	Avg	1.56	135	Not in Restricted Band
12060		H	74	-74	Peak			No Emission
12060		H	54	-54	Avg			Detected
14472		H	74	-74	Peak			No Emission
14472		H	54	-54	Avg			Detected
16884		H	--	--	Peak			No Emission
16884		H	--	--	Avg			Detected
19296		H	74	-74	Peak			No Emission
19296		H	54	-54	Avg			Detected
21708		H	--	--	Peak			No Emission
21708		H	--	--	Avg			Detected
24120		H	--	--	Peak			No Emission
24120		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	43.14	V	74	-30.86	Peak	1.81	135	
4874	30.34	V	54	-23.66	Avg	1.81	135	
7311	46.38	V	74	-27.62	Peak	2.08	90	
7311	31.13	V	54	-22.87	Avg	2.08	90	
9748	42.36	V	--	--	Peak	2.45	135	Not in Restricted Band
9748	31.15	V	--	--	Avg	2.45	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	46.28	V	74	-27.72	Peak	1.82	135	
4874	33.07	V	54	-20.93	Avg	1.82	135	
7311	44.31	V	74	-29.69	Peak	1.69	180	
7311	29.51	V	54	-24.49	Avg	1.69	180	
9748	44.28	V	--	--	Peak	1.69	135	Not in Restricted Band
9748	30.88	V	--	--	Avg	1.69	135	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Charging Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	47.84	V	74	-26.16	Peak	2.21	135	
4874	32.19	V	54	-21.81	Avg	2.21	135	
7311	44.72	V	74	-29.28	Peak	1.38	135	
7311	31.1	V	54	-22.9	Avg	1.38	135	
9748	43.26	V	--	--	Peak	1.85	225	Not in Restricted Band
9748	30.79	V	--	--	Avg	1.85	225	Not in Restricted Band
12185		V	74	-74	Peak			No Emission Detected
12185		V	54	-54	Avg			
14622		V	--	--	Peak			No Emission Detected
14622		V	--	--	Avg			
17059		V	--	--	Peak			No Emission Detected
17059		V	--	--	Avg			
19496		V	74	-74	Peak			No Emission Detected
19496		V	54	-54	Avg			
21933		V	--	--	Peak			No Emission Detected
21933		V	--	--	Avg			
22001		V	74	-74	Peak			No Emission Detected
22001		V	54	-54	Avg			
24370		V	--	--	Peak			No Emission Detected
24370		V	--	--	Avg			

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	42.58	H	74	-31.42	Peak	2.58	135	
4874	28.95	H	54	-25.05	Avg	2.58	135	
7311	44.71	H	74	-29.29	Peak	2.39	135	
7311	29.97	H	54	-24.03	Avg	2.39	135	
9748	43.63	H	--	--	Peak	1.82	135	Not in Restricted Band
9748	31.13	H	--	--	Avg	1.82	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	45.17	H	74	-28.83	Peak	2.23	135	
4874	31.35	H	54	-22.65	Avg	2.23	135	
7311	45.98	H	74	-28.02	Peak	2.25	135	
7311	32.61	H	54	-21.39	Avg	2.25	135	
9748	46.15	H	--	--	Peak	1.72	45	Not in Restricted Band
9748	33.86	H	--	--	Avg	172	45	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 6 - 802.11 g Mode
Transmit Mode - Charging Axis

Setting = 44,000 Feedback Value = (0X5E86)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4874	45.97	H	74	-28.03	Peak	2.27	135	
4874	34.18	H	54	-19.82	Avg	2.27	135	
7311	44.61	H	74	-29.39	Peak	1.92	135	
7311	28.79	H	54	-25.21	Avg	1.92	135	
9748	43.69	H	--	--	Peak	1.51	135	Not in Restricted Band
9748	30.54	H	--	--	Avg	1.51	135	Not in Restricted Band
12185		H	74	-74	Peak			No Emission
12185		H	54	-54	Avg			Detected
14622		H	--	--	Peak			No Emission
14622		H	--	--	Avg			Detected
17059		H	--	--	Peak			No Emission
17059		H	--	--	Avg			Detected
19496		H	74	-74	Peak			No Emission
19496		H	54	-54	Avg			Detected
21933		H	--	--	Peak			No Emission
21933		H	--	--	Avg			Detected
22001		H	74	-74	Peak			No Emission
22001		H	54	-54	Avg			Detected
24370		H	--	--	Peak			No Emission
24370		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	42.26	V	74	-31.74	Peak	2.02	135	
4924	27.66	V	54	-26.34	Avg	2.02	135	
7386	43.06	V	74	-30.94	Peak	2.45	135	
7386	28.75	V	54	-25.25	Avg	2.45	135	
9848	44.16	V	--	--	Peak	2.45	135	Not in Restricted Band
9848	31.33	V	--	--	Avg	2.45	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	44.56	V	74	-29.44	Peak	2.01	135	
4924	31.91	V	54	-22.09	Avg	2.01	135	
7386	42.55	V	74	-31.45	Peak	1.91	135	
7386	28.84	V	54	-25.16	Avg	1.91	135	
9848	46.03	V	--	--	Peak	2.28	135	Not in Restricted Band
9848	31.99	V	--	--	Avg	2.28	135	Not in Restricted Band
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Charging Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	42.05	V	74	-31.95	Peak	2.31	135	
4924	28.82	V	54	-25.18	Avg	2.31	135	
7386	43.27	V	74	-30.73	Peak	2.18	135	
7386	29.07	V	54	-24.93	Avg	2.18	135	
9848	44.75	V	--	--	Peak	2.33	135	No Emission
9848	31.01	V	--	--	Avg	2.33	135	Detected
12310		V	74	-74	Peak			No Emission
12310		V	54	-54	Avg			Detected
14772		V	--	--	Peak			No Emission
14772		V	--	--	Avg			Detected
17234		V	--	--	Peak			No Emission
17234		V	--	--	Avg			Detected
19696		V	74	-74	Peak			No Emission
19696		V	54	-54	Avg			Detected
22158		V	74	-74	Peak			No Emission
22158		V	54	-54	Avg			Detected
24620		V	--	--	Peak			No Emission
24620		V	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Desktop Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	41.76	H	74	-32.24	Peak	1.97	135	
4924	27.91	H	54	-26.09	Avg	1.97	135	
7386	41.53	H	74	-32.47	Peak	1.68	135	
7386	28.59	H	54	-25.41	Avg	1.68	135	
9848	43.44	H	--	--	Peak	2.49	90	Not in Restricted Band
9848	31.06	H	--	--	Avg	2.49	90	Not in Restricted Band
12310	46.54	H	74	-27.46	Peak	1.74	135	No Emission
12310	34.59	H	54	-19.41	Avg	1.74	135	Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Belt Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	41.79	H	74	-32.21	Peak	2.26	135	
4924	30.77	H	54	-23.23	Avg	2.26	135	
7386	46.16	H	74	-27.84	Peak	1.51	180	
7386	31.36	H	54	-22.64	Avg	1.51	180	
9848	44.93	H	--	--	Peak	2.45	90	Not in Restricted Band
9848	33.71	H	--	--	Avg	2.45	90	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			Not in Restricted Band
24620		H	--	--	Avg			Not in Restricted Band

FCC 15.247

O'Neil Product Development
 Radio 802.11 b/g Phaser
 Model: WL261176
 Configuration: In the OC2-L Printer

Date: 11/11/06
 Lab: B
 Tested By: Kyle Fujimoto

Channel 11 - 802.11 g Mode
Transmit Mode - Charging Axis

Setting = 43,000 Feedback Value = (0X770E)

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4924	45.33	H	74	-28.67	Peak	2.37	180	
4924	31.48	H	54	-22.52	Avg	2.37	180	
7386	41.17	H	74	-32.83	Peak	1.96	225	
7386	29.02	H	54	-24.98	Avg	1.96	225	
9848	43.66	H	--	--	Peak	2.13	45	Not in Restricted Band
9848	31.71	H	--	--	Avg	2.13	45	Not in Restricted Band
12310		H	74	-74	Peak			No Emission
12310		H	54	-54	Avg			Detected
14772		H	--	--	Peak			No Emission
14772		H	--	--	Avg			Detected
17234		H	--	--	Peak			No Emission
17234		H	--	--	Avg			Detected
19696		H	74	-74	Peak			No Emission
19696		H	54	-54	Avg			Detected
22158		H	74	-74	Peak			No Emission
22158		H	54	-54	Avg			Detected
24620		H	--	--	Peak			No Emission
24620		H	--	--	Avg			Detected



RADIATED EMISSIONS

DATA SHEETS for the RECEIVER PORTION


RADIATED EMISSIONS

DATA SHEETS for the DIGITAL PORTION





Delta 1 [T2] RBW 100 kHz RF Att 30 dB
Ref Lvl -0.06 dB VBW 300 kHz
15.7 dBm -12.42484970 MHz SWT 12.5 ms Unit dBm




Date: 8.NOV.2006 08:18:15

Bandwidth 6 dB – Channel 1 – 802.11 b Mode



Delta 1 [T2] RBW 100 kHz RF Att 30 dB
Ref Lvl 0.36 dB VBW 300 kHz
15.7 dBm -12.62525050 MHz SWT 12.5 ms Unit dBm




Date: 8.NOV.2006 08:19:28

Bandwidth 6 dB – Channel 6 – 802.11 b Mode



Delta 1 [T2] RBW 100 kHz RF Att 30 dB
Ref Lvl -0.15 dB VBW 300 kHz
15.7 dBm -12.12424850 MHz SWT 12.5 ms Unit dBm




Date: 8.NOV.2006 08:20:44

Bandwidth 6 dB – Channel 11 – 802.11 b Mode



Delta 1 [T2] RBW 100 kHz RF Att 30 dB
Ref Lvl 2.49 dB VBW 300 kHz
15.7 dBm -16.43286573 MHz SWT 12.5 ms Unit dBm




Date: 8.NOV.2006 08:26:10

Bandwidth 6 dB - Channel 1 - 802.11 g Mode



Delta 1 [T2] RBW 100 kHz RF Att 30 dB
Ref Lvl 2.14 dB VBW 300 kHz
15.7 dBm -16.43286573 MHz SWT 12.5 ms Unit dBm




Date: 8.NOV.2006 08:27:14

Bandwidth 6 dB – Channel 6 – 802.11 g Mode



Delta 1 [T2] RBW 100 kHz RF Att 30 dB
Ref Lvl 2.18 dB VBW 300 kHz
15.7 dBm -16.43286573 MHz SWT 12.5 ms Unit dBm



Date: 8.NOV.2006 08:28:33

Bandwidth 6 dB – Channel 11 – 802.11 g Mode

PEAK POWER OUTPUT

DATA SHEETS

PEAK OUTPUT POWER

Radio 802.11 b/g Phaser

Model WL261176

802.11 b Mode

CHANNEL	LEVEL ON PROGRAM	DATA RATE (Worst Case) (Mbps)	PEAK POWER OUTPUT (dBm)
1 (2412 MHz)	42000	1	16.01
6 (2437 MHz)	44000	1	16.90
11 (2462 MHz)	43000	1	15.96

802.11 g Mode


CHANNEL	GAIN LEVEL ON PROGRAM	DATA RATE (Mbps)	PEAK POWER OUTPUT (dBm)
1 (2412 MHz)	52000	6	20.46
6 (2437 MHz)	54000	6	21.25
11 (2462 MHz)	53500	6	21.00

RF ANTENNA CONDUCTED

DATA SHEETS



Ref Lvl 15.7 dBm
Marker 1 [T2] -57.20 dBm
1.70370341 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.15 s Unit dBm




Date: 8.NOV.2006 08:55:12

RF Antenna Conducted Test – Channel 1 – 802.11 b Mode – 2 MHz to 2 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.41200000 GHz -1.23 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 250 ms Unit dBm




Date: 8.NOV.2006 08:54:30

RF Antenna Conducted Test – Channel 1 – 802.11 b Mode – 2 GHz to 3 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -49.81 dBm
6.25450902 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.75 s Unit dBm




Date: 8.NOV.2006 08:55:44

RF Antenna Conducted Test – Channel 1 – 802.11 b Mode – 3 GHz to 10 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -43.24 dBm
21.63326653 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 3.8 s Unit dBm




Date: 8.NOV.2006 08:56:29

RF Antenna Conducted Test – Channel 1 – 802.11 b Mode – 10 GHz to 25 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -56.54 dBm
1.82382365 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.15 s Unit dBm




Date: 8.NOV.2006 08:59:14

RF Antenna Conducted Test – Channel 6 – 802.11 b Mode – 2 MHz to 2 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 0.58 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 250 ms Unit dBm
2.43700000 GHz




Date: 8.NOV.2006 08:58:42

RF Antenna Conducted Test – Channel 6 – 802.11 b Mode – 2 GHz to 3 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -50.95 dBm
6.21242485 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.75 s Unit dBm




Date: 8.NOV.2006 08:59:46

RF Antenna Conducted Test – Channel 6 – 802.11 b Mode – 3 GHz to 10 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -43.23 dBm
21.72344689 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 3.8 s Unit dBm




Date: 8.NOV.2006 09:00:26

RF Antenna Conducted Test – Channel 6 – 802.11 b Mode – 10 GHz to 25 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -55.61 dBm
1.95995992 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.15 s Unit dBm




Date: 8.NOV.2006 09:02:55

RF Antenna Conducted Test – Channel 11 – 802.11 b Mode – 2 MHz to 2 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.46200000 GHz -0.63 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 250 ms Unit dBm




Date: 8.NOV.2006 09:02:25

RF Antenna Conducted Test – Channel 11 – 802.11 b Mode – 2 GHz to 3 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -51.09 dBm
5.86172345 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.75 s Unit dBm




Date: 8.NOV.2006 09:03:27

RF Antenna Conducted Test – Channel 11 – 802.11 b Mode – 3 GHz to 10 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -42.83 dBm
22.80561122 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 3.8 s Unit dBm




Date: 8.NOV.2006 09:04:04

RF Antenna Conducted Test – Channel 11 – 802.11 b Mode – 10 GHz to 25 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -56.88 dBm
1.65565531 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.15 s Unit dBm




Date: 8.NOV.2006 09:07:06

RF Antenna Conducted Test – Channel 1 – 802.11 g Mode – 2 MHz to 2 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.41200000 GHz -2.24 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 250 ms Unit dBm




Date: 8.NOV.2006 09:06:33

RF Antenna Conducted Test – Channel 1 – 802.11 g Mode – 2 GHz to 3 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -48.72 dBm
6.98396794 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.75 s Unit dBm




Date: 8.NOV.2006 09:07:37

RF Antenna Conducted Test – Channel 1 – 802.11 g Mode – 3 GHz to 10 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 22.53507014 GHz -43.21 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 3.8 s Unit dBm




Date: 8.NOV.2006 09:08:29

RF Antenna Conducted Test – Channel 1 – 802.11 g Mode – 10 GHz to 25 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -57.14 dBm
1.83583567 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.15 s Unit dBm




Date: 8.NOV.2006 09:11:35

RF Antenna Conducted Test – Channel 6 – 802.11 g Mode – 2 MHz to 2 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.43700000 GHz -1.06 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 250 ms Unit dBm




Date: 8.NOV.2006 09:11:01

RF Antenna Conducted Test – Channel 6 – 802.11 g Mode – 2 GHz to 3 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -51.19 dBm
6.43687375 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.75 s Unit dBm




Date: 8.NOV.2006 09:12:04

RF Antenna Conducted Test – Channel 6 – 802.11 g Mode – 3 GHz to 10 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -42.44 dBm
22.89579158 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 3.8 s Unit dBm




Date: 8.NOV.2006 09:12:43

RF Antenna Conducted Test – Channel 6 – 802.11 g Mode – 10 GHz to 25 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -56.13 dBm
1.97997996 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.15 s Unit dBm




Date: 8.NOV.2006 09:15:41

RF Antenna Conducted Test – Channel 11 – 802.11 g Mode – 2 MHz to 2 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.46200000 GHz -0.80 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 250 ms Unit dBm




Date: 8.NOV.2006 09:15:07

RF Antenna Conducted Test – Channel 11 – 802.11 g Mode – 2 GHz to 3 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] -51.40 dBm
6.96993988 GHz
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 1.75 s Unit dBm




Date: 8.NOV.2006 09:16:09

RF Antenna Conducted Test – Channel 11 – 802.11 g Mode – 3 GHz to 10 GHz



Ref Lvl 15.7 dBm
Marker 1 [T2] 22.26452906 GHz -42.45 dBm
RBW 100 kHz RF Att 30 dB
VBW 300 kHz
SWT 3.8 s Unit dBm



Date: 8.NOV.2006 09:16:44


RF Antenna Conducted Test – Channel 11 – 802.11 g Mode – 10 GHz to 25 GHz

PEAK POWER SPECTRAL DENSITY

DATA SHEETS



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.41199850 GHz -14.03 dBm
RBW 3 kHz RF Att 30 dB
VBW 10 kHz
SWT 500 s Unit dBm




Date: 7.NOV.2006 17:08:06

Spectral Density Output – Channel 1 – 802.11 b Mode



Ref Lvl	15.7 dBm	Marker 1 [T2]	-12.79 dBm	RBW	3 kHz	RF Att	30 dB
			2.43699850 GHz	VBW	10 kHz	Unit	dBm
				SWT	500 s		




Date: 8.NOV.2006 08:06:05

Spectral Density Output – Channel 6 – 802.11 b Mode



Ref Lvl 15.7 dBm
Marker 1 [T2] -14.60 dBm
2.46199850 GHz
RBW 3 kHz
RF Att 30 dB
VBW 10 kHz
SWT 500 s
Unit dBm




Date: 8.NOV.2006 08:14:53

Spectral Density Output – Channel 11 – 802.11 b Mode



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.41199850 GHz -3.55 dBm
RBW 3 kHz RF Att 30 dB
VBW 10 kHz
SWT 500 s Unit dBm




Date: 7.NOV.2006 16:38:20

Spectral Density Output – Channel 1 – 802.11 g Mode



Ref Lvl 15.7 dBm
Marker 1 [T2] -2.23 dBm
RBW 3 kHz RF Att 30 dB
VBW 10 kHz
SWT 500 s Unit dBm




Date: 7.NOV.2006 16:49:59

Spectral Density Output – Channel 6 – 802.11 g Mode



Ref Lvl 15.7 dBm
Marker 1 [T2] 2.46199850 GHz -1.66 dBm
RBW 3 kHz RF Att 30 dB
VBW 10 kHz
SWT 500 s Unit dBm



Date: 7.NOV.2006 16:58:53

Spectral Density Output – Channel 11 – 802.11 g Mode