




Ref Lvl	137 dBV	Marker 1 [T2]	131.87 dBV	RBW	10 MHz	RF Att	50 dB
			2.41265130 GHz	VBW	10 MHz	Unit	dBV
				SWT	5 ms		




Date: 18.FEB.2010 09:48:30

Reference level being established by using a resolution bandwidth that exceeds the signal bandwidth
Channel 1 - 802.11 g Mode



Delta 1 [T2] RBW 500 kHz RF Att 50 dB
Ref Lvl 0.84 dB VBW 3 MHz
137 dBμV 15.73146293 MHz SWT 5 ms Unit dBμV




Date: 18.FEB.2010 09:50:46

Bandwidth using RBW > 1% of the estimated emission bandwidth, VBW set to > 3 times RBW.
Markers moved to the -20 dB point of the reference level shown on the previous page.
Channel 1 - 802.11 g Mode



Ref Lvl 137 dBV
Marker 1 [T2] 130.64 dBV
2.43434469 GHz
RBW 10 MHz RF Att 50 dB
VBW 10 MHz
SWT 5 ms Unit dBV




Date: 18.FEB.2010 10:05:14

Reference level being established using a resolution bandwidth that exceeds the signal bandwidth.
Channel 6 – 802.11 g Mode



Delta 1 [T2] RBW 500 kHz RF Att 50 dB
Ref Lvl -0.15 dB VBW 3 MHz
137 dBmV 16.13226453 MHz SWT 5 ms Unit dBmV




Date: 18.FEB.2010 10:06:53

Bandwidth using RBW > 1% of the estimated emission bandwidth, VBW set to > 3 times RBW.
Markers moved to the -20 dB point of the reference level shown on the previous page.
Channel 6 - 802.11 g Mode



Marker 1 [T2] RBW 10 MHz RF Att 50 dB
Ref Lvl 130.39 dBmV VBW 10 MHz
137 dBmV 2.46245090 GHz SWT 5 ms Unit dBmV




Date: 18.FEB.2010 10:09:23

Reference level being established using a resolution bandwidth that exceeds the signal bandwidth.
Channel 11 – 802.11 g Mode



Delta 1 [T2] RBW 500 kHz RF Att 50 dB
Ref Lvl 1.77 dB VBW 3 MHz
137 dB μ V 15.93186373 MHz SWT 5 ms Unit dB μ V



Date: 18.FEB.2010 10:10:29

Bandwidth using RBW > 1% of the estimated emission bandwidth, VBW set to > 3 times RBW.
Markers moved to the -20 dB point of the reference level shown on the previous page.
Channel 11 - 802.11 g Mode