




Marker 1 [T2] RBW 10 MHz RF Att 40 dB
Ref Lvl 23.94 dBm VBW 10 MHz
25 dBm 5.74374749 GHz SWT 5 ms Unit dBm




Center 5.745 GHz 5 MHz/ Span 50 MHz

Date: 1.MAR.2010 08:07:58

Reference level being established by using a resolution bandwidth that exceeds the signal bandwidth
Channel 149 – 802.11 a Mode



Delta 1 [T2] RBW 500 kHz RF Att 40 dB
Ref Lvl 0.62 dB VBW 2 MHz
25 dBm 16.03206413 MHz SWT 5 ms Unit dBm




Date: 1.MAR.2010 08:08:59

Bandwidth using RBW > 1% of the estimated emission bandwidth, VBW set to > 3 times RBW.
Markers moved to the -20 dB point of the reference level shown on the previous page.
Channel 149 - 802.11 a Mode



Marker 1 [T2] RBW 10 MHz RF Att 40 dB
Ref Lvl 22.74 dBm VBW 10 MHz
25 dBm 5.78404810 GHz SWT 5 ms Unit dBm




Center 5.785 GHz 5 MHz/ Span 50 MHz

Date: 1.MAR.2010 08:13:33

Reference level being established using a resolution bandwidth that exceeds the signal bandwidth
Channel 157 – 802.11 a Mode



Delta 1 [T2] RBW 500 kHz RF Att 40 dB
Ref Lvl 0.27 dB VBW 2 MHz
25 dBm 16.23246493 MHz SWT 5 ms Unit dBm




Date: 1.MAR.2010 08:14:27

Bandwidth using RBW > 1% of the estimated emission bandwidth, VBW set to > 3 times RBW.
Markers moved to the -20 dB point of the reference level shown on the previous page.
Channel 157 - 802.11 a Mode



Marker 1 [T2] RBW 10 MHz RF Att 40 dB
Ref Lvl 23.10 dBm VBW 10 MHz
25 dBm 5.82515030 GHz SWT 5 ms Unit dBm




Center 5.825 GHz 5 MHz/ Span 50 MHz

Date: 1.MAR.2010 08:18:46

Reference level being established using a resolution bandwidth that exceeds the signal bandwidth
Channel 165 – 802.11 a Mode



Delta 1 [T2] RBW 500 kHz RF Att 40 dB
Ref Lvl 1.03 dB VBW 2 MHz
25 dBm 16.13226453 MHz SWT 5 ms Unit dBm



Date: 1.MAR.2010 08:19:36

Bandwidth using RBW > 1% of the estimated emission bandwidth, VBW set to > 3 times RBW.
Markers moved to the -20 dB point of the reference level shown on the previous page.
Channel 165 - 802.11 a Mode