




Test Report No.: W7L-220214W001RF03

LTE Band 7
 CHANNEL BANDWIDTH: 5MHz / QPSK
 CH 21100

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5075.000	-49.03	-57.78	-25.00	-24.03	8.75	Peak	Horizontal
2	7605.000	-50.13	-61.53	-25.00	-25.13	11.40	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5070.000	-48.89	-58.76	-25.00	-23.89	9.87	Peak	Vertical
2	7600.000	-49.57	-62.35	-25.00	-24.57	12.78	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK
CH20800

MODE	TX channel 20800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5000.000	-48.49	-57.01	-25.00	-23.49	8.52	Peak	Horizontal
2	7515.000	-48.60	-59.97	-25.00	-23.60	11.37	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 20800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5075.000	-46.68	-56.55	-25.00	-21.68	9.87	Peak	Vertical
2	7605.000	-47.97	-60.75	-25.00	-22.97	12.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-220214W001RF03

CH21100

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5070.000	-48.71	-57.44	-25.00	-23.71	8.73	Peak	Horizontal
2	7604.000	-49.52	-60.92	-25.00	-24.52	11.40	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-46.03	-55.90	-25.00	-21.03	9.87	Peak	Vertical
2	7605.000	-47.30	-60.08	-25.00	-22.30	12.78	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CH21400

MODE	TX channel 21400	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5130.000	-48.68	-57.59	-25.00	-23.68	8.91	Peak	Horizontal
2 PP	7525.000	-48.56	-59.93	-25.00	-23.56	11.37	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 21400	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5125.000	-50.44	-60.29	-25.00	-25.44	9.85	Peak	Vertical
2	7695.000	-53.05	-65.86	-25.00	-28.05	12.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 15MHz / QPSK
CH 21100

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5070.000	-48.31	-57.04	-25.00	-23.31	8.73	Peak	Horizontal
2	7600.000	-50.00	-61.40	-25.00	-25.00	11.40	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5075.000	-47.90	-57.77	-25.00	-22.90	9.87	Peak	Vertical
2	7605.000	-48.57	-61.35	-25.00	-23.57	12.78	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

**CHANNEL BANDWIDTH: 20MHz / QPSK
CH 21100**

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5075.000	-49.70	-58.45	-25.00	-24.70	8.75	Peak	Horizontal
2	7605.000	-50.79	-62.19	-25.00	-25.79	11.40	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5070.000	-46.93	-56.80	-25.00	-21.93	9.87	Peak	Vertical
2	7600.000	-48.81	-61.59	-25.00	-23.81	12.78	Peak	Vertical





Test Report No.: W7L-220214W001RF03


LTE BAND 12

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.41	-55.49	-13.00	-41.41	1.08	Peak	Horizontal
2 PP	2122.500	-35.10	-42.77	-13.00	-22.10	7.67	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.05	-54.74	-13.00	-40.05	1.69	Peak	Vertical
2 PP	2122.500	-34.47	-41.16	-13.00	-21.47	6.69	Peak	Vertical





BUREAU
VERITAS


Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-52.70	-53.78	-13.00	-39.70	1.08	Peak	Horizontal
2	PP 2122.500	-36.50	-44.17	-13.00	-23.50	7.67	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-52.74	-54.43	-13.00	-39.74	1.69	Peak	Vertical
2	PP 2122.500	-36.83	-43.52	-13.00	-23.83	6.69	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.45	-54.53	-13.00	-40.45	1.08	Peak	Horizontal
2 PP	2122.500	-37.67	-45.34	-13.00	-24.67	7.67	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.18	-54.87	-13.00	-40.18	1.69	Peak	Vertical
2 PP	2122.500	-36.53	-43.22	-13.00	-23.53	6.69	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH23060

MODE	TX channel 23060	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.48	-54.56	-13.00	-40.48	1.08	Peak	Horizontal
2 PP	2112.000	-37.26	-44.92	-13.00	-24.26	7.66	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23060	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-52.79	-54.48	-13.00	-39.79	1.69	Peak	Vertical
2 PP	2112.000	-36.09	-42.77	-13.00	-23.09	6.68	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.74	-54.82	-13.00	-40.74	1.08	Peak	Horizontal
2 PP	2122.500	-34.37	-42.04	-13.00	-21.37	7.67	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-51.05	-52.74	-13.00	-38.05	1.69	Peak	Vertical
2 PP	2122.500	-38.29	-44.98	-13.00	-25.29	6.69	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CH23130

MODE	TX channel 23130	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.67	-54.75	-13.00	-40.67	1.08	Peak	Horizontal
2 PP	2133.000	-43.16	-50.84	-13.00	-30.16	7.68	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23130	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-51.93	-53.62	-13.00	-38.93	1.69	Peak	Vertical
2	PP 2133.000	-43.10	-49.80	-13.00	-30.10	6.70	Peak	Vertical





Test Report No.: W7L-220214W001RF03


LTE B13

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23205

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1559.000	-49.33	-51.50	-40.00	-9.33	2.17	Peak	Horizontal
2	2338.500	-23.88	-31.77	-13.00	-10.88	7.89	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-50.28	-52.98	-40.00	-10.28	2.70	Peak	Vertical
2	2338.500	-23.33	-30.23	-13.00	-10.33	6.90	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-49.58	-51.90	-40.00	-9.58	2.32	Peak	Horizontal
2	2346.000	-35.52	-43.42	-13.00	-22.52	7.90	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-49.97	-52.67	-40.00	-9.97	2.70	Peak	Vertical
2	2346.000	-25.40	-32.31	-13.00	-12.40	6.91	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CH23255

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-50.18	-52.50	-40.00	-10.18	2.32	Peak	Horizontal
2	2353.500	-35.08	-42.98	-13.00	-22.08	7.90	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-49.50	-52.20	-40.00	-9.50	2.70	Peak	Vertical
2	2353.500	-34.24	-41.16	-13.00	-21.24	6.92	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 10MHz /QPSK

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1564.000	-49.08	-51.31	-40.00	-9.08	2.23	Peak	Horizontal
2	2346.000	-25.20	-33.10	-13.00	-12.20	7.90	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-48.39	-51.09	-40.00	-8.39	2.70	Peak	Vertical
2	2346.000	-31.34	-38.25	-13.00	-18.34	6.91	Peak	Vertical





BUREAU VERITAS

Test Report No.: W7L-220214W001RF03


LTE B66

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH131979

MODE	TX channel 131979	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3418.000	-46.93	-55.52	-13.00	-33.93	8.59	Peak	Horizontal
2	5132.100	-49.56	-58.48	-13.00	-36.56	8.92	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 131979	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3418.000	-46.93	-56.04	-13.00	-33.93	9.11	Peak	Vertical
2	5132.100	-48.83	-58.68	-13.00	-35.83	9.85	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3522.000	-36.24	-44.84	-13.00	-23.24	8.60	Peak	Horizontal
2	5265.000	-48.52	-57.84	-13.00	-35.52	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-32.30	-41.50	-13.00	-19.30	9.20	Peak	Vertical
2	5265.000	-48.26	-58.06	-13.00	-35.26	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CH132665

MODE	TX channel 132665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-41.57	-50.19	-13.00	-28.57	8.62	Peak	Horizontal
2	5337.900	-48.82	-58.36	-13.00	-35.82	9.54	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-42.22	-51.43	-13.00	-29.22	9.21	Peak	Vertical
2	5337.900	-47.20	-56.97	-13.00	-34.20	9.77	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-34.72	-43.32	-13.00	-21.72	8.60	Peak	Horizontal
2	5265.000	-47.56	-56.88	-13.00	-34.56	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-33.83	-43.03	-13.00	-20.83	9.20	Peak	Vertical
2	5265.000	-47.93	-57.73	-13.00	-34.93	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-35.54	-44.14	-13.00	-22.54	8.60	Peak	Horizontal
2	5265.000	-47.65	-56.97	-13.00	-34.65	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-35.66	-44.86	-13.00	-22.66	9.20	Peak	Vertical
2	5265.000	-47.88	-57.68	-13.00	-34.88	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-36.27	-44.87	-13.00	-23.27	8.60	Peak	Horizontal
2	5265.000	-47.65	-56.97	-13.00	-34.65	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-33.04	-42.24	-13.00	-20.04	9.20	Peak	Vertical
2	5265.000	-47.97	-57.77	-13.00	-34.97	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 15MHz / QPSK
CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-36.64	-45.24	-13.00	-23.64	8.60	Peak	Horizontal
2	5265.000	-48.85	-58.17	-13.00	-35.85	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-34.77	-43.97	-13.00	-21.77	9.20	Peak	Vertical
2	5265.000	-47.36	-57.16	-13.00	-34.36	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-37.61	-46.21	-13.00	-24.61	8.60	Peak	Horizontal
2	5265.000	-47.96	-57.28	-13.00	-34.96	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3522.000	-35.75	-44.95	-13.00	-22.75	9.20	Peak	Vertical
2	5265.000	-48.22	-58.02	-13.00	-35.22	9.80	Peak	Vertical





Test Report No.: W7L-220214W001RF03


LTE B71

CHANNEL BANDWIDTH: 5MHz / QPSK

CH133247

MODE	TX channel 133247	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.35	-54.20	-13.00	-40.35	0.85	Peak	Horizontal
2	PP 2041.500	-48.47	-56.06	-13.00	-35.47	7.59	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 133247	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1361.000	-53.63	-55.09	-13.00	-40.63	1.46	Peak	Vertical
2	PP 2040.000	-49.59	-56.20	-13.00	-36.59	6.61	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 10MHz / QPSK
CH133172

MODE	TX channel 133172	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1336.000	-53.23	-53.96	-13.00	-40.23	0.73	Peak	Horizontal
2	PP 2014.000	-49.27	-56.83	-13.00	-36.27	7.56	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 133172	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-52.52	-53.88	-13.00	-39.52	1.36	Peak	Vertical
2 PP	2004.000	-50.04	-56.61	-13.00	-37.04	6.57	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CH133272

MODE	TX channel 133272	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1361.000	-53.29	-54.13	-13.00	-40.29	0.84	Peak	Horizontal
2 PP	2040.000	-47.21	-54.80	-13.00	-34.21	7.59	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 133272	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.20	-54.67	-13.00	-40.20	1.47	Peak	Vertical
2 PP	2041.500	-49.79	-56.40	-13.00	-36.79	6.61	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CH133422

MODE	TX channel 133422	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1390.000	-55.25	-56.22	-13.00	-42.25	0.97	Peak	Horizontal
2	PP 2079.000	-48.31	-55.94	-13.00	-35.31	7.63	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 133422	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1390.000	-53.16	-54.74	-13.00	-40.16	1.58	Peak	Vertical
2	PP 2079.000	-48.63	-55.27	-13.00	-35.63	6.64	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 15MHz / QPSK
CH133297

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1361.000	-54.07	-54.91	-13.00	-41.07	0.84	Peak	Horizontal
2 PP	2040.000	-48.86	-56.45	-13.00	-35.86	7.59	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-52.23	-53.70	-13.00	-39.23	1.47	Peak	Vertical
2	PP 2041.500	-49.77	-56.38	-13.00	-36.77	6.61	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

CH133322

MODE	TX channel 133322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1366.000	-52.24	-53.10	-13.00	-39.24	0.86	Peak	Horizontal
2 PP	2049.000	-47.59	-55.19	-13.00	-34.59	7.60	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel 133322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.22	-54.69	-13.00	-40.22	1.47	Peak	Vertical
2 PP	2049.000	-49.94	-56.55	-13.00	-36.94	6.61	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-220214W001RF03

LTE Band CA_7C

CHANNEL BANDWIDTH: 10 MHz + 20MHz

MODE	TX channel PCC 21006	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21150		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP 5056.000	-51.76	-60.45	-13.00	-38.76	8.69	Peak	Horizontal
2 7576.800	-52.94	-64.33	-13.00	-39.94	11.39	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21006	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21150		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-49.96	-59.84	-13.00	-36.96	9.88	Peak	Vertical
2	7576.800	-52.55	-65.32	-13.00	-39.55	12.77	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 15MHz + 10MHz

MODE	TX channel PCC 20825	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 20945		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5004.000	-50.80	-59.34	-13.00	-37.80	8.54	Peak	Horizontal
2	7522.500	-53.70	-65.07	-13.00	-40.70	11.37	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 20825	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 20945		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5004.000	-50.89	-60.79	-13.00	-37.89	9.90	Peak	Vertical
2	7522.500	-51.59	-64.34	-13.00	-38.59	12.75	Peak	Vertical






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21051	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21171		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-50.87	-59.56	-13.00	-37.87	8.69	Peak	Horizontal
2	7590.300	-51.84	-63.24	-13.00	-38.84	11.40	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21051	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21171		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-49.69	-59.57	-13.00	-36.69	9.88	Peak	Vertical
2	7590.300	-51.56	-64.33	-13.00	-38.56	12.77	Peak	Vertical






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21277	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21397		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5108.000	-52.19	-61.04	-13.00	-39.19	8.85	Peak	Horizontal
2	7671.600	-53.18	-64.61	-13.00	-40.18	11.43	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21277	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21397		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5108.000	-51.40	-61.26	-13.00	-38.40	9.86	Peak	Vertical
2 PP	7671.600	-50.60	-63.41	-13.00	-37.60	12.81	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 15MHz + 15MHz

MODE	TX channel PCC 21025	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21175		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5056.000	-51.08	-59.77	-13.00	-38.08	8.69	Peak	Horizontal
2	7582.500	-53.05	-64.44	-13.00	-40.05	11.39	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21025	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21175		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 PP 5056.000	-48.69	-58.57	-13.00	-35.69	9.88	Peak Vertical
2 7582.500	-51.58	-64.35	-13.00	-38.58	12.77	Peak Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 15MHz + 20MHz

MODE	TX channel PCC 21003	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21174		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-51.41	-60.10	-13.00	-38.41	8.69	Peak	Horizontal
2	7575.900	-52.38	-63.77	-13.00	-39.38	11.39	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21003	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21174		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-49.72	-59.60	-13.00	-36.72	9.88	Peak	Vertical
2	7575.900	-51.27	-64.04	-13.00	-38.27	12.77	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel PCC 21051	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21195		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5056.000	-50.91	-59.60	-13.00	-37.91	8.69	Peak	Horizontal
2	7590.300	-52.61	-64.01	-13.00	-39.61	11.40	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21051	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21195		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-48.63	-58.51	-13.00	-35.63	9.88	Peak	Vertical
2	7590.300	-52.27	-65.04	-13.00	-39.27	12.77	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 20MHz + 15MHz

MODE	TX channel PCC 21026	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21197		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-51.30	-59.99	-13.00	-38.30	8.69	Peak	Horizontal
2	7582.800	-53.63	-65.02	-13.00	-40.63	11.39	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21026	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21197		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-49.55	-59.43	-13.00	-36.55	9.88	Peak	Vertical
2	7582.800	-50.67	-63.44	-13.00	-37.67	12.77	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: 20MHz + 20MHz

MODE	TX channel PCC 21001	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21199		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-51.21	-59.90	-13.00	-38.21	8.69	Peak	Horizontal
2	7575.300	-52.99	-64.38	-13.00	-39.99	11.39	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 21001	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 21199		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5056.000	-49.82	-59.70	-13.00	-36.82	9.88	Peak	Vertical
2	7575.300	-51.93	-64.70	-13.00	-38.93	12.77	Peak	Vertical






Test Report No.: W7L-220214W001RF03

LTE B66B

CHANNEL BANDWIDTH: (5+5) MHz / QPSK

MODE	TX channel PCC 132398	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132446		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-49.98	-58.55	-13.00	-36.98	8.57	Peak	Horizontal
2	5257.800	-51.66	-60.96	-13.00	-38.66	9.30	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132398	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132446		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-49.32	-58.51	-13.00	-36.32	9.19	Peak	Vertical
2	5257.800	-51.39	-61.19	-13.00	-38.39	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (5+10) MHz / QPSK

MODE	TX channel PCC 132000	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132072		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3418.000	-49.80	-58.39	-13.00	-36.80	8.59	Peak	Horizontal
2	5138.400	-50.88	-59.82	-13.00	-37.88	8.94	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132000	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132072		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3418.000	-49.46	-58.57	-13.00	-36.46	9.11	Peak	Vertical
2	5138.400	-50.37	-60.22	-13.00	-37.37	9.85	Peak	Vertical






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132375	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132447		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-50.65	-59.22	-13.00	-37.65	8.57	Peak	Horizontal
2	5250.900	-50.70	-59.98	-13.00	-37.70	9.28	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132375	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132447		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-49.14	-58.33	-13.00	-36.14	9.19	Peak	Vertical
2	5250.900	-50.17	-59.97	-13.00	-37.17	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132550	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132622		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-50.14	-58.76	-13.00	-37.14	8.62	Peak	Horizontal
2	5303.400	-51.93	-61.36	-13.00	-38.93	9.43	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132550	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132622		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-49.58	-58.79	-13.00	-36.58	9.21	Peak	Vertical
2	5303.400	-51.25	-61.03	-13.00	-38.25	9.78	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (5+15) MHz / QPSK

MODE	TX channel PCC 132353	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132446		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-49.83	-58.40	-13.00	-36.83	8.57	Peak	Horizontal
2	5244.300	-51.42	-60.68	-13.00	-38.42	9.26	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132353	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132446		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.200	-49.14	-58.33	-13.00	-36.14	9.19	Peak	Vertical
2	5238.000	-50.64	-60.45	-13.00	-37.64	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (10+5) MHz / QPSK

MODE	TX channel PCC 132397	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132469		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-49.42	-57.99	-13.00	-36.42	8.57	Peak	Horizontal
2	5264.000	-51.39	-60.71	-13.00	-38.39	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132397	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132469		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.60	-56.79	-13.00	-34.60	9.19	Peak	Vertical
2	5257.500	-50.72	-60.52	-13.00	-37.72	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (10+10) MHz / QPSK

MODE	TX channel PCC 132373	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132472		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-48.89	-57.46	-13.00	-35.89	8.57	Peak	Horizontal
2	5250.300	-50.33	-59.60	-13.00	-37.33	9.27	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132373	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132472		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3500.200	-48.95	-58.14	-13.00	-35.95	9.19	Peak	Vertical
2	5238.000	-50.59	-60.40	-13.00	-37.59	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (15+5) MHz / QPSK

MODE	TX channel PCC 132398	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132491		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3505.200	-48.70	-57.28	-13.00	-35.70	8.58	Peak	Horizontal
2	5264.000	-50.45	-59.77	-13.00	-37.45	9.32	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132398	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132491		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-48.63	-57.82	-13.00	-35.63	9.19	Peak	Vertical
2	5257.800	-51.39	-61.19	-13.00	-38.39	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

LTE B66C

CHANNEL BANDWIDTH: (5+20) MHz / QPSK

MODE	TX channel PCC 132005	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132122		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3418.000	-47.69	-56.28	-13.00	-34.69	8.59	Peak	Horizontal
2	5139.900	-49.36	-58.30	-13.00	-36.36	8.94	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132005	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132122		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3426.600	-46.54	-55.66	-13.00	-33.54	9.12	Peak	Vertical
2	5134.000	-48.17	-58.02	-13.00	-35.17	9.85	Peak	Vertical






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132330	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132447		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-40.50	-49.07	-13.00	-27.50	8.57	Peak	Horizontal
2	5237.400	-49.44	-58.68	-13.00	-36.44	9.24	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132330	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132447		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3491.600	-38.60	-47.78	-13.00	-25.60	9.18	Peak	Vertical
2	5238.000	-47.87	-57.68	-13.00	-34.87	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132455	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132572		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3522.000	-38.24	-46.84	-13.00	-25.24	8.60	Peak	Horizontal
2	5274.900	-48.85	-58.20	-13.00	-35.85	9.35	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132455	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132572		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3522.000	-37.35	-46.55	-13.00	-24.35	9.20	Peak	Vertical
2	5274.900	-48.46	-58.25	-13.00	-35.46	9.79	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (10+15) MHz / QPSK

MODE	TX channel PCC 132351	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132471		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-42.25	-50.82	-13.00	-29.25	8.57	Peak	Horizontal
2	5243.700	-49.11	-58.36	-13.00	-36.11	9.25	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132351	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132471		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3495.800	-39.65	-48.84	-13.00	-26.65	9.19	Peak	Vertical
2	5238.000	-47.64	-57.45	-13.00	-34.64	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (10+20) MHz / QPSK

MODE	TX channel PCC 132328	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132472		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-39.29	-47.86	-13.00	-26.29	8.57	Peak	Horizontal
2	5236.800	-48.63	-57.86	-13.00	-35.63	9.23	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132328	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132472		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3491.200	-39.72	-48.90	-13.00	-26.72	9.18	Peak	Vertical
2	5238.000	-48.18	-57.99	-13.00	-35.18	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (15+10) MHz / QPSK

MODE	TX channel PCC 132373	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132493		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3500.200	-41.18	-49.75	-13.00	-28.18	8.57	Peak	Horizontal
2	5238.000	-48.15	-57.39	-13.00	-35.15	9.24	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132373	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132493		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-37.48	-46.67	-13.00	-24.48	9.19	Peak	Vertical
2	5250.300	-47.23	-57.03	-13.00	-34.23	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (15+15) MHz / QPSK

MODE	TX channel PCC 132347	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132497		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3495.000	-38.44	-47.01	-13.00	-25.44	8.57	Peak	Horizontal
2	5238.000	-43.04	-52.28	-13.00	-30.04	9.24	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132347	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132497		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-48.85	-58.04	-13.00	-35.85	9.19	Peak	Vertical
2	5242.500	-49.51	-59.31	-13.00	-36.51	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (15+20) MHz / QPSK

MODE	TX channel PCC 132325	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132496		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3490.600	-41.38	-49.95	-13.00	-28.38	8.57	Peak	Horizontal
2	5238.000	-49.09	-58.33	-13.00	-36.09	9.24	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132325	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132496		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-37.13	-46.32	-13.00	-24.13	9.19	Peak	Vertical
2 PP	5238.000	-32.50	-42.31	-13.00	-19.50	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (20+5) MHz / QPSK

MODE	TX channel PCC 132397	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132514		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-36.72	-45.29	-13.00	-23.72	8.57	Peak	Horizontal
2	5257.500	-48.96	-58.26	-13.00	-35.96	9.30	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132397	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132514		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3505.000	-40.13	-49.32	-13.00	-27.13	9.19	Peak	Vertical
2	5264.000	-49.03	-58.83	-13.00	-36.03	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (20+10) MHz / QPSK

MODE	TX channel PCC 132373	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132517		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-43.44	-52.01	-13.00	-30.44	8.57	Peak	Horizontal
2	5250.300	-49.80	-59.07	-13.00	-36.80	9.27	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132373	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132517		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3500.200	-38.40	-47.59	-13.00	-25.40	9.19	Peak	Vertical
2	5238.000	-47.94	-57.75	-13.00	-34.94	9.81	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (20+15) MHz / QPSK

MODE	TX channel PCC 132348	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132519		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3495.200	-36.58	-45.15	-13.00	-23.58	8.57	Peak	Horizontal
2	5238.000	-47.31	-56.55	-13.00	-34.31	9.24	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132348	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132519		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-38.78	-47.97	-13.00	-25.78	9.19	Peak	Vertical
2	5242.800	-48.02	-57.82	-13.00	-35.02	9.80	Peak	Vertical






Test Report No.: W7L-220214W001RF03

CHANNEL BANDWIDTH: (20+20) MHz / QPSK

MODE	TX channel PCC 132323	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132521		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-38.65	-47.22	-13.00	-25.65	8.57	Peak	Horizontal
2	5235.300	-48.57	-57.80	-13.00	-35.57	9.23	Peak	Horizontal






Test Report No.: W7L-220214W001RF03

MODE	TX channel PCC 132323	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 132521		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3490.200	-36.95	-46.13	-13.00	-23.95	9.18	Peak	Vertical
2	5238.000	-48.35	-58.16	-13.00	-35.35	9.81	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-220214W001RF03

3.7.4 TEST RESULTS

Please Refer to Appendix C Of this test report.



Test Report No.: W7L-220214W001RF03

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-220214W001RF03

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

NOTE: APPENDIX C is another word.

---END---