



# FCC RADIO TEST REPORT

**FCC ID** : LHJ-FE5NA0010  
**Equipment** : FE5NA0010, FE5NA0011  
**Brand Name** : Continental  
**Model Name** : FE5NA0010, FE5NA0011  
**Applicant** : Continental Automotive Systems, Inc.  
21440 W Lake Cook Rd., Deer Park, IL 60010, USA  
**Manufacturer** : Continental Automotive Systems, Inc.  
21440 W Lake Cook Rd., Deer Park, IL 60010, USA  
**Standard** : FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(R)

The product was received on Mar. 20, 2023 and testing was performed from Jan 17, 2023 to Nov. 22, 2023. We, Sporton International Inc. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI / TIA-603-E and has been in compliance with the applicable technical standards.

The test results in this variant report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

*Louis Wu*

Approved by: Louis Wu

**Sporton International Inc. EMC & Wireless Communications Laboratory**

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)



# Table of Contents

**History of this test report..... 3**

**Summary of Test Result..... 4**

**1 General Description ..... 6**

    1.1 Product Feature of Equipment Under Test..... 6

    1.2 Product Specification of Equipment Under Test..... 7

    1.3 Modification of EUT ..... 8

    1.4 Testing Location ..... 9

    1.5 Applicable Standards..... 10

**2 Test Configuration of Equipment Under Test ..... 11**

    2.1 Test Mode..... 11

    2.2 Connection Diagram of Test System..... 11

    2.3 Support Unit used in test configuration and system ..... 12

    2.4 Frequency List of Low/Middle/High Channels ..... 12

**3 Conducted Test Items..... 20**

    3.1 Measuring Instruments ..... 20

    3.2 Conducted Output Power and ERP/EIRP ..... 21

**4 Radiated Test Items ..... 22**

    4.1 Measuring Instruments ..... 22

    4.2 Radiated Spurious Emission Measurement ..... 24

**5 List of Measuring Equipment..... 26**

**6 Measurement Uncertainty ..... 28**

**Appendix A. Test Results of Conducted Test**

**Appendix B. Test Results of Radiated Test**

**Appendix C. Test Setup Photographs**



### History of this test report

Report No.	Version	Description	Issue Date
FG2N2201-06B	01	Initial issue of report	Jan. 08, 2024
FG2N2201-06B	02	Revise Summary of Test Result and Section 2.4 This report is an updated version, replacing the report issued on Jan. 08, 2024.	Jan. 15, 2024



## Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.2	§2.1046	Conducted Output Power	Reporting only	-
	§22.913 (a)(5)	Effective Radiated Power (Band 5)	Pass	
	§27.50 (b)(10) §27.50 (c)(10)	Effective Radiated Power (Band 12) (Band 13) (Band 71)		
	§24.232 (c) §27.50 (h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 7)		
	§27.50 (d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)		
	§90.542 (a)(7)	Effective Radiated Power (Band 14)		
-	§24.232 (d) §27.50 (d)(5)	Peak-to-Average Ratio	Not Required	-
-	§2.1049	Occupied Bandwidth	Not Required	-
-	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2)(4) §27.53 (g) §27.53 (h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 66) (Band 71)	Not Required	-
	§2.1051 §27.53 (m)(4)	Conducted Band Edge Measurement (Band 7)		
	§2.1051 §90.543 (e)(2)	Conducted Band Edge Measurement (Band 14)		
-	§2.1051 §90.210 (n)	Emission Mask (Band 14)	Not Required	-



Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
-	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (g) §27.53 (h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 66) (Band 71)	Not Required	-
	§2.1051 §27.53 (m)(4)	Conducted Spurious Emission (Band 7)		
	§2.1051 §90.543 (e)(3)	Conducted Spurious Emission (Band 14)		
-	§2.1055 §22.355 §24.235 §27.54 §90.539 (e)	Frequency Stability Temperature & Voltage	Not Required	-
4.2	§2.1053 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (f) §27.53 (g) §27.53 (h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 66) (Band 71)	Pass	14.81 dB under the limit at 10237.00 MHz
	§2.1053 §27.53 (m)(4)	Radiated Spurious Emission (Band 7)		
	§2.1053 §90.543 (e)(3) §90.543 (f)	Radiated Spurious Emission (Band 14)		

**Remark:**

- Not required means after assessing, test items are not necessary to carry out.
- This is a variant report by adding the external antenna (Model: 42808214, 42808215, 42808227). All the test cases were performed on original report which can be referred to Sporton Report Number FG2N2201-03B and FG2N2201-03D. Based on the original report, only worst case was verified.
- The FG2N2201-06B report reuses Conducted output power from the FG2N2201B and FG2N2201D report.
- The difference of the external antennas is that the antenna 42808214 and 42808215 are for TCU variant with L1/L5, and antenna 42808227 is for TCU with L1 only. Since the gain value and type are the same, the test result only performed with antenna 42808215. Antenna 42808214 and 42808215, only the color is different.

**Conformity Assessment Condition:**

- The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
- The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

**Disclaimer:**

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

**Reviewed by: Yun Huang**

**Report Producer: Michelle Chen**



# 1 General Description

## 1.1 Product Feature of Equipment Under Test

Product Feature	
Equipment	FE5NA0010, FE5NA0011
Brand Name	Continental
Model Name	FE5NA0010, FE5NA0011
FCC ID	LHJ-FE5NA0010
Installed into the Host	Equipment name: G12N510G1, G12N500G1 Brand name: Continental Model name: G12N510G1, G12N500G1
EUT supports Radios application	WCDMA/HSPA/LTE/5G NR/GNSS
EUT Stage	Identical Prototype

Sample Information			
Sample	TA-code	L2/L5 GNSS	Band Difference
1	FE5NA0010	Support	/
2	FE5NA0011	Not Support	BOM change: depopulated passive components from the GNSS RF front-end

**Remark:** The above EUT's information was declared by manufacturer.



Support Band and Evaluated Information	
Supported Band	B2, B4, B5, B7, B12, B13, B14, B66, B71
Evaluated and Tested Band	B2, B4, B5, B7, B12, B13, B14, B66, B71

TDD Band Power Class			
	PC3	PC2	
B2	√		
B4	√		
B5	√		
B7	√		
B12	√		
B13	√		
B14	√		
B66	√		
B71	√		

### 1.2 Product Specification of Equipment Under Test

Product Specification is subject to this standard	
Tx Frequency	LTE Band 2: 1850.7 MHz ~ 1909.3 MHz LTE Band 4: 1710.7 MHz ~ 1754.3 MHz LTE Band 5: 824.7 MHz ~ 848.3 MHz LTE Band 7: 2502.5 MHz ~ 2567.5 MHz LTE Band 12: 699.7 MHz ~ 715.3 MHz LTE Band 13: 779.5 MHz ~ 784.5 MHz LTE Band 14: 790.5 MHz ~ 795.5 MHz LTE Band 66: 1710.7 MHz ~ 1754.3 MHz LTE Band 71: 665.5 MHz ~ 695.5 MHz
Rx Frequency	LTE Band 2: 1930.7 MHz ~ 1989.3 MHz LTE Band 4: 2110.7 MHz ~ 2154.3 MHz LTE Band 5: 869.7 MHz ~ 893.3 MHz LTE Band 7: 2622.5 MHz ~ 2687.5 MHz LTE Band 12: 729.7 MHz ~ 745.3 MHz LTE Band 13: 748.5 MHz ~ 753.5 MHz LTE Band 14: 760.5 MHz ~ 765.5 MHz LTE Band 66: 2110.7 MHz ~ 2154.3 MHz LTE Band 71: 619.5 MHz ~ 649.5 MHz



Product Specification is subject to this standard	
<b>Bandwidth</b>	LTE Band 2: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7: 5MHz / 10MHz / 15MHz / 20MHz LTE Band 12: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 13: 5MHz / 10MHz LTE Band 14: 5MHz / 10MHz LTE Band 66: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 71: 5MHz / 10MHz / 15MHz / 20MHz
<b>Maximum Output Power to Antenna</b>	LTE Band 2 : 22.44 dBm LTE Band 4 : 22.61 dBm LTE Band 5 : 22.81 dBm LTE Band 5B : 22.90 dBm LTE Band 7 : 22.52 dBm LTE Band 7C : 23.29 dBm LTE Band 12 : 22.94 dBm LTE Band 13 : 22.97 dBm LTE Band 14 : 22.94 dBm LTE Band 66 : 22.80 dBm LTE Band 66B : 23.96 dBm LTE Band 66C : 23.14 dBm LTE Band 71 : 22.92 dBm
<b>Antenna Type</b>	<External (Model: 42808214/42808215/42808227)>: external sharkfin antenna, 12 OnStar Sharkfin Antenna + XM + Dual GNSS +5G
<b>Antenna Gain</b>	<External (Model: 42808214/42808215/42808227)>: LTE Band 2 : 6.7 dBi LTE Band 4 : 3.9 dBi LTE Band 5 : 1.7 dBi LTE Band 7 : 3.2 dBi LTE Band 12 : 0.6 dBi LTE Band 13 : 1.5 dBi LTE Band 14 : 1.5 dBi LTE Band 66 : 3.9dBi LTE Band 71 : -2.0 dBi
<b>Type of Modulation</b>	QPSK / 16QAM / 64QAM

**Remark:** The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

### 1.3 Modification of EUT

No modifications made to the EUT during the testing.





### 1.4 Testing Location

<b>Test Site</b>	Sporton International Inc. EMC & Wireless Communications Laboratory
<b>Test Site Location</b>	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) TEL: +886-3-327-3456 FAX: +886-3-328-4978
<b>Test Site No.</b>	<b>Sporton Site No.</b> TH03-HY
<b>Test Engineer</b>	Cotty Hsu and Luffy Lin
<b>Temperature (°C)</b>	22.1~22.8
<b>Relative Humidity (%)</b>	53~55

<b>Test Site</b>	Sporton International Inc. Wensan Laboratory
<b>Test Site Location</b>	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855
<b>Test Site No.</b>	<b>Sporton Site No.</b> 03CH12-HY (TAF Code:3786)
<b>Test Engineer</b>	Bill Chang, Tim Lee and Wilson Wu
<b>Temperature (°C)</b>	20~25
<b>Relative Humidity (%)</b>	50~60
<b>Remark</b>	The Radiated Spurious Emission test item subcontracted to Sporton International Inc. Wensan Laboratory.

**Note:** The test site complies with ANSI C63.4 2014 requirement.

FCC Designation No.: TW1190 and TW3786



## 1.5 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ ANSI C63.26-2015
- ♦ ANSI / TIA-603-E
- ♦ FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(R)
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.

**Remark:**

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.
3. The TAF code is not including all the FCC KDB listed without accreditation

## 2 Test Configuration of Equipment Under Test

### 2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v03r01 with maximum output power.


Modulation Type	Modulation
A	QPSK
B	16QAM
C	64QAM
D	256QAM

Test Item	Modulation Type	Bandwidth	RB Size	Channel
Conducted Power	A, B, C	All	1, Half, Full	L, M, H
EIRP	A, B, C	All	1, Half, Full	L, M, H
RSE	A	10 MHz or less	1RB	L, M, H

**Remark:**

1. Evaluated all the transmitter signal and reporting worst-case configuration among all modulation types.
2. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst-case emissions are reported.
3. All the radiated test cases were performed with Sample 1.

### 2.2 Connection Diagram of Test System





### 2.3 Support Unit used in test configuration and system

Item	Equipment	Brand Name	Model No.	FCC ID	Data Cable	Power Cord
1.	WWAN Antenna	Continental	42808215	N/A	N/A	N/A
2.	Metal Plate	N/A	N/A	N/A	N/A	Unshielded, 1.8 m
3.	Adapter	TePoo	PT-WC-03	N/A	N/A	N/A
4.	Teddy Jr Load Box	Continental	N/A	N/A	N/A	N/A
5.	DC Power Supply	GW Instek	GPE-2323	N/A	N/A	N/A
6.	System Simulator	Anritsu	MT8821C	N/A	N/A	N/A

### 2.4 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3



LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5

LTE Band 14 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23330	-
	Frequency	-	793	-
5	Channel	23305	23330	23355
	Frequency	790.5	793	795.5

LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3



LTE Band 71 Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20	Channel		133222	133297	133372
	Frequency		673.0	680.5	688.0
15	Channel		133197	133297	133397
	Frequency		670.5	680.5	690.5
10	Channel		133172	133297	133422
	Frequency		668.0	680.5	693.0
5	Channel		133147	133297	133447
	Frequency		665.5	680.5	695.5

LTE Band 5B Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
3 + 5	PCC	Channel	20416	20501	20586
		Frequency	825.6	834.1	842.6
	SCC	Channel	20455	20540	20625
		Frequency	829.5	838.0	846.5
5 + 3	PCC	Channel	20425	20510	20595
		Frequency	826.5	835.0	843.5
	SCC	Channel	20464	20549	20634
		Frequency	830.4	838.9	847.4
5 + 10	PCC	Channel	20428	20478	20528
		Frequency	826.8	831.8	836.8
	SCC	Channel	20500	20550	20600
		Frequency	834.0	839.0	844.0
10 + 5	PCC	Channel	20450	20500	20550
		Frequency	829.0	834.0	839.0
	SCC	Channel	20522	20572	20622
		Frequency	836.2	841.2	846.2
10 + 10	PCC	Channel	20450	20476	20501
		Frequency	829.0	831.6	834.1
	SCC	Channel	20549	20575	20600
		Frequency	838.9	841.5	844.0



LTE Band 7C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7





LTE Band 66B Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
5 + 5	PCC	Channel	131997	132398	132599
		Frequency	1712.5	1752.6	1772.7
	SCC	Channel	132045	133346	132647
		Frequency	1717.3	1757.4	1777.5
5 + 10	PCC	Channel	132000	132375	132550
		Frequency	1712.8	1750.3	1767.8
	SCC	Channel	132072	133347	132622
		Frequency	1720.0	1757.5	1775.0
10 + 5	PCC	Channel	132022	132397	132572
		Frequency	1715.0	1752.5	1770.0
	SCC	Channel	132094	133369	132644
		Frequency	1722.2	1759.7	1777.2
5 + 15	PCC	Channel	132002	132353	132504
		Frequency	1713.0	1748.1	1763.2
	SCC	Channel	132095	133346	132597
		Frequency	1722.3	1757.4	1772.5
15 + 5	PCC	Channel	132047	132398	132549
		Frequency	1717.5	1752.6	1767.7
	SCC	Channel	132140	133391	132642
		Frequency	1726.8	1761.9	1777.0
10 + 10	PCC	Channel	132022	132373	135523
		Frequency	1715.0	1750.1	1765.1
	SCC	Channel	132121	133372	132622
		Frequency	1724.9	1760.0	1775.0



LTE Band 66C Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
10 + 15	PCC	Channel	132025	132351	132477
		Frequency	1715.3	1747.9	1760.5
	SCC	Channel	132145	133371	132597
		Frequency	1727.3	1759.9	1772.5
15 + 10	PCC	Channel	132047	132373	132499
		Frequency	1717.5	1750.1	1762.7
	SCC	Channel	132167	132493	132619
		Frequency	1729.5	1762.1	1774.7
10 + 20	PCC	Channel	132027	132328	132428
		Frequency	1715.5	1745.6	1755.6
	SCC	Channel	131171	133372	132572
		Frequency	1729.9	1760.0	1770.0
20 + 10	PCC	Channel	132072	132373	132473
		Frequency	1720.0	1750.1	1760.1
	SCC	Channel	132216	133417	132617
		Frequency	1734.4	1764.5	1774.5
15 + 15	PCC	Channel	132047	132347	132447
		Frequency	1717.5	1747.5	1757.5
	SCC	Channel	132197	133397	132597
		Frequency	1732.5	1762.5	1772.5
15 + 20	PCC	Channel	132050	132325	132401
		Frequency	1717.8	1745.3	1752.9
	SCC	Channel	132221	133396	132572
		Frequency	1734.9	1762.4	1770.0
20 + 15	PCC	Channel	132072	132348	132423
		Frequency	1720.0	1747.6	1755.1
	SCC	Channel	132243	133419	132594
		Frequency	1737.1	1764.7	1772.2
20 + 5	PCC	Channel	132072	132397	132522
		Frequency	1720.0	1752.5	1765.0
	SCC	Channel	132189	133414	132639
		Frequency	1731.7	1764.2	1776.7



LTE Band 66C Channel and Frequency List_CA					
5 + 20	PCC	Channel	132005	132330	132455
		Frequency	1713.3	1745.8	1758.3
	SCC	Channel	132122	132447	132572
		Frequency	1725.0	1757.5	1770.0
20 + 20	PCC	Channel	132072	132323	132374
		Frequency	1720.0	1745.1	1750.2
	SCC	Channel	132270	133421	132572
		Frequency	1739.8	1764.9	1770.0


### 3 Conducted Test Items

#### 3.1 Measuring Instruments

See list of measuring instruments of this test report.

##### 3.1.1 Test Setup

##### 3.1.2 Conducted Output Power



##### 3.1.3 Test Result of Conducted Test

Please refer to Appendix A.



## 3.2 Conducted Output Power and ERP/EIRP

### 3.2.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13, Band 14, Band 71

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2, Band 7

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4, Band 66

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$ ,  $ERP = EIRP - 2.15$ , where

$P_T$  = transmitter output power in dBm

$G_T$  = gain of the transmitting antenna in dBi

$L_C$  = signal attenuation in the connecting cable between the transmitter and antenna in dB

### 3.2.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.


## 4 Radiated Test Items

### 4.1 Measuring Instruments


See list of measuring instruments of this test report.

#### 4.1.1 Test Setup


For radiated test below 30MHz




For radiated test from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



#### 4.1.2 Test Result of Radiated Test

Please refer to Appendix B.

**Note:**

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.



## **4.2 Radiated Spurious Emission Measurement**

### **4.2.1 Description of Radiated Spurious Emission Measurement**

The radiated spurious emission was measured by substitution method according to ANSI / TIA-603-E. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least  $43 + 10 \log (P)$  dB.

For LTE Band 7

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least  $55 + 10 \log (P)$  dB.

For LTE Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to  $-70$  dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and  $-80$  dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

For LTE Band 14

For operations in the 758-775 MHz and 788-805 MHz bands, all emissions including harmonics in the band 1559–1610 MHz shall be limited to  $-70$  dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and  $-80$  dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.





### 4.2.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 7 and ANSI / TIA-603-E section 5.5.4 Radiated measurement using the field strength method.

1. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. To convert spectrum reading E(dBuV/m) to EIRP(dBm)  
$$\text{EIRP(dBm)} = \text{Level (dBuV/m)} + 20\log(d) - 104.77,$$
where d is the distance at which field strength limit is specified in the rules
7. Field Strength Level (dBm) = Spectrum Reading (dBm) + Antenna Factor + Cable Loss + Read Level - Preamp Factor.
8. ERP (dBm) = EIRP (dBm) - 2.15
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.



## 5 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Loop Antenna	Rohde & Schwarz	HFH2-Z2	100315	9 kHz~30 MHz	Feb. 28, 2023	Nov. 10, 2023~ Nov. 22, 2023	Feb. 27, 2024	Radiation (03CH12-HY)
Bilog Antenna	TESEQ	CBL 6111D & 00800N1D01N- 06	37059 & 01	30MHz~1GHz	Nov. 03, 2023	Nov. 10, 2023~ Nov. 22, 2023	Nov. 02, 2024	Radiation (03CH12-HY)
Bilog Antenna	TESEQ	CBL 6111D & 00800N1D01N- 06	40103 & 07	30MHz~1GHz	Apr. 23, 2023	Nov. 10, 2023~ Nov. 22, 2023	Apr. 22, 2024	Radiation (03CH12-HY)
Horn Antenna	SCHWARZBE CK	BBHA 9120 D	9120D-1328	1GHz~18GHz	Dec. 15, 2022	Nov. 10, 2023~ Nov. 22, 2023	Dec. 14, 2023	Radiation (03CH12-HY)
Horn Antenna	SCHWARZBE CK	BBHA 9120 D	9120D-02114	1GHz~18GHz	Jul. 31, 2023	Nov. 10, 2023~ Nov. 22, 2023	Jul. 30, 2024	Radiation (03CH12-HY)
SHF-EHF Horn Antenna	SCHWARZBE CK	BBHA9170	1224	18GHz~40GHz	Jul. 10, 2023	Nov. 10, 2023~ Nov. 22, 2023	Jul. 09, 2024	Radiation (03CH12-HY)
SHF-EHF Horn Antenna	SCHWARZBE CK	BBHA9170	00993	18GHz~40GHz	Nov. 24, 2022	Nov. 10, 2023~ Nov. 22, 2023	Nov. 23, 2023	Radiation (03CH12-HY)
Preamplifier	COM-POWER	PA-103A	161075	10MHz~1GHz	Mar. 21, 2023	Nov. 10, 2023~ Nov. 22, 2023	Mar. 20, 2024	Radiation (03CH12-HY)
Preamplifier	Agilent	8449B	3008A02375	1GHz~26.5GHz	May 23, 2023	Nov. 10, 2023~ Nov. 22, 2023	May 22, 2024	Radiation (03CH12-HY)
Preamplifier	E-INSTRUME NT TECH LTD.	ERA-100M-18G -56-01-A70	EC1900249	1GHz-18GHz	Dec. 21, 2022	Nov. 10, 2023~ Nov. 22, 2023	Dec. 20, 2023	Radiation (03CH12-HY)
Preamplifier	EMEC	EM18G40G	060715	18GHz~40GHz	Dec. 07, 2022	Nov. 10, 2023~ Nov. 22, 2023	Dec. 06, 2023	Radiation (03CH12-HY)
Spectrum Analyzer	Agilent	N9010A	MY53470118	10Hz~44GHz	Jan. 10, 2023	Nov. 10, 2023~ Nov. 22, 2023	Jan. 09, 2024	Radiation (03CH12-HY)
Filter	Wainwright	WHKX12-900-1 000-15000-60S S	SN12	1GHz High Pass Filter	Nov. 02, 2023	Nov. 10, 2023~ Nov. 22, 2023	Nov. 01, 2024	Radiation (03CH12-HY)
Filter	Wainwright	WHKX12-2700- 3000-18000-60 ST	SN2	3GHz High Pass Filter	Mar. 14, 2023	Nov. 10, 2023~ Nov. 22, 2023	Mar. 13, 2024	Radiation (03CH12-HY)
Filter	Wainwright	WHKX8-5872.5 -6750-18000-40 ST	SN2	6.75GHz High Pass Filter	Mar. 14, 2023	Nov. 10, 2023~ Nov. 22, 2023	Mar. 13, 2024	Radiation (03CH12-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	9kHz~30MHz	Mar. 07, 2023	Nov. 10, 2023~ Nov. 22, 2023	Mar. 06, 2024	Radiation (03CH12-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 126E	0058/126E	30MHz~18GHz	Dec. 20, 2022	Nov. 10, 2023~ Nov. 22, 2023	Dec. 19, 2023	Radiation (03CH12-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	505134/2	30MHz~40GHz	Dec. 20, 2022	Nov. 10, 2023~ Nov. 22, 2023	Dec. 19, 2023	Radiation (03CH12-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803953/2	30MHz~40GHz	Dec. 20, 2022	Nov. 10, 2023~ Nov. 22, 2023	Dec. 19, 2023	Radiation (03CH12-HY)



Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Hygrometer	TECEPEL	DTM-303B	TP210117	N/A	Oct. 19, 2023	Nov. 10, 2023~ Nov. 22, 2023	Oct. 18, 2024	Radiation (03CH12-HY)
Controller	EMEC	EM1000	N/A	Control Turn table & Ant Mast	N/A	Nov. 10, 2023~ Nov. 22, 2023	N/A	Radiation (03CH12-HY)
Antenna Mast	EMEC	AM-BS-4500-B	N/A	1m~4m	N/A	Nov. 10, 2023~ Nov. 22, 2023	N/A	Radiation (03CH12-HY)
Turn Table	EMEC	TT2000	N/A	0~360 Degree	N/A	Nov. 10, 2023~ Nov. 22, 2023	N/A	Radiation (03CH12-HY)
Software	Audix	E3 6.2009-8-24	RK-000989	N/A	N/A	Nov. 10, 2023~ Nov. 22, 2023	N/A	Radiation (03CH12-HY)
Thermal Chamber	ESPEC	SH-641	92013720	-40°C~90°C	Sep. 07, 2022	Jan. 17, 2023~ Mar. 23, 2023	Sep. 06, 2023	Conducted (TH03-HY)
DC Power Supply	GW Instek	GPP-2323	GES906037	0V~64V : 0A~6A	Dec. 29, 2022	Jan. 17, 2023~ Mar. 23, 2023	Dec. 28, 2023	Conducted (TH03-HY)
Coupler	Warison	20dB 25W SMA Directional Coupler	#B	1~18GHz	Jan. 06, 2023	Jan. 17, 2023~ Mar. 23, 2023	Jan. 05, 2024	Conducted (TH03-HY)



## 6 Measurement Uncertainty

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ )	3.07 dB
---	---------

### Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ )	3.63 dB
---	---------

### Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ( $U = 2Uc(y)$ )	4.14 dB
---	---------



## Appendix A. Test Results of Conducted Test

### Conducted Output Power(Average power & ERP/EIRP)

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 6.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.44	22.37	22.38	29.14	0.8204
20	1	49		22.31	22.33	22.35		
20	1	99		22.30	22.40	22.43		
20	50	0		21.46	21.30	21.35		
20	50	24		21.51	21.47	21.54		
20	50	50		21.47	21.46	21.53		
20	100	0		21.46	21.41	21.50		
20	1	0	16-QAM	21.82	21.77	21.73	28.52	0.7112
20	1	49		21.77	21.74	21.70		
20	1	99		21.74	21.77	21.75		
20	50	0		20.46	20.32	20.40		
20	50	24		20.54	20.49	20.56		
20	50	50		20.49	20.48	20.56		
20	100	0		20.47	20.43	20.51		
20	1	0	64-QAM	20.78	20.57	20.62	27.48	0.5598
20	1	49		20.69	20.64	20.64		
20	1	99		20.70	20.69	20.68		
20	50	0		19.50	19.32	19.41		
20	50	24		19.55	19.52	19.59		
20	50	50		19.49	19.48	19.57		
20	100	0		19.49	19.43	19.52		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = 6.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.35	22.29	22.22	29.13	0.8185
15	1	37		22.18	22.16	22.34		
15	1	74		22.28	22.36	22.43		
15	36	0		21.41	21.14	21.34		
15	36	20		21.39	21.37	21.48		
15	36	39		21.40	21.45	21.35		
15	75	0		21.31	21.31	21.47		
15	1	0	16-QAM	21.79	21.70	21.61	28.49	0.7063
15	1	37		21.67	21.65	21.63		
15	1	74		21.57	21.58	21.65		
15	36	0		20.36	20.12	20.25		
15	36	20		20.45	20.41	20.54		
15	36	39		20.48	20.29	20.49		
15	75	0		20.41	20.30	20.34		
15	1	0	64-QAM	20.70	20.37	20.60	27.40	0.5495
15	1	37		20.53	20.61	20.45		
15	1	74		20.62	20.55	20.67		
15	36	0		19.35	19.19	19.23		
15	36	20		19.37	19.42	19.46		
15	36	39		19.39	19.46	19.39		
15	75	0		19.46	19.36	19.33		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = 6.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.31	22.23	22.19	29.12	0.8166
10	1	25		22.19	22.16	22.28		
10	1	49		22.16	22.33	22.42		
10	25	0		21.28	21.14	21.22		
10	25	12		21.34	21.46	21.35		
10	25	25		21.32	21.35	21.37		
10	50	0		21.29	21.26	21.39		
10	1	0	16-QAM	21.62	21.64	21.69	28.44	0.6982
10	1	25		21.74	21.54	21.58		
10	1	49		21.61	21.64	21.70		
10	25	0		20.32	20.15	20.36		
10	25	12		20.45	20.35	20.55		
10	25	25		20.31	20.45	20.36		
10	50	0		20.30	20.23	20.33		
10	1	0	64-QAM	20.71	20.51	20.52	27.41	0.5508
10	1	25		20.53	20.57	20.56		
10	1	49		20.69	20.60	20.64		
10	25	0		19.31	19.15	19.31		
10	25	12		19.36	19.44	19.41		
10	25	25		19.47	19.33	19.38		
10	50	0		19.30	19.32	19.36		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = 6.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.41	22.23	22.22	29.11	0.8147
5	1	12		22.13	22.29	22.19		
5	1	24		22.29	22.32	22.29		
5	12	0		21.44	21.15	21.18		
5	12	7		21.45	21.30	21.36		
5	12	13		21.46	21.36	21.38		
5	25	0		21.39	21.23	21.32		
5	1	0	16-QAM	21.81	21.75	21.69	28.51	0.7096
5	1	12		21.58	21.59	21.56		
5	1	24		21.68	21.77	21.58		
5	12	0		20.37	20.12	20.22		
5	12	7		20.34	20.39	20.44		
5	12	13		20.36	20.29	20.36		
5	25	0		20.44	20.30	20.49		
5	1	0	64-QAM	20.69	20.48	20.47	27.39	0.5483
5	1	12		20.62	20.44	20.47		
5	1	24		20.53	20.60	20.55		
5	12	0		19.45	19.16	19.28		
5	12	7		19.35	19.47	19.58		
5	12	13		19.39	19.39	19.51		
5	25	0		19.36	19.28	19.45		
Limit	EIRP < 2W			Result			Pass	





LTE Band 2 Maximum Average Power [dBm] (GT - LC = 6.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.28	22.26	22.18	29.02	0.7980
3	1	8		22.12	22.30	22.23		
3	1	14		22.21	22.32	22.26		
3	8	0		21.33	21.30	21.30		
3	8	4		21.38	21.31	21.51		
3	8	7		21.34	21.36	21.35		
3	15	0		21.43	21.37	21.39		
3	1	0	16-QAM	21.68	21.73	21.57	28.43	0.6966
3	1	8		21.59	21.62	21.64		
3	1	14		21.70	21.58	21.68		
3	8	0		20.42	20.32	20.30		
3	8	4		20.34	20.34	20.38		
3	8	7		20.35	20.37	20.44		
3	15	0		20.39	20.23	20.39		
3	1	0	64-QAM	20.62	20.52	20.59	27.38	0.5470
3	1	8		20.64	20.63	20.45		
3	1	14		20.67	20.68	20.68		
3	8	0		19.30	19.14	19.21		
3	8	4		19.43	19.41	19.48		
3	8	7		19.32	19.39	19.48		
3	15	0		19.49	19.29	19.45		
Limit	EIRP < 2W			Result			Pass	



LTE Band 2 Maximum Average Power [dBm] (GT - LC = 6.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.42	22.33	22.33	29.12	0.8166
1.4	1	3		22.29	22.19	22.24		
1.4	1	5		22.12	22.32	22.24		
1.4	3	0		22.30	22.28	22.36		
1.4	3	1		22.16	22.23	22.33		
1.4	3	3		22.22	22.21	22.24		
1.4	6	0		21.46	21.40	21.33		
1.4	1	0	16-QAM	21.65	21.63	21.61	28.45	0.6998
1.4	1	3		21.75	21.55	21.60		
1.4	1	5		21.63	21.57	21.62		
1.4	3	0		21.44	21.23	21.42		
1.4	3	1		21.68	21.71	21.66		
1.4	3	3		21.74	21.60	21.54		
1.4	6	0		20.43	20.41	20.46		
1.4	1	0	64-QAM	20.68	20.46	20.47	27.40	0.5495
1.4	1	3		20.57	20.59	20.45		
1.4	1	5		20.70	20.67	20.64		
1.4	3	0		20.43	20.31	20.26		
1.4	3	1		20.45	20.40	20.44		
1.4	3	3		20.42	20.42	20.53		
1.4	6	0		19.46	19.24	19.33		
Limit	EIRP < 2W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.32	22.43	22.42	26.51	0.4477
20	1	49		22.59	22.61	22.60		
20	1	99		22.40	22.33	22.32		
20	50	0		21.62	21.62	21.63		
20	50	24		21.76	21.67	21.69		
20	50	50		21.66	21.69	21.67		
20	100	0		21.68	21.60	21.59		
20	1	0	16-QAM	21.64	21.75	21.73	25.87	0.3864
20	1	49		21.97	21.97	21.95		
20	1	99		21.76	21.65	21.69		
20	50	0		20.61	20.66	20.64		
20	50	24		20.78	20.72	20.70		
20	50	50		20.71	20.70	20.69		
20	100	0		20.68	20.62	20.61		
20	1	0	64-QAM	20.56	20.63	20.59	24.76	0.2992
20	1	49		20.85	20.86	20.84		
20	1	99		20.64	20.57	20.61		
20	50	0		19.66	19.68	19.64		
20	50	24		19.79	19.73	19.73		
20	50	50		19.72	19.72	19.70		
20	100	0		19.71	19.65	19.63		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.27	22.26	22.35	26.44	0.4406
15	1	37		22.42	22.44	22.54		
15	1	74		22.38	22.32	22.14		
15	36	0		21.57	21.44	21.63		
15	36	20		21.61	21.52	21.50		
15	36	39		21.57	21.52	21.54		
15	75	0		21.58	21.43	21.47		
15	1	0	16-QAM	21.57	21.74	21.56	25.84	0.3837
15	1	37		21.81	21.94	21.83		
15	1	74		21.57	21.47	21.67		
15	36	0		20.46	20.63	20.60		
15	36	20		20.58	20.56	20.68		
15	36	39		20.65	20.66	20.56		
15	75	0		20.64	20.49	20.50		
15	1	0	64-QAM	20.36	20.56	20.46	24.66	0.2924
15	1	37		20.76	20.68	20.75		
15	1	74		20.53	20.44	20.53		
15	36	0		19.47	19.48	19.44		
15	36	20		19.63	19.61	19.61		
15	36	39		19.60	19.66	19.60		
15	75	0		19.68	19.57	19.57		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.18	22.41	22.38	26.43	0.4395
10	1	25		22.52	22.53	22.46		
10	1	49		22.30	22.27	22.15		
10	25	0		21.43	21.51	21.43		
10	25	12		21.76	21.65	21.69		
10	25	25		21.48	21.58	21.53		
10	50	0		21.50	21.59	21.41		
10	1	0	16-QAM	21.49	21.71	21.53	25.80	0.3802
10	1	25		21.77	21.78	21.90		
10	1	49		21.69	21.55	21.52		
10	25	0		20.46	20.52	20.44		
10	25	12		20.68	20.70	20.61		
10	25	25		20.60	20.55	20.57		
10	50	0		20.62	20.43	20.59		
10	1	0	64-QAM	20.37	20.45	20.48	24.67	0.2931
10	1	25		20.73	20.77	20.65		
10	1	49		20.60	20.39	20.45		
10	25	0		19.47	19.49	19.61		
10	25	12		19.69	19.67	19.63		
10	25	25		19.57	19.56	19.52		
10	50	0		19.57	19.59	19.46		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.18	22.41	22.34	26.49	0.4457
5	1	12		22.50	22.59	22.55		
5	1	24		22.25	22.16	22.24		
5	12	0		21.43	21.46	21.49		
5	12	7		21.60	21.57	21.57		
5	12	13		21.46	21.67	21.56		
5	25	0		21.56	21.50	21.47		
5	1	0	16-QAM	21.52	21.59	21.68	25.86	0.3855
5	1	12		21.96	21.84	21.87		
5	1	24		21.70	21.56	21.49		
5	12	0		20.45	20.48	20.50		
5	12	7		20.60	20.65	20.66		
5	12	13		20.55	20.54	20.59		
5	25	0		20.53	20.49	20.49		
5	1	0	64-QAM	20.46	20.55	20.46	24.71	0.2958
5	1	12		20.78	20.81	20.65		
5	1	24		20.58	20.49	20.44		
5	12	0		19.52	19.63	19.59		
5	12	7		19.64	19.60	19.70		
5	12	13		19.54	19.71	19.57		
5	25	0		19.52	19.65	19.56		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.22	22.40	22.26	26.50	0.4467
3	1	8		22.55	22.50	22.60		
3	1	14		22.37	22.21	22.27		
3	8	0		21.59	21.60	21.43		
3	8	4		21.57	21.58	21.59		
3	8	7		21.55	21.54	21.49		
3	15	0		21.68	21.44	21.41		
3	1	0	16-QAM	21.50	21.73	21.64	25.83	0.3828
3	1	8		21.93	21.93	21.91		
3	1	14		21.66	21.46	21.51		
3	8	0		20.45	20.46	20.56		
3	8	4		20.76	20.69	20.50		
3	8	7		20.58	20.66	20.49		
3	15	0		20.50	20.56	20.55		
3	1	0	64-QAM	20.36	20.52	20.50	24.67	0.2931
3	1	8		20.72	20.66	20.77		
3	1	14		20.48	20.45	20.59		
3	8	0		19.63	19.52	19.44		
3	8	4		19.78	19.58	19.57		
3	8	7		19.69	19.53	19.51		
3	15	0		19.69	19.55	19.51		
Limit	EIRP < 1W			Result			Pass	



LTE Band 4 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.32	22.28	22.41	26.47	0.4436
1.4	1	3		22.49	22.54	22.55		
1.4	1	5		22.39	22.19	22.19		
1.4	3	0		22.19	22.28	22.35		
1.4	3	1		22.57	22.56	22.51		
1.4	3	3		22.31	22.25	22.31		
1.4	6	0		21.68	21.54	21.54		
1.4	1	0	16-QAM	21.64	21.68	21.58	25.82	0.3819
1.4	1	3		21.86	21.92	21.77		
1.4	1	5		21.57	21.52	21.52		
1.4	3	0		21.53	21.50	21.59		
1.4	3	1		21.57	21.56	21.47		
1.4	3	3		21.55	21.71	21.69		
1.4	6	0		20.59	20.42	20.49		
1.4	1	0	64-QAM	20.55	20.59	20.51	24.76	0.2992
1.4	1	3		20.82	20.86	20.84		
1.4	1	5		20.60	20.49	20.45		
1.4	3	0		20.39	20.46	20.51		
1.4	3	1		20.82	20.71	20.82		
1.4	3	3		20.64	20.54	20.41		
1.4	6	0		19.70	19.49	19.49		
Limit	EIRP < 1W			Result			Pass	





LTE Band 5 Maximum Average Power [dBm] (GT - LC = 1.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.70	22.81	22.72	22.36	0.1722
10	1	25		22.66	22.76	22.58		
10	1	49		22.62	22.74	22.70		
10	25	0		21.77	21.84	21.68		
10	25	12		21.74	21.82	21.67		
10	25	25		21.83	21.89	21.70		
10	50	0		21.66	21.75	21.70		
10	1	0	16-QAM	22.10	22.11	21.93	21.75	0.1496
10	1	25		22.05	22.15	22.06		
10	1	49		22.12	22.20	22.06		
10	25	0		20.62	20.82	20.62		
10	25	12		20.74	20.83	20.67		
10	25	25		20.80	20.91	20.82		
10	50	0		20.55	20.74	20.57		
10	1	0	64-QAM	20.89	20.95	20.94	20.61	0.1151
10	1	25		21.03	21.06	20.87		
10	1	49		20.70	20.89	20.74		
10	25	0		19.78	19.85	19.85		
10	25	12		19.78	19.90	19.84		
10	25	25		19.76	19.92	19.85		
10	50	0		19.64	19.80	19.62		
Limit	ERP < 7W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = 1.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.55	22.70	22.63	22.25	0.1679
5	1	12		22.61	22.69	22.49		
5	1	24		22.42	22.65	22.66		
5	12	0		21.74	21.71	21.59		
5	12	7		21.57	21.66	21.47		
5	12	13		21.75	21.82	21.62		
5	25	0		21.62	21.70	21.61		
5	1	0	16-QAM	22.09	21.91	21.80	21.64	0.1459
5	1	12		21.90	21.98	21.89		
5	1	24		21.99	22.04	21.93		
5	12	0		20.50	20.67	20.55		
5	12	7		20.69	20.83	20.60		
5	12	13		20.63	20.78	20.63		
5	25	0		20.39	20.65	20.38		
5	1	0	64-QAM	20.69	20.81	20.81	20.60	0.1148
5	1	12		20.99	21.05	20.71		
5	1	24		20.65	20.83	20.64		
5	12	0		19.78	19.79	19.73		
5	12	7		19.63	19.80	19.84		
5	12	13		19.56	19.73	19.69		
5	25	0		19.62	19.63	19.46		
Limit	ERP < 7W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = 1.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	22.65	22.73	22.62	22.28	0.1690
3	1	8		22.63	22.67	22.48		
3	1	14		22.59	22.72	22.54		
3	8	0		21.65	21.74	21.66		
3	8	4		21.73	21.72	21.47		
3	8	7		21.76	21.81	21.55		
3	15	0		21.64	21.63	21.67		
3	1	0	16-QAM	21.92	22.06	21.92	21.66	0.1466
3	1	8		21.93	22.11	21.91		
3	1	14		21.95	22.06	22.05		
3	8	0		20.45	20.80	20.62		
3	8	4		20.65	20.67	20.62		
3	8	7		20.70	20.76	20.67		
3	15	0		20.41	20.67	20.38		
3	1	0	64-QAM	20.77	20.76	20.81	20.52	0.1127
3	1	8		20.84	20.97	20.79		
3	1	14		20.51	20.79	20.55		
3	8	0		19.76	19.81	19.72		
3	8	4		19.69	19.82	19.71		
3	8	7		19.67	19.72	19.80		
3	15	0		19.52	19.63	19.61		
Limit	ERP < 7W			Result			Pass	



LTE Band 5 Maximum Average Power [dBm] (GT - LC = 1.7 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	22.63	22.64	22.63	22.34	0.1714
1.4	1	3		22.50	22.59	22.41		
1.4	1	5		22.50	22.79	22.50		
1.4	3	0		22.69	22.55	22.58		
1.4	3	1		22.60	22.74	22.58		
1.4	3	3		22.51	22.67	22.51		
1.4	6	0		21.48	21.60	21.70		
1.4	1	0	16-QAM	21.98	21.96	21.80	21.65	0.1462
1.4	1	3		22.04	22.10	22.06		
1.4	1	5		22.10	22.09	21.93		
1.4	3	0		21.76	21.67	21.64		
1.4	3	1		21.56	21.76	21.54		
1.4	3	3		21.82	21.81	21.66		
1.4	6	0		20.52	20.57	20.44		
1.4	1	0	64-QAM	20.74	20.77	20.80	20.45	0.1109
1.4	1	3		20.83	20.88	20.85		
1.4	1	5		20.62	20.70	20.65		
1.4	3	0		20.66	20.82	20.64		
1.4	3	1		20.60	20.90	20.82		
1.4	3	3		20.50	20.54	20.37		
1.4	6	0		19.46	19.65	19.62		
Limit	ERP < 7W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = 3.2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.42	22.23	22.32	25.72	0.3733
20	1	49		22.43	22.20	22.37		
20	1	99		22.47	22.38	22.52		
20	50	0		21.44	21.29	21.39		
20	50	24		21.55	21.35	21.56		
20	50	50		21.45	21.29	21.47		
20	100	0		21.50	21.30	21.46		
20	1	0	16-QAM	21.80	21.61	21.63	25.06	0.3206
20	1	49		21.77	21.55	21.73		
20	1	99		21.80	21.79	21.86		
20	50	0		20.45	20.30	20.43		
20	50	24		20.57	20.36	20.56		
20	50	50		20.46	20.30	20.47		
20	100	0		20.50	20.31	20.47		
20	1	0	64-QAM	21.69	20.45	20.47	24.89	0.3083
20	1	49		21.60	20.41	20.63		
20	1	99		21.69	20.54	20.80		
20	50	0		20.44	19.33	19.42		
20	50	24		20.58	19.40	19.56		
20	50	50		20.46	19.33	19.47		
20	100	0		20.49	19.32	19.48		
Limit	EIRP < 2W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = 3.2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.38	22.09	22.26	25.60	0.3631
15	1	37		22.39	22.19	22.26		
15	1	74		22.40	22.21	22.34		
15	36	0		21.38	21.13	21.36		
15	36	20		21.52	21.19	21.51		
15	36	39		21.30	21.25	21.39		
15	75	0		21.45	21.11	21.33		
15	1	0	16-QAM	21.71	21.52	21.51	25.05	0.3199
15	1	37		21.57	21.48	21.68		
15	1	74		21.70	21.65	21.85		
15	36	0		20.30	20.21	20.31		
15	36	20		20.42	20.36	20.55		
15	36	39		20.29	20.26	20.34		
15	75	0		20.40	20.20	20.33		
15	1	0	64-QAM	21.50	20.35	20.47	24.85	0.3055
15	1	37		21.52	20.28	20.53		
15	1	74		21.65	20.50	20.75		
15	36	0		20.33	19.16	19.38		
15	36	20		20.54	19.37	19.40		
15	36	39		20.35	19.27	19.34		
15	75	0		20.47	19.21	19.30		
Limit	EIRP < 2W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = 3.2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.40	22.15	22.18	25.65	0.3673
10	1	25		22.36	22.02	22.33		
10	1	49		22.45	22.27	22.33		
10	25	0		21.41	21.10	21.22		
10	25	12		21.47	21.17	21.55		
10	25	25		21.35	21.21	21.45		
10	50	0		21.50	21.24	21.28		
10	1	0	16-QAM	21.76	21.55	21.57	24.96	0.3133
10	1	25		21.61	21.42	21.70		
10	1	49		21.74	21.71	21.73		
10	25	0		20.44	20.16	20.36		
10	25	12		20.40	20.24	20.37		
10	25	25		20.29	20.24	20.43		
10	50	0		20.31	20.27	20.45		
10	1	0	64-QAM	21.61	20.28	20.42	24.81	0.3027
10	1	25		21.56	20.39	20.48		
10	1	49		21.57	20.49	20.71		
10	25	0		20.32	19.13	19.23		
10	25	12		20.38	19.28	19.50		
10	25	25		20.34	19.20	19.37		
10	50	0		20.38	19.29	19.30		
Limit	EIRP < 2W			Result			Pass	



LTE Band 7 Maximum Average Power [dBm] (GT - LC = 3.2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.40	22.04	22.15	25.65	0.3673
5	1	12		22.27	22.06	22.19		
5	1	24		22.45	22.19	22.39		
5	12	0		21.25	21.24	21.38		
5	12	7		21.39	21.25	21.44		
5	12	13		21.25	21.22	21.46		
5	25	0		21.34	21.21	21.42		
5	1	0	16-QAM	21.77	21.56	21.47	24.97	0.3141
5	1	12		21.75	21.40	21.65		
5	1	24		21.67	21.67	21.70		
5	12	0		20.28	20.15	20.42		
5	12	7		20.39	20.24	20.51		
5	12	13		20.43	20.14	20.36		
5	25	0		20.38	20.21	20.36		
5	1	0	64-QAM	21.57	20.25	20.32	24.88	0.3076
5	1	12		21.44	20.37	20.55		
5	1	24		21.68	20.51	20.73		
5	12	0		20.27	19.23	19.26		
5	12	7		20.46	19.38	19.48		
5	12	13		20.33	19.23	19.45		
5	25	0		20.40	19.13	19.47		
Limit	EIRP < 2W			Result			Pass	





LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.6 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.94	22.76	22.81	21.39	0.1377
10	1	25		22.75	22.82	22.75		
10	1	49		22.76	22.87	22.78		
10	25	0		21.77	21.84	21.80		
10	25	12		21.97	21.92	21.97		
10	25	25		21.92	21.96	21.91		
10	50	0		21.91	21.88	21.81		
10	1	0	16-QAM	22.11	22.14	22.15	20.75	0.1189
10	1	25		22.16	22.22	22.15		
10	1	49		22.30	22.23	22.15		
10	25	0		20.81	20.84	20.82		
10	25	12		21.00	20.96	20.97		
10	25	25		20.95	20.93	20.90		
10	50	0		20.95	20.89	20.82		
10	1	0	64-QAM	20.98	20.98	21.05	19.63	0.0918
10	1	25		21.10	21.15	21.09		
10	1	49		21.18	21.13	21.03		
10	25	0		19.84	19.86	19.82		
10	25	12		20.03	19.97	20.02		
10	25	25		19.97	19.98	19.92		
10	50	0		19.97	19.90	19.82		
Limit	ERP < 3W			Result			Pass	



LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.6 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.76	22.56	22.71	21.21	0.1321
5	1	12		22.56	22.72	22.73		
5	1	24		22.57	22.68	22.63		
5	12	0		21.74	21.79	21.64		
5	12	7		21.83	21.79	21.95		
5	12	13		21.91	21.87	21.75		
5	25	0		21.83	21.87	21.69		
5	1	0	16-QAM	21.93	21.98	22.06	20.62	0.1153
5	1	12		22.05	22.16	22.12		
5	1	24		22.17	22.15	22.07		
5	12	0		20.61	20.77	20.77		
5	12	7		20.93	20.94	20.90		
5	12	13		20.75	20.87	20.73		
5	25	0		20.92	20.78	20.68		
5	1	0	64-QAM	20.89	20.79	20.89	19.57	0.0906
5	1	12		21.04	21.12	20.92		
5	1	24		21.05	21.09	20.93		
5	12	0		19.81	19.67	19.79		
5	12	7		19.93	19.88	19.87		
5	12	13		19.94	19.80	19.84		
5	25	0		19.94	19.90	19.63		
Limit	ERP < 3W			Result			Pass	



LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.6 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	22.82	22.67	22.61	21.28	0.1343
3	1	8		22.64	22.73	22.70		
3	1	14		22.73	22.83	22.68		
3	8	0		21.77	21.76	21.68		
3	8	4		21.82	21.84	21.89		
3	8	7		21.73	21.80	21.88		
3	15	0		21.84	21.68	21.63		
3	1	0	16-QAM	21.94	21.99	21.95	20.74	0.1186
3	1	8		22.09	22.12	22.07		
3	1	14		22.29	22.16	22.10		
3	8	0		20.74	20.64	20.62		
3	8	4		20.93	20.90	20.85		
3	8	7		20.81	20.74	20.70		
3	15	0		20.89	20.74	20.73		
3	1	0	64-QAM	20.90	20.98	21.05	19.54	0.0899
3	1	8		21.08	21.02	20.94		
3	1	14		21.09	20.99	20.88		
3	8	0		19.70	19.85	19.73		
3	8	4		19.83	19.96	19.84		
3	8	7		19.95	19.78	19.84		
3	15	0		19.77	19.75	19.62		
Limit	ERP < 3W			Result			Pass	



LTE Band 12 Maximum Average Power [dBm] (GT - LC = 0.6 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	22.77	22.76	22.70	21.34	0.1361
1.4	1	3		22.63	22.65	22.66		
1.4	1	5		22.76	22.70	22.73		
1.4	3	0		22.89	22.63	22.79		
1.4	3	1		22.75	22.67	22.55		
1.4	3	3		22.68	22.80	22.66		
1.4	6	0		21.75	21.78	21.71		
1.4	1	0	16-QAM	21.97	22.02	22.07	20.72	0.1180
1.4	1	3		22.05	22.12	21.95		
1.4	1	5		22.27	22.20	22.07		
1.4	3	0		21.61	21.81	21.63		
1.4	3	1		21.90	21.73	21.86		
1.4	3	3		21.82	21.95	21.87		
1.4	6	0		20.85	20.82	20.67		
1.4	1	0	64-QAM	20.83	20.85	20.87	19.49	0.0889
1.4	1	3		20.91	20.95	21.01		
1.4	1	5		21.00	21.04	20.90		
1.4	3	0		20.72	20.76	20.80		
1.4	3	1		20.83	20.92	20.87		
1.4	3	3		20.84	20.85	20.86		
1.4	6	0		19.83	19.84	19.82		
Limit	ERP < 3W			Result			Pass	



LTE Band 13 Maximum Average Power [dBm] (GT - LC = 1.5 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK		22.97		22.32	0.1706
10	1	25			22.92			
10	1	49			22.91			
10	25	0			22.01			
10	25	12			22.02			
10	25	25			22.05			
10	50	0			21.97			
10	1	0	16-QAM	-	22.32	-	21.68	0.1472
10	1	25			22.33			
10	1	49			22.28			
10	25	0			21.02			
10	25	12			21.02			
10	25	25			21.03			
10	50	0			20.97			
10	1	0	64-QAM		21.10		20.62	0.1153
10	1	25			21.27			
10	1	49			21.23			
10	25	0			20.04			
10	25	12			20.05			
10	25	25			20.08			
10	50	0			19.98			
Limit	ERP < 3W			Result			Pass	



LTE Band 13 Maximum Average Power [dBm] (GT - LC = 1.5 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.64	22.80	22.73	22.25	0.1679
5	1	12		22.63	22.86	22.60		
5	1	24		22.57	22.90	22.72		
5	12	0		21.75	22.01	21.87		
5	12	7		21.91	21.89	21.83		
5	12	13		21.94	22.04	21.85		
5	25	0		21.71	21.82	21.89		
5	1	0	16-QAM	22.01	22.16	22.11	21.55	0.1429
5	1	12		22.11	22.19	22.18		
5	1	24		22.02	22.20	22.07		
5	12	0		20.92	20.89	20.85		
5	12	7		20.99	20.86	20.82		
5	12	13		20.69	20.84	20.78		
5	25	0		20.70	20.93	20.76		
5	1	0	64-QAM	20.90	20.99	20.93	20.59	0.1146
5	1	12		21.15	21.24	21.04		
5	1	24		21.03	21.07	21.04		
5	12	0		19.69	19.93	19.89		
5	12	7		19.80	19.92	19.85		
5	12	13		19.93	20.01	19.81		
5	25	0		19.82	19.83	19.67		
Limit	ERP < 3W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.24	22.40	22.80	26.70	0.4677
20	1	49		22.54	22.68	22.70		
20	1	99		22.35	22.44	22.62		
20	50	0		21.59	21.74	21.78		
20	50	24		21.74	21.77	21.80		
20	50	50		21.62	21.74	21.75		
20	100	0		21.65	21.71	21.74		
20	1	0	16-QAM	21.60	21.71	22.16	26.06	0.4036
20	1	49		21.90	22.04	22.10		
20	1	99		21.68	21.78	21.98		
20	50	0		20.61	20.77	20.80		
20	50	24		20.74	20.79	20.83		
20	50	50		20.63	20.77	20.78		
20	100	0		20.63	20.71	20.74		
20	1	0	64-QAM	20.41	20.59	21.02	24.92	0.3105
20	1	49		20.80	20.94	20.97		
20	1	99		20.62	20.68	20.90		
20	50	0		19.64	19.78	19.83		
20	50	24		19.75	19.82	19.85		
20	50	50		19.63	19.79	19.79		
20	100	0		19.66	19.73	19.75		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.17	22.29	22.64	26.55	0.4519
15	1	37		22.53	22.52	22.65		
15	1	74		22.21	22.36	22.45		
15	36	0		21.39	21.61	21.66		
15	36	20		21.67	21.64	21.62		
15	36	39		21.61	21.72	21.73		
15	75	0		21.50	21.54	21.55		
15	1	0	16-QAM	21.51	21.56	22.14	26.04	0.4018
15	1	37		21.74	21.92	21.93		
15	1	74		21.58	21.68	21.83		
15	36	0		20.45	20.73	20.79		
15	36	20		20.54	20.74	20.66		
15	36	39		20.52	20.75	20.64		
15	75	0		20.58	20.64	20.58		
15	1	0	64-QAM	20.38	20.52	20.82	24.76	0.2992
15	1	37		20.61	20.81	20.78		
15	1	74		20.51	20.52	20.86		
15	36	0		19.61	19.69	19.74		
15	36	20		19.68	19.63	19.78		
15	36	39		19.46	19.75	19.79		
15	75	0		19.46	19.68	19.60		
Limit	EIRP < 1W			Result			Pass	





LTE Band 66 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.04	22.37	22.74	26.64	0.4613
10	1	25		22.43	22.57	22.57		
10	1	49		22.17	22.30	22.59		
10	25	0		21.49	21.54	21.73		
10	25	12		21.69	21.74	21.78		
10	25	25		21.42	21.68	21.68		
10	50	0		21.59	21.56	21.60		
10	1	0	16-QAM	21.57	21.70	22.14	26.04	0.4018
10	1	25		21.84	22.04	21.91		
10	1	49		21.53	21.68	21.84		
10	25	0		20.56	20.68	20.68		
10	25	12		20.66	20.79	20.80		
10	25	25		20.44	20.59	20.59		
10	50	0		20.50	20.66	20.56		
10	1	0	64-QAM	20.28	20.50	20.87	24.80	0.3020
10	1	25		20.72	20.90	20.89		
10	1	49		20.57	20.64	20.82		
10	25	0		19.51	19.78	19.71		
10	25	12		19.64	19.74	19.72		
10	25	25		19.55	19.65	19.79		
10	50	0		19.56	19.66	19.74		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.08	22.20	22.75	26.65	0.4624
5	1	12		22.52	22.55	22.63		
5	1	24		22.32	22.28	22.60		
5	12	0		21.50	21.70	21.69		
5	12	7		21.67	21.65	21.62		
5	12	13		21.50	21.59	21.74		
5	25	0		21.56	21.58	21.69		
5	1	0	16-QAM	21.57	21.66	22.16	26.06	0.4036
5	1	12		21.79	22.00	22.00		
5	1	24		21.68	21.68	21.98		
5	12	0		20.58	20.72	20.80		
5	12	7		20.58	20.78	20.78		
5	12	13		20.45	20.65	20.60		
5	25	0		20.48	20.65	20.64		
5	1	0	64-QAM	20.33	20.44	20.82	24.72	0.2965
5	1	12		20.78	20.74	20.77		
5	1	24		20.42	20.50	20.78		
5	12	0		19.46	19.78	19.80		
5	12	7		19.67	19.73	19.66		
5	12	13		19.45	19.67	19.64		
5	25	0		19.66	19.55	19.63		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.12	22.35	22.69	26.59	0.4560
3	1	8		22.36	22.56	22.68		
3	1	14		22.33	22.41	22.53		
3	8	0		21.51	21.74	21.60		
3	8	4		21.65	21.69	21.80		
3	8	7		21.56	21.57	21.57		
3	15	0		21.61	21.61	21.71		
3	1	0	16-QAM	21.47	21.66	21.99	25.94	0.3926
3	1	8		21.90	21.95	22.04		
3	1	14		21.48	21.72	21.80		
3	8	0		20.43	20.67	20.64		
3	8	4		20.68	20.71	20.71		
3	8	7		20.53	20.61	20.62		
3	15	0		20.58	20.61	20.74		
3	1	0	64-QAM	20.28	20.45	20.95	24.85	0.3055
3	1	8		20.71	20.81	20.81		
3	1	14		20.43	20.66	20.71		
3	8	0		19.50	19.59	19.82		
3	8	4		19.75	19.71	19.72		
3	8	7		19.50	19.60	19.70		
3	15	0		19.52	19.70	19.66		
Limit	EIRP < 1W			Result			Pass	



LTE Band 66 Maximum Average Power [dBm] (GT - LC = 3.9 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.11	22.26	22.77	26.67	0.4645
1.4	1	3		22.50	22.59	22.53		
1.4	1	5		22.21	22.41	22.53		
1.4	3	0		22.13	22.27	22.71		
1.4	3	1		22.49	22.61	22.53		
1.4	3	3		22.35	22.31	22.49		
1.4	6	0		21.53	21.69	21.63		
1.4	1	0	16-QAM	21.41	21.56	21.98	25.99	0.3972
1.4	1	3		21.75	22.00	21.91		
1.4	1	5		21.61	21.60	21.83		
1.4	3	0		21.51	21.70	21.70		
1.4	3	1		21.52	21.67	21.61		
1.4	3	3		21.60	21.53	22.09		
1.4	6	0		20.44	20.62	20.56		
1.4	1	0	64-QAM	20.25	20.40	20.88	24.85	0.3055
1.4	1	3		20.78	20.86	20.95		
1.4	1	5		20.47	20.67	20.89		
1.4	3	0		20.28	20.49	20.95		
1.4	3	1		20.68	20.76	20.82		
1.4	3	3		20.51	20.66	20.89		
1.4	6	0		19.53	19.63	19.58		
Limit	EIRP < 1W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
20	1	0	QPSK	22.92	22.69	22.62	18.77	0.0753
20	1	49		22.70	22.58	22.63		
20	1	99		22.61	22.64	22.66		
20	50	0		21.77	21.65	21.60		
20	50	24		21.88	21.78	21.75		
20	50	50		21.75	21.76	21.81		
20	100	0		21.79	21.72	21.75		
20	1	0	16-QAM	22.26	22.04	21.98	18.11	0.0647
20	1	49		22.03	21.95	21.96		
20	1	99		21.99	21.99	22.02		
20	50	0		20.78	20.66	20.60		
20	50	24		20.87	20.80	20.73		
20	50	50		20.79	20.76	20.82		
20	100	0		20.81	20.72	20.74		
20	1	0	64-QAM	21.07	20.89	20.82	16.92	0.0492
20	1	49		20.89	20.80	20.83		
20	1	99		20.88	20.90	20.90		
20	50	0		19.80	19.67	19.63		
20	50	24		19.91	19.81	19.77		
20	50	50		19.81	19.79	19.85		
20	100	0		19.85	19.72	19.76		
Limit	ERP < 3W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	22.78	22.49	22.47	18.63	0.0729
15	1	37		22.70	22.40	22.61		
15	1	74		22.58	22.45	22.49		
15	36	0		21.61	21.49	21.42		
15	36	20		21.71	21.77	21.55		
15	36	39		21.55	21.70	21.74		
15	75	0		21.63	21.57	21.55		
15	1	0	16-QAM	22.16	21.95	21.83	18.01	0.0632
15	1	37		21.99	21.77	21.83		
15	1	74		21.83	21.80	21.96		
15	36	0		20.67	20.53	20.59		
15	36	20		20.82	20.70	20.59		
15	36	39		20.60	20.75	20.69		
15	75	0		20.70	20.66	20.73		
15	1	0	64-QAM	20.93	20.75	20.64	16.78	0.0476
15	1	37		20.74	20.65	20.64		
15	1	74		20.77	20.70	20.84		
15	36	0		19.65	19.59	19.62		
15	36	20		19.83	19.80	19.61		
15	36	39		19.77	19.78	19.80		
15	75	0		19.85	19.69	19.65		
Limit	ERP < 3W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	22.82	22.56	22.58	18.67	0.0736
10	1	25		22.57	22.56	22.48		
10	1	49		22.57	22.54	22.48		
10	25	0		21.66	21.54	21.56		
10	25	12		21.68	21.68	21.57		
10	25	25		21.60	21.72	21.63		
10	50	0		21.68	21.57	21.57		
10	1	0	16-QAM	22.24	21.97	21.80	18.09	0.0644
10	1	25		21.89	21.89	21.79		
10	1	49		21.89	21.97	21.84		
10	25	0		20.60	20.65	20.45		
10	25	12		20.86	20.80	20.70		
10	25	25		20.78	20.62	20.75		
10	50	0		20.61	20.64	20.70		
10	1	0	64-QAM	21.01	20.82	20.62	16.86	0.0485
10	1	25		20.73	20.69	20.78		
10	1	49		20.68	20.70	20.88		
10	25	0		19.72	19.54	19.44		
10	25	12		19.87	19.78	19.76		
10	25	25		19.64	19.63	19.84		
10	50	0		19.80	19.54	19.61		
Limit	ERP < 3W			Result			Pass	



LTE Band 71 Maximum Average Power [dBm] (GT - LC = -2 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.82	22.50	22.56	18.67	0.0736
5	1	12		22.58	22.54	22.58		
5	1	24		22.46	22.46	22.49		
5	12	0		21.77	21.62	21.60		
5	12	7		21.84	21.62	21.74		
5	12	13		21.75	21.66	21.70		
5	25	0		21.64	21.62	21.72		
5	1	0	16-QAM	22.21	21.91	21.88	18.06	0.0640
5	1	12		21.85	21.89	21.78		
5	1	24		21.94	21.89	21.83		
5	12	0		20.78	20.66	20.51		
5	12	7		20.68	20.60	20.71		
5	12	13		20.77	20.65	20.70		
5	25	0		20.73	20.54	20.61		
5	1	0	64-QAM	21.03	20.75	20.75	16.88	0.0488
5	1	12		20.82	20.69	20.67		
5	1	24		20.86	20.74	20.78		
5	12	0		19.63	19.50	19.62		
5	12	7		19.74	19.62	19.58		
5	12	13		19.80	19.78	19.70		
5	25	0		19.83	19.55	19.61		
Limit	ERP < 3W			Result			Pass	





LTE Band 14 Maximum Average Power [dBm] (GT - LC = 1.5 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK		22.94		22.29	0.1694
10	1	25			22.81			
10	1	49			22.76			
10	25	0			21.83			
10	25	12			21.89			
10	25	25			21.83			
10	50	0			21.80			
10	1	0	16-QAM	-	22.33	-	21.68	0.1472
10	1	25			22.19			
10	1	49			22.16			
10	25	0			20.82			
10	25	12			20.87			
10	25	25			20.81			
10	50	0			20.81			
10	1	0	64-QAM		21.14		20.49	0.1119
10	1	25			21.13			
10	1	49			21.05			
10	25	0			19.87			
10	25	12			19.95			
10	25	25			19.86			
10	50	0			19.85			
Limit	ERP < 3W			Result			Pass	



LTE Band 14 Maximum Average Power [dBm] (GT - LC = 1.5 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	22.65	22.89	22.69	22.24	0.1675
5	1	12		22.72	22.79	22.63		
5	1	24		22.38	22.61	22.52		
5	12	0		21.65	21.74	21.69		
5	12	7		21.71	21.80	21.72		
5	12	13		21.59	21.73	21.55		
5	25	0		21.65	21.72	21.49		
5	1	0	16-QAM	22.17	22.30	22.16	21.65	0.1462
5	1	12		21.99	22.18	21.88		
5	1	24		22.09	22.05	22.07		
5	12	0		20.46	20.76	20.49		
5	12	7		20.77	20.68	20.80		
5	12	13		20.60	20.62	20.46		
5	25	0		20.53	20.78	20.49		
5	1	0	64-QAM	20.83	21.02	20.93	20.37	0.1089
5	1	12		20.94	20.93	20.93		
5	1	24		20.81	20.94	20.85		
5	12	0		19.54	19.76	19.72		
5	12	7		19.77	19.90	19.74		
5	12	13		19.59	19.68	19.79		
5	25	0		19.67	19.75	19.77		
Limit	ERP < 3W			Result			Pass	



LTE Band 5B_CA Maximum Average Power [dBm] (GT - LC = 1.7 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+10	1	0	0	0	QPSK	22.00	21.97	21.97	22.44	0.1754
10+10	1	0	1	49		13.17	13.24	13.34		
10+10	1	49	1	0		22.80	22.89	22.56		
10+10	1	0	0	0	16-QAM	21.24	21.11	21.22	22.33	0.1710
10+10	1	0	1	49		13.39	13.38	13.36		
10+10	1	49	1	0		22.54	22.78	21.70		
10+10	1	0	0	0	64-QAM	20.83	20.65	20.62	21.31	0.1352
10+10	1	0	1	49		13.41	13.30	13.45		
10+10	1	49	1	0		21.46	21.76	20.69		
10+5	1	49	1	0	QPSK	22.80	22.70	22.90	22.45	0.1758
10+5	1	49	1	0	16-QAM	22.59	22.51	22.70	22.25	0.1679
10+5	1	49	1	0	64-QAM	21.28	21.03	20.70	20.83	0.1211
5+10	1	24	1	0	QPSK	22.90	22.89	22.88	22.45	0.1758
5+10	1	24	1	0	16-QAM	22.53	22.50	22.10	22.08	0.1614
5+10	1	24	1	0	64-QAM	19.99	21.46	20.09	21.01	0.1262
Limit	ERP < 7W					Result			Pass	

LTE Band 5B_CA Maximum Average Power [dBm] (GT - LC = 1.7 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+3	1	24	1	0	QPSK	22.78	22.84	22.59	23.12	0.2051
5+3	1	24	1	0	16-QAM	22.32	22.71	20.26	22.26	0.1683
5+3	1	24	1	0	64-QAM	21.32	21.69	20.71	21.24	0.1330
3+5	1	14	1	0	QPSK	22.87	22.89	22.56	22.93	0.1963
3+5	1	14	1	0	16-QAM	22.54	22.78	21.70	22.33	0.1710
3+5	1	14	1	0	64-QAM	21.46	21.76	20.69	21.31	0.1352
Limit	ERP < 7W					Result			Pass	



LTE Band 66B_CA Maximum Average Power [dBm] (GT - LC = 3.9 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+10	1	0	0	0	QPSK	21.72	21.76	21.80	26.92	0.4920
10+10	1	0	1	49		12.72	12.61	12.55		
10+10	1	49	1	0		23.02	23.01	23.01		
10+10	1	0	0	0	16-QAM	21.22	20.80	21.00	26.39	0.4355
10+10	1	0	1	49		12.92	12.80	12.68		
10+10	1	49	1	0		22.45	22.49	22.44		
10+10	1	0	0	0	64-QAM	19.87	19.71	19.68	24.90	0.3090
10+10	1	0	1	49		12.75	12.65	12.56		
10+10	1	49	1	0		21.00	20.69	20.54		
15+5	1	74	1	0	QPSK	23.03	23.02	22.89	28.01	0.6324
15+5	1	74	1	0	16-QAM	22.50	22.46	22.01	28.28	0.6730
15+5	1	74	1	0	64-QAM	20.22	20.21	19.12	28.15	0.6531
5+15	1	24	1	0	QPSK	23.01	22.90	22.98	27.77	0.5984
5+15	1	24	1	0	16-QAM	22.48	22.60	22.47	27.89	0.6152
5+15	1	24	1	0	64-QAM	20.54	20.88	20.43	28.07	0.6412
Limit	EIRP < 1W					Result			Pass	

LTE Band 66B_CA Maximum Average Power [dBm] (GT - LC = 3.9 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
10+5	1	49	1	0	QPSK	23.01	23.96	23.00	27.86	0.6109
10+5	1	49	1	0	16-QAM	22.45	22.57	22.51	26.47	0.4436
10+5	1	49	1	0	64-QAM	20.46	20.78	20.15	24.68	0.2938
5+10	1	24	1	0	QPSK	22.97	23.03	23.02	26.93	0.4932
5+10	1	24	1	0	16-QAM	22.64	22.60	22.54	26.54	0.4508
5+10	1	24	1	0	64-QAM	21.22	21.05	20.62	25.12	0.3251
5+5	1	24	1	0	QPSK	22.97	22.97	23.01	27.60	0.5754
5+5	1	24	1	0	16-QAM	22.53	22.50	22.42	28.05	0.6383
5+5	1	24	1	0	64-QAM	21.01	21.15	20.10	27.37	0.5458
Limit	EIRP < 1W					Result			Pass	



LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 3.9 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	1	0	0	0	QPSK	21.75	22.02	22.09	27.04	0.5058
20+20	1	0	1	99		14.77	14.65	14.66		
20+20	1	99	1	0		23.12	23.14	23.08		
20+20	1	0	0	0	16-QAM	20.68	21.55	20.98	26.56	0.4529
20+20	1	0	1	99		14.90	14.89	14.82		
20+20	1	99	1	0		22.66	22.57	22.63		
20+20	1	0	0	0	64-QAM	20.01	20.12	20.02	24.74	0.2979
20+20	1	0	1	99		14.80	14.72	14.76		
20+20	1	99	1	0		20.84	20.84	20.66		
20+15	1	74	1	0	QPSK	23.14	23.02	23.12	27.04	0.5058
20+15	1	74	1	0	16-QAM	23.01	23.01	22.76	26.91	0.4909
20+15	1	74	1	0	64-QAM	20.67	20.60	20.08	24.57	0.2864
15+20	1	74	1	0	QPSK	23.12	23.07	23.01	27.02	0.5035
15+20	1	74	1	0	16-QAM	22.42	22.62	22.42	26.52	0.4487
15+20	1	74	1	0	64-QAM	20.75	20.75	20.58	24.65	0.2917
Limit	EIRP < 1W					Result			Pass	



LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 3.9 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	1	99	1	0	QPSK	23.12	23.13	22.93	27.03	0.5047
20+10	1	99	1	0	16-QAM	22.65	22.67	22.02	26.57	0.4539
20+10	1	99	1	0	64-QAM	20.75	20.56	19.27	24.65	0.2917
10+20	1	49	1	0	QPSK	23.03	23.12	22.98	27.02	0.5035
10+20	1	49	1	0	16-QAM	22.49	22.58	22.53	26.48	0.4446
10+20	1	49	1	0	64-QAM	20.86	20.79	20.64	24.76	0.2992
20+5	1	99	1	0	QPSK	23.10	23.12	23.00	27.02	0.5035
20+5	1	99	1	0	16-QAM	22.66	22.59	22.14	26.56	0.4529
20+5	1	99	1	0	64-QAM	20.71	20.54	19.30	24.61	0.2891
Limit	EIRP < 1W					Result			Pass	

LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 3.9 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
5+20	1	24	1	0	QPSK	23.04	23.08	23.12	27.02	0.5035
5+20	1	24	1	0	16-QAM	22.66	22.61	22.45	26.56	0.4529
5+20	1	24	1	0	64-QAM	20.68	20.89	20.65	24.79	0.3013
Limit	EIRP < 1W					Result			Pass	



LTE Band 66C_CA Maximum Average Power [dBm] (GT - LC = 3.9 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	1	74	1	0	QPSK	23.03	23.04	22.92	26.94	0.4943
15+10	1	74	1	0	16-QAM	22.57	22.47	22.08	26.47	0.4436
15+10	1	74	1	0	64-QAM	20.75	20.75	19.27	24.65	0.2917
10+15	1	49	1	0	QPSK	23.12	23.12	23.07	27.02	0.5035
10+15	1	49	1	0	16-QAM	22.57	22.45	22.53	26.47	0.4436
10+15	1	49	1	0	64-QAM	20.87	20.82	19.99	24.77	0.2999
15+15	1	74	1	0	QPSK	23.09	23.05	23.04	26.99	0.5000
15+15	1	74	1	0	16-QAM	22.51	22.43	22.52	26.42	0.4385
15+15	1	74	1	0	64-QAM	20.75	20.79	20.21	24.69	0.2944
Limit	EIRP < 1W					Result			Pass	



LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = 3.2 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+20	1	0	0	0	QPSK	21.85	21.37	21.27	26.16	0.4130
20+20	1	0	1	99		11.26	12.38	10.68		
20+20	1	99	1	0		22.86	22.85	22.96		
20+20	1	0	0	0	16-QAM	20.81	20.69	20.16	25.64	0.3664
20+20	1	0	1	99		11.88	12.91	11.22		
20+20	1	99	1	0		22.39	22.29	22.44		
20+20	1	0	0	0	64-QAM	20.14	19.57	19.28	24.18	0.2618
20+20	1	0	1	99		10.57	11.78	10.07		
20+20	1	99	1	0		20.33	20.98	19.22		
20+15	1	99	1	0	QPSK	22.80	22.86	22.90	26.10	0.4074
20+15	1	99	1	0	16-QAM	23.08	23.29	23.23	26.49	0.4457
20+15	1	99	1	0	64-QAM	19.49	21.31	20.36	24.51	0.2825
15+20	1	74	1	0	QPSK	22.91	22.77	22.91	26.11	0.4083
15+20	1	74	1	0	16-QAM	22.22	22.12	22.35	25.55	0.3589
15+20	1	74	1	0	64-QAM	21.17	20.25	21.11	24.37	0.2735
Limit	EIRP < 2W					Result			Pass	





LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = 3.2 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
20+10	1	99	1	0	QPSK	22.77	22.78	22.81	26.01	0.3990
20+10	1	99	1	0	16-QAM	22.24	22.45	22.17	25.65	0.3673
20+10	1	99	1	0	64-QAM	20.76	20.62	19.62	23.96	0.2489
10+20	1	74	1	0	QPSK	22.93	22.69	22.82	26.13	0.4102
10+20	1	74	1	0	16-QAM	22.46	22.12	22.27	25.66	0.3681
10+20	1	74	1	0	64-QAM	21.32	20.27	20.86	24.52	0.2831
15+15	1	74	1	0	QPSK	22.95	22.77	22.86	26.15	0.4121
15+15	1	74	1	0	16-QAM	22.35	22.36	22.37	25.57	0.3606
15+15	1	74	1	0	64-QAM	21.16	20.46	20.36	24.36	0.2729
Limit	EIRP < 2W					Result			Pass	

LTE Band 7C_CA Maximum Average Power [dBm] (GT - LC = 3.2 dB)										
BW [MHz]	PCC		SCC		Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
	RB Size	RB Offset	RB Size	RB Offset						
15+10	1	74	1	0	QPSK	22.99	22.85	22.84	26.19	0.4159
15+10	1	74	1	0	16-QAM	22.46	22.32	22.29	25.66	0.3681
15+10	1	74	1	0	64-QAM	20.05	21.21	19.35	24.41	0.2761
Limit	EIRP < 2W					Result			Pass	



## Appendix B. Test Results of Radiated Test

### B1. Summary of each worse mode


Part	Mode	Ch	Freq (MHz)	Level (dBm)	Detector	Ant Factor (dB/m)	Amp\Cbl (dB)	Filter (dB)	EIRP CF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
Part 22H	2	M	3328.000	-53.62	RMS	29.74	-24.86	0.33	-95.23	36.40	-13.00	-40.62	H	4
Part 22H	3	M	3349.000	-44.83	RMS	29.70	-24.79	0.56	-95.23	44.93	-13.00	-31.83	V	4
Part 24E	2	H	7621.000	-44.58	RMS	36.44	-22.17	0.79	-95.23	35.59	-13.00	-31.58	V	4
Part 27N	1	L	3318.000	-43.13	RMS	29.76	-24.90	0.56	-95.23	46.68	-13.00	-30.13	V	4
Part 27H	1	M	2812.000	-55.47	RMS	28.50	-26.21	0.58	-95.23	36.89	-13.00	-42.47	V	4
Part 27F	1	M	1559.000	-59.60	RMS	25.60	-28.44	0.60	-95.23	37.87	-42.15	-17.45	V	4
Part 27L	1	L	6842.000	-45.00	RMS	36.18	-22.53	0.73	-95.23	35.85	-13.00	-32.00	V	4
Part 27L	2	H	7115.000	-45.21	RMS	36.62	-22.49	0.69	-95.23	35.20	-13.00	-32.21	V	4
Part 27L	3	M	7009.000	-44.20	RMS	36.14	-22.50	0.70	-95.23	36.69	-13.00	-31.20	V	4
Part 27L	4	H	7041.000	-44.97	RMS	36.26	-22.50	0.70	-95.23	35.80	-13.00	-31.97	H	4
Part 27M	1	M	10122.000	-39.94	RMS	38.74	-20.22	0.78	-95.23	35.99	-25.00	-14.94	H	4
Part 27M	2	H	10237.000	-39.81	RMS	38.93	-20.08	0.78	-95.23	35.79	-25.00	-14.81	H	4
Part 90R	1	H	1587.000	-57.03	RMS	25.67	-28.40	0.94	-95.23	39.99	-42.15	-14.88	V	4

**Remark:** Ant 4 = Primary cell antenna




Ant 4(Primary cell antenna)

Part 22H Mode 2  
LTE B5 10M Ch20450 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band 5 10M Ch20450 1RB0 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g		Limit		Margin	Pol
			MHz	dBm		Factor	1	dB	dB	dB	dB	dBuV	dBm		
1	1649.00	-59.81	RMS	25.41	-28.28	0.56	-95.23	37.73	-13.00	-46.81	Horizontal				
2	2473.00	-57.21	RMS	27.83	-26.78	0.37	-95.23	36.60	-13.00	-44.21	Horizontal				
3	3298.00	-53.70	RMS	29.80	-24.96	0.32	-95.23	36.37	-13.00	-40.70	Horizontal				



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band 5 10M Ch20450 1RB0 QPSK


1	2	3	Freq		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g		Limit		Margin	Pol
			MHz	dBm		Factor	1	dB	dB	dB	dB	dBuV	dBm		
1	1649.00	-60.15	RMS	25.41	-28.28	0.56	-95.23	37.39	-13.00	-47.15	Vertical				
2	2473.00	-57.11	RMS	27.83	-26.78	0.37	-95.23	36.70	-13.00	-44.11	Vertical				
3	3298.00	-54.03	RMS	29.80	-24.96	0.32	-95.23	36.04	-13.00	-41.03	Vertical				



Part 22H Mode 2


LTE B5 10M Ch20525 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
						Factor	1						dB
			1664.00	-60.15	RMS	25.40	-28.25	0.56	-95.23	37.37	-13.00	-47.15	Horizontal
			2496.00	-56.63	RMS	28.00	-26.74	0.36	-95.23	36.98	-13.00	-43.63	Horizontal
			3328.00	-53.62	RMS	29.74	-24.86	0.33	-95.23	36.40	-13.00	-40.62	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
						Factor	1						dB
			1664.00	-58.51	RMS	25.40	-28.25	0.56	-95.23	39.01	-13.00	-45.51	Vertical
			2496.00	-56.51	RMS	28.00	-26.74	0.36	-95.23	37.10	-13.00	-43.51	Vertical
			3328.00	-53.68	RMS	29.74	-24.86	0.33	-95.23	36.34	-13.00	-40.68	Vertical



Part 22H Mode 2


LTE B5 10M Ch20600 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M CH20600 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1679.00	-60.15	RMS	25.40	-28.21	0.56	-95.23	37.33	-13.00	-47.15	Horizontal
			2518.00	-57.56	RMS	28.10	-26.70	0.35	-95.23	35.92	-13.00	-44.56	Horizontal
			3358.00	-53.96	RMS	29.70	-24.76	0.33	-95.23	36.00	-13.00	-40.96	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M CH20600 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1679.00	-60.45	RMS	25.40	-28.21	0.56	-95.23	37.03	-13.00	-47.45	Vertical
			2518.00	-57.71	RMS	28.10	-26.70	0.35	-95.23	35.77	-13.00	-44.71	Vertical
			3358.00	-53.98	RMS	29.70	-24.76	0.33	-95.23	35.98	-13.00	-40.98	Vertical




Ant 4(Primary cell antenna)

Part 22H Mode 3


LTE CA 5B 5M + 3M Ch20425 1RB24 QPSK + Ch20464 1RB0 QPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5B 5M Ch20425 1RB24 QPSK  
 : LTE Band 5B 3M Ch20464 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1658.00	-52.26	RMS	25.40	-28.26	0.88	-95.23	44.95	-13.00	-39.26	Horizontal
2	2486.00	-48.13	RMS	27.96	-26.76	0.70	-95.23	45.20	-13.00	-35.13	Horizontal
3	3314.00	-45.67	RMS	29.77	-24.91	0.56	-95.23	44.14	-13.00	-32.67	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5B 5M Ch20425 1RB24 QPSK  
 : LTE Band 5B 3M Ch20464 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1658.00	-51.62	RMS	25.40	-28.26	0.88	-95.23	45.59	-13.00	-38.62	Vertical
2	2486.00	-47.95	RMS	27.96	-26.76	0.70	-95.23	45.38	-13.00	-34.95	Vertical
3	3314.00	-45.48	RMS	29.77	-24.91	0.56	-95.23	44.33	-13.00	-32.48	Vertical



Part 22H Mode 3


LTE CA 5B 5M + 3M Ch20510 1RB24 QPSK + Ch20549 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5B 5M Ch20510 1RB24 QPSK  
 : LTE Band 5B 3M Ch20549 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1674.00	-52.28	RMS	25.40	-28.22	0.86	-95.23	44.91	-13.00	-39.28	Horizontal
2 2511.00	-48.16	RMS	28.10	-26.71	0.69	-95.23	44.99	-13.00	-35.16	Horizontal
3 3349.00	-45.39	RMS	29.70	-24.79	0.56	-95.23	44.37	-13.00	-32.39	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5B 5M Ch20510 1RB24 QPSK  
 : LTE Band 5B 3M Ch20549 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1674.00	-51.88	RMS	25.40	-28.22	0.86	-95.23	45.31	-13.00	-38.88	Vertical
2 2511.00	-47.83	RMS	28.10	-26.71	0.69	-95.23	45.32	-13.00	-34.83	Vertical
3 3349.00	-44.83	RMS	29.70	-24.79	0.56	-95.23	44.93	-13.00	-31.83	Vertical



Part 22H Mode 3


LTE CA 5B 5M + 3M Ch20595 1RB24 QPSK + Ch20634 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5B 5M Ch20595 1RB24 QPSK  
 : LTE Band 5B 3M Ch20364 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
			Factor	1		dB	dB			dBm	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB			
1 1691.00	-52.11	RMS	25.29	-28.19	0.84	-95.23	45.18	-13.00	-39.11		Horizontal	
2 2537.00	-48.16	RMS	28.20	-26.66	0.68	-95.23	44.85	-13.00	-35.16		Horizontal	
3 3382.00	-45.90	RMS	29.70	-24.68	0.56	-95.23	43.75	-13.00	-32.90		Horizontal	



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5B 5M Ch20595 1RB24 QPSK  
 : LTE Band 5B 3M Ch20364 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
			Factor	1		dB	dB			dBm	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB			
1 1691.00	-51.88	RMS	25.29	-28.19	0.84	-95.23	45.41	-13.00	-38.88		Vertical	
2 2537.00	-46.58	RMS	28.20	-26.66	0.68	-95.23	46.43	-13.00	-33.58		Vertical	
3 3382.00	-45.03	RMS	29.70	-24.68	0.56	-95.23	44.62	-13.00	-32.03		Vertical	






Ant 4(Primary cell antenna)

Part 24E Mode 2  
LTE B2 5M Ch18625 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band 2 5M Ch18625 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3700.00	-52.11	RMS	29.70	-24.09	1.14	-95.23	36.37	-13.00	-39.11	Horizontal
2 5551.00	-49.36	RMS	33.10	-23.30	0.67	-95.23	35.40	-13.00	-36.36	Horizontal
3 7401.00	-44.63	RMS	36.70	-22.25	0.63	-95.23	35.52	-13.00	-31.63	Horizontal



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band 2 5M Ch18625 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3700.00	-52.12	RMS	29.70	-24.09	1.14	-95.23	36.36	-13.00	-39.12	Vertical
2 5551.00	-49.27	RMS	33.10	-23.30	0.67	-95.23	35.49	-13.00	-36.27	Vertical
3 7401.00	-44.61	RMS	36.70	-22.25	0.63	-95.23	35.54	-13.00	-31.61	Vertical



Part 24E Mode 2


LTE B2 5M Ch18900 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 2 5M Ch18900 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 2 5M Ch18900 1RB0 QPSK


1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Part 24E Mode 2


LTE B2 5M Ch19175 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 2 5M Ch 19175 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 2 5M Ch 19175 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




Ant 4(Primary cell antenna)

Part 27N Mode 1  
LTE B71 10M Ch133172 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band71 10M Ch133172 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	1327.00	-59.14	RMS	25.93	-29.12	1.04	-95.23	38.24	-13.00	-46.14	Horizontal
2	1991.00	-57.51	RMS	26.72	-27.27	0.71	-95.23	37.56	-13.00	-44.51	Horizontal
3	2655.00	-55.67	RMS	28.50	-26.45	0.63	-95.23	36.88	-13.00	-42.67	Horizontal
4	3318.00	-53.64	RMS	29.76	-24.90	0.56	-95.23	36.17	-13.00	-40.64	Horizontal



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band71 10M Ch133172 1RB0 QPSK


	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	1327.00	-56.74	RMS	25.93	-29.12	1.04	-95.23	40.64	-13.00	-43.74	Vertical
2	1991.00	-57.52	RMS	26.72	-27.27	0.71	-95.23	37.55	-13.00	-44.52	Vertical
3	2655.00	-54.91	RMS	28.50	-26.45	0.63	-95.23	37.64	-13.00	-41.91	Vertical
4	3318.00	-43.13	RMS	29.76	-24.90	0.56	-95.23	46.68	-13.00	-30.13	Vertical



Part 27N Mode 1


LTE B71 10M Ch133272 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band71 10M Ch133272 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1347.00	-59.61	RMS	25.90	-29.02	0.99	-95.23	37.75	-13.00	-46.61	Horizontal
2	2021.00	-56.99	RMS	27.11	-27.24	0.71	-95.23	37.66	-13.00	-43.99	Horizontal
3	2695.00	-55.57	RMS	28.40	-26.39	0.62	-95.23	37.03	-13.00	-42.57	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band71 10M Ch133272 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1347.00	-58.17	RMS	25.90	-29.02	0.99	-95.23	39.19	-13.00	-45.17	Vertical
2	2021.00	-57.32	RMS	27.11	-27.24	0.71	-95.23	37.33	-13.00	-44.32	Vertical
3	2695.00	-55.83	RMS	28.40	-26.39	0.62	-95.23	36.77	-13.00	-42.83	Vertical



Part 27N Mode 1


LTE B71 10M Ch133422 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1378.00	-59.06	RMS	25.70	-28.87	0.91	-95.23	38.43	-13.00	-46.06	Horizontal
2	2066.00	-50.85	RMS	27.26	-27.23	0.71	-95.23	43.64	-13.00	-37.85	Horizontal
3	2755.00	-55.39	RMS	28.50	-26.30	0.60	-95.23	37.04	-13.00	-42.39	Horizontal




Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band71 10M Ch133422 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1378.00	-56.83	RMS	25.70	-28.87	0.91	-95.23	40.66	-13.00	-43.83	Vertical
2	2066.00	-48.04	RMS	27.26	-27.23	0.71	-95.23	46.45	-13.00	-35.04	Vertical
3	2755.00	-55.59	RMS	28.50	-26.30	0.60	-95.23	36.84	-13.00	-42.59	Vertical




Ant 4(Primary cell antenna)

Part 27H Mode 1  
LTE B12 10M Ch23060 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
: LTE Band12 10M Ch23060 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading		Limit	Margin	Pol
				Factor	1		g	g			
1	1399.00	-59.53	RMS	25.90	-28.77	0.86	-95.23	37.71	-13.00	-46.53	Horizontal
2	2099.00	-57.52	RMS	27.50	-27.23	0.71	-95.23	36.73	-13.00	-44.52	Horizontal
3	2798.00	-56.02	RMS	28.50	-26.24	0.58	-95.23	36.37	-13.00	-43.02	Horizontal



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
: LTE Band12 10M Ch23060 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading		Limit	Margin	Pol
				Factor	1		g	g			
1	1399.00	-58.50	RMS	25.90	-28.77	0.86	-95.23	38.74	-13.00	-45.50	Vertical
2	2099.00	-57.08	RMS	27.50	-27.23	0.71	-95.23	37.17	-13.00	-44.08	Vertical
3	2798.00	-55.85	RMS	28.50	-26.24	0.58	-95.23	36.54	-13.00	-42.85	Vertical






Part 27H Mode 1


LTE B12 10M Ch23095 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : LTE Band12 10M Ch23095 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit		Margin	Pol
						Factor	1	dB	dB	dBuV	dBm	dB			
			1406.00	-59.56	RMS	25.90	-28.75	0.86	-95.23	37.66	-13.00	-46.56	Horizontal		
			2109.00	-55.57	RMS	27.50	-27.23	0.72	-95.23	38.67	-13.00	-42.57	Horizontal		
			2812.00	-55.55	RMS	28.50	-26.21	0.58	-95.23	36.81	-13.00	-42.55	Horizontal		



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : LTE Band12 10M Ch23095 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading		Limit		Margin	Pol
						Factor	1	dB	dB	dBuV	dBm	dB			
			1406.00	-58.33	RMS	25.90	-28.75	0.86	-95.23	38.89	-13.00	-45.33	Vertical		
			2109.00	-56.90	RMS	27.50	-27.23	0.72	-95.23	37.34	-13.00	-43.90	Vertical		
			2812.00	-55.47	RMS	28.50	-26.21	0.58	-95.23	36.89	-13.00	-42.47	Vertical		






Part 27H Mode 1


LTE B12 10M Ch23130 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : LTE Band12 10M Ch23130 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1413.00	-59.16	RMS	25.90	-28.73	0.87	-95.23	38.03	-13.00	-46.16	Horizontal
2 2120.00	-57.53	RMS	27.50	-27.23	0.72	-95.23	36.71	-13.00	-44.53	Horizontal
3 2826.00	-55.52	RMS	28.50	-26.19	0.58	-95.23	36.82	-13.00	-42.52	Horizontal




Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : LTE Band12 10M Ch23130 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1413.00	-59.21	RMS	25.90	-28.73	0.87	-95.23	37.98	-13.00	-46.21	Vertical
2 2120.00	-57.42	RMS	27.50	-27.23	0.72	-95.23	36.82	-13.00	-44.42	Vertical
3 2826.00	-55.74	RMS	28.50	-26.19	0.58	-95.23	36.60	-13.00	-42.74	Vertical




Ant 4(Primary cell antenna)

Part 27F Mode 1  
LTE B13 5M Ch23205 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
: LTE Band 13 5M Ch23205 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1554.00	-60.77	RMS	25.60	-28.45	0.61	-95.23	36.70	-13.00	-47.77	Horizontal
2	2332.00	-58.94	RMS	27.22	-27.00	0.42	-95.23	35.65	-13.00	-45.94	Horizontal
3	3109.00	-54.32	RMS	29.78	-25.58	0.30	-95.23	36.41	-13.00	-41.32	Horizontal



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
: LTE Band 13 5M Ch23205 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1554.00	-60.52	RMS	25.60	-28.45	0.61	-95.23	36.95	-13.00	-47.52	Vertical
2	2332.00	-59.10	RMS	27.22	-27.00	0.42	-95.23	35.49	-13.00	-46.10	Vertical
3	3109.00	-55.02	RMS	29.78	-25.58	0.30	-95.23	35.71	-13.00	-42.02	Vertical



Part 27F Mode 1


LTE B13 5M Ch23230 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : LTE Band 13 5M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1559.00	-60.20	RMS	25.60	-28.44	0.60	-95.23	37.27	-42.15	-18.05	Horizontal
			2339.00	-58.60	RMS	27.29	-26.99	0.42	-95.23	35.91	-13.00	-45.60	Horizontal
			3119.00	-54.67	RMS	29.76	-25.55	0.30	-95.23	36.05	-13.00	-41.67	Horizontal




Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : LTE Band 13 5M Ch23230 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Reading dBuV	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1559.00	-59.60	RMS	25.60	-28.44	0.60	-95.23	37.87	-42.15	-17.45	Vertical
			2339.00	-58.39	RMS	27.29	-26.99	0.42	-95.23	36.12	-13.00	-45.39	Vertical
			3119.00	-54.62	RMS	29.76	-25.55	0.30	-95.23	36.10	-13.00	-41.62	Vertical




4

Part 27F Mode 1  
 LTE B13 5M Ch23255 1RB0 QPSK  
 H



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1564.00	-60.75	RMS	25.60	-28.43	0.60	-95.23	36.71	-42.15	-18.60	Horizontal
2	2347.00	-58.58	RMS	27.30	-26.98	0.42	-95.23	35.91	-13.00	-45.58	Horizontal
3	3129.00	-54.63	RMS	29.74	-25.52	0.30	-95.23	36.08	-13.00	-41.63	Horizontal




Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1564.00	-60.34	RMS	25.60	-28.43	0.60	-95.23	37.12	-42.15	-18.19	Vertical
2	2347.00	-58.67	RMS	27.30	-26.98	0.42	-95.23	35.82	-13.00	-45.67	Vertical
3	3129.00	-54.43	RMS	29.74	-25.52	0.30	-95.23	36.28	-13.00	-41.43	Vertical




Ant 4(Primary cell antenna)

Part 27L Mode 1  
LTE B4 10M Ch20000 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band 4 10M Ch20000 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band 4 10M Ch20000 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Part 27L Mode 1


LTE B4 10M Ch20175 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 4 10M Ch20175 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 4 10M Ch20175 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Part 27L Mode 1


LTE B4 10M Ch20350 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 4 10M Ch20350 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 4 10M Ch20350 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					






Ant 4(Primary cell antenna)

Part 27L Mode 2  
LTE B66 1.4M Ch131979 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band 66 1.4M Ch131979 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band 66 1.4M Ch131979 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					






Part 27L Mode 2


LTE B66 1.4M Ch132322 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 1.4M Ch132322 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 1.4M Ch132322 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Part 27L Mode 2


LTE B66 1.4M Ch132665 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 1.4M Ch132665 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 1.4M Ch132665 1RB0 QPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Ant 4(Primary cell antenna)


Part 27L Mode 3  
LTE CA B66B 5M + 10M Ch132000 1RB24 QPSK + Ch132072 1RB0 QPSK

L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band 66 5M Ch132000 1RB24 QPSK  
: LTE Band 66 10M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							dB
1	3429.00	-53.30	RMS	29.76	-24.54	1.20	-95.23	35.51	-13.00	-40.30	Horizontal
2	5144.00	-49.03	RMS	33.24	-23.66	0.69	-95.23	35.93	-13.00	-36.03	Horizontal
3	6859.00	-45.24	RMS	36.16	-22.53	0.73	-95.23	35.63	-13.00	-32.24	Horizontal



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band 66 5M Ch132000 1RB24 QPSK  
: LTE Band 66 10M Ch132072 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1							dB
1	3429.00	-51.26	RMS	29.76	-24.54	1.20	-95.23	37.55	-13.00	-38.26	Vertical
2	5144.00	-48.94	RMS	33.24	-23.66	0.69	-95.23	36.02	-13.00	-35.94	Vertical
3	6859.00	-45.42	RMS	36.16	-22.53	0.73	-95.23	35.45	-13.00	-32.42	Vertical



Part 27L Mode 3


LTE CA B66B 5M + 10M Ch132375 1RB24 QPSK + Ch132447 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 5M Ch132375 1RB24 QPSK  
 : LTE Band 66 10M Ch132447 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3504.00	-52.56	RMS	29.60	-24.36	1.22	-95.23	36.21	-13.00	-39.56	Horizontal	
2 5257.00	-48.33	RMS	33.20	-23.50	0.73	-95.23	36.47	-13.00	-35.33	Horizontal	
3 7009.00	-44.49	RMS	36.14	-22.50	0.70	-95.23	36.40	-13.00	-31.49	Horizontal	



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 5M Ch132375 1RB24 QPSK  
 : LTE Band 66 10M Ch132447 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3504.00	-52.73	RMS	29.60	-24.36	1.22	-95.23	36.04	-13.00	-39.73	Vertical	
2 5257.00	-48.83	RMS	33.20	-23.50	0.73	-95.23	35.97	-13.00	-35.83	Vertical	
3 7009.00	-44.20	RMS	36.14	-22.50	0.70	-95.23	36.69	-13.00	-31.20	Vertical	



Part 27L Mode 3


LTE CA B66B 5M + 10M Ch132550 1RB24 QPSK + Ch132622 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 5M Ch132550 1RB24 QPSK  
 : LTE Band 66 10M Ch132662 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3539.00	-52.15	RMS	29.60	-24.33	1.22	-95.23	36.59	-13.00	-39.15	Horizontal
2 5309.00	-49.43	RMS	33.20	-23.42	0.75	-95.23	35.27	-13.00	-36.43	Horizontal
3 7079.00	-45.01	RMS	36.42	-22.49	0.69	-95.23	35.60	-13.00	-32.01	Horizontal




Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 5M Ch132550 1RB24 QPSK  
 : LTE Band 66 10M Ch132662 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3539.00	-52.54	RMS	29.60	-24.33	1.22	-95.23	36.20	-13.00	-39.54	Vertical
2 5309.00	-49.57	RMS	33.20	-23.42	0.75	-95.23	35.13	-13.00	-36.57	Vertical
3 7079.00	-45.04	RMS	36.42	-22.49	0.69	-95.23	35.57	-13.00	-32.04	Vertical




Ant 4(Primary cell antenna)

Part 27L Mode 4  
LTE CA B66C 5M + 20M Ch132005 1RB24 QPSK + Ch132122 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Horizontal  
: LTE Band 66 5M Ch132005 1RB24 QPSK  
: LTE Band 66 20M Ch132122 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3430.00	-52.82	RMS	29.76	-24.54	1.20	-95.23	35.99	-13.00	-39.82	Horizontal
2	5145.00	-49.14	RMS	33.23	-23.66	0.69	-95.23	35.83	-13.00	-36.14	Horizontal
3	6860.00	-45.33	RMS	36.16	-22.53	0.73	-95.23	35.54	-13.00	-32.33	Horizontal



Site : 03CH12-HY  
Condition: -13 3m 9120D-02114-230731 Vertical  
: LTE Band 66 5M Ch132005 1RB24 QPSK  
: LTE Band 66 20M Ch132122 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
1	3430.00	-52.44	RMS	29.76	-24.54	1.20	-95.23	36.37	-13.00	-39.44	Vertical
2	5145.00	-49.11	RMS	33.23	-23.66	0.69	-95.23	35.86	-13.00	-36.11	Vertical
3	6860.00	-45.66	RMS	36.16	-22.53	0.73	-95.23	35.21	-13.00	-32.66	Vertical



Part 27L Mode 4


LTE CA B66C 5M + 20M Ch132330 1RB24 QPSK + Ch132447 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 5M Ch132330 1RB24 QPSK  
 : LTE Band 66 20M Ch132447 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3495.00	-52.30	RMS	29.62	-24.37	1.21	-95.23	36.47	-13.00	-39.30	Horizontal	
2 5243.00	-49.80	RMS	33.19	-23.52	0.73	-95.23	35.03	-13.00	-36.80	Horizontal	
3 6991.00	-45.54	RMS	36.08	-22.50	0.70	-95.23	35.41	-13.00	-32.54	Horizontal	



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 5M Ch132330 1RB24 QPSK  
 : LTE Band 66 20M Ch132447 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3495.00	-52.32	RMS	29.62	-24.37	1.21	-95.23	36.45	-13.00	-39.32	Vertical	
2 5243.00	-49.47	RMS	33.19	-23.52	0.73	-95.23	35.36	-13.00	-36.47	Vertical	
3 6991.00	-45.42	RMS	36.08	-22.50	0.70	-95.23	35.53	-13.00	-32.42	Vertical	






Part 27L Mode 4


LTE CA B66C 5M + 20M Ch132455 1RB24 QPSK + Ch132572 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 5M Ch132455 1RB24 QPSK  
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3520.00	-51.95	RMS	29.60	-24.35	1.22	-95.23	36.81	-13.00	-38.95	Horizontal	
2 5281.00	-49.09	RMS	33.20	-23.46	0.74	-95.23	35.66	-13.00	-36.09	Horizontal	
3 7041.00	-44.97	RMS	36.26	-22.50	0.70	-95.23	35.80	-13.00	-31.97	Horizontal	



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 5M Ch132455 1RB24 QPSK  
 : LTE Band 66 20M Ch132572 1RB0 QPSK


Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
			Factor	1					g	dBm	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1 3525.00	-49.54	RMS	29.60	-24.34	1.22	-95.23	39.21	-13.00	-36.54	Vertical	
2 5281.00	-48.86	RMS	33.20	-23.46	0.74	-95.23	35.89	-13.00	-35.86	Vertical	
3 7041.00	-45.37	RMS	36.26	-22.50	0.70	-95.23	35.40	-13.00	-32.37	Vertical	






Ant 4(Primary cell antenna)

Part 27M Mode 1  
LTE B7 10M Ch20800 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: -25 3m 9120D-02114-230731 Horizontal  
: LTE Band 7 10M Ch20800 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5001.00	-49.06	RMS	33.20	-23.86	0.63	-95.23	36.20	-25.00	-24.06	Horizontal	
2 7501.00	-44.71	RMS	36.50	-22.19	0.71	-95.23	35.50	-25.00	-19.71	Horizontal	
3 10002.00	-40.49	RMS	38.60	-20.38	0.78	-95.23	35.74	-25.00	-15.49	Horizontal	
4 21000.00	-68.21	RMS	37.80	-31.79	-9.54	-95.23	30.55	-25.00	-43.21	Horizontal	



Site : 03CH12-HY  
Condition: -25 3m 9120D-02114-230731 Vertical  
: LTE Band 7 10M Ch20800 1RB0 QPSK


Freq	Level	Detector	Ant Factor	Amp	Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5001.00	-48.98	RMS	33.20	-23.86	0.63	-95.23	36.28	-25.00	-23.98	Vertical	
2 7501.00	-44.99	RMS	36.50	-22.19	0.71	-95.23	35.22	-25.00	-19.99	Vertical	
3 10002.00	-40.30	RMS	38.60	-20.38	0.78	-95.23	35.93	-25.00	-15.30	Vertical	
4 21000.00	-65.08	RMS	37.80	-31.79	-9.54	-95.23	33.68	-25.00	-40.08	Vertical	



Part 27M Mode 1


LTE B7 10M Ch21100 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 7 10M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5061.00	-48.93	RMS	33.42	-23.77	0.65	-95.23	36.00	-25.00	-23.93	Horizontal	
2 7591.00	-45.20	RMS	36.40	-22.17	0.77	-95.23	35.03	-25.00	-20.20	Horizontal	
3 10122.00	-39.94	RMS	38.74	-20.22	0.78	-95.23	35.99	-25.00	-14.94	Horizontal	
4 21240.00	-69.31	RMS	37.92	-31.69	-9.54	-95.23	29.23	-25.00	-44.31	Horizontal	



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 7 10M Ch21100 1RB0 QPSK


Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5061.00	-48.67	RMS	33.42	-23.77	0.65	-95.23	36.26	-25.00	-23.67	Vertical	
2 7591.00	-44.82	RMS	36.40	-22.17	0.77	-95.23	35.41	-25.00	-19.82	Vertical	
3 10122.00	-40.40	RMS	38.74	-20.22	0.78	-95.23	35.53	-25.00	-15.40	Vertical	
4 21240.00	-65.41	RMS	37.92	-31.69	-9.54	-95.23	33.13	-25.00	-40.41	Vertical	



Part 27M Mode 1


LTE B7 10M Ch21400 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 7 20M Ch21400 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5121.00	-49.14	RMS	33.37	-23.69	0.68	-95.23	35.73	-25.00	-24.14	Horizontal	
2 7681.00	-44.61	RMS	36.62	-22.17	0.80	-95.23	35.37	-25.00	-19.61	Horizontal	
3 10242.00	-40.36	RMS	38.92	-20.07	0.78	-95.23	35.24	-25.00	-15.36	Horizontal	
4 21480.00	-67.47	RMS	38.28	-31.59	-9.54	-95.23	30.61	-25.00	-42.47	Horizontal	




Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 7 20M Ch21400 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5121.00	-49.14	RMS	33.37	-23.69	0.68	-95.23	35.73	-25.00	-24.14	Vertical	
2 7681.00	-44.57	RMS	36.62	-22.17	0.80	-95.23	35.41	-25.00	-19.57	Vertical	
3 10242.00	-40.32	RMS	38.92	-20.07	0.78	-95.23	35.28	-25.00	-15.32	Vertical	
4 21480.00	-61.43	RMS	38.28	-31.59	-9.54	-95.23	36.65	-25.00	-36.43	Vertical	



Ant 4(Primary cell antenna)

**Part 27M Mode 2**  
**LTE CA B7C 15M + 10M Ch20825 1RB74 QPSK + Ch20945 1RB0 QPSK**  
**L**




Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 7 15M Ch20825 1RB74 QPSK  
 : LTE Band 7 10M Ch20945 1RB0 QPSK

1	2	3	4
Freq	Level	Detector	Ant Amp\Cb Filter
MHz	dBm		Factor 1
5028.00	-48.77	RMS	33.31 -23.82
7542.00	-44.92	RMS	36.42 -22.18
10056.00	-40.32	RMS	38.70 -20.31
21064.00	-67.20	RMS	38.11 -31.76

EIRPCF	Readin	Limit	Margin	Pol
dB	dBuV	dBm	dB	
-95.23	36.33	-25.00	-23.77	Horizontal
-95.23	35.33	-25.00	-19.92	Horizontal
-95.23	35.74	-25.00	-15.32	Horizontal
-95.23	31.22	-25.00	-42.20	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 7 15M Ch20825 1RB74 QPSK  
 : LTE Band 7 10M Ch20945 1RB0 QPSK

1	2	3	4
Freq	Level	Detector	Ant Amp\Cb Filter
MHz	dBm		Factor 1
5028.00	-49.17	RMS	33.31 -23.82
7542.00	-44.90	RMS	36.42 -22.18
10056.00	-39.91	RMS	38.70 -20.31
21064.00	-64.76	RMS	38.11 -31.76


EIRPCF	Readin	Limit	Margin	Pol
dB	dBuV	dBm	dB	
-95.23	35.93	-25.00	-24.17	Vertical
-95.23	35.35	-25.00	-19.90	Vertical
-95.23	36.15	-25.00	-14.91	Vertical
-95.23	33.66	-25.00	-39.76	Vertical



Part 27M Mode 2


LTE CA B7C 15M + 10M Ch21051 1RB74 QPSK + Ch21171 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 7 15M Ch21051 1RB74 QPSK  
 : LTE Band 7 10M Ch21171 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5073.00	-49.10	RMS	33.45	-23.76	0.66	-95.23	35.78	-25.00	-24.10	Horizontal	
2 7610.00	-44.77	RMS	36.42	-22.17	0.78	-95.23	35.43	-25.00	-19.77	Horizontal	
3 10147.00	-40.01	RMS	38.79	-20.19	0.78	-95.23	35.84	-25.00	-15.01	Horizontal	
4 21240.00	-69.36	RMS	37.92	-31.69	-9.54	-95.23	29.18	-25.00	-44.36	Horizontal	



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 7 15M Ch21051 1RB74 QPSK  
 : LTE Band 7 10M Ch21171 1RB0 QPSK


Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5073.00	-48.68	RMS	33.45	-23.76	0.66	-95.23	36.20	-25.00	-23.68	Vertical	
2 7610.00	-44.44	RMS	36.42	-22.17	0.78	-95.23	35.76	-25.00	-19.44	Vertical	
3 10147.00	-40.02	RMS	38.79	-20.19	0.78	-95.23	35.83	-25.00	-15.02	Vertical	
4 21240.00	-63.83	RMS	37.92	-31.69	-9.54	-95.23	34.71	-25.00	-38.83	Vertical	



RSS-199 Mode 2


LTE CA B7C 15M + 10M Ch21277 1RB74 QPSK + Ch21397 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 7 15M Ch21277 1RB74 QPSK  
 : LTE Band 7 10M Ch21397 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 5118.00	-48.74	RMS	33.39	-23.69	0.68	-95.23	36.11	-25.00	-23.74	Horizontal
2 7678.00	-44.10	RMS	36.61	-22.17	0.80	-95.23	35.89	-25.00	-19.10	Horizontal
3 10237.00	-39.81	RMS	38.93	-20.08	0.78	-95.23	35.79	-25.00	-14.81	Horizontal
4 21424.00	-67.57	RMS	38.40	-31.61	-9.54	-95.23	30.41	-25.00	-42.57	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 7 15M Ch21277 1RB74 QPSK  
 : LTE Band 7 10M Ch21397 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 5118.00	-48.94	RMS	33.39	-23.69	0.68	-95.23	35.91	-25.00	-23.94	Vertical
2 7678.00	-44.21	RMS	36.61	-22.17	0.80	-95.23	35.78	-25.00	-19.21	Vertical
3 10237.00	-39.98	RMS	38.93	-20.08	0.78	-95.23	35.62	-25.00	-14.98	Vertical
4 21424.00	-62.23	RMS	38.40	-31.61	-9.54	-95.23	35.75	-25.00	-37.23	Vertical


Remark: The limit signal before #1 is fundamental signal which can be ignored.






Ant 4(Primary cell antenna)

Part 90R Mode 1  
LTE B14 5M Ch23305 1RB0 QPSK  
L



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
: LTE Band14 5M CH23305 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-60.10	RMS	25.60	-28.42	0.94	-95.23	37.01	-42.15	-17.95	Horizontal
2	2365.00	-57.39	RMS	27.40	-26.95	0.73	-95.23	36.66	-13.00	-44.39	Horizontal
3	3153.00	-53.94	RMS	29.71	-25.44	0.57	-95.23	36.45	-13.00	-40.94	Horizontal



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
: LTE Band14 5M CH23305 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-59.45	RMS	25.60	-28.42	0.94	-95.23	37.66	-42.15	-17.30	Vertical
2	2365.00	-56.65	RMS	27.40	-26.95	0.73	-95.23	37.40	-13.00	-43.65	Vertical
3	3153.00	-53.82	RMS	29.71	-25.44	0.57	-95.23	36.57	-13.00	-40.82	Vertical



Part 90R Mode 1


LTE B14 5M Ch23330 1RB0 QPSK

M



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : LTE Band14 5M CH23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1582.00	-59.29	RMS	25.62	-28.41	0.94	-95.23	37.79	-42.15	-17.14	Horizontal
			2373.00	-56.98	RMS	27.40	-26.93	0.73	-95.23	37.05	-13.00	-43.98	Horizontal
			3163.00	-53.37	RMS	29.75	-25.41	0.57	-95.23	36.95	-13.00	-40.37	Horizontal



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : LTE Band14 5M CH23330 1RB0 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
						Factor	1	dB	dB				
			1582.00	-58.42	RMS	25.62	-28.41	0.94	-95.23	38.66	-42.15	-16.27	Vertical
			2373.00	-56.70	RMS	27.40	-26.93	0.73	-95.23	37.33	-13.00	-43.70	Vertical
			3163.00	-53.22	RMS	29.75	-25.41	0.57	-95.23	37.10	-13.00	-40.22	Vertical






Part 90R Mode 1


LTE B14 5M Ch23355 1RB0 QPSK

H



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : LTE Band14 5M CH23355 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1587.00	-59.33	RMS	25.67	-28.40	0.94	-95.23	37.69	-42.15	-17.18	Horizontal
2	2380.00	-55.99	RMS	27.40	-26.92	0.73	-95.23	38.03	-13.00	-42.99	Horizontal
3	3173.00	-53.34	RMS	29.79	-25.38	0.57	-95.23	36.91	-13.00	-40.34	Horizontal



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : LTE Band14 5M CH23355 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1587.00	-57.03	RMS	25.67	-28.40	0.94	-95.23	39.99	-42.15	-14.88	Vertical
2	2380.00	-53.35	RMS	27.40	-26.92	0.73	-95.23	40.67	-13.00	-40.35	Vertical
3	3173.00	-53.61	RMS	29.79	-25.38	0.57	-95.23	36.64	-13.00	-40.61	Vertical