





<p>1-N41-30kHz-80MHz-DFT-QPSK-Low-Outer _Full--Ant1-PASS</p>	<p>1-N41-30kHz-80MHz-DFT-QPSK-Mid-Outer Full--Ant1-PASS</p>
<p>Center Freq: 2.649990000 GHz</p> <p>Center Freq: 2.649990000 GHz</p> <p>Center Freq: 2.65 GHz</p> <p>#Res BW: 820 kHz</p> <p>#VBW: 2.4 MHz</p> <p>Span: 160 MHz</p> <p>#Sweep: 100 ms</p> <p>CF Step: 16.000000 MHz</p> <p>Occupied Bandwidth: 76.936 MHz</p> <p>Total Power: 32.9 dBm</p> <p>Transmit Freq Error: -257.75 kHz</p> <p>OBW Power: 99.00 %</p> <p>x dB Bandwidth: 80.09 MHz</p> <p>x dB: -26.00 dB</p>	<p>Center Freq: 2.536020000 GHz</p> <p>Center Freq: 2.536020000 GHz</p> <p>Center Freq: 2.536 GHz</p> <p>#Res BW: 820 kHz</p> <p>#VBW: 2.4 MHz</p> <p>Span: 160 MHz</p> <p>#Sweep: 100 ms</p> <p>CF Step: 16.000000 MHz</p> <p>Occupied Bandwidth: 77.338 MHz</p> <p>Total Power: 32.1 dBm</p> <p>Transmit Freq Error: -184.69 kHz</p> <p>OBW Power: 99.00 %</p> <p>x dB Bandwidth: 95.24 MHz</p> <p>x dB: -26.00 dB</p>
<p>1-N41-30kHz-80MHz-DFT-QPSK-High-Outer _Full--Ant1-PASS</p>	<p>1-N41-30kHz-80MHz-DFT-16QAM-Low-Outer _Full--Ant1-PASS</p>
<p>Center Freq: 2.592990000 GHz</p> <p>Center Freq: 2.592990000 GHz</p> <p>Center Freq: 2.593 GHz</p> <p>#Res BW: 820 kHz</p> <p>#VBW: 2.4 MHz</p> <p>Span: 160 MHz</p> <p>#Sweep: 100 ms</p> <p>CF Step: 16.000000 MHz</p> <p>Occupied Bandwidth: 77.229 MHz</p> <p>Total Power: 31.8 dBm</p> <p>Transmit Freq Error: -314.11 kHz</p> <p>OBW Power: 99.00 %</p> <p>x dB Bandwidth: 86.81 MHz</p> <p>x dB: -26.00 dB</p>	<p>Center Freq: 2.649990000 GHz</p> <p>Center Freq: 2.649990000 GHz</p> <p>Center Freq: 2.64999 GHz</p> <p>#Res BW: 820 kHz</p> <p>#VBW: 2.4 MHz</p> <p>Span: 160.0 MHz</p> <p>Sweep: 1 ms</p> <p>CF Step: 16.000000 MHz</p> <p>Occupied Bandwidth: 77.233 MHz</p> <p>Total Power: 22.0 dBm</p> <p>Transmit Freq Error: -205.50 kHz</p> <p>% of OBW Power: 99.00 %</p> <p>x dB Bandwidth: 137.5 MHz</p> <p>x dB: -26.00 dB</p>
<p>1-N41-30kHz-80MHz-DFT-16QAM-Mid-Outer r_Full--Ant1-PASS</p>	<p>1-N41-30kHz-80MHz-DFT-16QAM-High-Outer r_Full--Ant1-PASS</p>




BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06




1-N41-30kHz-80MHz-DFT-64QAM-Low-Outer\_Full--Ant1-PASS



1-N41-30kHz-80MHz-DFT-64QAM-Mid-Outer\_Full--Ant1-PASS



1-N41-30kHz-80MHz-DFT-64QAM-High-Outer\_Full--Ant1-PASS



1-N41-30kHz-80MHz-DFT-256QAM-Low-Outer\_Full--Ant1-PASS



1-N41-30kHz-80MHz-DFT-256QAM-Mid-Outer\_Full--Ant1-PASS



1-N41-30kHz-80MHz-DFT-256QAM-High-Outer\_Full--Ant1-PASS

BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China


Tel: +86 755 8869 6566  
 Fax: +86 755 8869 6577  
 Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)





BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06



BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



<p>1-N41-30kHz-90MHz-DFT-QPSK-Mid-Outer_Full--Ant1-PASS</p>	<p>1-N41-30kHz-90MHz-DFT-QPSK-High-Outer_Full--Ant1-PASS</p>
<p>Center Freq: 2.541000000 GHz        Occupied Bandwidth: 85.455 MHz        Total Power: 32.7 dBm        Transmit Freq Error: -881.50 kHz        x dB Bandwidth: 88.74 MHz</p>	<p>Center Freq: 2.592900000 GHz        Occupied Bandwidth: 85.639 MHz        Total Power: 31.7 dBm        Transmit Freq Error: -945.45 kHz        x dB Bandwidth: 88.81 MHz</p>
<p>1-N41-30kHz-90MHz-DFT-16QAM-Low-Outer_Full--Ant1-PASS</p>	<p>1-N41-30kHz-90MHz-DFT-16QAM-Mid-Outer_Full--Ant1-PASS</p>
<p>Center Freq: 2.644980000 GHz        Occupied Bandwidth: 85.592 MHz        Total Power: 31.8 dBm        Transmit Freq Error: -1.0309 MHz        x dB Bandwidth: 88.93 MHz</p>	<p>Center Freq: 2.541000000 GHz        Occupied Bandwidth: 85.416 MHz        Total Power: 31.8 dBm        Transmit Freq Error: -921.86 kHz        x dB Bandwidth: 88.97 MHz</p>
<p>1-N41-30kHz-90MHz-DFT-16QAM-High-Outer_Full--Ant1-PASS</p>	<p>1-N41-30kHz-90MHz-DFT-64QAM-Low-Outer_Full--Ant1-PASS</p>





BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06



1-N41-30kHz-90MHz-DFT-64QAM-Mid-Outer\_Full--Ant1-PASS



1-N41-30kHz-90MHz-DFT-64QAM-High-Outer\_Full--Ant1-PASS




1-N41-30kHz-90MHz-DFT-256QAM-Low-Outer\_Full--Ant1-PASS



1-N41-30kHz-90MHz-DFT-256QAM-Mid-Outer\_Full--Ant1-PASS



1-N41-30kHz-90MHz-DFT-256QAM-High-Outer\_Full--Ant1-PASS




1-N41-30kHz-100MHz-DFT-PI2BPSK-Low-Outer\_Full--Ant1-PASS

BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
 Fax: +86 755 8869 6577  
 Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)











BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

<p>1-N41-30kHz-100MHz-DFT-QPSK-High-Out er_Full--Ant1-PASS</p>	<p>1-N41-30kHz-100MHz-DFT-16QAM-Low-Out er_Full--Ant1-PASS</p>
 <p>Center Freq 2.59290000 GHz</p> <p>Center Freq 2.59290000 GHz</p> <p>Center Freq 2.593 GHz</p> <p>Occupied Bandwidth 96.262 MHz</p> <p>Total Power 31.7 dBm</p> <p>Transmit Freq Error -514.41 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 99.92 MHz</p> <p>x dB -26.00 dB</p>	 <p>Center Freq 2.64000000 GHz</p> <p>Center Freq 2.64000000 GHz</p> <p>Center Freq 2.64 GHz</p> <p>Occupied Bandwidth 96.248 MHz</p> <p>Total Power 31.5 dBm</p> <p>Transmit Freq Error -609.09 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 99.95 MHz</p> <p>x dB -26.00 dB</p>
<p>1-N41-30kHz-100MHz-DFT-16QAM-Mid-Out er_Full--Ant1-PASS</p>	<p>1-N41-30kHz-100MHz-DFT-16QAM-High-Out er_Full--Ant1-PASS</p>
 <p>Center Freq 2.54601000 GHz</p> <p>Center Freq 2.54601000 GHz</p> <p>Center Freq 2.546 GHz</p> <p>Occupied Bandwidth 96.083 MHz</p> <p>Total Power 32.8 dBm</p> <p>Transmit Freq Error -541.08 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 99.83 MHz</p> <p>x dB -26.00 dB</p>	 <p>Center Freq 2.59290000 GHz</p> <p>Center Freq 2.59290000 GHz</p> <p>Center Freq 2.593 GHz</p> <p>Occupied Bandwidth 96.005 MHz</p> <p>Total Power 31.4 dBm</p> <p>Transmit Freq Error -570.19 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 99.61 MHz</p> <p>x dB -26.00 dB</p>
<p>1-N41-30kHz-100MHz-DFT-64QAM-Low-Out er_Full--Ant1-PASS</p>	<p>1-N41-30kHz-100MHz-DFT-64QAM-Mid-Out er_Full--Ant1-PASS</p>



BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06




1-N41-30kHz-100MHz-DFT-64QAM-High-Outer\_Full--Ant1-PASS



1-N41-30kHz-100MHz-DFT-256QAM-Low-Outer\_Full--Ant1-PASS



1-N41-30kHz-100MHz-DFT-256QAM-Mid-Outer\_Full--Ant1-PASS



1-N41-30kHz-100MHz-DFT-256QAM-High-Outer\_Full--Ant1-PASS



## 2.2 N66

### 2.2.1 Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N66	15kHz z	5MHz	DFT-PI2BPS K	Low	Outer_Full	4.4721	5.058	PASS
N66	15kHz z	5MHz	DFT-PI2BPS K	Mid	Outer_Full	4.4708	5.042	PASS
N66	15kHz z	5MHz	DFT-PI2BPS K	High	Outer_Full	4.4714	5.032	PASS
N66	15kHz z	5MHz	DFT-QPSK	Low	Outer_Full	4.4826	4.981	PASS
N66	15kHz z	5MHz	DFT-QPSK	Mid	Outer_Full	4.4741	4.983	PASS
N66	15kHz z	5MHz	DFT-QPSK	High	Outer_Full	4.4790	4.976	PASS
N66	15kHz z	5MHz	DFT-16QAM	Low	Outer_Full	4.4575	4.936	PASS
N66	15kHz z	5MHz	DFT-16QAM	Mid	Outer_Full	4.4533	4.952	PASS
N66	15kHz z	5MHz	DFT-16QAM	High	Outer_Full	4.4564	4.957	PASS
N66	15kHz z	5MHz	DFT-64QAM	Low	Outer_Full	4.4708	5.046	PASS
N66	15kHz z	5MHz	DFT-64QAM	Mid	Outer_Full	4.4684	5.032	PASS
N66	15kHz z	5MHz	DFT-64QAM	High	Outer_Full	4.4731	5.051	PASS
N66	15kHz z	5MHz	DFT-256QA M	Low	Outer_Full	4.4736	5.046	PASS
N66	15kHz z	5MHz	DFT-256QA M	Mid	Outer_Full	4.4727	5.134	PASS
N66	15kHz z	5MHz	DFT-256QA M	High	Outer_Full	4.4638	5.103	PASS
N66	15kHz z	10MHz	DFT-PI2BPS K	Low	Outer_Full	8.9143	9.615	PASS
N66	15kHz z	10MHz	DFT-PI2BPS K	Mid	Outer_Full	8.9108	9.623	PASS
N66	15kHz z	10MHz	DFT-PI2BPS K	High	Outer_Full	8.9054	9.562	PASS
N66	15kHz	10MHz	DFT-QPSK	Low	Outer_Full	8.9127	9.572	PASS



**Test Report No.: W7L-P20210616-3RF06**

	z							
N66	15kH z	10MHz	DFT-QPSK	Mid	Outer_Full	8.9123	9.643	PASS
N66	15kH z	10MHz	DFT-QPSK	High	Outer_Full	8.9255	9.677	PASS
N66	15kH z	10MHz	DFT-16QAM	Low	Outer_Full	8.9482	9.679	PASS
N66	15kH z	10MHz	DFT-16QAM	Mid	Outer_Full	8.9446	9.750	PASS
N66	15kH z	10MHz	DFT-16QAM	High	Outer_Full	8.9430	9.621	PASS
N66	15kH z	10MHz	DFT-64QAM	Low	Outer_Full	8.9210	9.649	PASS
N66	15kH z	10MHz	DFT-64QAM	Mid	Outer_Full	8.9119	9.567	PASS
N66	15kH z	10MHz	DFT-64QAM	High	Outer_Full	8.9146	9.684	PASS
N66	15kH z	10MHz	DFT-256QA M	Low	Outer_Full	8.9063	9.504	PASS
N66	15kH z	10MHz	DFT-256QA M	Mid	Outer_Full	8.9069	9.512	PASS
N66	15kH z	10MHz	DFT-256QA M	High	Outer_Full	8.8961	9.562	PASS
N66	15kH z	15MHz	DFT-PI2BPS K	Low	Outer_Full	13.399	14.31	PASS
N66	15kH z	15MHz	DFT-PI2BPS K	Mid	Outer_Full	13.412	14.37	PASS
N66	15kH z	15MHz	DFT-PI2BPS K	High	Outer_Full	13.408	14.39	PASS
N66	15kH z	15MHz	DFT-QPSK	Low	Outer_Full	13.436	14.37	PASS
N66	15kH z	15MHz	DFT-QPSK	Mid	Outer_Full	13.429	14.22	PASS
N66	15kH z	15MHz	DFT-QPSK	High	Outer_Full	13.436	14.33	PASS
N66	15kH z	15MHz	DFT-16QAM	Low	Outer_Full	13.430	14.48	PASS
N66	15kH z	15MHz	DFT-16QAM	Mid	Outer_Full	13.422	14.28	PASS
N66	15kH z	15MHz	DFT-16QAM	High	Outer_Full	13.440	14.46	PASS
N66	15kH z	15MHz	DFT-64QAM	Low	Outer_Full	13.408	14.28	PASS





**Test Report No.: W7L-P20210616-3RF06**

N66	15kH z	15MHz	DFT-64QAM	Mid	Outer_Full	13.397	14.21	PASS
N66	15kH z	15MHz	DFT-64QAM	High	Outer_Full	13.419	14.21	PASS
N66	15kH z	15MHz	DFT-256QA M	Low	Outer_Full	13.422	14.32	PASS
N66	15kH z	15MHz	DFT-256QA M	Mid	Outer_Full	13.436	14.33	PASS
N66	15kH z	15MHz	DFT-256QA M	High	Outer_Full	13.419	14.27	PASS
N66	15kH z	20MHz	DFT-PI2BPS K	Low	Outer_Full	17.863	18.95	PASS
N66	15kH z	20MHz	DFT-PI2BPS K	Mid	Outer_Full	17.882	18.94	PASS
N66	15kH z	20MHz	DFT-PI2BPS K	High	Outer_Full	17.891	19.01	PASS
N66	15kH z	20MHz	DFT-QPSK	Low	Outer_Full	17.834	18.88	PASS
N66	15kH z	20MHz	DFT-QPSK	Mid	Outer_Full	17.872	18.84	PASS
N66	15kH z	20MHz	DFT-QPSK	High	Outer_Full	17.866	18.93	PASS
N66	15kH z	20MHz	DFT-16QAM	Low	Outer_Full	17.853	18.90	PASS
N66	15kH z	20MHz	DFT-16QAM	Mid	Outer_Full	17.874	18.80	PASS
N66	15kH z	20MHz	DFT-16QAM	High	Outer_Full	17.919	18.79	PASS
N66	15kH z	20MHz	DFT-64QAM	Low	Outer_Full	17.876	18.60	PASS
N66	15kH z	20MHz	DFT-64QAM	Mid	Outer_Full	17.855	18.72	PASS
N66	15kH z	20MHz	DFT-64QAM	High	Outer_Full	17.863	18.85	PASS
N66	15kH z	20MHz	DFT-256QA M	Low	Outer_Full	18.868	5.421	PASS
N66	15kH z	20MHz	DFT-256QA M	Mid	Outer_Full	17.851	18.77	PASS
N66	15kH z	20MHz	DFT-256QA M	High	Outer_Full	17.858	18.69	PASS
N66	15kH z	30MHz	DFT-PI2BPS K	Low	Outer_Full	28.495	29.74	PASS
N66	15kH z	30MHz	DFT-PI2BPS K	Mid	Outer_Full	28.544	29.73	PASS

BV 7Layers Communications  
Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06

N66	15kH z	30MHz	DFT-PI2BPS K	High	Outer_Full	28.525	29.66	PASS
N66	15kH z	30MHz	DFT-QPSK	Low	Outer_Full	28.470	29.76	PASS
N66	15kH z	30MHz	DFT-QPSK	Mid	Outer_Full	28.493	29.77	PASS
N66	15kH z	30MHz	DFT-QPSK	High	Outer_Full	28.499	29.90	PASS
N66	15kH z	30MHz	DFT-16QAM	Low	Outer_Full	28.495	29.73	PASS
N66	15kH z	30MHz	DFT-16QAM	Mid	Outer_Full	28.509	29.81	PASS
N66	15kH z	30MHz	DFT-16QAM	High	Outer_Full	28.587	29.70	PASS
N66	15kH z	30MHz	DFT-64QAM	Low	Outer_Full	28.517	29.70	PASS
N66	15kH z	30MHz	DFT-64QAM	Mid	Outer_Full	28.530	29.75	PASS
N66	15kH z	30MHz	DFT-64QAM	High	Outer_Full	28.547	29.75	PASS
N66	15kH z	30MHz	DFT-256QA M	Low	Outer_Full	28.471	29.62	PASS
N66	15kH z	30MHz	DFT-256QA M	Mid	Outer_Full	28.520	29.71	PASS
N66	15kH z	30MHz	DFT-256QA M	High	Outer_Full	28.503	29.76	PASS
N66	15kH z	40MHz	DFT-PI2BPS K	Low	Outer_Full	38.464	39.87	PASS
N66	15kH z	40MHz	DFT-PI2BPS K	Mid	Outer_Full	38.417	39.96	PASS
N66	15kH z	40MHz	DFT-PI2BPS K	High	Outer_Full	38.444	39.93	PASS
N66	15kH z	40MHz	DFT-QPSK	Low	Outer_Full	38.425	40.01	PASS
N66	15kH z	40MHz	DFT-QPSK	Mid	Outer_Full	38.414	40.01	PASS
N66	15kH z	40MHz	DFT-QPSK	High	Outer_Full	38.401	39.93	PASS
N66	15kH z	40MHz	DFT-16QAM	Low	Outer_Full	38.559	39.83	PASS
N66	15kH z	40MHz	DFT-16QAM	Mid	Outer_Full	38.472	39.95	PASS
N66	15kH z	40MHz	DFT-16QAM	High	Outer_Full	38.576	40.03	PASS

BV 7Layers Communications  
Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)






**BUREAU  
VERITAS**

**Test Report No.: W7L-P20210616-3RF06**

N66	15kHz z	40MHz	DFT-64QAM	Low	Outer_Full	38.412	39.88	PASS
N66	15kHz z	40MHz	DFT-64QAM	Mid	Outer_Full	38.397	40.04	PASS
N66	15kHz z	40MHz	DFT-64QAM	High	Outer_Full	38.521	39.95	PASS
N66	15kHz z	40MHz	DFT-256QAM	Low	Outer_Full	38.371	39.89	PASS
N66	15kHz z	40MHz	DFT-256QAM	Mid	Outer_Full	38.412	39.97	PASS
N66	15kHz z	40MHz	DFT-256QAM	High	Outer_Full	38.400	40.02	PASS

## 2.2.2 Test Graphs








BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06




1-N66-15kHz-5MHz-DFT-QPSK-Mid-Outer\_Full--Ant1-PASS




1-N66-15kHz-5MHz-DFT-QPSK-High-Outer\_Full--Ant1-PASS




1-N66-15kHz-5MHz-DFT-16QAM-Low-Outer\_Full--Ant1-PASS



1-N66-15kHz-5MHz-DFT-16QAM-Mid-Outer\_Full--Ant1-PASS



1-N66-15kHz-5MHz-DFT-16QAM-High-Outer




1-N66-15kHz-5MHz-DFT-64QAM-Low-Outer

BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)






<p>1-N66-15kHz-5MHz-DFT-256QAM-High-Out er_Full--Ant1-PASS</p>	<p>/</p>
<p>/</p>	<p>Center Freq: 1.715000000 GHz Occupied Bandwidth: 8.9143 MHz Total Power: 30.4 dBm Transmit Freq Error: -182.73 kHz x dB Bandwidth: 9.615 MHz</p>
<p>/</p>	<p>1-N66-15kHz-10MHz-DFT-PI2BPSK-Low-Ou ter_Full--Ant1-PASS</p>
<p>Center Freq: 1.745000000 GHz Occupied Bandwidth: 8.9108 MHz Total Power: 30.3 dBm Transmit Freq Error: -180.34 kHz x dB Bandwidth: 9.623 MHz</p>	<p>Center Freq: 1.775000000 GHz Occupied Bandwidth: 8.9054 MHz Total Power: 30.1 dBm Transmit Freq Error: -177.89 kHz x dB Bandwidth: 9.562 MHz</p>
<p>1-N66-15kHz-10MHz-DFT-PI2BPSK-Mid-Out er_Full--Ant1-PASS</p>	<p>1-N66-15kHz-10MHz-DFT-PI2BPSK-High-Ou ter_Full--Ant1-PASS</p>





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06




1-N66-15kHz-10MHz-DFT-QPSK-Low-Outer\_Full--Ant1-PASS




1-N66-15kHz-10MHz-DFT-QPSK-Mid-Outer\_Full--Ant1-PASS




1-N66-15kHz-10MHz-DFT-QPSK-High-Outer\_Full--Ant1-PASS



1-N66-15kHz-10MHz-DFT-16QAM-Low-Outer\_Full--Ant1-PASS



1-N66-15kHz-10MHz-DFT-16QAM-Mid-Outer



1-N66-15kHz-10MHz-DFT-16QAM-High-Outer

BV 7Layers Communications Technology (Shenzhen) Co. Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06








<p>1-N66-15kHz-10MHz-DFT-256QAM-Mid-Out er_Full--Ant1-PASS</p>	<p>1-N66-15kHz-10MHz-DFT-256QAM-High-Ou ter_Full--Ant1-PASS</p>
<p>Center Freq: 1.717500000 GHz Occupied Bandwidth: 13.399 MHz Total Power: 30.7 dBm Transmit Freq Error: -351.20 kHz OBW Power: 99.00 % x dB Bandwidth: 14.31 MHz x dB: -26.00 dB</p>	<p>Center Freq: 1.745000000 GHz Occupied Bandwidth: 13.412 MHz Total Power: 30.5 dBm Transmit Freq Error: -353.53 kHz OBW Power: 99.00 % x dB Bandwidth: 14.37 MHz x dB: -26.00 dB</p>
<p>1-N66-15kHz-15MHz-DFT-PI2BPSK-Low-Ou ter_Full--Ant1-PASS</p>	<p>1-N66-15kHz-15MHz-DFT-PI2BPSK-Mid-Out er_Full--Ant1-PASS</p>
<p>Center Freq: 1.772500000 GHz Occupied Bandwidth: 13.408 MHz Total Power: 30.4 dBm Transmit Freq Error: -361.93 kHz OBW Power: 99.00 % x dB Bandwidth: 14.39 MHz x dB: -26.00 dB</p>	<p>Center Freq: 1.717500000 GHz Occupied Bandwidth: 13.436 MHz Total Power: 30.7 dBm Transmit Freq Error: -369.26 kHz OBW Power: 99.00 % x dB Bandwidth: 14.37 MHz x dB: -26.00 dB</p>
<p>1-N66-15kHz-15MHz-DFT-PI2BPSK-High-Ou ter_Full--Ant1-PASS</p>	<p>1-N66-15kHz-15MHz-DFT-QPSK-Low-Outer _Full--Ant1-PASS</p>






BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06




1-N66-15kHz-15MHz-DFT-QPSK-Mid-Outer\_Full--Ant1-PASS



1-N66-15kHz-15MHz-DFT-QPSK-High-Outer\_Full--Ant1-PASS




1-N66-15kHz-15MHz-DFT-16QAM-Low-Outer\_Full--Ant1-PASS



1-N66-15kHz-15MHz-DFT-16QAM-Mid-Outer\_Full--Ant1-PASS



1-N66-15kHz-15MHz-DFT-16QAM-High-Outer\_Full--Ant1-PASS




1-N66-15kHz-15MHz-DFT-64QAM-Low-Outer\_Full--Ant1-PASS

BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)






1-N66-15kHz-15MHz-DFT-256QAM-High-Outer_Full--Ant1-PASS	/
/	
/	1-N66-15kHz-20MHz-DFT-PI2BPSK-Low-Outer_Full--Ant1-PASS
1-N66-15kHz-20MHz-DFT-PI2BPSK-Mid-Outer_Full--Ant1-PASS	1-N66-15kHz-20MHz-DFT-PI2BPSK-High-Outer_Full--Ant1-PASS






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06




1-N66-15kHz-20MHz-DFT-QPSK-Low-Outer\_Full--Ant1-PASS



1-N66-15kHz-20MHz-DFT-QPSK-Mid-Outer\_Full--Ant1-PASS



1-N66-15kHz-20MHz-DFT-QPSK-High-Outer\_Full--Ant1-PASS



1-N66-15kHz-20MHz-DFT-16QAM-Low-Outer\_Full--Ant1-PASS



1-N66-15kHz-20MHz-DFT-16QAM-Mid-Outer



1-N66-15kHz-20MHz-DFT-16QAM-High-Outer

BV 7Layers Communications Technology (Shenzhen) Co. Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566 Fax: +86 755 8869 6577 Email: customerservice.sw@bureauveritas.com



BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF06



BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)






<p>1-N66-15kHz-20MHz-DFT-256QAM-Mid-Outer_Full--Ant1-PASS</p>	<p>1-N66-15kHz-20MHz-DFT-256QAM-High-Outer_Full--Ant1-PASS</p>
<p>Center Freq 1.725000000 GHz</p> <p>Center Freq 1.725000000 GHz</p> <p>Center Freq 1.725 GHz</p> <p>Res BW 300 kHz</p> <p>Span 60 MHz</p> <p>VBW 910 kHz</p> <p>Sweep 100 ms</p> <p>CF Step 6.000000 MHz</p> <p>Occupied Bandwidth 28.495 MHz</p> <p>Total Power 31.1 dBm</p> <p>Transmit Freq Error 18.204 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 29.74 MHz</p> <p>x dB -26.00 dB</p>	<p>Center Freq 1.745000000 GHz</p> <p>Center Freq 1.745000000 GHz</p> <p>Center Freq 1.745 GHz</p> <p>Res BW 300 kHz</p> <p>Span 60 MHz</p> <p>VBW 910 kHz</p> <p>Sweep 100 ms</p> <p>CF Step 6.000000 MHz</p> <p>Occupied Bandwidth 28.544 MHz</p> <p>Total Power 30.8 dBm</p> <p>Transmit Freq Error 17.346 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 29.73 MHz</p> <p>x dB -26.00 dB</p>
<p>1-N66-15kHz-30MHz-DFT-PI2BPSK-Low-Outer_Full--Ant1-PASS</p>	<p>1-N66-15kHz-30MHz-DFT-PI2BPSK-Mid-Outer_Full--Ant1-PASS</p>
<p>Center Freq 1.765000000 GHz</p> <p>Center Freq 1.765000000 GHz</p> <p>Center Freq 1.765 GHz</p> <p>Res BW 300 kHz</p> <p>Span 60 MHz</p> <p>VBW 910 kHz</p> <p>Sweep 100 ms</p> <p>CF Step 6.000000 MHz</p> <p>Occupied Bandwidth 28.525 MHz</p> <p>Total Power 31.0 dBm</p> <p>Transmit Freq Error 193 Hz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 29.66 MHz</p> <p>x dB -26.00 dB</p>	<p>Center Freq 1.725000000 GHz</p> <p>Center Freq 1.725000000 GHz</p> <p>Center Freq 1.725 GHz</p> <p>Res BW 300 kHz</p> <p>Span 60 MHz</p> <p>VBW 910 kHz</p> <p>Sweep 100 ms</p> <p>CF Step 6.000000 MHz</p> <p>Occupied Bandwidth 28.470 MHz</p> <p>Total Power 31.2 dBm</p> <p>Transmit Freq Error 18.751 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 29.76 MHz</p> <p>x dB -26.00 dB</p>
<p>1-N66-15kHz-30MHz-DFT-PI2BPSK-High-Outer_Full--Ant1-PASS</p>	<p>1-N66-15kHz-30MHz-DFT-QPSK-Low-Outer_Full--Ant1-PASS</p>





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF06




1-N66-15kHz-30MHz-DFT-QPSK-Mid-Outer\_Full--Ant1-PASS



1-N66-15kHz-30MHz-DFT-QPSK-High-Outer\_Full--Ant1-PASS




1-N66-15kHz-30MHz-DFT-16QAM-Low-Outer\_Full--Ant1-PASS



1-N66-15kHz-30MHz-DFT-16QAM-Mid-Outer\_Full--Ant1-PASS



1-N66-15kHz-30MHz-DFT-16QAM-High-Outer\_Full--Ant1-PASS



1-N66-15kHz-30MHz-DFT-64QAM-Low-Outer\_Full--Ant1-PASS

BV 7Layers Communications Technology (Shenzhen) Co. Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)

