




Test Report No.: W7L-P20210616-3RF03

CH 1513

MODE	TX channel 1513	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm/m	dBm	dBm/m	dB	dB/m	Pol/Phase
1 PP 3496.000	-47.26	-55.83	-13.00	-34.26	8.57	Peak Horizontal
2 5257.800	-48.40	-57.70	-13.00	-35.40	9.30	Peak Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 1513	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.91	-56.10	-13.00	-33.91	9.19	Peak	Vertical
2	5257.800	-49.25	-59.05	-13.00	-36.25	9.80	Peak	Vertical






BUREAU
VERITAS

Test Report No.: W7L-P20210616-3RF03

LTE Band 4
CHANNEL BANDWIDTH: 1.4MHz / QPSK
CH 20175

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3470.000	-48.16	-56.74	-13.00	-35.16	8.58	Peak	Horizontal
2	5197.500	-51.54	-60.66	-13.00	-38.54	9.12	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-46.66	-55.82	-13.00	-33.66	9.16	Peak	Vertical
2 PP	5197.500	-41.26	-51.08	-13.00	-28.26	9.82	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

CH 20175

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.19	-55.77	-13.00	-34.19	8.58	Peak	Horizontal
2 PP	5197.500	-44.52	-53.64	-13.00	-31.52	9.12	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3470.000	-49.12	-58.28	-13.00	-36.12	9.16	Peak	Vertical
2	5197.500	-49.99	-59.81	-13.00	-36.99	9.82	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

CH 20175

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-50.78	-59.36	-13.00	-37.78	8.58	Peak	Horizontal
2 PP	5197.500	-43.02	-52.14	-13.00	-30.02	9.12	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.30	-56.46	-13.00	-34.30	9.16	Peak	Vertical
2 PP	5197.500	-38.91	-48.73	-13.00	-25.91	9.82	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over	Limit Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.82	-56.40	-13.00	-34.82	8.58	Peak	Horizontal
2 PP	5197.500	-41.98	-51.10	-13.00	-28.98	9.12	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-46.05	-55.21	-13.00	-33.05	9.16	Peak	Vertical
2 PP	5197.500	-39.00	-48.82	-13.00	-26.00	9.82	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-48.12	-56.70	-13.00	-35.12	8.58	Peak	Horizontal
2 PP	5197.500	-45.42	-54.54	-13.00	-32.42	9.12	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3465.000	-47.70	-56.86	-13.00	-34.70	9.16	Peak	Vertical
2 PP	5186.000	-40.38	-50.21	-13.00	-27.38	9.83	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

CH 20050

MODE	TX channel 20050	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3444.000	-47.57	-56.15	-13.00	-34.57	8.58	Peak	Horizontal
2	PP 5160.000	-47.34	-56.34	-13.00	-34.34	9.00	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20050	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3444.000	-46.84	-55.98	-13.00	-33.84	9.14	Peak	Vertical
2 PP	5160.000	-46.44	-56.28	-13.00	-33.44	9.84	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CH 20175

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-47.25	-55.83	-13.00	-34.25	8.58	Peak	Horizontal
2 PP	5197.500	-38.07	-47.19	-13.00	-25.07	9.12	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20175	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3470.000	-46.81	-55.97	-13.00	-33.81	9.16	Peak	Vertical
2 PP	5197.500	-39.55	-49.37	-13.00	-26.55	9.82	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CH 20300

MODE	TX channel 20300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.04	-54.61	-13.00	-33.04	8.57	Peak	Horizontal
2	5235.000	-49.77	-59.00	-13.00	-36.77	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

			Read	Limit	Over			
	Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-45.99	-55.18	-13.00	-32.99	9.19	Peak	Vertical
2	5235.000	-48.27	-58.08	-13.00	-35.27	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

LTE Band 7
 CHANNEL BANDWIDTH: 5MHz / QPSK
 CH 20775

MODE	TX channel 20775	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5004.000	-49.82	-58.36	-25.00	-24.82	8.54	Peak	Horizontal
2	7507.500	-50.26	-61.62	-25.00	-25.26	11.36	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 20775	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5004.000	-47.91	-57.81	-25.00	-22.91	9.90	Peak	Vertical
2	7507.500	-48.36	-61.10	-25.00	-23.36	12.74	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CH 21100

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-49.64	-58.41	-25.00	-24.64	8.77	Peak	Horizontal
2	7605.000	-53.76	-65.16	-25.00	-28.76	11.40	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-47.85	-57.72	-25.00	-22.85	9.87	Peak	Vertical
2	7605.000	-48.59	-61.37	-25.00	-23.59	12.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CH 21425

MODE	TX channel 21425	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5134.000	-49.13	-58.06	-25.00	-24.13	8.93	Peak	Horizontal
2	7702.500	-49.46	-60.90	-25.00	-24.46	11.44	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 21425	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5134.000	-47.96	-57.81	-25.00	-22.96	9.85	Peak	Vertical
2	7702.500	-48.41	-61.23	-25.00	-23.41	12.82	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-49.13	-57.90	-25.00	-24.13	8.77	Peak	Horizontal
2	7605.000	-49.60	-61.00	-25.00	-24.60	11.40	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5082.000	-47.99	-57.86	-25.00	-22.99	9.87	Peak	Vertical
2	7605.000	-48.29	-61.07	-25.00	-23.29	12.78	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5082.000	-49.89	-58.66	-25.00	-24.89	8.77	Peak	Horizontal
2	PP 7605.000	-49.60	-61.00	-25.00	-24.60	11.40	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-48.50	-58.37	-25.00	-23.50	9.87	Peak	Vertical
2	7605.000	-49.39	-62.17	-25.00	-24.39	12.78	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5082.000	-49.74	-58.51	-25.00	-24.74	8.77	Peak	Horizontal
2	7605.000	-50.09	-61.49	-25.00	-25.09	11.40	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5082.000	-47.76	-57.63	-25.00	-22.76	9.87	Peak	Vertical
2	7605.000	-48.69	-61.47	-25.00	-23.69	12.78	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-P20210616-3RF03

LTE BAND 12

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-55.19	-56.27	-13.00	-42.19	1.08	Peak	Horizontal
2 PP	2122.500	-49.72	-57.39	-13.00	-36.72	7.67	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-56.61	-58.30	-13.00	-43.61	1.69	Peak	Vertical
2 PP	2122.500	-51.91	-58.60	-13.00	-38.91	6.69	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

CH23025

MODE	TX channel 23025	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1390.000	-56.60	-57.57	-13.00	-43.60	0.97	Peak	Horizontal
2	PP 2101.500	-50.44	-58.09	-13.00	-37.44	7.65	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23025	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1390.000	-54.73	-56.31	-13.00	-41.73	1.58	Peak	Vertical
2	PP 2101.500	-50.77	-57.44	-13.00	-37.77	6.67	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.43	-54.51	-13.00	-40.43	1.08	Peak	Horizontal
2 PP	2122.500	-48.28	-55.95	-13.00	-35.28	7.67	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-53.78	-55.47	-13.00	-40.78	1.69	Peak	Vertical
2 PP	2122.500	-49.42	-56.11	-13.00	-36.42	6.69	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CH23165

MODE	TX channel 23165	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.76	-55.84	-13.00	-41.76	1.08	Peak	Horizontal
2 PP	2143.500	-49.16	-56.85	-13.00	-36.16	7.69	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23165	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.80	-56.49	-13.00	-41.80	1.69	Peak	Vertical
2 PP	2143.500	-50.73	-57.44	-13.00	-37.73	6.71	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.80	-55.88	-13.00	-41.80	1.08	Peak	Horizontal
2 PP	2122.500	-48.47	-56.14	-13.00	-35.47	7.67	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.47	-56.16	-13.00	-41.47	1.69	Peak	Vertical
2 PP	2122.500	-49.77	-56.46	-13.00	-36.77	6.69	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.18	-55.26	-13.00	-41.18	1.08	Peak	Horizontal
2 PP	2122.500	-48.92	-56.59	-13.00	-35.92	7.67	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1416.000	-54.69	-56.38	-13.00	-41.69	1.69	Peak	Vertical
2 PP	2122.500	-49.45	-56.14	-13.00	-36.45	6.69	Peak	Vertical





Test Report No.: W7L-P20210616-3RF03


LTE B13

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23205

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1572.000	-53.71	-56.03	-40.00	-13.71	2.32	Peak	Horizontal
2	2326.000	-30.06	-37.93	-13.00	-17.06	7.87	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-53.07	-55.77	-40.00	-13.07	2.70	Peak	Vertical
2	2326.000	-31.00	-37.89	-13.00	-18.00	6.89	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-53.45	-55.77	-40.00	-13.45	2.32	Peak	Horizontal
2	2346.000	-34.39	-42.29	-13.00	-21.39	7.90	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1572.000	-53.19	-55.89	-40.00	-13.19	2.70	Peak	Vertical
2 PP	2346.000	-24.92	-31.83	-13.00	-11.92	6.91	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH23255

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-53.39	-55.71	-40.00	-13.39	2.32	Peak	Horizontal
2	2353.500	-47.53	-55.43	-13.00	-34.53	7.90	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-53.57	-56.27	-40.00	-13.57	2.70	Peak	Vertical
2	2353.500	-49.22	-56.14	-13.00	-36.22	6.92	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz /QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1572.000	-54.01	-56.33	-40.00	-14.01	2.32	Peak	Horizontal
2	PP 2352.000	-23.54	-31.44	-13.00	-10.54	7.90	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1572.000	-52.67	-55.37	-40.00	-12.67	2.70	Peak	Vertical
2	2346.000	-32.04	-38.95	-13.00	-19.04	6.91	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

LTE B17

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 23790	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-54.07	-55.14	-13.00	-41.07	1.07	Peak	Horizontal
2 PP	2130.000	-48.76	-56.44	-13.00	-35.76	7.68	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23790	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-54.78	-56.46	-13.00	-41.78	1.68	Peak	Vertical
2 PP	2130.000	-49.89	-56.59	-13.00	-36.89	6.70	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH23780

MODE	TX channel 23780	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-54.45	-55.52	-13.00	-41.45	1.07	Peak	Horizontal
2	PP 2127.000	-48.16	-55.83	-13.00	-35.16	7.67	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23780	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-54.62	-56.30	-13.00	-41.62	1.68	Peak	Vertical
2 PP	2127.000	-49.80	-56.49	-13.00	-36.80	6.69	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH23790

MODE	TX channel 23790	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-54.48	-55.55	-13.00	-41.48	1.07	Peak	Horizontal
2 PP	2130.000	-48.13	-55.81	-13.00	-35.13	7.68	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23790	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-53.57	-55.25	-13.00	-40.57	1.68	Peak	Vertical
2 PP	2130.000	-48.95	-55.65	-13.00	-35.95	6.70	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH23800

MODE	TX channel 23800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-54.84	-55.91	-13.00	-41.84	1.07	Peak	Horizontal
2 PP	2133.000	-48.59	-56.27	-13.00	-35.59	7.68	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 23800	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1414.000	-53.79	-55.47	-13.00	-40.79	1.68	Peak	Vertical
2 PP	2133.000	-50.13	-56.83	-13.00	-37.13	6.70	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-P20210616-3RF03

LTE BAND 41

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Read	Limit	Over			
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm/m	dBm	dBm/m	dB	dB/m	
1 PP 5186.000	-46.23	-55.31	-25.00	-21.23	9.08	Peak Horizontal
2 7779.000	-49.47	-60.94	-25.00	-24.47	11.47	Peak Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-45.38	-55.21	-25.00	-20.38	9.83	Peak	Vertical
2	7779.000	-47.58	-60.43	-25.00	-22.58	12.85	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 39700

MODE	TX channel 39700	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5004.000	-48.66	-57.20	-25.00	-23.66	8.54	Peak	Horizontal
2	7503.000	-49.10	-60.46	-25.00	-24.10	11.36	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 39700	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5004.000	-47.95	-57.85	-25.00	-22.95	9.90	Peak	Vertical
2	7503.000	-48.30	-61.04	-25.00	-23.30	12.74	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH40620

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-49.06	-58.14	-25.00	-24.06	9.08	Peak	Horizontal
2	7779.000	-50.25	-61.72	-25.00	-25.25	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-43.27	-53.10	-25.00	-18.27	9.83	Peak	Vertical
2	7779.000	-48.66	-61.51	-25.00	-23.66	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH41540

MODE	TX channel 41540	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5368.000	-41.40	-51.03	-25.00	-16.40	9.63	Peak	Horizontal
2	8055.000	-49.68	-61.29	-25.00	-24.68	11.61	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 41540	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5368.000	-48.31	-58.07	-25.00	-23.31	9.76	Peak	Vertical
2 PP	8055.000	-47.82	-60.88	-25.00	-22.82	13.06	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-45.84	-54.92	-25.00	-20.84	9.08	Peak	Horizontal
2	7779.000	-49.42	-60.89	-25.00	-24.42	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-46.44	-56.27	-25.00	-21.44	9.83	Peak	Vertical
2	7779.000	-48.53	-61.38	-25.00	-23.53	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5186.000	-45.27	-54.35	-25.00	-20.27	9.08	Peak	Horizontal
2	7786.000	-49.36	-60.84	-25.00	-24.36	11.48	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-45.51	-55.34	-25.00	-20.51	9.83	Peak	Vertical
2	7779.000	-48.05	-60.90	-25.00	-23.05	12.85	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-P20210616-3RF03

LTE BAND 41-HPUE

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-46.12	-55.20	-25.00	-21.12	9.08	Peak	Horizontal
2	7786.000	-50.67	-62.15	-25.00	-25.67	11.48	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-42.88	-52.71	-25.00	-17.88	9.83	Peak	Vertical
2	7779.000	-48.20	-61.05	-25.00	-23.20	12.85	Peak	Vertical





BUREAU VERITAS


Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 39700

MODE	TX channel 39700	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5002.000	-49.57	-58.10	-25.00	-24.57	8.53	Peak	Horizontal
2	7500.000	-50.43	-61.79	-25.00	-25.43	11.36	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 39700	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5004.000	-48.66	-58.56	-25.00	-23.66	9.90	Peak	Vertical
2	7500.000	-49.04	-61.78	-25.00	-24.04	12.74	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH40620

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-34.36	-43.44	-25.00	-9.36	9.08	Peak	Horizontal
2	7779.000	-49.60	-61.07	-25.00	-24.60	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-39.48	-49.31	-25.00	-14.48	9.83	Peak	Vertical
2	7786.000	-48.40	-61.25	-25.00	-23.40	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH41540

MODE	TX channel 41540	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5368.000	-42.69	-52.32	-25.00	-17.69	9.63	Peak	Horizontal
2	8055.000	-50.05	-61.66	-25.00	-25.05	11.61	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 41540	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	5368.000	-49.07	-58.83	-25.00	-24.07	9.76	Peak	Vertical
2 PP	8055.000	-48.46	-61.52	-25.00	-23.46	13.06	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5186.000	-36.74	-45.82	-25.00	-11.74	9.08	Peak	Horizontal
2	7779.000	-48.83	-60.30	-25.00	-23.83	11.47	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.53	-47.36	-25.00	-12.53	9.83	Peak	Vertical
2	7786.000	-48.42	-61.27	-25.00	-23.42	12.85	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 5186.000	-37.31	-46.39	-25.00	-12.31	9.08	Peak	Horizontal
2	7786.000	-50.24	-61.72	-25.00	-25.24	11.48	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 40620	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	5186.000	-36.83	-46.66	-25.00	-11.83	9.83	Peak	Vertical
2	7779.000	-46.90	-59.75	-25.00	-21.90	12.85	Peak	Vertical





**BUREAU
VERITAS**


Test Report No.: W7L-P20210616-3RF03

LTE B66

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-51.19	-59.76	-13.00	-38.19	8.57	Peak	Horizontal
2 PP	5235.000	-50.16	-59.39	-13.00	-37.16	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.96	-57.15	-13.00	-34.96	9.19	Peak	Vertical
2	5235.000	-49.61	-59.42	-13.00	-36.61	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 3MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-48.04	-56.61	-13.00	-35.04	8.57	Peak	Horizontal
2	5235.000	-50.09	-59.32	-13.00	-37.09	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-49.10	-58.29	-13.00	-36.10	9.19	Peak	Vertical
2	5235.000	-50.63	-60.44	-13.00	-37.63	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 5MHz / QPSK

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.99	-56.56	-13.00	-34.99	8.57	Peak	Horizontal
2	5235.000	-51.21	-60.44	-13.00	-38.21	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-48.17	-57.36	-13.00	-35.17	9.19	Peak	Vertical
2	5235.000	-49.35	-59.16	-13.00	-36.35	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

CH132022

MODE	TX channel 132022	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3418.000	-49.39	-57.98	-13.00	-36.39	8.59	Peak	Horizontal
2 PP	5145.000	-49.07	-58.03	-13.00	-36.07	8.96	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132022	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3418.000	-49.23	-58.34	-13.00	-36.23	9.11	Peak	Vertical
2 PP	5145.000	-47.90	-57.74	-13.00	-34.90	9.84	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CH132322

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.20	-55.77	-13.00	-34.20	8.57	Peak	Horizontal
2	5235.000	-49.46	-58.69	-13.00	-36.46	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.00	-56.19	-13.00	-34.00	9.19	Peak	Vertical
2	5235.000	-49.03	-58.84	-13.00	-36.03	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH132622

MODE	TX channel 132622	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3548.000	-49.14	-57.76	-13.00	-36.14	8.62	Peak	Horizontal
2	5325.000	-50.14	-59.64	-13.00	-37.14	9.50	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132622	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	Pol/Phase
MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP 3548.000	-47.35	-56.56	-13.00	-34.35	9.21	Peak	Vertical
2 5325.000	-49.64	-59.41	-13.00	-36.64	9.77	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-50.31	-58.88	-13.00	-37.31	8.57	Peak	Horizontal
2	5235.000	-52.46	-61.69	-13.00	-39.46	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-47.15	-56.34	-13.00	-34.15	9.19	Peak	Vertical
2 PP	5235.000	-46.99	-56.80	-13.00	-33.99	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-48.27	-56.84	-13.00	-35.27	8.57	Peak	Horizontal
2	5235.000	-49.19	-58.42	-13.00	-36.19	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-47.43	-56.62	-13.00	-34.43	9.19	Peak	Vertical
2	5235.000	-48.38	-58.19	-13.00	-35.38	9.81	Peak	Vertical





Test Report No.: W7L-P20210616-3RF03


LTE B66C

CHANNEL BANDWIDTH: (5+20) MHz / QPSK

CH132330/132447

MODE	TX channel 132330/132447	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.53	-56.10	-13.00	-34.53	8.57	Peak	Horizontal
2	5237.800	-48.79	-58.03	-13.00	-35.79	9.24	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132330/132447	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3491.600	-47.10	-56.28	-13.00	-34.10	9.18	Peak	Vertical
2	5238.000	-49.10	-58.91	-13.00	-36.10	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (10+15) MHz / QPSK

CH132351/132471

MODE	TX channel 132351/132471	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3495.800	-47.66	-56.23	-13.00	-34.66	8.57	Peak	Horizontal
2	5238.000	-48.98	-58.22	-13.00	-35.98	9.24	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132351/132471	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-47.03	-56.22	-13.00	-34.03	9.19	Peak	Vertical
2	5243.700	-47.75	-57.55	-13.00	-34.75	9.80	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (10+20) MHz / QPSK

CH132328/132472

MODE	TX channel 132328/132472	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.43	-56.00	-13.00	-34.43	8.57	Peak	Horizontal
2	5236.800	-48.87	-58.10	-13.00	-35.87	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132328/132472	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3491.200	-47.32	-56.50	-13.00	-34.32	9.18	Peak	Vertical
2	5238.000	-47.88	-57.69	-13.00	-34.88	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (15+10) MHz / QPSK

CH132373/132493

MODE	TX channel 132373/132493	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3500.200	-46.70	-55.27	-13.00	-33.70	8.57	Peak	Horizontal
2	5238.000	-49.59	-58.83	-13.00	-36.59	9.24	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132373/132493	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.07	-56.26	-13.00	-34.07	9.19	Peak	Vertical
2	5250.300	-47.87	-57.67	-13.00	-34.87	9.80	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (15+15) MHz / QPSK

CH132347/132497

MODE	TX channel 132347/132497	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3495.000	-45.78	-54.35	-13.00	-32.78	8.57	Peak	Horizontal
2	5238.000	-48.68	-57.92	-13.00	-35.68	9.24	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132347/132497	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-46.67	-55.86	-13.00	-33.67	9.19	Peak	Vertical
2 PP	5238.000	-30.37	-40.18	-13.00	-17.37	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (15+20) MHz / QPSK

CH132325/132496

MODE	TX channel 132325/132496	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.54	-56.11	-13.00	-34.54	8.57	Peak	Horizontal
2	5235.900	-49.61	-58.84	-13.00	-36.61	9.23	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132325/132496	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	Mhz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3490.600	-47.21	-56.39	-13.00	-34.21	9.18	Peak	Vertical
2	5238.000	-48.67	-58.48	-13.00	-35.67	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (20+5) MHz / QPSK

CH132397/132514

MODE	TX channel 132397/132514	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3496.000	-47.80	-56.37	-13.00	-34.80	8.57	Peak	Horizontal
2	5257.500	-48.99	-58.29	-13.00	-35.99	9.30	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132397/132514	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3505.000	-46.95	-56.14	-13.00	-33.95	9.19	Peak	Vertical
2	5264.000	-47.80	-57.60	-13.00	-34.80	9.80	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (20+10) MHz / QPSK

CH132373/132517

MODE	TX channel 132373/132517	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3500.200	-47.40	-55.97	-13.00	-34.40	8.57	Peak	Horizontal
2	5238.000	-49.53	-58.77	-13.00	-36.53	9.24	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132373/132517	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.54	-55.73	-13.00	-33.54	9.19	Peak	Vertical
2	5250.300	-47.99	-57.79	-13.00	-34.99	9.80	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (20+15) MHz / QPSK

CH132348/132519

MODE	TX channel 132348/132519	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-46.76	-55.33	-13.00	-33.76	8.57	Peak	Horizontal
2	5242.800	-49.10	-58.35	-13.00	-36.10	9.25	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132348/132519	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3495.200	-44.78	-53.97	-13.00	-31.78	9.19	Peak	Vertical
2 PP	5238.000	-33.98	-43.79	-13.00	-20.98	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: (20+20) MHz / QPSK

CH132072/132270

MODE	TX channel 132072/132270	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3444.000	-46.81	-55.39	-13.00	-33.81	8.58	Peak	Horizontal
2	5160.000	-47.80	-56.80	-13.00	-34.80	9.00	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132072/132270	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	3444.000	-47.22	-56.36	-13.00	-34.22	9.14	Peak	Vertical
2	5160.000	-48.27	-58.11	-13.00	-35.27	9.84	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CH132323/132521

MODE	TX channel 132323/132521	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3490.200	-47.14	-55.71	-13.00	-34.14	8.57	Peak	Horizontal
2	5238.000	-50.58	-59.82	-13.00	-37.58	9.24	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132323/132521	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	3496.000	-46.38	-55.57	-13.00	-33.38	9.19	Peak	Vertical
2 PP	5238.000	-27.47	-37.28	-13.00	-14.47	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CH132374/132572

MODE	TX channel 132374/132572	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3496.000	-47.62	-56.19	-13.00	-34.62	8.57	Peak	Horizontal
2	5250.600	-50.58	-59.86	-13.00	-37.58	9.28	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 132374/132572	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 3500.400	-46.61	-55.80	-13.00	-33.61	9.19	Peak	Vertical
2	5238.000	-49.14	-58.95	-13.00	-36.14	9.81	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

LTE B71

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 133247	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.42	-55.27	-13.00	-41.42	0.85	Peak	Horizontal
2	PP 2041.500	-48.14	-55.73	-13.00	-35.14	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 133247	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.14	-55.61	-13.00	-41.14	1.47	Peak	Vertical
2	PP 2041.500	-48.89	-55.50	-13.00	-35.89	6.61	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 133272	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-55.19	-56.04	-13.00	-42.19	0.85	Peak	Horizontal
2 PP	2041.500	-47.56	-55.15	-13.00	-34.56	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 133272	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-53.35	-54.82	-13.00	-40.35	1.47	Peak	Vertical
2	PP 2041.500	-47.40	-54.01	-13.00	-34.40	6.61	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.30	-55.15	-13.00	-41.30	0.85	Peak	Horizontal
2 PP	2041.500	-48.37	-55.96	-13.00	-35.37	7.59	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.24	-55.71	-13.00	-41.24	1.47	Peak	Vertical
2 PP	2041.500	-49.14	-55.75	-13.00	-36.14	6.61	Peak	Vertical






Test Report No.: W7L-P20210616-3RF03

CHANNEL BANDWIDTH: 20MHz / QPSK

CH133222

MODE	TX channel 133222	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-55.47	-56.21	-13.00	-42.47	0.74	Peak	Horizontal
2 PP	2019.000	-48.73	-56.30	-13.00	-35.73	7.57	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 133222	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1338.000	-54.42	-55.78	-13.00	-41.42	1.36	Peak	Vertical
2 PP	2019.000	-49.86	-56.44	-13.00	-36.86	6.58	Peak	Vertical






**BUREAU
VERITAS**

Test Report No.: W7L-P20210616-3RF03

CH133322

MODE	TX channel 133322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.50	-55.35	-13.00	-41.50	0.85	Peak	Horizontal
2	PP 2049.000	-47.29	-54.89	-13.00	-34.29	7.60	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 133322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.68	-56.15	-13.00	-41.68	1.47	Peak	Vertical
2	PP 2049.000	-49.67	-56.28	-13.00	-36.67	6.61	Peak	Vertical






BUREAU VERITAS

Test Report No.: W7L-P20210616-3RF03

CH133372

MODE	TX channel 133372	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.57	-55.42	-13.00	-41.57	0.85	Peak	Horizontal
2 PP	2064.000	-48.93	-56.54	-13.00	-35.93	7.61	Peak	Horizontal






Test Report No.: W7L-P20210616-3RF03

MODE	TX channel 133372	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	EUT 4.0V
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1364.000	-54.33	-55.80	-13.00	-41.33	1.47	Peak	Vertical
2 PP	2064.000	-49.98	-56.61	-13.00	-36.98	6.63	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-P20210616-3RF03

3.7.4 TEST RESULTS

Please Refer to Appendix C Of this test report.



Test Report No.: W7L-P20210616-3RF03

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-P20210616-3RF03

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

NOTE: APPENDIX C is another word.

---END---